


# STRENGTH AREA



DATASHEET

PAVIGYM  
THE BASIS OF FITNESS

## PAVIGYM ENDURANCE

Its high density provides supreme resistance for standard cardio, functional training & free weight areas (medium loads).

# TECHNICAL INFO

Weight		6,8 kg
Density	UNE-53526	1.200 kg/m <sup>3</sup>
Hardness	din 53505	75° Shore A
Water absorption	ASTM D570	0%
Coef. of linear dilatation	0°C-40°C	1,5 10 <sup>-4</sup> °C <sup>-1</sup>
Fire reaction	EN 13501-1	Cfl-s2 (Op. Bfl-sl)
Sound insulation	ISO 10140-3	15,4 dB

# COMPARATIVE CHART

	PAVIGYM ENDURANCE S&S	PAVIGYM ENDURANCE	RECYCLED RUBBER (ROLLS)
Comfort	*****	***	**
Marks resistance (medium loads)	*****	****	***
Marks resistance (heavy loads)	****	***	**
Sound insulation	*****	***	**
Durability	*****	****	***
Hygienic / Anti-bacterial protection	*****	*****	**
Thermal insulation	*****	*****	***
Water resistance	*****	*****	***
Easy to install & maintain	*****	*****	**

# COLOURS



PAVIGYM LIME



PAVIGYM ORANGE




PAVIGYM CYAN



PAVIGYM RED



PAVIGYM MAGENTA




PAVIGYM PURPLE




PAVIGYM WENGUE




PAVIGYM WALNUT




PAVIGYM JET BLACK



PAVIGYM BEECHWOOD



PAVIGYM STONE GREY




PAVIGYM B. MARBLE\*

\*GRAINED EFFECT

\*The appearance and color of these images may differ slightly from the final product.



INTERLOCKING SYSTEM



THICKNESS  
7 MM\*



\*Approximate value



VIRGIN RUBBER MLECULE  
PERFECT POLYMELIC CHAIN



# STRENGTH AREA

