

fit interiors

DESIGN FIRST.

Norma



Index

ANB301-23	4
ANB601-23	5
ANB901-23	6
ANB30-23	7
ANB60-23	8
ANB90-23	9
ANB33-23	10
ANB63-23	11
ANB93-23	12
ANB3015-23	13
ANB6015-23	14

ANB9015-23	15
ANB3025-23	16
ANB6025-23	17
ANB9025-23	18
SANB3015-23	19
SANB6015-23	20
SANB9015-23	21
SANB3025-23	22
SANB6025-23	23
SANB9025-23	24

Handles	25
Numbers	27
Locks	29
Accessories	38
Additions	41
Finishes	46

Norma

Single, double and triple column lockers

Options

- Doors in MFC in various Standard finishes (see The Swatch Book)
- Internal structure in two colors: grey or cashmere

Doors Standard finishes



THE SWATCH BOOK

Structure Finishes



D143PS30
Grey



6577ST
Cashmere

Included equipment



Padlock system



Number made
of PVC

Optionals on request (replacing standard equipment)

HANDLES



NUMBERS



LOCKS



ACCESSORIES



- Braked hinges



- Storage basket



- Document holder



- Mirror



- USB socket



- Shoe rack



- Oval bar for coat hangers




- Double hook



- Anti-theft hanger




- Plastic hanger



ANB301-23

Single column 1-tier locker






- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Internal shoe shelf
- Bag compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system


Dimensions

W 300 mm / D 550 mm / H 2100 mm
Height with skirting board 2170 mm

Optionals on request




ANB601-23	Double column 2-tier locker	
	• Doors and structure in 18 mm thick MFC panels • ABS edging with polyurethane glue • Ventilation grids • Bar for coat hangers • Internal shoe shelf • Bag compartment • Adjustable feet • Hinges certified for 80.000 opening cycles • Door 155° opening angle • Number made of PVC with Fit Interiors logo • Padlock system	
Dimensions W 600 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm		
Optionals on request 		



ANB901-23

Triple column 1-tier locker





- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Internal shoe shelf
- Bag compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system



Dimensions
 W 900 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optionals on request





ANB30-23	Single column 2-tiers locker	
	• Doors and structure in 18 mm thick MFC panels • ABS edging with polyurethane glue • Ventilation grids • Bar for coat hangers • Adjustable feet • Hinges certified for 80.000 opening cycles • Door 155° opening angle • Number made of PVC with Fit Interiors logo • Padlock system	
Dimensions W 300 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm		
Optionals on request		



**ANB60-23****Double column 2-tiers locker, 4 doors**

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions

W 600 mm / D 550 mm / H 2100 mm
Height with skirting board 2170 mm

Optionals on request


**ANB90-23****Triple column 2-tiers locker, 6 doors**

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions


W 900 mm / D 550 mm / H 2100 mm
Height with skirting board 2170 mm

Optionals on request



ANB33-23

Single column 3-tiers locker





- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Triple hook
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions
 W 300 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optionals on request





**ANB63-23****Double column 3-tiers locker, 6 doors**

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Triple hook
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions

W 600 mm / D 550 mm / H 2100 mm
Height with skirting board 2170 mm

Optionals on request


**ANB93-23****Triple column 3-tiers locker, 9 doors**



- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Triple hook
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system


Dimensions

W 900 mm / D 550 mm / H 2100 mm
Height with skirting board 2170 mm

Optionals on request




ANB3015-23	Single column 1-tier locker, bench version	
	• Doors and structure in 18 mm thick MFC panels • ABS edging with polyurethane glue • Ventilation grids • Bar for coat hangers • Bag compartment • Adjustable feet • Hinges certified for 80.000 opening cycles • Door 155° opening angle • Number made of PVC with Fit Interiors logo • Padlock system	
Dimensions W 300 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm		
Optionals on request		



ANB6015-23

Double column 2-tier lockers, bench-version, full lenght doors




- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Bag compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions


W 600 mm / D 550 mm / H 2100 mm
Height with skirting board 2170 mm

Optionals on request



ANB9015-23

Triple column 1-tier locker, bench-version, full length doors





- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Bag compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system


Dimensions

W 900 mm / D 550 mm / H 2100 mm
Height with skirting board 2170 mm

Optionals on request




ANB3025-23	Single column 2-tiers locker, bench version	
	• Doors and structure in 18 mm thick MFC panels • ABS edging with polyurethane glue • Ventilation grids • Bar for coat hangers • Adjustable feet • Hinges certified for 80.000 opening cycles • Door 155° opening angle • Number made of PVC with Fit Interiors logo • Padlock system	
Dimensions W 300 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm		
Optionals on request	(*)              (*) escluso vano inferiore	



ANB6025-23

Double column 2-tiers locker, bench-version, 4 doors




- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions
 W 600 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optionals on request




(*) escluso
 vano inferiore



ANB9025-23

Triple column 2-tiers locker, bench-version, 6 doors




- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions
W 900 mm / D 550 mm / H 2100 mm
Height with skirting board 2170 mm

Optionals on request




(*) escluso
vano inferiore



SANB3015-23

Single column 1-tier locker, cantilevered bench version





- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Bag compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions
W 300 mm / D 550 mm / H 2100 mm
Height with skirting board 2170 mm

Optionals on request




**SANB6015-23****Double column 1-tier locker, cantilevered bench version, full length doors**

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Bag compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions

W 600 mm / D 550 mm / H 2100 mm
Height with skirting board 2170 mm

Optionals on request


**SANB9015-23****Triple column 1-tier locker, cantilevered bench version, full lenght doors**

- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions


W 900 mm / D 550 mm / H 2100 mm
Height with skirting board 2170 mm

Optionals on request



SANB3025-23

Single column 2-tiers locker, cantilevered bench version



- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system


Dimensions
 W 300 mm / D 550 mm / H 2100 mm
 Height with skirting board 2170 mm

Optionals on request




(*)

(*) escluso vano inferiore



SANB6025-23

Double column 2-tiers locker, cantilevered bench version, 4 doors



- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system


Dimensions

W 600 mm / D 550 mm / H 2100 mm
Height with skirting board 2170 mm

Optionals on request




(*) escluso vano inferiore



SANB9025-23

Triple column 2-tiers locker, cantilevered bench version, 6 doors



- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grids
- Bar for coat hangers
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions
W 900 mm / D 550 mm / H 2100 mm
Height with skirting board 2170 mm

Optionals on request



(*) escluso vano inferiore

Handles

HAN 01A	Zamak handle, polished chrome		
HAN 01B	Zamak handle, matt chrome		
	Dimensions W 10 mm / D 30 mm / H 106 mm		
HAN 02	Zamak knob, polished chrome		
	Dimensions Ø 20 mm / D 25 mm		
HAN 03	Recessed handle in zamak, polished chrome		
	Dimensions W 42 mm / D 12 mm / H 106 mm		
HAN 04	Zamak handle, titanium		
	Dimensions W 50 mm / D 25,7 mm / H 80 mm		
HAN 05A	Zamak handle, polished chrome		
HAN 05B	Zamak handle, white		
HAN 05C	Zamak handle, anthracite		
	Dimensions W 22 mm / D 18 mm / H 158 mm		

Handles

HAN 06	Aluminium handle, polished anodised		
	Dimensions W 16 mm / D 30 mm / H 198 mm		
HAN 07	Zamak handle, polished chrome		
	Dimensions W 69 mm / D 26 mm / H 69 mm		
HAN 08A	Plastic knob, polished silver		
HAN 08B	Plastic knob, matt silver		
	Dimensions Ø 35 mm / D 28 mm		
HAN 09	Aluminum bar handles		
	• Vertical handle • Structure in matt black painted aluminum RAL 9017 • Fixing with 3 M4 screws - L 25 mm Dimensions W 7 mm / D 30 mm / H 700 mm		
			

Numbers

ACCIND	Perforated number on a stainless steel plate	
	• Fixing with screws • Replacing standard equipment Stencil Std 1234567890 Dimensions W 62 mm / H 20 mm	
ACCTAI	Number engraved on a stainless steel plate	
	• Fixing with screws • Replacing standard equipment helvetica Rounded Bold 1234567890 Dimensions W 135 mm / H 40 mm	
ACC3D	Tridimensional number in plexiglass, single digit	
	• Thickness 10 mm, fixing with screws • Black colour • Replacing standard equipment FF Medium 1234567890 Dimensions H 50 mm	
ACCNXT	Steel number, three-digit	
	• Metal door plate • Three-digit numbering • Fit Interiors logo • Sticker on back by ORAFOL mod. Aguard • Replacing standard equipment FF Medium 1234567890 Dimensions W 37 mm / D 2 mm / H 37 mm	
ACCNUFFM	FF Medium font sticker number	
ACCNUARTI	Artifakt font sticker number	
ACCNUDOM	Domaine Semibold Italic font sticker number	
ACCNUCERA	Cera Round Black font sticker number	
	• Adhesive vinyl number • Two-digit numbering • White or black color • Replacing standard equipment FF Medium 1234567890 Artifakt 1234567890 Domaine Semibold Italic 1234567890 Cera Round Black 1234567890 Dimensions H 85 mm H 110 mm H 135 mm	

Numbers

ACCNUI-M150	Steel number, single digit, H 150 mm	
ACCNUI-M100	Steel number, single digit, H 100 mm	
ACCNUI-M70	Steel number, single digit, H 70 mm	
 • Medium font • Thickness 1 mm, Fixing with screws • Replacing standard equipment	FF Medium 1234567890	
ACCNUI-C230	Steel number, single digit, H 230 mm	
ACCNUI-C150	Steel number, single digit, H 150 mm	
ACCNUI-C100	Steel number, single digit, H 100 mm	
 • Compressed font • Thickness 1 mm, Fixing with screws • Replacing standard equipment	FF Compressed 1234567890	

	door width	H 230 mm	H 150 mm	H 100 mm	H 70 mm
Code			ACCNUI-M150*	ACCNUI-M100	ACCNUI-M70
Typeface	450 mm	•	24	024	024
1234567890	400 mm	•	24	024	024
	300 mm	•	•	024	024
FF Medium					
Code		ACCNUI-C230	ACCNUI-C150	ACCNUI-C100	
Typeface	450 mm	024	024	024	•
1234567890	400 mm	024	024	024	•
	300 mm	•	024	024	•
FF Compressed					

* max two-digit numbers

Locks

mechanical

ACCHIAVE	Key lock	
	• 2 keys included plus numbered key fob • Replacing standard equipment	
ACCHIAMA	Master-key for keylock	
	• Mandatory q.ty 2 for up to 200 doors • Mandatory q.ty 3 for over 200 doors	
ACCDKDI	Digilock Dial Mechanical Combination Lock	DIGILOCK
	• 4-digit code combination • Brushed nickel color • Suitable for right and left opening • Cylinder removal due to key loss or theft • Integrated handle • Replacing standard equipment	
ACCDKIT	Kit for Digilock Dial consisting of Master Key, Reset Tool and Removal Key	DIGILOCK
	• Mandatory qty 1 per supply • Master Key and Reset Tool for code recovery and reset • Removal Key for cylinder removal	
ACCCOMBI	Ojmar Combi Lock Mechanical Combination Lock	OJIMAR
	• 4-digit code combination • Black color • Suitable for right and left opening • Integrated handle • Replacing standard equipment	
ACCCOMBIMAN	Master key for Ojmar Combi Lock	OJIMAR
	• Master Key for code recovery and reset • Mandatory qty 2 for supplies up to 200 doors • Mandatory qty 3 for supplies over 200 doors	
ACCBURG	Burg sPinLock 200 mechanical combination lock	BURG
	• 4-digit code combination • Black color • Suitable for right and left opening • Integrated handle • Replacing standard equipment	
ACCBURGMAS	Master key for Burg sPinLock 200	BURG
	• Master Key for code recovery and reset • Mandatory qty 2 for supplies up to 200 doors • Mandatory qty 3 for supplies over 200 doors	

Locks

mechanical

ACCKEY1	Keyless1 U1 mechanical combination lock, satin nickel color	KEYLESS	
ACCKEY2	Keyless1 U1 mechanical combination lock, satin gold color	KEYLESS	
ACCKEY3	Keyless1 U1 mechanical combination lock, matte black color	KEYLESS	
ACCKEY4	Keyless1 U1 mechanical combination lock, matte white color	KEYLESS	
• 4-digit code combination • all-metal structure (no plastic components) • suitable for right and left opening • integrated handle • replacing standard equipment     satin nickel satin gold matte black matte white			
ACCKEYMAS	Masterkey for Keyless1 U1	KEYLESS	
 • Mandatory qty 2 for supplies up to 200 doors • Mandatory qty 3 for supplies over 200 doors • Master Key for code recovery and reset			

Locks

electronic keypad

ACCASP6GNAR	Digilock Aspire 6G Narrow without handle	DIGILOCK	
	• Electronic keypad lock • Brushed nickel color • Suitable for right and left opening • Replacing standard equipment		
ACCASP6GNARWH	Digilock Aspire 6G Narrow with handle	DIGILOCK	
	• Electronic keypad lock • Brushed nickel color • Suitable for right and left opening • Replacing standard equipment		
ACCASP6GSTD	Digilock Aspire 6G Standard without handle	DIGILOCK	
	• Electronic keypad lock • Brushed nickel color • Suitable for right and left opening • Replacing standard equipment		
ACCASP6GSTDWH	Digilock Aspire 6G Standard with handle	DIGILOCK	
	• Electronic keypad lock • Brushed nickel color • Suitable for right and left opening • Replacing standard equipment		
6GKEYNERA	Digilock Aspire 6G key manager	DIGILOCK	
	• Mandatory qty 1 per supply • Passepartout for opening and closing		
6GKEYGIALLA	Digilock Aspire 6G Programming Key	DIGILOCK	
	• Mandatory qty 1 per supply • Key for lock programming and Manager key registration		

Locks

RFID electronic

ACCOJPROD	Ojmar OTS Basic (right opening)	OJIMAR	
ACCOJPROS	Ojmar OTS Basic (left opening)		
	• RFID proximity lock • Lock management via NFC programmer • Gray finish • Compatible with MIFARE (Classic 1K/4K 4B and 7B UID – ISO/IEC 14443) • Replacing standard equipment		
ACCOJKIT	Ojmar programming kit	OJIMAR	
	• Mandatory 1 for supply • NFC programmer		
ACCOJINS	Ojmar installation kit	OJIMAR	
	• Mandatory 1 per supply • Includes red MASTER key and green SERVICE key		
ACCOJBRA	Ojmar multi-colored bracelets	OJIMAR	
	• Optional		
ACCOJCARD	Ojmar badge card without logo	OJIMAR	
	• Optional		

Locks

RFID electronic

ACCOTS20D	Ojmar OTS 20 (right opening)	OJIMAR	
ACCOTS20S	Ojmar OTS 20 (left opening)		
	• RFID proximity lock • Lock management via NFC programmer and related support battery • Without battery • Compatible with MIFARE (Classic 1K/4K 4B and 7B UID - ISO/IEC 14443) • Black finish • Replacing standard equipment		
ACCOTS20PRGNFC	Ojmar programming kit for OTS 20	OJIMAR	
	• Mandatory 1 for supply • NFC programmer		
ACCOTS20KITINS	Ojmar service kit for OTS 20	OJIMAR	
	• Mandatory 1 per supply • Contains red MASTER and green SERVICE keys		
ACCOJBRA	Ojmar multi-colored bracelets	OJIMAR	
	• Optional		
ACCOJCARD	Ojmar badge card without logo	OJIMAR	
	• Optional		

Locks

RFID electronic

ACCASPSTDRFID	Digilock Aspire Standard Body RFID with handle	DIGILOCK	
	• RFID proximity lock • Black finish • Suitable for right and left opening • As a replacement for standard equipment		
ACCASPVERRFID	Digilock Aspire Narrow Body RFID with handle	DIGILOCK	
	• RFID proximity lock • Black finish • Suitable for right and left opening • As a replacement for standard equipment		
6GKEYNERA	Digilock Aspire 6G key manager	DIGILOCK	
	• Mandatory qty 1 per supply • Passepartout for opening and closing		
6GKEYGIALLA	Digilock Aspire 6G Programming Key	DIGILOCK	
	• Mandatory qty 1 per supply • Key for lock programming and Manager key registration		

Locks

Smart

ACCOTSPULD	Ojmar OTS Pulse (right opening)	OJIMAR	
ACCOTSPULS	Ojmar OTS Pulse (left opening)		
	• RFID proximity lock and BLE operation via user App • Online lock • Lock management via programmer and management software • Compatible with MIFARE, ISO 15693 HID SEOS, NFC • Black finish • Replacing standard equipment		
ACCOTSPULPRGNFC	Ojmar programming kit for OTS Pulse	OJIMAR	
	• Mandatory 1 per supply • Ojmar Cloud software (3 years), User APP, Programmer MIFARE		
ACCOTSPULGET	Gateway for Ojmar OTS Pulse	OJIMAR	
	• 1 mandatory for each room		
ACCOTSPULKITINS	Ojmar installation kit for OTS Pulse	OJIMAR	
	• Mandatory 1 per delivery • Contains red MASTER and green SERVICE keys • Replacing standard equipment		
ACCOJBRA	Ojmar multi-colored bracelets	OJIMAR	
	• Optional		
ACCOJCARD	Ojmar badge card without logo	OJIMAR	
	• Optional		

Locks Smart











ACCOJOCSMAG	Ojmar OCS Smart Graphite without handle	OJIMAR
	• Operation via keypad or contact-less, Bluetooth technology (user App) • Model E 17.5 • Lock management via maintenance App • Suitable for right and left opening • Replacing standard equipment	
ACCOJOCSMAS	Ojmar OCS Smart Silver without handle	OJIMAR
	• Operation via keypad or contact-less, Bluetooth technology (user App) • Model E 17.5 • Lock management via maintenance App • Suitable for right and left opening • Replacing standard equipment	
ACCOJOCSMAW	Ojmar OCS Smart White without handle	OJIMAR
	• Operation via keypad or contact-less, Bluetooth technology (user App) • Model E 17.5 • Lock management via maintenance App • Suitable for right and left opening • Replacing standard equipment	
ACCOJOCSMAGH	Ojmar OCS Smart Graphite with handle	OJIMAR
	• Operation via keypad or contact-less, Bluetooth technology (user App) • Model E 17.5 • Lock management via maintenance App • Suitable for right and left opening • Replacing standard equipment	
ACCOJOCSMASH	Ojmar OCS Smart Silver with handle	OJIMAR
	• Operation via keypad or contact-less, Bluetooth technology (user App) • Model E 17.5 • Lock management via maintenance App • Suitable for right and left opening • Replacing standard equipment	
ACCOJOCSMAWH	Ojmar OCS Smart White with handle	OJIMAR
	• Operation via keypad or contact-less, Bluetooth technology (user App) • Model E 17.5 • Lock management via maintenance App • Suitable for right and left opening • Replacing standard equipment	

Locks









Smart

ACCOJOCSINS	Ojmar OCS Smart service kit	OJIMAR	
	• Mandatory 2 for supply • Code 3010.P001 External power override for manual opening in case of low battery		
ACCOJOCSKIT	Ojmar OCS Smart Activation Code	OJIMAR	
	• Mandatory 1 for supply • Maintenance APP for lock management and programming		
ACCGAT	Gantner Ecoside lock Mod. 7010	GANTNER	
	• Invisible lock, completely internal installation • External black plastic hole cover • RFID proximity lock, also works with smartphones with App • Lock management via MoLA App or PC software • Boltset included • Suitable for right and left opening • Compatible with ISO 14443, MIFARE, HID iCLASS, NFC • Replacing standard equipment		
ACCGATKIT	Gantner Ecoside lock Mod. 7010 programming kit and service kit	GANTNER	
	• Mandatory qty 1 per supply • 3 master keys, 1 delete master, 1 service • Programming and management app		






Accessories

RICFRE	Additional charge for braked hinges (Price per doors)	
	• Replacing standard equipment	
ACCES	Stainless steel storage basket, mounted on the door	
	Dimensions W 200 mm / D 80 mm / H 80 mm	
ACCDOC	Plexiglas document holder for A5 sheet to be fixed to the door	
	Dimensions W 154 mm / H 225 mm	
ACCSP	Large interior mirror for full door and 2 door locker	
	Dimensions W 240 mm / H 400 mm	
ACCSP15	Small interior mirror for locker	
	Dimensions W 150 mm / H 240 mm	

Accessories

ACCPIQ	Internal squared shoe compartment	
	Dimensions W 270 mm / D (compartment) / H 198 mm	
ACCPIA	Internal shoe shelf	
	Dimensions W (compartment) / D (compartment)	
ACCTOV	Chrome-plated oval metal clothes rail	
	• Replacing standard equipment Dimensions W up to 450 mm / D 15 mm / H 30 mm	
ACCHOOK1	Coat hook made of polished aluminium, consisting of two hangers	
	• Replacing standard equipment • Mounted on hinge side Dimensions W 60 mm / D 30 mm / H 50 mm	
ACCHOOK2	Set of 2 polished aluminium coat hooks, each consisting of two hangers	
	• Replacing standard equipment Dimensions W 60 mm / D 30 mm / H 50 mm	

Accessories






ACCUSB	Built-in USB socket	
	• 12V complete with power supply - IP20	
ACCAPP	Plastic hanger	
	• Grey	
AV00001	Anti-theft wooden hanger complete with ring	
	• Light wood	
AV00002	Anti-theft plastic hanger complete with ring	
	• Black	

Additions

Standard finishes



THE SWATCH BOOK






ACCTAM	Single side panel / flush to door	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue Dimensions W 550 mm / H 2066 mm	
ACCTAMD	Double side panel / flush to door	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue Dimensions W 1100 mm / H 2066 mm	
ACCTAMHS	Single side panel / flush to body	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue Dimensions W 550 mm / H 2072 mm	
ACCTAMDHS	Double side panel / flush to body	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue Dimensions W 1100 mm / H 2072 mm	
ACCTAMSP	Single side panel with mirror	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue • Mirror size 450x1972 mm Dimensions W 550 mm / H 2072 mm	

Additions

Standard finishes



THE SWATCH BOOK





ACCTAMSD	Double side panel with mirror	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue • Mirror size 1000x1972 mm Dimensions W 1100 mm / H 2072 mm	
ACCTAMXL	Single side panel for lockers with top	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue Dimensions W 610 mm / H 2092 mm	
ACCTAMDXL	Double side panel for lockers with top	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue Dimensions W 1220 mm / H 2092 mm	
ACCTOS	Single locker top	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue Projection 60 mm	
ACCTOP	Double locker top	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue Projection 60 mm	

Additions

Standard finishes



THE SWATCH BOOK






ACCTAML-24V	Single side panel with LED channel	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue • LED IP20, color to be chosen among: (C) 6000 K cold light (N) 4000 K natural light (W) 3000 K warm light Dimensions W 610 mm / H 2092 mm	
ACCTAMD-24V	Double side panel with LED channel	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue • LED IP20, color to be chosen among: (C) 6000 K cold light (N) 4000 K natural light (W) 3000 K warm light Dimensions W 1220 mm / H 2092 mm	
ACCTSL-24V	Single locker top with integrated LED channel	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue • LED IP20, color to be chosen among: (C) 6000 K cold light (N) 4000 K natural light (W) 3000 K warm light Projection 60 mm	
ACCTPL-24V	Double locker top with integrated LED channel	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue • LED IP20, color to be chosen among: (C) 6000 K cold light (N) 4000 K natural light (W) 3000 K warm light Projection 60 mm	
ADELED-24V	Adhesive LED to put under the locker	
	• LED IP54, color to be chosen among: (C) 6000 K cold light (N) 4000 K natural light (W) 3000 K warm light	

Additions

Standard finishes



THE SWATCH BOOK




ACCVEL20	Upper veil for locker, up to 200 mm H	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue	
ACCVEL50	Upper veil for locker, from 200 to 500 mm H	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue	
SPACE1	Single end side panel in laminate, rounded above and below	
	Dimensions W 550 mm / D 118 mm / H 2070 mm	
SPACE2	Rounded panel for internal corner in laminate	
	Dimensions W 118 (+112) mm / D 118 (+112) mm / H 2070 mm	
SPACE3	Rounded panel for external corner in laminate	
	Dimensions W 550 mm / D 118 mm / H 2070 mm	

Additions

Standard finishes



THE SWATCH BOOK

ACCZARSG	Skirting board in ABS for single locker, satin aluminum finish	
ACCZARSB	Skirting board in ABS for single locker, white finish	
ACCZARSN	Skirting board in ABS for single locker, black finish	
 • Adjustable feet 100 mm high • Complete with mounting accessories 		
ACCZARDG	Skirting board in ABS for double locker, satin aluminum finish	
ACCZARDB	Skirting board in ABS for double locker, white finish	
ACCZARDN	Skirting board in ABS for double locker, black finish	
 • Adjustable feet 100 mm high • Complete with mounting accessories 		

The Swatch Book

Standard finishes / Panels and laminates

Wood



S172
CORTECCIA



K4410AW
NATIVE OAK LIGHT



AA8
ROVERE LIMBURGO MIELE



S073
ST JAMES PARK SHERWOOD



S212
CORTECCIA



LK48
NOCE LEUCA MATRIX



K5413RO
QUERCIA ENDGRAIN COGNAC



A892
MURANO



4043
NOCE ADIGE



MILLENNIUM BLACK

Concrete



44374DP
CEMENTO GRIGIO OPALE



44407DP
CEMENTO PLATINO



44405DP
CEMENTO GRIGIO ARDESIA

The Swatch Book

Standard finishes / Panels and laminates

Metal



U005
URBAN IRON


Fabric and Skin



FA44
KAKI PENELOPE



FA46
GUERRILLA PENELOPE



FA33
MAYA BRONZE PENELOPE



B073
TOTAL WHITE PRIMOFIORE

Stripe



UB 55
TRACCIA



UB 45
TRACCIA



UB 53
TRACCIA




LS71
TRACCIA

The Swatch Book

Standard finishes / Panels and laminates

Solid Color



WHITE WAX



6577ST
CASHMERE



7063
PASTEL GREEN SU



K512
NATIVE PINK SU



0134
SUNSHINE BS



U321
CHINA RED



D143PS30
GREY



0244
PETROL SU



MATT BLACK WAX

Structure lockers



6577ST
CASHMERE



D143PS30
GREY

follow us



**fit
interiors**

**furniture for gyms,
health and golf clubs,
spa&wellness, offices, hotel,
medical and corporate**

www.fitinteriors.com