


Flooring for physical therapy clinics

With the right flooring solution, the floor will be the last of your worries.





PANGYM

FLOORING SOLUTIONS FOR PHYSIOTHERAPY PAVIGYM

BENEFITS

Anti-slip and comfortable

Protect your customers with a floor that won't slip, even when wet. With a comfortable and pleasant texture, the rubber favours recovery.



Absorbs shocks and returns energy

Thanks to its Energy Return system, our Pavigym solutions cushion and return energy to the joints, absorbing shocks and preventing injuries.

PENDURANCE

TECHNICAL AREA. Versatile and resistant flooring for free weight and re-adaptation zones.



FUNCTIONAL AREA. Premium flooring with a competitive price, perfect for functional training areas with low weights.

Hard flooring surfaces such as tiles or marble can limit or slow down the recovery of patients, especially those with reduced mobility. Pavigym's rubber flooring helps prevent injury and facilitates patient progress.

Pavigym's physiotherapy solutions make it easy to perform stretches and exercises with the best technique and precision.

Resistant

Our floors are durable and resistant. They do not get marks with equipment or falling weights. The best choice for a long-term investment.



Hygienic

Non-porous floors that prevent the appearance of bad odours. In addition, they are certified as bacteriostatic and fungicidal, thus preventing the spread of bacteria, which is indispensable for clinics.

Easy to install

Glue-free installation. Thanks to the interlocking system, the tiles fit together like the pieces of a puzzle.

Improve the performance and profitability of your physiotherapy clinic with a floor that is easy to clean and prevents bacterial growth.



TECHNICAL INFO

Weight		6,8 kg
Density	UNE-53526	1.200 kg/m ³
Hardness	din 53505	75° Shore A
Water absorption	ASTM D570	0%
Coef. of linear dilatation	0°C-40°C	1,5 10 ⁻⁴ °C ⁻¹
Fire reaction	EN 13501-1	Cfl-s2 (Op. Bfl-s1)
Sound insulation	ISO 10140	15,4 dB



TECHNICAL INFO

Weight		5,3 kg
Density	UNE-53526	1.200 kg/m ³
Hardness	din 53505	75° Shore A
% water absorption	ASTM D570	0%
Coef. linear dilatation	0°C-40°C	1,5 10 ⁻⁴ °C ⁻¹
Fire classification	EN 13501-1	Cfl-s2 (Op. Bfl-s1)

COLOURS







90 cm THICKNESS **ENDURANCE**

7 mm

THICKNESS PERFORMANCE 5,5 mm



VIRGIN RUBBER MLECULE PERFECT POLYMELIC CHAIN



Perfect for reception, treatment rooms and massage boxes.

BENEFITS



Hygienic

A non-porous and easy to clean solution.

Elegant

Give your clinic a new, more attractive and modern style with Traffic's different design options: imitation wood or stone.

Resistant

The floor that won't scratch or mark, always looks like new. Perfect for office furniture, couches or waiting rooms.

TECHNICAL INFO

	Test Method	General colours	*Sombre Black
Dimensions	EN ISO 24346	185x1220 mm	610x305 mm
Thickness	EN ISO 24346	2,5 mm	2,5 mm
Wear layer	EN ISO 24340	0,55 mm	0,55 mm
Total Weight	EN ISO 23997	4 kg/m ²	4 kg/m ²
European classification	EN ISO 10582	33/42	33/42
Slip resistance	DIN 51130	R10	R10
Fire classification	EN 13501-1	Bfl-S1	Bfl-S1
Number of pieces per box		12 planks(2,7m ²)	12 planks (2,2m ²)
Surface treatment		iGuard pur surface	

COLOURS *The appearance and color of these images may differ slightly from the final product.



PAVIGYM DEEP BROWN



PAVIGYM MELLOW GREY



PAVIGYM SOFT BROWN

PAVIGYM SOMBRE BLACK*

GENERAL COLOURS	185 mm	*SOMBRE BLACK	305 mm THICKNESS 2,5 mm	
1220 mm		610 mm		



Mats for stretching and floor exercises. Suitable for Pilates.

BENEFITS



MUGYM

Resistant

Resistant mats with a pleasant feel. They look as good as new even after many months.



Hygienic

Easy to clean, non-porous and bacteriostatic. Perfect for a clinical environment where hygiene is a priority.

3

Comfortable

Comfort and stability all in one. Thanks to their high-quality material and thickness, they protect the most sensitive joints.

TECHNICAL INFO

Comforgym PROFESIONAL - A		
Weight		1,50 kg
Density	UNE-53526	100 kg/m ³
Hardness	DIN 53505	20° Shore A
Water absorption	ASTM D570	0%
Tear resistance	0°C-40°C	2 N/mm

Comforgym PROFESIONAL - B		
Weight		1,30 kg
Density	UNE-53526	100 kg/m ³
Hardness	DIN 53505	20° Shore A
Water absorption	ASTM D570	0%
Tear resistance	0°C-40°C	2 N/mm

Comforgym PROFESIONAL - C		
Weight		0,90 kg
Density	UNE-53526	100 kg/m ³
Hardness	DIN 53505	20° Shore A
Water absorption	ASTM D570	0%
Tear resistance	0°C-40°C	2 N/mm

*Customizable with your brand.



SIZES A.160 x 60 x 1,5cm B.140 x 60 x 1,5cm C.100 x 60 x 1,5cm

COLOURS

*The appearance and color of these pictures may differ slightly from the final product.







Artificial turf for indoor or outdoor exercise.

BENEFITS

1

Outdoor/Indoor

The perfect solution for creating outdoor or indoor rehabilitation areas. In addition, you can customise your design.

Comfortable

Thanks to its foam base and its thickness, this artificial turf is perfect for different rehabilitation exercises in a modern and pleasant environment.

Resistant

It does not get damaged by the sun or rain. Its aesthetics and properties remain intact over time.

TECHNICAL

YARN	
Туре	Texturized Monofilament
Composition	Polyethylene
Colour	Green
Dtex	5.500 Dtex (+/- 5%)
Weight	1.478 gr/m ² (+/- 10%)


TUFTING	
Gauge	3/16 mm (+/- 5%)
Height	11 mm (+/- 5%)
Stitches ml	400 ml (+/- 10%)
Stitches m ²	84.000 (+/- 10%)

PRIMARY BACKING		
Туре	Reinforced Fleece	
Composition	Poliester	
Weight 165 gr/m ² (+/- 10%)		

FINISHING	
Туре	Scrapper Application
Composition	Polyurethane
Weight	650 gr/m ² (+/- 10%)
FINAL	
Height	11 mm

2.293 gr/m² (+/- 10%)

Weight



COLOURS

*The appearance and color of these images may differ slightly from the final product.



PAVIGYM GREEN TURF



PAVIGYM BLUE TURF



PAVIGYM BRICK TURF



PAVIGYM BLACK TURF

PANGYM



A COMPANY AND A STATE



