
# fit interiors

# People



# Index

ANB31-23	4	ANB34-23	18
ANB41-23	5	ANB44-23	19
ANB32-23	6	ANB35-23	20
ANB42-23	7	ANB45-23	21
ANB38-23	8	SANB34-23	22
ANB48-23	9	SANB44-23	23
ANB39-23	10	SANB35-23	24
ANB49-23	11	SANB45-23	25
ANB323-23	12	ANB32-APS	26
ANB426-23	13	ANB42-APS	27
ANB324-23	14	ANB39-APS	28
ANB428-23	15	ANB49-APS	29
ANB325-23	16	APSO1	30
ANB4210-23	17	APSO2	31

Handles 32
Numbers 34
Locks 36
Accessories 45
Additions 48
Finishes 53


## People

Single and double column lockers • Doors in MFC in various Standard finishes (see The Swatch Book) • Shoe rack in MFC Standard finishes (see The Swatch Book) • Internal structure in two colors: grey or cashmere Structure Doors Shoe rack Standard finishes Standard finishes Finishes THE SWATCH BOOK THE SWATCH BOOK D143PS30 6577ST Cashmere Grey Included equipment Padlock system Number made of PVC Optionals on request (replacing standard equipment) HANDLES I NUMBERS 01 LOCKS **ACCESSORIES** • Braked hinges Ш Storage basket • Document holder • Mirror • USB socket • Shoe rack • Oval bar for coat hangers Double hook • Anti-theft hanger

• Plastic hanger


Shoe tray






# ANB31-23 Single column 1-tier locker Doors and structure in 18 mm thick MFC panels ABS edging with polyurethane glue Ventilation grids Bar for coat hangers Internal shoe shelf Bag compartment Adjustable feet Hinges certified for 80.000 opening cycles Door 155° opening angle Number made of PVC with Fit Interiors logo Padlock system Dimensions W 400 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm Optionals on request Dimensions control of the control of





### ANB41-23

### Double column 1-tier locker



- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
   Ventilation grids
   Bar for coat hangers
   Internal shoe shelf

- Bag compartment

- Adjustable feet
   Hinges certified for 80.000 opening cycles
   Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

**Dimensions** 

W 800 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm





























### ANB32-23 Single column 2-tiers locker



- Doors and structure in 18 mm thick MFC panels
   ABS edging with polyurethane glue
   Ventilation grids
   Bar for coat hangers
   Adjustable feet
   Hinges certified for 80 000 appairs avalors.

- Hinges certified for 80.000 opening cycles
   Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

### Dimensions W 400 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm





























### ANB42-23

### Double column 2-tiers locker, 4 doors



- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
   Ventilation grids
   Bar for coat hangers
   Adjustable feet

- Hinges certified for 80.000 opening cycles
  Door 155° opening angle
  Number made of PVC with Fit Interiors logo
  Padlock system

### **Dimensions**

W 800 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm



























### ANB38-23

### Single column locker, 2 L-shaped doors



- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
   Ventilation grids
   Bar for coat hangers
   Adjustable feet

- Hinges certified for 80.000 opening cycles
  Door 155° opening angle
  Number made of PVC with Fit Interiors logo
  Padlock system

**Dimensions** 

W 400 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm



























### ANB48-23

### Double column locker, 4 L-shaped doors



- Doors and structure in 18 mm thick MFC panels
   ABS edging with polyurethane glue
   Ventilation grids
   Bar for coat hangers
   Adjustable feet
   Hinges contified for 80 000 and its and

- Hinges certified for 80.000 opening cycles
   Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

**Dimensions** 

W 800 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm





























### ANB39-23

### Single column locker, 2 L-shaped doors



- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
   Ventilation grids
   Bar for coat hangers
   Adjustable feet

- Hinges certified for 80.000 opening cycles
  Door 155° opening angle
  Number made of PVC with Fit Interiors logo
  Padlock system

### **Dimensions**

W 400 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm



























### ANB49-23

### Double column locker, 4 L-shaped doors



- Doors and structure in 18 mm thick MFC panels
   ABS edging with polyurethane glue
   Ventilation grids
   Bar for coat hangers

- Adjustable feet
   Hinges certified for 80.000 opening cycles
   Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

Dimensions W 800 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm





























### ANB323-23

### Single column 3-tiers locker



- Doors and structure in 18 mm thick MFC panels
  ABS edging with polyurethane glue
  Ventilation grids
  Triple hook
  Adjustable feet


- Hinges certified for 80.000 opening cycles
  Door 155° opening angle
  Number made of PVC with Fit Interiors logo
- Padlock system

Dimensions W 400 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm





















### ANB426-23

### Double column 3-tiers locker 6 doors



- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
   Ventilation grids

- Ventilation grids
   Triple hook
   Adjustable feet
   Hinges certified for 80.000 opening cycles
   Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

### **Dimensions**


W 800 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm























### ANB324-23

### Single column 4-tiers locker



- Doors and structure in 18 mm thick MFC panels
   ABS edging with polyurethane glue
   Ventilation grids
   Adjustable feet
   Hinges certified for 80.000 opening cycles
   Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

Dimensions W 400 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm



















### ANB428-23

### Double column 4-tiers locker 8 doors



- Doors and structure in 18 mm thick MFC panels
   ABS edging with polyurethane glue
   Ventilation grids
   Adjustable feet
   Hinges certified for 80.000 opening cycles
   Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

- Padlock system

Dimensions

W 800 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm



















### ANB325-23

### Single column 5-tiers locker



- Doors and structure in 18 mm thick MFC panels
   ABS edging with polyurethane glue
   Ventilation grids
   Adjustable feet
   Hinges certified for 80.000 opening cycles
   Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

- Padlock system

### **Dimensions**

W 400 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm

















### ANB4210-23

### Double column 5-tiers locker 10 doors



- Doors and structure in 18 mm thick MFC panels
   ABS edging with polyurethane glue
   Ventilation grids
   Adjustable feet
   Hinges certified for 80.000 opening cycles
   Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

- Padlock system

### Dimensions

W 800 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm



















### ANB34-23

### Single column 1-tier locker, bench version



- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
   Ventilation grids
   Bar for coat hangers
   Bag compartment
   Adjustable feet

- Hinges certified for 80.000 opening cycles
   Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

**Dimensions** 

W 400 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm

























### ANB44-23

### Double column 1-tier locker, bench-version, full lenght doors



- Doors and structure in 18 mm thick MFC panels
   ABS edging with polyurethane glue
   Ventilation grids
   Bar for coat hangers
   Bag compartment
   Adjustable feet

- Hinges certified for 80.000 opening cycles
   Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

### **Dimensions**

W 800 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm




























# ANB35-23 Single column 2-tiers locker, bench version Doors and structure in 18 mm thick MFC panels ABS edging with polyurethane glue Ventilation grids Bar for coat hangers Adjustable feet Hinges certified for 80.000 opening cycles Door 155° opening angle Number made of PVC with Fit Interiors logo Padlock system Dimensions W 400 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm Optionals on request (\*) lower compartment excluded





# ANB45-23 Double column 2-tiers locker, bench-version, 4 doors Doors and structure in 18 mm thick MFC panels ABS edging with polyurethane glue Ventilation grids Bar for coat hangers Adjustable feet Hinges certified for 80.000 opening cycles Door 155° opening angle Number made of PVC with Fit Interiors logo Padlock system Dimensions W 800 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm Optionals on request (\*) lower compartment excluded






# SANB34-23 Single column 1-tier locker, cantilevered bench version Doors and structure in 18 mm thick MFC panels ABS edging with polyurethane glue Ventilation grids Bar for coat hangers Bag compartment Adjustable feet Hinges certified for 80.000 opening cycles Door 155° opening angle Number made of PVC with Fit Interiors logo Padlock system

Optionals on request

W 400 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm








### SANB44-23

## Double column 1-tier locker, cantilevered bench version, full lenght doors



- Doors and structure in 18 mm thick MFC panels
  ABS edging with polyurethane glue
  Ventilation grids
  Bar for coat hangers

- Bar for coat hangers
  Bag compartment
  Adjustable feet
  Hinges certified for 80.000 opening cycles
  Door 155° opening angle
  Number made of PVC with Fit Interiors logo
  Padlock system

**Dimensions** 

W 800 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm




























## SANB35-23 Single column 2-tiers locker, cantilevered bench version • Doors and structure in 18 mm thick MFC panels ABS edging with polyurethane glue Ventilation grids Bar for coat hangers • Adjustable feet Hinges certified for 80.000 opening cycles Door 155° opening angle Number made of PVC with Fit Interiors logo Padlock system **Dimensions** W 400 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm Optionals on request (\*) lower


compartment excluded





### SANB45-23

### Double column 2-tiers locker, cantilevered bench version, 4 doors



- Doors and structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
  Ventilation grids
  Bar for coat hangers

- Adjustable feet

- Hinges certified for 80.000 opening cycles
  Door 155° opening angle
  Number made of PVC with Fit Interiors logo
  Padlock system

### **Dimensions**

W 800 mm / D 550 mm / H 2100 mm Height with skirting board 2170 mm

### Optionals on request

























(\*) lower compartment excluded





### ANB32-APS

### Single column 2-tiers locker, shoe rack version



- Doors and structure in 18 mm thick MFC panels

- Doors and structure in 18 mm thick MFC pare
   ABS edging with polyurethane glue
   Ventilation grids
   Bar for coat hangers
   fixing bushings for shoe cabinet
   Hinges certified for 80.000 opening cycles
   Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

**Dimensions** 

W 400 mm / D 550 mm / H 1600 mm Height with shoe cabinet 2170 mm































### ANB42-APS

### Double column 2-tiers locker, shoe rack-version, 4 doors



- Doors and structure in 18 mm thick MFC panels

- ABS edging with polyurethane glue
   Ventilation grids
   Bar for coat hangers
   fixing bushings for shoe cabinet
   Hinges certified for 80.000 opening cycles
   Destrict opening angle
- Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

**Dimensions** 

W 800 mm / D 550 mm / H 1600 mm Height with shoe cabinet 2170 mm





























### ANB39-APS

### Single column locker 2 L-shaped doors, shoe rack version



- Doors and structure in 18 mm thick MFC panels

- Doors and structure in 18 mm thick MFC pare
   ABS edging with polyurethane glue
   Ventilation grids
   Bar for coat hangers
   fixing bushings for shoe cabinet
   Hinges certified for 80.000 opening cycles
   Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

### **Dimensions**

W 400 mm / D 550 mm / H 1600 mm Height with shoe cabinet 2170 mm

































### ANB49-APS

### Double column locker 4 L-shaped doors, shoe rack version



- Doors and structure in 18 mm thick MFC panels

- Doors and structure in 18 mm thick MFC pare
   ABS edging with polyurethane glue
   Ventilation grids
   Bar for coat hangers
   fixing bushings for shoe cabinet
   Hinges certified for 80.000 opening cycles
   Door 155° opening angle
   Number made of PVC with Fit Interiors logo
   Padlock system

**Dimensions** 

W 800 mm / D 550 mm / H 1600 mm Height with shoe cabinet 2170 mm





























APS01	Single column shoe rack with 2 compartments, prepared for locker	
	<ul> <li>18 mm thick MFC panel structure</li> <li>ABS edging with polyurethane glue</li> <li>Holes for fixing the locker</li> <li>Adjustable feet</li> </ul>	
Dimensions W 400 mm / D 550 mn Total height with skirti		
Optionals on request	·	







### APS02

### Double column shoe rack with 4 compartments, prepared for locker



- 18 mm thick MFC panel structure ABS edging with polyurethane glue Holes for fixing the locker Adjustable feet

Dimensions W 800 mm / D 550 mm / H 500 mm Total height with skirting 570 mm



# Handles

HAN 01A	Zamak handle, polished chrome		
HAN 01B	Zamak handle, matt chrome		
1	Dimensions W 10 mm / D 30 mm / H 106 mm		
HAN 02	Zamak knob, polished chrome	0	
9	Dimensions Ø 20 mm / D 25 mm		
HAN 03	Recessed handle in zamak, polished chrome	•	
	Dimensions W 42 mm / D 12 mm / H 106 mm		
HAN 04	Zamak handle, titanium		
2	Dimensions W 50 mm / D 25,7 mm / H 80 mm		
HAN 05A	Zamak handle, polished chrome		
HAN 05B	Zamak handle, white		
HAN 05C	Zamak handle, anthracite		
	Dimensions W 22 mm / D 18 mm / H 158 mm		

# Handles

HAN 06	Aluminium handle, polished anodised		
1	Dimensions W 16 mm / D 30 mm / H 198 mm		
HAN 07	Zamak handle, polished chrome		
23	Dimensions W 69 mm / D 26 mm / H 69 mm		
HAN 08A	Plastic knob, polished silver		
HAN 08B	Plastic knob, matt silver		
0	Dimensions Ø 35 mm / D 28 mm		
HAN 09	Aluminum bar handles	•	
	<ul> <li>Vertical handle</li> <li>Structure in matt black painted aluminum RAL 9017</li> <li>Fixing with 3 M4 screws - L 25 mm</li> </ul>		
	Dimensions W 7 mm / D 30 mm / H 700 mm		

# Numbers

ACCIND	Perforated number on a stainless steel plate		
.009.	Fixing with screws     Replacing standard equipment  Dimensions W 62 mm / H 20 mm	Stencil Std 1234567890	
ACCTAI	Number engraved on a stainless steel p	plate	
(455)	<ul> <li>Fixing with screws</li> <li>Replacing standard equipment</li> <li>Dimensions</li> <li>W 135 mm / H 40 mm</li> </ul>	helvetica Rounded Bold 1234567890	
ACC3D	Tridimensional number in plexiglass, s	ingle digit	
9	<ul> <li>Thickness 10 mm, fixing with screws</li> <li>Black colour</li> <li>Replacing standard equipment</li> <li>Dimensions</li> <li>H 50 mm</li> </ul>	FF Medium 1234567890	
ACCNXT	Steel number, three-digit		
009 fit interiors	<ul> <li>Metal door plate</li> <li>Three-digit numbering</li> <li>Fit Interiors logo</li> <li>Sticker on back by ORAFOL mod. Aguard</li> <li>Replacing standard equipment</li> <li>Dimensions</li> <li>W 37 mm / D 2 mm / H 37 mm</li> </ul>	FF Medium 1234567890	
ACCNUFFM	FF Medium font sticker number		
ACCNUARTI	Artifakt font sticker number		
ACCNUDOM	Domaine Semibold Italic font sticker n	umber	
ACCNUCERA	Cera Round Black font sticker number		
09	Adhesive vinyl number Two-digit numbering White or black color Replacing standard equipment  Dimensions H 85 mm H 110 mm H 135 mm	FF Medium 1234567890 Artifakt 1234567890 Domaine Semibold Italic 1234567890 Cera Round Black 1234567890	

# Numbers

ACCNUI-M150	Steel number, single digit, H 150 mm		
ACCNUI-M100	Steel number, single digit, H 100 mm		
ACCNUI-M70	Steel number, single digit, H 70 mm		
	<ul> <li>Medium font</li> <li>Thickness 1 mm, Fixing with screws</li> <li>Replacing standard equipment</li> </ul>	FF Medium 1234567890	
ACCNUI-C230	Steel number, single digit, H 230 mm		
ACCNUI-C150	Steel number, single digit, H 150 mm		
ACCNUI-C100	Steel number, single digit, H 100 mm		
	Compressed font     Thickness 1 mm, Fixing with screws     Replacing standard equipment	FF Compressed 1234567890	

	door width	H 230 mm	H 150 mm	H 100 mm	H 70 mm
Code			ACCNUI-M150*	ACCNUI-M100	ACCNUI-M70
Typeface	450 mm	•	24	024	024
1234567890	400 mm	•	24	024	024
FF Medium	300 mm	•	•	024	024
Code		ACCNUI-C230	ACCNUI-C150	ACCNUI-C100	
Typeface	450 mm	024	024	024	•
1234567890	400 mm	024	024	024	•
FF Compressed	300 mm	•	024	024	•

<sup>\*</sup> max two-digit numbers

# LOCKS mechanical

ACCHIAVE	Key lock		
	• 2 keys included plus numbered key fob • Replacing standard equipment		
ACCHIAMA	Master-key for keylock		
	<ul> <li>Mandatory q.ty 2 for up to 200 doors</li> <li>Mandatory q.ty 3 for over 200 doors</li> </ul>		
ACCDKDI	Digilock Dial Mechanical Combination Lock	DIGILOCK	
	<ul> <li>4-digit code combination</li> <li>Brushed nickel color</li> <li>Suitable for right and left opening</li> <li>Cylinder removal due to key loss or theft</li> <li>Integrated handle</li> <li>Replacing standard equipment</li> </ul>		
ACCDKIT	Kit for Digilock Dial consisting of Master Key, Reset Tool and Removal Key	DIGILOCK	
EP	<ul> <li>Mandatory qty 1 per supply</li> <li>Master Key and Reset Tool for code recovery and reset</li> <li>Removal Key for cylinder removal</li> </ul>		
ACCCOMBI	Ojmar Combi Lock Mechanical Combination Lock	OJIMAR	
	<ul> <li>4-digit code combination</li> <li>Black color</li> <li>Suitable for right and left opening</li> <li>Integrated handle</li> <li>Replacing standard equipment</li> </ul>		
ACCCOMBIMAN	Master key for Ojmar Combi Lock	OJIMAR	
10	<ul> <li>Master Key for code recovery and reset</li> <li>Mandatory qty 2 for supplies up to 200 doors</li> <li>Mandatory qty 3 for supplies over 200 doors</li> </ul>		
ACCBURG	Burg sPinLock 200 mechanical combination lock	BURG	
•	<ul> <li>4-digit code combination</li> <li>Black color</li> <li>Suitable for right and left opening</li> <li>Integrated handle</li> <li>Replacing standard equipment</li> </ul>		
ACCBURGMAS	Master key for Burg sPinLock 200	BURG	
1	<ul> <li>Master Key for code recovery and reset</li> <li>Mandatory qty 2 for supplies up to 200 doors</li> <li>Mandatory qty 3 for supplies over 200 doors</li> </ul>		

## mechanical

ACCKEY1	Keyless1 U1 mechanical combination lock, satin nickel color	KEYLESS
ACCKEY2	Keyless1 U1 mechanical combination lock, satin gold color	KEYLESS
ACCKEY3	Keyless1 U1 mechanical combination lock, matte black color	KEYLESS
ACCKEY4	Keyless1 U1 mechanical combination lock, matte white color	KEYLESS
	<ul> <li>4-digit code combination</li> <li>all-metal structure (no plastic components)</li> <li>suitable for right and left opening</li> <li>integrated handle</li> <li>replacing standard equipment</li> </ul>	
.:		
satin nickel	satin gold matte black matte white	
ACCKEYMAS	Masterkey for Keyless1 U1	KEYLESS
	<ul> <li>Mandatory qty 2 for supplies up to 200 doors</li> <li>Mandatory qty 3 for supplies over 200 doors</li> <li>Master Key for code recovery and reset</li> </ul>	

## electronic keypad

ACCASP6GNAR	Digilock Aspire 6G Narrow without handle	DIGILOCK
	Electronic keypad lock     Brushed nickel color     Suitable for right and left opening     Replacing standard equipment	
ACCASP6GNARWH	Digilock Aspire 6G Narrow with handle	DIGILOCK
	Electronic keypad lock     Brushed nickel color     Suitable for right and left opening     Replacing standard equipment	
ACCASP6GSTD	Digilock Aspire 6G Standard without handle	DIGILOCK
	<ul> <li>Electronic keypad lock</li> <li>Brushed nickel color</li> <li>Suitable for right and left opening</li> <li>Replacing standard equipment</li> </ul>	
ACCASP6GSTDWH	Digilock Aspire 6G Standard with handle	DIGILOCK
	<ul> <li>Electronic keypad lock</li> <li>Brushed nickel color</li> <li>Suitable for right and left opening</li> <li>Replacing standard equipment</li> </ul>	
GKEYNERA	Digilock Aspire 6G key manager	DIGILOCK
	<ul> <li>Mandatory qty 1 per supply</li> <li>Passepartout for opening and closing</li> </ul>	
6GKEYGIALLA	Digilock Aspire 6G Programming Key	DIGILOCK
ì	Mandatory qty 1 per supply     Key for lock programming and Manager key registration	

### RFID electronic

ACCOJPROD	Ojmar OTS Basic (right opening)	OJIMAR	
ACCOJPROS	Ojmar OTS Basic (left opening)		
	<ul> <li>RFID proximity lock</li> <li>Lock management via NFC programmer</li> <li>Gray finish</li> <li>Compatible with MIFARE (Classic 1K/4K 4B and 7B UIE</li> <li>Replacing standard equipment</li> </ul>	) - ISO/IEC 14443)	
ACCOJKIT	Ojmar programming kit	OJIMAR	
	Mandatory 1 for supply     NFC programmer		
ACCOJINS	Ojmar installation kit	OJIMAR	
96	Mandatory 1 per supply     Includes red MASTER key and green SERVICE key		
ACCOJBRA	Ojmar multi-colored bracelets	OJIMAR	
50	• Optional		
ACCOJCARD	Ojmar badge card without logo	OJIMAR	
	• Optional		

### RFID electronic

ACCOTS20D	Ojmar OTS 20 (right opening)	OJIMAR	
ACCOTS20S	Ojmar OTS 20 (left opening)		
	<ul> <li>RFID proximity lock</li> <li>Lock management via NFC programmer and relate</li> <li>Without battery</li> <li>Compatible with MIFARE (Classic 1K/4K 4B and 7B</li> <li>Black finish</li> <li>Replacing standard equipment</li> </ul>	ed support battery UID – ISO/IEC 14443)	
ACCOTS20PRGNFC	Ojmar programming kit for OTS 20	OJIMAR	
	Mandatory 1 for supply     NFC programmer		
ACCOTS20KITINS	Ojmar service kit for OTS 20	OJIMAR	
96	Mandatory 1 per supply     Contains red MASTER and green SERVICE keys		
ACCOJBRA	Ojmar multi-colored bracelets	OJIMAR	
50	• Optional		
ACCOJCARD	Ojmar badge card without logo	OJIMAR	
	• Optional		

### RFID electronic

ACCASPSTDRFID	Digilock Aspire Standard Body RFID with handle	DIGILOCK
	<ul> <li>RFID proximity lock</li> <li>Black finish</li> <li>Suitable for right and left opening</li> <li>As a replacement for standard equipment</li> </ul>	
ACCASPVERRFID	Digilock Aspire Narrow Body RFID with handle	DIGILOCK
	<ul> <li>RFID proximity lock</li> <li>Black finish</li> <li>Suitable for right and left opening</li> <li>As a replacement for standard equipment</li> </ul>	
6GKEYNERA	Digilock Aspire 6G key manager	DIGILOCK
	Mandatory qty 1 per supply     Passepartout for opening and closing	
	Digilock Aspire 6G Programming Key	DIGILOCK
	Mandatory qty 1 per supply     Key for lock programming and Manager key registration	

## LOCKS Smart

ACCOTSPULD	Ojmar OTS Pulse (right opening)	OJIMAR	
ACCOTSPULS	Ojmar OTS Pulse (left opening)		
	<ul> <li>RFID proximity lock and BLE operation via user App</li> <li>Online lock</li> <li>Lock management via programmer and management software</li> <li>Compatible with MIFARE, ISO 15693 HID SEOS, NFC</li> <li>Black finish</li> <li>Replacing standard equipment</li> </ul>		
ACCOTSPULPRGNFC	Ojmar programming kit for OTS Pulse	OJIMAR	
	Mandatory 1 per supply     Ojmar Cloud software (3 years), User APP, Programmer MIFARE		
ACCOTSPULGET	Gateway for Ojmar OTS Pulse	OJIMAR	
	•1 mandatory for each room		
ACCOTSPULKITINS	Ojmar installation kit for OTS Pulse	OJIMAR	
	<ul> <li>Mandatory 1 per delivery</li> <li>Contains red MASTER and green SERVICE keys</li> <li>Replacing standard equipment</li> </ul>		
ACCOJBRA	Ojmar multi-colored bracelets	OJIMAR	
50	• Optional		
ACCOJCARD	Ojmar badge card without logo	OJIMAR	
	• Optional		

People Lockers and Furniture

## LOCKS Smart

#### **ACCOJOCSMAG OJIMAR** Ojmar OCS Smart Graphite without handle • Operation via keypad or contact-less, Bluetooth technology (user App) • Model E 17.5 • Lock management via maintenance App Suitable for right and left opening Replacing standard equipment **ACCOJOCSMAS** Ojmar OCS Smart Silver without handle OJIMAR • Operation via keypad or contact-less, Bluetooth technology (user App) Model E 17.5 • Lock management via maintenance App Suitable for right and left opening • Replacing standard equipment **ACCOJOCSMAW OJIMAR** Ojmar OCS Smart White without handle Operation via keypad or contact-less, Bluetooth technology (user App) Model E 17.5 Lock management via maintenance AppSuitable for right and left opening · Replacing standard equipment **ACCOJOCSMAGH** Ojmar OCS Smart Graphite with handle **OJIMAR** • Operation via keypad or contact-less, Bluetooth technology (user App) Model E 17.5 • Lock management via maintenance App Suitable for right and left opening Replacing standard equipment **ACCOJOCSMASH** Ojmar OCS Smart Silver with handle OJIMAR • Operation via keypad or contact-less, Bluetooth technology (user App) Model E 17.5 Lock management via maintenance App Suitable for right and left openingReplacing standard equipment **ACCOJOCSMAWH** Ojmar OCS Smart White with handle **OJIMAR** • Operation via keypad or contact-less, Bluetooth technology (user App) • Model E 17.5 • Lock management via maintenance App • Suitable for right and left opening • Replacing standard equipment

# LOCKS Smart

People

ACCOJOCSINS	Ojmar OCS Smart service kit	OJIMAR	
	<ul> <li>Mandatory 2 for supply</li> <li>Code 3010.P001 External power override for manual opening in case of low battery</li> </ul>		
ACCOJOCSKIT	Ojmar OCS Smart Activation Code	OJIMAR	
	Mandatory 1 for supply     Maintenance APP for lock management and programming		
ACCGAT	Gantner Ecoside lock Mod. 7010	GANTNER	
02	Invisible lock, completely internal installation External black plastic hole cover RFID proximity lock, also works with smartphones with App Lock management via MoLA App or PC software Boltset included Suitable for right and left opening Compatible with ISO 14443, MIFARE, HID iCLASS, NFC Replacing standard equipment		
ACCGATKIT	Gantner Ecoside lock Mod. 7010 programming kit and service kit	GANTNER	
	<ul> <li>Mandatory qty 1 per supply</li> <li>3 master keys, 1 delete master, 1 service</li> <li>Programming and management app</li> </ul>		

# Accessories

RICFRE	Additional charge for braked hinges (Price per doors)		
	• Replacing standard equipment		
ACCCES	Stainless steel storage basket, mounted on the door		
	Dimensions W 200 mm / D 80 mm / H 80 mm		
ACCDOC	Plexiglas document holder for A5 sheet to be fixed to the	ne door	
· (	Dimensions W 154 mm / H 225 mm		
ACCSPP	Large interior mirror for full door and 2 door locker		
	Dimensions W 240 mm / H 400 mm		
ACCSPP15	Small interior mirror for locker		
	Dimensions W 150 mm / H 240 mm		

# Accessories

ACCPIQ	Internal squared shoe compartment	
	Dimensions W 270 mm / D (compartment) / H 198 mm	
ACCPIA	Internal shoe shelf	
	Dimensions W (compartment) / D (compartment)	
ACCTOV	Chrome-plated oval metal clothes rail	
	• Replacing standard equipment  Dimensions W up to 450 mm / D 15 mm / H 30 mm	
ACCHOOK1	Coat hook made of polished aluminium, consistin	g of two hangers
	Replacing standard equipment Mounted on hinge side  Dimensions W 60 mm / D 30 mm / H 50 mm	3
ACCHOOK2	Set of 2 polished aluminium coat hooks, each consisting of two hangers	
J, J,	• Replacing standard equipment  Dimensions W 60 mm / D 30 mm / H 50 mm	

# Accessories


ACCUSB	Built-in USB socket	
	• 12V complete with power supply - IP20	
ACCAPP	Plastic hanger	
	• Grey	
AV00001	Anti-theft wooden hanger complete with ring	
	• Light wood	
AV00002	Anti-theft plastic hanger complete with ring	
	• Black	
VPS01	Black plastic shoe tray with raised base (*)	
	Dimensions W 350 mm / D 270 mm / H 25 mm	




ACCTAM	Single side panel / flush to door	
	18 mm thick MFC panels     ABS edging with polyurethane glue  Dimensions W 550 mm / H 2066 mm	
ACCTAMD	Double side panel / flush to door	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue  Dimensions W 1100 mm / H 2066 mm	
ACCTAMHS	Single side panel / flush to body	
	18 mm thick MFC panels     ABS edging with polyurethane glue  Dimensions W 550 mm / H 2072 mm	
ACCTAMDHS	Double side panel / flush to body	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue  Dimensions W 1100 mm / H 2072 mm	
ACCTAMSP	Single side panel with mirror	
	18 mm thick MFC panels     ABS edging with polyurethane glue     Mirror size 450x1972 mm  Dimensions W 550 mm / H 2072 mm	



ACCTAMSD	Double side panel with mirror	
	18 mm thick MFC panels     ABS edging with polyurethane glue     Mirror size 1000x1972 mm  Dimensions W 1100 mm / H 2072 mm	
ACCTAMXL	Single side panel for lockers with top	
	18 mm thick MFC panels     ABS edging with polyurethane glue  Dimensions W 610 mm / H 2092 mm	
ACCTAMDXL	Double side panel for lockers with top	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue  Dimensions W 1220 mm / H 2092 mm	
ACCTOS	Single locker top	
	18 mm thick MFC panels     ABS edging with polyurethane glue  Projection 60 mm	
ACCTOP	Double locker top	
	18 mm thick MFC panels     ABS edging with polyurethane glue  Projection 60 mm	



ACCTAML-24V  Single side panel with LED channel  - 18 mm thick MFC panels - ABS edging with polyurethane glue - 1.ED PEOL color to be chosen among. (N) 4000 K natural light (N) 4000 K natural light (N) 4000 K natural light (N) 4000 K marm light Dimensions W 610 mm / H 2092 mm  ACCTAMDL-24V  Double side panel with LED channel  - 18 mm thick MFC panels - ABS edging with polyurethane glue - 1.ED IPEOL color to be chosen among. (N) 4000 K natural light (N) 3000 K warm light Dimensions W 1220 mm / H 2092 mm  ACCTSL-24V  Single locker top with integrated LED channel  - 18 mm thick MFC panels - ABS edging with polyurethane glue - 1.ED IPEOL color to be chosen among. (N) 4000 K acid light (N) 3000 K warm light Projection 60 mm  ACCTPL-24V  Double locker top with integrated LED channel  - 18 mm thick MFC panels - ABS edging with polyurethane glue - 1.ED IPEOL color to be chosen among. (C) 6000 K cold light (N) 4000 K acid light (N) 3000 K warm light Projection 60 mm			
- ABS edging with polyurethane glue - IED IP20, color to be chosen among: (C) 6000 k cold light (W) 3000 k warm light  Dimensions W 610 mm / H 2092 mm  - 18 mm thick MFC panels - ABS edging with polyurethane glue - 18 IP 1920, color to be chosen among: (C) 6000 k cold light (W) 3000 k warm light  Dimensions W 1220 mm / H 2092 mm  - 18 mm thick MFC panels - ABS edging with polyurethane glue - 18 IP 1920, color to be chosen among: (C) 6000 k cold light (W) 3000 k marrial light (W) 3000 k warm light  - 18 mm thick MFC panels - ABS edging with polyurethane glue - 18 IP 1920, color to be chosen among: (C) 6000 k cold light (W) 3000 k marrial light (W) 3000 k warm light  - 18 mm thick MFC panels - 18 mm thick MFC panels - 18 MFC p	ACCTAML-24V	Single side panel with LED channel	
- 18 mm thick MFC panels     - ABS edging with polyurethane glue     - LED IP2O, color to be chosen among:     (c) 6000 K cold light     (N) 4000 K natural light     (W) 3000 K warm light     Dimensions     W 1220 mm / H 2092 mm   ACCTSL-24V  Single locker top with integrated LED channel  - 18 mm thick MFC panels     - ABS edging with polyurethane glue     - LED IP2O, color to be chosen among:     (c) 6000 K cold light     (N) 4000 K natural light     (W) 3000 K warm light     Projection 60 mm   ACCTPL-24V  Double locker top with integrated LED channel  - 18 mm thick MFC panels     - ABS edging with polyurethane glue     - LED IP2O, color to be chosen among:     (C) 6000 K cold light     (N) 4000 K natural light     (W) 3000 K warm light     Projection 60 mm  ADELED-24V  Adhesive LED to put under the locker  - LED IP54, color to be chosen among:     (C) 6000 K cold light     (N) 4000 K natural light		ABS edging with polyurethane glue     LED IP20, color to be chosen among:     (C) 6000 K cold light     (N) 4000 K natural light     (W) 3000 K warm light  Dimensions	
ACCTSL-24V  Single locker top with integrated LED channel	ACCTAMDL-24V	Double side panel with LED channel	
- 18 mm thick MFC panels     - ABS edging with polyurethane glue     - LED IP54, color to be chosen among:     (C) 6000 K cold light     (N) 4000 K natural light     Projection 60 mm   ACCTPL-24V  Double locker top with integrated LED channel  - 18 mm thick MFC panels     - ABS edging with polyurethane glue     - LED IP20, color to be chosen among:     (C) 6000 K cold light     (N) 4000 K natural light     Projection 60 mm  ADELED-24V  Adhesive LED to put under the locker		ABS edging with polyurethane glue     LED IP20, color to be chosen among:     (C) 6000 K cold light     (N) 4000 K natural light     (W) 3000 K warm light  Dimensions	
ABS edging with polyurethane glue     LED IP20, color to be chosen among:     (C) 6000 K cold light     (N) 4000 K natural light     (W) 3000 K warm light     Projection 60 mm   ACCTPL-24V  Double locker top with integrated LED channel      18 mm thick MFC panels     ABS edging with polyurethane glue     1ED IP20, color to be chosen among:     (C) 6000 K cold light     (N) 4000 K natural light     (W) 3000 K warm light     Projection 60 mm  ADELED-24V  Adhesive LED to put under the locker      LED IP54, color to be chosen among:     (C) 6000 K cold light     (N) 4000 K natural light     (N) 4000 K natural light	ACCTSL-24V	Single locker top with integrated LED channel	
*18 mm thick MFC panels     *ABS edging with polyurethane glue     *LED IP20, color to be chosen among:     (C) 6000 K cold light     (N) 4000 K natural light     (W) 3000 K warm light  Projection 60 mm   ADELED-24V  Adhesive LED to put under the locker   *LED IP54, color to be chosen among:     (C) 6000 K cold light     (N) 4000 K natural light		ABS edging with polyurethane glue     LED IP20, color to be chosen among: (C) 6000 K cold light (N) 4000 K natural light (W) 3000 K warm light	
• ABS edging with polyurethane glue • LED IP20, color to be chosen among: (C) 6000 K cold light (N) 4000 K natural light (W) 3000 K warm light  Projection 60 mm   ADELED-24V  Adhesive LED to put under the locker  • LED IP54, color to be chosen among: (C) 6000 K cold light (N) 4000 K natural light	ACCTPL-24V	Double locker top with integrated LED channel	
LED IP54, color to be chosen among:     (C) 6000 K cold light     (N) 4000 K natural light		ABS edging with polyurethane glue     LED IP20, color to be chosen among:     (C) 6000 K cold light     (N) 4000 K natural light     (W) 3000 K warm light	
(C) 6000 K cold light (N) 4000 K natural light	ADELED-24V	Adhesive LED to put under the locker	
		(C) 6000 K cold light (N) 4000 K natural light	



ACCVEL20	Upper veil for locker, up to 200 mm H	
	• 18 mm thick MFC panels • ABS edging with polyurethane glue	
ACCVEL50	Upper veil for locker, from 200 to 500 mm H	
	18 mm thick MFC panels     ABS edging with polyurethane glue	
SPACE1	Single end side panel in laminate, rounded above and below	
	Dimensions W 550 mm / D 118 mm / H 2070 mm	
SPACE2	Rounded panel for internal corner in laminate	
	Dimensions W 118 (+112) mm / D 118 (+112) mm / H 2070 mm	
SPACE3	Rounded panel for external corner in laminate	
	Dimensions W 550 mm / D 118 mm / H 2070 mm	

People Lockers and Furniture



#### The Swatch Book

#### Standard finishes / Panels and laminates

#### Wood



S172 CORTECCIA



K4410AW NATIVE OAK LIGHT



AA8 ROVERE LIMBURGO MIELE



S073 ST JAMES PARK SHERWOOD



S212 CORTECCIA



LK48 NOCE LEUCA MATRIX



K5413RO QUERCIA ENDGRAIN COGNAC



A892 MURANO



4043 NOCE ADIGE



MILLENNIUM BLACK

#### Concrete



44374DP CEMENTO GRIGIO OPALE



44407DP CEMENTO PLATINO



44405DP CEMENTO GRIGIO ARDESIA

#### The Swatch Book

#### Standard finishes / Panels and laminates

#### Metal



U005 URBAN IRON

#### Fabric and Skin







FA46 GUERRILLA PENELOPE



FA33 MAYA BRONZE PENELOPE



B073 TOTAL WHITE PRIMOFIORE

#### Stripe



UB 55 TRACCIA



UB 45 TRACCIA



UB 53 TRACCIA



LS71 TRACCIA

#### The Swatch Book

#### Standard finishes / Panels and laminates

#### **Solid Color**



#### Structure lockers













furniture for gyms, health and golf clubs, spa&wellness, offices, hotel, medical and corporate