

# WEIGHTLIFTING



TECHNICAL DATA SHEET

## **P** PAVIGYM WEIGHTLIFTING

The perfect combination of stability, consistency, friction and resistance for the weightlifting zone.

Provides equal consistency as wooden flooring but with higher resistance and durability.

## TECHNICAL INFORMATION

Weight		21,4 kg
Density	UNE-53526	1200 kg/m <sup>3</sup>
Hardness	DIN 53505	75° Shore A
% water resistance*	ASTM D570	0%
Coef. lineardilatation	0°C-40°C	1,5 10 <sup>-4</sup> °C <sup>-1</sup>
Fire classification	EN 13501-1	Cfl-s2
Abrasion resistance*	EN 5470	614 mg
Coefficient of friction*	EN 13036	95
Formaldehyde emission		E1

\*On the surface

## WEIGHTLIFTING THE PERFECT SOLUTION FOR YOUR WEXO ZONE.

Concept based on a circuit training that combines functional, metabolic and weightlifting exercises, each of them performed on the optimal flooring.


Combines:

- **PAVIGYM Weightlifting.**
- **PAVIGYM S&S Range:** Dumping zone for barbells, dumbbells and kettlebells.
- **PAVIGYM TURF:** Zone for exercises involving dragging/pulling, intense friction and/or heavyweight.



INTERLOCKING SYSTEM

To avoid product counterfeiting, our tiles are marked with the Pavigym logo.



## COLOURS


\*The appearance and color of these images may differ slightly from the final product.




PAVIGYM **WENGUE**



PAVIGYM **BEECHWOOD**



PAVIGYM **BLACK MARBLE**



PAVIGYM **STONE GREY**



PAVIGYM **JET BLACK**



# WEIGHTLIFTING

**P** PAVIGYM  
WEIGHTLIFTING

