

The Catalog

2023



Contents

| Company | Starting on Page 4 |
|---|--------------------|
| | |
| Major added value | 4 |
| A brief portrait of C+P | 8 |
| Industrial solutions and planning suppo | ort 10 |
| Sustainability: Made of steel-naturally | 12 |
| Innovations and awards | 14 |
| The C+P logistics concept | 16 |
| Corrosion protection and quality assur | rance 22 |
| Our references | 24 |
| Trend products | 36 |

| Color concept | Starting on Page 44 |
|-----------------------------|---------------------|
| Color moods and effects | 46 |
| The new C+P color concept | 48 |
| C+P decor fronts | 50 |
| C+P office furniture decors | 52 |

Changing room & wardrobe Starting on Page 54 Changing room and wardrobe Classic PLUS lockers 60 **Evolo PLUS lockers** 98 158 Locking systems Cambio lockers 166 Prefino/Flex PLUS lockers 186 192 School and assembled box lockers Locking system info pages Examples of many different options 214 Stackable benches and benches with a coat rack, BASIC and COMFORT 220 Wall-mounted and free-standing wardrobes, open wardrobes and assembled box lockers 232 Industry-specific and custom solutions 242

Cabinets, workbenches and shelving Hinged-door cabinets Sliding-door cabinets Workbenches, drawer cabinets, mobile cabinets & stations and perforated plates Shelf systems 340

Workshop & factory

| Office & archive | Starting on Page 352 |
|----------------------------------|----------------------|
| Cabinet and filing systems | |
| Hinged-door cabinets | 356 |
| Sliding-door cabinets | 386 |
| Tambour cabinets | 400 |
| Drawer and filing cabinets | 414 |
| Office furniture & accessories | |
| Counters and lounge furniture | 440 |
| Tables | 446 |
| Around the desk | 454 |
| Chairs and stools | 460 |
| Cabinets, pedestals and caddies | 470 |
| | |
| Order number and weight register | 482 |
| Index | 496 |

Catalog valid as of 10/1/23

What kind of added value

does C+P offer to retailers?





Catalog

The new catalog provides retailers with a digital tool. Prices are updated automatically from a database, ensuring that the contents are up to date. The chapters can be flexibly compiled using our catalog configuration tool based on the customer's wishes and the respective subject area. The digital version itself can also be generated with branding (logo and project name) free of charge. Internal links guide the user through the world of C+P products.

Website

Our new website offers retailers quick and easy processing. This makes custom price inquires possible and rebate information available via retailer login. Orders are entered digitally and processed automatically.

Trade shows

C+P exhibits at a large number of trade shows. We also offer retailers roll-ups and advertising materials for ideal sales support. We'd also be happy to provide support through our sales team.



Brochures

In addition to our catalog, we also provide our customers with productspecific brochures. This allows us to cater to target groups and applications in particular, so as to present our products in a more detailed way.



Sales team

Our sales team provides support for project inquiries, product listings and customer catalog designs both digitally and on site. C+P is also represented internationally by competent contact partners.



Follow us on social media:

C+P Möbelsysteme GmbH & Co. KG cp_derstahlschrank









(1) Heinze



Heinze is Germany's leading portal for building products, company profiles and architectural projects.

C+P Möbelsysteme is represented with tender specifications on all products here. Printed documentation can also be ordered directly through Heinze by logging in. **Oxomi** is a platform for marketing and product information. It connects associations, retailers and industry.

C+P Möbelsysteme is a member of OXOMI. Retailers can download our current documentation, such as price lists, the catalog and guidelines, at this portal.

BMEcat

BMEcat is a standardized exchange format for electronic product catalogs and multimedia catalog data between suppliers and customers. "BME" stands for the "Bundesverband Materialwirtschaft, Einkauf und Logistik e. V." (German Federal Association of Materials Management, Purchasing and Logistics), one of the initiators.

A comprehensive selection from the C+P range can be provided for further use electronically. For this purpose, we can make the corresponding data available in the customary BMEcat format or, if desired, as a CSV file.


The benefits to you:

- + Save time/money through data transfer
- + Comprehensive item information in a file, incl. the associated image data for download
- + The probability of error is reduced both here and during the subsequent ordering process.
- + Up-to-date product prices and data, which improves master data quality

Our image database is also available:

Following a brief registration, you'll be able to download images of our products in all common colors from our image database. These are excellent-quality images which can be used by you accordingly. Three different resolutions are available here: low, medium and high.






Why choose the number-one locker?



Suitable solutions for every industry





Responsibility for people and the environment



Innovation with a vision





<u>C+P</u>

A brief portrait.

The Christmann + Pfeifer (C+P) company was founded in Breidenbach in the state of Hesse in Germany in 1925, making it nearly 100 years old. In addition to the company headquarters, production locations of C+P currently include factories in Gotha, Thuringia and Legnica, Poland. We've compiled key facts and figures on the company in a brief overview for you here:



C+P by the numbers:

Founded in 1925

Employees

at C+P Einrichten Around 650

Production sites Breidenbach (Hesse, Germany)

Gotha (Thuringia, Germany)

Legnica (Poland)

Sales Worldwide

Production capacity Over 100 truck loads leave

C+P factories every week

Material volume C+P plants process around

1,000 metric tons of steel

every month

Orders C+P handles over 65,000 orders

per year, from individual items to entire furnishings for major projects

Claim to fame Specialist and market leader

in steel furniture





Long service life

through tradition!

Since its founding, C+P has developed countless product innovations together with its customers and successfully brought them to market. A lot's changed since then, but one constant has always remained the same: the level of quality which became the trademark of C+P long ago. It's reflected in the entire process chain, from material purchasing to production and painting to the delivery and installation of our products.









Trusting is good...

...but it's better to check. As least as far as quality assurance is concerned. This is precisely why both our production processes and C+P products themselves are subjected to extremely demanding quality management based on two pillars: our company-internal test laboratory on the one hand and, of course, regular external inspections and checks on the other.

Our certifications:



Quality management ISO 9001



Energy management ISO 50001



Environmental management ISO 14001





Many of our products have been tested by TÜV Thüringen GS (Thuringia Technical Inspection Agency). We would be happy to send you copies of the relevant certificates if required.



HPQR certificate



EcoVadis certificate

Suitable solutions

for EVERY industry.

Across the globe, thousands of specialist dealers, companies and institutes trust furniture solutions from C+P—from craftsmen's businesses to large industrial corporations. A crucial reason for this is that C+P products aren't one-size-fits-all solutions. Instead, they're always oriented toward the specific requirements of the industry in which they're used. This already starts with the planning phase.

Industries →

Our expertise is your advantage!

Each and every one of our customers benefits from the nearly 100 years of experience boasted by C+P in the planning and implementation of furnishing projects in a wide variety of different economic sectors. Our sales department is familiar with the specific nature of different industries, which is why it knows exactly what it all comes down to—both when selecting custom-tailored products & suitable equipment and during the overall implementation later on.

- + Industry & trade
- + Banks & insurance
- + Police/Fire service/
 Technical Relief Agency
- + Hotels & restaurants

- + Kindergartens & schools
- + Self-employed & freelancers
- + Hospitals & clinics
- + Sports facilities & swimming pools
- + Building companies

- + Recreation & vacation complexes
- + Colleges & universities
- + Transport & logistics
- + Transportation companies
- + Retail & service
- Public administration & authorities















PCon

Planning support.

Whether it's office furniture, changing rooms, workshop equipment or outdoor transfer stations: We have a solution for everything! Our project planning team creates specific plans according to your needs. In special cases, measurements are taken and details on the rooms are clarified so as to avoid obstacles and interfering factors during the furniture planning process. Virtual scanning allows the rooms to be transferred directly into a 3D model which can be provided to the project planner.

Individuality & product configuration

Using the pCon OFML data, all C+P Möbelsysteme product groups can be individually designed and precisely planned in your floor plans by our project planners. More than 24 standard colors, 4 MDF and 8 HPL decors are available for the decor front area and 8 MCPB and 4 HPL decors for office furniture. Naturally, additional RAL and decor colors can be requested and provided. This means that furniture personalization is of paramount importance here. Configure, visualize and download your product using our website or the pCon.planner/pCon.box.










Responsibility

for people and the environment.

Sustainability →

Social and ecological sustainability have always characterized C+P's conduct and economic activity. We also accept that we serve as an example of a market-leading company here. This being the case, we're always working on meeting this major responsibility continually and to the best of our ability in every area. Some of the ways we're making this happen:





Outstanding sustainability

At the end of 2022, C+P was awarded the silver medal for sustainable economic activity by the renowned "EcoVadis" rating agency.

This was preceded by an intensive and demanding evaluation of our conduct in the areas of "environment," "employment and human rights, "ethics" and "procurement." The internationally recognized sustainability standards of the Global Reporting Initiative, the UN Global Compact and best practice guideline ISO 26000 were applied here.

Quality on the highest level—from the products to the processes. C+P has been certified in the areas of

- + quality management (ISO 9001)
- + environmental management (ISO 14001) and
- + energy management (ISO 50001)

by the Deutschen Managementsystem Zertifizierungsgesellschaft mbH certification company. This ensures consistently high quality in every area and process.









The material of steel: A sustainable all-rounder!

Steel forms the basis of all our products. No other material boasts as many positive features when it comes to stability, design and the long-term value of storage area furnishings. Add to this the fact that steel makes an important contribution to resource conservation. The material can always be melted down again and processed for new purposes without any loss in quality. Incidentally, half of all steel in Germany is already being produced from this secondary raw material.





Steel furnishings are

- + extremely sturdy and resilient
- + extremely long-lasting
- + able to be moved any number of times
- + up to 100 percent recyclable
- + available in the latest designs
- + available in any color
- + combinable with other materials
- + easy to care for and especially hygienic
- + fire protection in practice



Our high-quality steel furniture comes with a **10-year warranty!** The C+P warranty conditions can be found at www.cp.de/en/complaint-1-1/

Innovation

with a vision.

Innovations from the C+P brand are never gimmicky—they always pursue clear goals: making working life easier, increasing comfort and well-being, making processes more efficient and, most importantly, ensuring sustainability! This is why our developers are always thinking 1 or 2 steps ahead when carrying out their work, for example:


Less is more!

BIONIC steel frame

For the new PLUS-series steel locker, C+P developed a design form which sets new standards in stability and resource conservation. The models of the series are reinforced in a targeted way in crucial places and feature a sophistical internal structure consisting of folds, braces and intermediate spaces—similar to the leaves of a tree. The result is increased torsion resistance with less raw material and resource consumption.








New world of working?

SmartLocker!

With the C+P SmartLocker, we've developed storage area furnishings which—unlike conventional solutions—are no longer content being a passive place for storage. Indeed, it rises to the occasion as a true asset at its place of use. Digitally controllable and networked, suitable for just about any desired customization and exuding timeless elegance, the SmartLocker creates solutions for the requirements of the modern world of working—both today and tomorrow!

Designs

with distinction.










DESIGN AWARD 2023











Logistics with Service PLUS

Long ago, it became yet another element of advertising for our company: C+P logistics. With 40 of our own trucks and 80 furniture trailers in all it ensures the on-time delivery of our steel furniture reliably, safely and in an environmentally friendly way.



Reliable and on time

C+P's in-house scheduling department plans our deliveries from a central location, in a customer-oriented way and using the fastest possible routes. Direct shipping means there's no need for any transshipment.

This saves time and avoids potential sources of delay.



Safe and protected

Thanks to our proprietary loading system, our products are protected from any damage throughout the entire shipping process.

Our specially trained drivers and installers work extremely carefully and personally ensure flawless delivery of the furniture.



Comprehensive service

As standard, we deliver to our customers over direct routes, on coordinated delivery dates and with no shipping charges. This also includes advance notification of the exact delivery time.

A whole host of optional additional services are also available to you—up to and including full installation of the furniture.



Steel lockers that get there safely Quickly and reliably.

As one of the few manufacturers in our industry, C+P has its own vehicle fleet. 40 of our own trucks and 80 furniture trailers ensure delivery which has been delighting our customers for decades. Our in-house centralized scheduling department plans our order volume in a customer-oriented way.

Our own vehicle fleet is supplemented by 15 permanent partner shipping companies. All vehicles comply with the Euro 6 standard. Trailers generally feature a lifting platform for conveying the lockers to you safely.



Our in-house scheduling department handles customer requests.

C+P trailer with lifting platform







The team in Breidenbach is proud of the new fleet of trucks.

The advantages of C+P logistics

- + Just about everywhere in Germany and in many countries in Europe, we carry out delivery directly to the desired unloading point using our own fleet of trucks and without any transshipment. That's why we don't need to use any packaging material and can avoid waste.
- + Trained loaders, drivers and installers know "their" products and handle them carefully.
- + You can expect on-time and professional delivery, which saves time, money and your nerves.



The C+P logistics concept

If you do not specify any special wishes with the order, the standard conditions of delivery will apply. We deliver FREE OF CHARGE TO THE GROUND FLOOR in Germany (behind the first lockable building door).

General requirements

Truck deliveries generally only take place on weekdays (Monday through Friday) from around 8 a.m. to 5 p.m. For all scheduled event types, the minimum delivery time established on the day of order clarification must be taken into account.

Applies within the Federal Republic of Germany.

This does not apply for islands, locations inaccessible by private transport or downtown areas and streets blocked off to truck traffic.

Parcel delivery

Items which can be delivered as parcels are packaged properly and shipped at a reasonable flat rate.

Environmentally friendly delivery

Shipments transported by truck are generally unpackaged.

Note on service packages B1 through M1


Existing elevators, doors, passageways, ceiling heights and paths must be large enough and safe. No spiral, marble or wood staircases.

For truck delivery

The unloading point must be accessible by a large semi-trailer (18 m). Ability to park in the immediate vicinity.

Size examples:







Standard conditions of delivery

Service package B1

Service package B2

Service package T1

Service package T2

Service package M1

Notification

Scheduled event types

Notice

A location is considered accessible if it can be reached by a wheelchair user without the aid of anyone else.

Service scope Price

Truck delivery within Germany

DELIVERY FREE OF CHARGE TO THE GROUND FLOOR: Arrival, unloading and transport to behind the first lockable building door on the ground floor, accessible.

B1: Accessible delivery

Free delivery to the location of use, if transport path is accessible, only for products up to 99 kg.. Transport in the building on a normal path to the location of use, excluding set-up, excluding installation.

Same as B1, plus additional charge for heavy products (100 kg or more).

T1: Free delivery to location of use with transport on stairs. For products up to 99 kg, excluding set-up, excluding installation.

T2: Transport on stairs

Possible with a product weight of 100 kg or more. To create your custom offer, we require a description of the transport path: www.cp.de/twb

Installation services

Free delivery to the location of use, including set-up, alignment and installation at the usage site, excluding configuration of the interior fittings. To create your custom offer, we require a description of the transport path: www.cp.de/twb

Notification of delivery around 1 to 3 days prior to the planned delivery date, free of charge, via e-mail to the responsible contact person.

Scheduled event types without additional charge:

Approx. delivery week: Anticipated delivery time frame within one calendar week.

Fixed delivery week: Binding delivery during a predefined calendar week.

Scheduled event types with an additional charge:

From-to dates: Binding delivery within a time frame of at least 3 days.

Specific date: Binding delivery on a specific delivery date with a time window of 8 a.m. to 5 p.m.

All prices, packaging costs and delivery conditions for orders inside and outside Germany can be found here (always up to date):

www.cp.de/en/ services/our-logisticsmove-steel-cabinetssafely/



Leading the way in

corrosion protection, quality assurance

and environmental protection



For almost 100 years, products from C+P have been known for their high quality standard.

Environmental protection is a key issue when it comes to painting at C+P. We rely on German-made paint products. Our paint suppliers are certified according to EMAS, ISO 9001, ISO 14001, ISO 45001 and IATF. We work in a sustainable way and use only VOC-free paints in efficient systems.

We're able to meet our customers' color needs through continual quality testing during the coloration process. We offer high-quality enamel coating with robust, environmentally friendly immersion and powder coating systems for high light resistance. C+P's coatings follow the RAL color register. Thanks to continual system monitoring and color analytics in accordance with the RAL 840-HR color register, this level of quality is ensured for the long term.







Immersion painting at C+P



Powder coating at C+P

Corrosion protection classes according to the C+P company standard

| Corrosion protection classes | Class I Dry zones | Class II Damp zones |
|------------------------------|---|--|
| | Furniture to be set up in dry rooms with average ventilation* | Furniture for rooms with increased humidity |
| Version | Coated sheet metal | Sheet metal electrolytically zinc plated and powder coated |
| Coating | High quality enamel coating | High quality enamel coating |
| Approved cleaning agents | The original C+P cleaner | The original C+P cleaner |
| Guarantee | 10-year guarantee against rusting through | 10-year guarantee against rusting through |
| Additional charges | No additional charge, as C+P standard | See catalog/www.cp.de/en. |

Note: Corrosion-protected locks for wet areas can be found on our accessory pages.

^{*}When using the lockers in public areas in which the increased use of road salt is to be expected during the winter months, we recommend using the electrolytically zinc-plated sheet metal and shoe trays.



C+P the cleaner

Guarantees optimal surface cleaning of your C+P locker. Item no. 99699-00000

- + Cleans without leaving residue or streaks
- + For automated and manual cleaning
- + Reliably and quickly removes dust, fingerprints and light oil soiling



Quality assurance at C+P

In order to maintain and expand our quality standard, continual testing and experimentation are required. At our **in-house laboratory** and in the adjacent testing chamber, we test more than just product details—we test the entire product. The latest scientific testing methods are applied here. One important criterion requiring constant monitoring is the surface and corrosion protection, particularly for our steel lockers.

The following testing methods are regularly used at the C+P testing laboratory

- + Load and bay load of components and lockers (up to 4,500 N)
- Long-term durability of drawers and pull-outs through at least 50,000 opening and closing cycles
- + Door opening overextension test (up to 190° opening angle)
- + Durability of structural connections
- + Continual loading and service life
- + Surface quality
- + Drying behavior in lockers

| DIN 50021 | Salt spray test with |
|-----------|-------------------------|
| | subsequent inspection |
| | as per DIN 53167 |
| DIN 50017 | Condensation test with |
| | subsequent inspection |
| | according to DIN 53209 |
| DIN 53151 | Cross-cut adhesion test |
| DIN 67530 | Evaluation of gloss |
| DIN 53153 | Buchholz indentation |
| | resistance test |
| DIN 5033 | Colorimetry |



Price per bottle incl. spray head: See price list



Contents: 500 ml





Our references

As a market-leading furniture manufacturer of changing room and assembled box locker solutions, C+P isn't just an absolute professional when it comes to interior design—our comprehensive product range offers solutions for the office, archiving, greening and climate control, as well as warehouse and workshop equipment. C+P is a full-service provider accompanying its customers from initial planning to delivery and installation to after-sales service, thereby ensuring a smooth overall process. On the following pages, we present a selection of our references.

Schneider GmbH & Co. KG



SCHNEIDER is one of the world's leading suppliers of processing solutions to the eyeglass and precision-optics industry. The company is headquartered in Fronhausen (Marburg), Germany with additional branches in the US, Brazil, Hong Kong and Thailand.

The company's success and that of their customers is ensured by high-quality machines, innovative technological concepts and networked production solutions. The fascination with innovation becomes tangible the minute you enter the headquarters.

The company's headquarters, on a floor space of over 9,500 m², are characterized by state-of-the-art climate and heating technology as well as communication and media technology, modern demonstration and training rooms and ergonomically optimized workstations.

People form the heart of a company, and their commitment is the pulse. To foster enthusiasm for innovation, emphasis was placed on a working environment which meets various needs. The result is a unique building that promotes well-being and creates space for new ideas.

The team offices are generously laid out and spacious with a view of the outside grounds, but still allow for privacy thanks to the layout of the double workstations. The furnishings—kept in white with black accents—underline the friendly effect of the space. The intelligent integration of technology allows for the easy reach of connections which can be stored neatly in the cable trough.









Many offices, including those of the divisional management, can be used for spontaneous meetings in addition to their function as workstation. Brief meetings can be held at the mobile occasional tables. They're also ideal for quickly extending the work surfaces with flexible sit/stand solutions.







The Bucharest thermal bath is setting standards nationally and internationally. The investor's requirements were correspondingly high for the top-quality changing rooms, which were designed to reflect the uniqueness of the overall complex in their materials and function.



The Prefino series with its highly flexible steel body was used, which allows all cable routing to be cleverly integrated into the slanted roofs of the lockers.

The decision was made for glass doors that require no visible fittings, creating a completely smooth and elegant external front.

Prefino assembled box lockers make optimum use of the interior space available in the changing room system, enabling user capacity to be utilized to the full. The combination with the existing natural marble base creates harmonious interplay among the various components and materials.

The base highlights the fine design of the interior fittings while serving as a practical bench.





The changing cubicles with floating appearance blend in perfectly with the room's stylish design.





Inspired by the Erding thermal bath in Germany, the Bucharest thermal bath is one of Europe's largest thermal springs. A spa complex with a tropical twist was built in an area totaling 25,000 m².

It's a popular destination both nationally and internationally thanks to its central location. The thermal bath has three themed areas to meet the varied needs of its visitors. They can find relaxation in the jacuzzis and aromatherapy pools at The Palm. Six saunas, sunbathing areas and massage areas invite visitors to relax in the Elysium.

UCLA Wasserman Football Center

Changing room and assembled box locker solutions for players, coaches and employees.



The newly built Wasserman Football Center of the University of California, Los Angeles (UCLA) gives players and coaches a modern training environment with unrestricted access to the latest football equipment over an area of 7,000 m².

Custom storage space solutions for the players, coaches and employees which harmoniously fit into the design concept of the Wasserman Football Center had to be created for the changing room and assembled box locker areas.

Requirement: Custom storage area solutions for different user groups

As a market-leading furniture specialist in changing room and assembled box locker solutions, C+P was able to impress the customer with its custom solutions. High-quality lockers and assembled box lockers of the Prefino product series tailored to the individual wishes f the customer were used.

A pleasant atmosphere in the changing room

Optimally adjusted to suit the needs of players, the football lockers not only feature technical details but also meet the high design standards of the Wasserman Football Center. Thanks to the harmonious design of the changing room, a space has been created for football players that will positively affect their mood, passion to win and team spirit. In addition to the lockers, the changing area includes a spacious lounge zone that functions as a meeting point for communication and recreation.

Football locker with bench and mirrored sides

Both the body and the underframe of the lockers are made of steel, a long-lasting material that conserves resources. Designed in accordance with customer requirements, the steel underframes can absorb high dynamic loads. The frame cladding also serves as a comfortable place for the players to sit. The sides, with a large mirrored area, frame the fold-in doors of the football lockers made of white solid-surface material that elegantly disappear into the body and provide rapid access to the locker interior.





Personalized lockers for each player on the football team

Matching the consistent color concept of the rooms, the doors are marked with the individual player numbers in blue and gold. The numbers are attached to the door by means of punched holes and can be changed rapidly as required. Each locker also has a plaque personally naming the donors and supporters of UCLA. Four spacious drawers and one changing room rail per compartment offer sufficient space for clothing and shoes.

Personal security compartments with electronic safety lock

Each player also has access to a high-quality security compartment fitted with an electronic safety lock to store personal items such as smartphones and jewelry. Each security compartment has a power supply and is equipped with a USB port.

Player equipment distributed via the assembled box locker

The top-quality high-pressure laminate feed-through security compartments, also with milled numbering, contain the players' personal equipment. Clean clothing and helmets can be given to the players from the rear side via central doors. The player enters the PIN code via the electronic lock to open the security compartment.

User-oriented storage space for coaches and staff

The equipment for the changing areas for coaches and staff, like that of the player lockers, is especially high-quality and perfectly suits the needs of the users. The trainer lockers contain three stainless steel drawers with pull-outs, with the top drawer functioning as a security compartment with PIN code lock, power supply and USB port. The staff locker area is fitted with fine HPL material in black. The doors can be opened via a PIN code lock and have been given milled numbering.



University of Oregon

Hatfield-Dowlin Complex, Oregon Football Performance Center.



The newest home of the Oregon Ducks, the football team of the University of Oregon, is a unique and visionary project which has yet to meet its match. The Football Performance Center follows a holistic concept combining architecture and interior fitting in order to perfectly tailor them to the needs of the players. Facades made of glass, granite and metal simultaneously convey both lightness and strength. What seems impenetrable and secretive from the outside is flooded with light and bright on the inside.

Go Ducks!


"We wanted a locker which had never been seen before. C+P really succeeded in catching the ball and exceeding our expectations."

(Randy Stegmeier, interior designer, Firm 151)



The interior fittings are just as multifaceted

The attention to detail reflects the care taken during planning. The designers never lost sight of the actual focus of the project: the well-being of the players. Every aspect of their everyday life, from classes to dining to medical care to recreational activities were carefully considered, and everything was coordinated with everything else down to the smallest detail.








Luxurious, high-efficiency and ergonomic equipment

The equipment is luxurious, yet still highly efficient and ergonomic. The whole concept is designed to attract the best players and to win the College Football National Championships with the Oregon Ducks team going forward.



Munich Sparkasse



The office of the future with C+P SmartLockers

A place of well-being. That's the first thing that comes to mind when entering the "new world of work" at the Sparkasse in Munich. In a pilot space of 750 square meters, the vision for the workplace of the future was implemented in the pavilion of the office tower. Part of this future is C+P SmartLockers. They fit stylishly into the wonderfully created ambiance in the entrance area.

After having supplied new lockers for the fitness changing cubicles at the Munich Sparkasse last year, C+P received an order for 80 C+P SmartLockers for the "new world of work" early this year, according to C+P Key Account Manager André Reis.



48 large compartments and 32 smaller ones were supplied for this visionary project and set up in the pilot space area. The time came in late May of 2022, when the first 55 employees moved into the new rooms. There are also eight trial employment spots for staff from other departments.

Since then, the SmartLockers have proven themselves to be perfect support for the office world of the future in every regard thanks to their flexible options for operation. "The strength of the SmartLocker lies primarily in its decentralized control and flexibility," stressed Project Manager Moritz Seger. "Control is provided wherever it's needed."

The SmartLockers are the first place to go every morning and the last one every evening. Employees don't just leave their personal belongings there, but their keyboard, headset, mouse and laptop when leaving their workstation as well. This facilitates smooth switching from a home office to in-person work at the office, as well as working in different places within the new office world.

"It's very practical to be able to open a compartment for a colleague from your desk," said Martina Seidel, who was impressed with object management. She's been working permanently in the pilot area since the end of May. She likes keyless security compartments much better. She also finds her new environment to be very comfortable and likes the color and spatial concept very much. "You can work in a much more peaceful environment and with greater focus, while still being closer to colleagues," reported the employee, who uses one of the large Smart-Lockers herself. She's pleased that the large compartments have been outfitted with an additional shelf, which allows her to make even better use of the space there.



The office of the future is here today, including all its opportunities and possibilities. This also includes the option of using the locker compartments in a more flexible way. "Up until now, every employee has had their own compartment," explained André Reis. "If this is changed over the long term, the number of compartments can be reduced by 10 to 15 percent."

As Florian Seidl sees things, the options presented by C+P lockers are nowhere near exhausted: "In the short amount of time available, we haven't explored it in depth at all. There's still so much potential there."





Trend products


The products we present to you on the following pages go far beyond our motto, "the steel locker." They feature optimal solutions for meeting the needs of long-term trends and developments.

A world where keys are no longer important? A box which opens precisely when its moment has come? Dividing rooms without separating them? Designing working environments motivated by the "biophilic design" principle? It's all possible with C+P.

Discover innovative solutions which have already been tried and tested in practice many times.

Your doorway to a magically efficient time C+P SmartLockers.

A world where keys aren't important. A compartment which opens precisely when its moment has come. Objects which appear behind a different door than they did yesterday. What seems to be magic—like any stage show—is actually sophisticated technology. Our SmartLockers differ from typical magic tricks in one way, though: Their primary purpose isn't to fool and entertain, but to make workflows at your company smarter and more efficient. This saves you time, space and money, allowing you and your team to concentrate on your own tasks. It also means that cabinets are no longer just a passive storage place, but rather a true asset of your organization. But can't they be fun, too? Open the curtain for the new C+P SmartLockers...



The advantages to you at a glance:

- + Reduces costs: You don't need to acquire a separate compartment for each employee
- + Productivity: Familiar complications due to lost keys etc. are a thing of the past
- + Saves time: Bothersome and distracting transfer situations are no longer an issue
- + Source of income: Compartments can earn you money with pay/rent functions
- + Compatibility: C+P SmartLockers can be connected to a wide variety of different networks
- + Individuality: Flexible configuration for your needs thanks to a modular system
- + Convenience: Lockers can be individually arranged with one another as a locker wall
- + Usability: For social spaces, contactless transfer, employee mail, as a meeting point etc.
- + Independence: The doors can still be opened even in case of a power failure
- + Full service: At C+P, you get everything from a single source: locker, software and support

















Compartments can be opened and information on the contents provided using the screen

Dividing rooms without separating them C+P partitions.



C+P Monotop® Classy transparency.

Create generous width for the latest office architecture with the transparent and sophisticated design of our unique C+P Monotop partition system. With all the advantages of a relocatable partition system, no less. C+P Monotop impresses with its outstanding design, in particular the elegant connection between two glazing segments. The connection principle of the new segment design requires only the installation space in the 6 mm-wide shadow gap. This means that the visible post width of glazed structures is only 28 mm!

Attractive room-in-room solutions in modern office landscapes are on the rise, whether as a think tank for concentrated working and conferring or as a solo office with consultation spaces. Combination office concepts with individual offices and a central zone "marketplace" demand creative and flexible room solutions.

With C+P Monotop, you can create the ideal basis for the successful implementation of these trendy office structures and remain flexible for the future. There are no limits to the design: Classic hinged doors, or rather the elegant sliding door? Full transparency, frosted glass or even "matte glass at the push of a button" with electrically controlled liquid crystals? From the classic think tank to high-tech room solutions, C+P Monotop opens up every possibility.







C+P Monotop room-in-room solutions aren't just limited to wall systems. From RGB-lit stretch ceilings to the integration of media technology, we've thought of everything with Monotop.

C+P Light

Modern glass architecture.




Extension grids, planning, acoustics and style—partition systems involve them all. To make the right choices in all these areas, there's one thing that comes before everything else: experience.

C+P has been manufacturing partitions for more than 40 years. A team of experienced product specialists stand ready to assist you with competent consultation and planning.



Features of modern architecture, as well as many office concepts, include great clarity and openness of the rooms being designed. C+P Light—glass to glass—creates maximum transparency.





Climate Office – Shaping rooms according to the biophilic design principle



Climate Office, as an approach based on biophilic design principles

Based on the principles of biophilic design, C+P has developed holistic and sustainable furniture solutions for air purification, greening, climate and acoustics with "Climate Office." Central themes here include:

- + Room climate optimization
- + Increasing personal well-being

Increasing well-being and motivation at the workplace

In combination with plants and water, these future-oriented products made of steel—a resource-conserving material—ensure an optimal comfort level on the interior. Biophilic design principles can make a decisive contribution to greater motivation and less sick leave.

Advantages:

- + Healthy air humidity
- + Improved cognitive features
- + Purified air

Custom C+P green walls Implementation of various different customer projects



Looking for custom wall greening? No problem! Feel free to contact us! We can also design custom green walls tailored to your wishes and needs. Gain inspiration from existing customer projects.

The green wall is a true eye-catcher in light-flooded administrative buildings. A direct view of the yard also enhances the experience of nature on the interior.



Arrive and feel at ease—the bright reception counter, in combination with custom green walls, is especially inviting. Optimally integrated into the green wall, even the screen behind the counter is an attention-grabber.



<< Sparkasse Biedenkopf

Nature within a developed environment—the plants fit perfectly into this modern spatial concept. Shapes, colors and the interior form a design unit and lend the room its own character.





The new C+P color concept

For decades, C+P has made a name for itself with the motto "Show your colors." It's said that better is the enemy of good, so our **new color concept** not only features trendy and attractive colors for every environment, but greatly simplifies our **color surcharge system** as well. Most of the time you won't need it anyway, as we're now offering 144 colors and color combinations at no additional charge.

C+P color moods

and effects

Not everything in life has to be gray! This page includes examples of color moods you can compose with the C+P color pallet however you like. You can use it to create elegant, clean, harmonious or nature-oriented room atmospheres any way you wish.

Just this handful of examples shows how C+P makes steel as beautiful as it can be.







LUIN Energizing























RAL 1013

RAL 6019

White green Reseda green **RAL 6011**

RAL 6037

Pure green Anthracite gray RAL 7016

Architecture blue Gentian blue Anthracite gray Distant blue RAL 240 60 15 RAL 5010 **RAL 7016**

RAL 5023

Light gray **RAL 7035**

Color innovations for the furnishings of tomorrow







AMON Fortified





RAL 3000



RAL 1023



RAL 2004



RAL 3020



RAL 1015



RAL 7035



RAL 1015



RAL 000 50 00



RAL 7016



RAL 9005

Color concept

Color group 0

Body and front colors with no surcharge











Pure orange

RAL 2004



Color group 1

Surcharge for bodies/No surcharge for fronts



Light pink

RAL 3015

Traffic red

RAL 3020

Ruby red RAL 3003

Fire red

RAL 3000

Expert paint work



No surcharge!

With the C+P color concept, 144 color combinations are available at no additional charge.

For body colors of color group 0, all front colors of the color concept are available with no surcharge.



Lots of color, not a lot of money.

For body colors of color group I, the additional charge for color is 15%.

This enables you to make exciting worlds of color a reality without putting too much strain on your budget.



Special colors? Absolutely!

Paint finishes in all RAL colors outside the C+P concept are also possible.

The color surcharge for this is 25% (minimum order: 5 lockers).

Subject to technical testing and availability.

Feel free to send us your requests.

C+P decor fronts

- + HPL (high-pressure laminate) is available with a classic wood look or in single colors.
- + HPL is scratch-proof, non-porous and impresses with its high stability.
- + The door is 100% moisture-resistant and features outstanding hygiene properties!
- + MDF (medium-density fiberboard) decors are also available.



Evolo PLUS Body: RAL 7016 anthracite gray Doors: Sereno oak



Evolo PLUS Body: RAL 7016 anthracite gray Doors: Natural silver spruce

Decor fronts (MDF)

With 18 mm black edging









Solid-core decor fronts (HPL)

With 13 mm black solid-core edge



















Important note:



The core of the HPL top is always black.

C#C

51

C+P office furniture decors

Add a special touch with wood decors. Whether it's classic maple, acacia or light gray or a more modern appearance with a concrete look or in diamond white, add some color to your office! Choose between DBS decors (melamine coated particle board) for the respective occasional cabinet and table ranges and HPL decors (high-pressure laminate) for optional solid-core top covers of the Asisto steel cabinets.

Important note:

All of the specified decors within a top type are available with no surcharge! The birch gray VK 741 decor is similar to light gray.



Decors (DBS)

With 25 mm edge band













Synchro decor tops (DBS)

With 25 mm edge band, only for tabletops of the Asisto sit/stand tables





Syncro decor

Is it real wood or a decor?

Synchro decors with light/dark oak impress with their incredible look and feel. The surface texture matches the grain, giving the impression of real oak. It not only looks real, but feels real, too!

Solid-core top covers (HPL)

With 13 mm black solid-core edge













Changing room & wardrobe

C+P is the market leader in steel changing room systems and lockers. What's your furnishing task? C+P has the right solution for every application!

With innovative ideas like modern ventilation concepts and trendsetting locking systems, C+P sets new standards again and again.

Changing room and wardrobe



60

Lockers Classic PLUS



98

Lockers Evolo PLUS



192

Assembled box lockers Intro/Resisto



220

stackable benches, benches and benches with coat rack Basic and Comfort



166

Lockers Cambio



232

Wall-mounted and free-standing wardrobes, open wardrobes and assembled box lockers



186

Lockers Prefino



242

Industry-specific and custom solutions

Versatile and practical

Steel lockers.



Classic PLUS

The classic locker with an industrial design

- + Complete range with steel doors
- Break-in-resistant design as per class B according to DIN 4547-2
- + 661 models are available in this series
- + 2 compartment widths, 5 different box heights
- + Reinforced doors with ventilation gills and stamped-in label holders
- Safety turning bolt for padlock (assembled box lockers with smooth doors and cylinder lock)
- + Compartment bottom can be swept out easily

Available floor-standing, with feet, base or bench



Evolo PLUS

The advanced locker with serious added value

- + Comprehensive range with steel doors, MDF or HPL
- + Especially break in-resistant design as per class C according to DIN 4547-2
- + 708 models are available in this series
- + Level adjustment for all sub-frames as standard
- + 2 compartment widths, 6 different box heights
- Reinforced doors with designer ventilation hole pattern and matching Comfort label holder, decor doors also available
- + Safety turning bolt for padlock (assembled box lockers with smooth doors and cylinder lock)
- + 90° door opening limiter as standard
- + Wide variety of interior fitting solutions for any requirement


Available floor-standing, with feet, base or bench and in other versions, e.g. with built-in storage box

| | Locker heights faires | Compathent widths | Floorstanding | locker with feet of the control of t | Locker with base | e'U | n Stofage bot | Corrosion protect | Couosion brotection y the |
|--------------|-----------------------|----------------------|---------------|--|------------------|-----|------------------|-------------------|---------------------------|
| Classic PLUS | 1530 1700 1850 | 250 300 400 | • | • | • | • | _ | _ | • |
| Evolo PLUS | 1530 1700 1850 | 300 400 | • | • | • | • | • | _ | • |
| Cambio | 1850 | 300 400 | _ | • | • | • | _ | • | |










Cambio

The elegant locker with overlay doors

- + Comprehensive range with steel doors (optionally double-walled) or HPL
- + Especially break in-resistant design as per class C according to DIN 4547-2
- + Body, base and steel doors electrolytically zinc-plated as standard
- + Standard ventilation using the SVL concept® (self-ventilation), optionally available with the FVL (forced ventilation) and FVLD concept (forced ventilation with dryer)
- + Level adjustment for all sub-frames as standard
- + 2 compartment widths, 6 different box heights
- + Smooth steel fronts (single-walled, optionally double-walled and insulated) or optional HPL with wood decor for an even more attractive look
- + Cylinder lock with 2 keys for each door
- + 90° door opening limiter as standard
- + Wide variety of interior fitting solutions for any requirement

Available with feet or base, as well as with spacious storage box or bench on request





Versatility, security and utility

The new Classic PLUS.

This model shows that the classics don't just ride the retro wave, but can reinvent themselves, too. It's predecessor, the C+P Classic, is known by many as a secure storage location for personal and valuable items at companies, schools and museums, for example, and this hasn't changed. What is different is the fresh design and variety of combination options and details—some of which are immediately apparent, and others only later on. We think its true utility is also expressed by the fact that it's subjected to the test bench and dynamically adapted to new conditions again and again.







Classic ventilation gills with stamped-in label holder



Anti-rotation and high-loadcapacity double sliding hooks with special mounting, e.g. for hangers or retrofitted partitions



Safety turning bolt latch for padlock (turns while locked, thereby preventing break-in through over-turning), incl. door protection





Rock-solid arguments

- + Sturdy steel construction with high-quality enamel coating
- Bottom and locker floor generally zinc-plated for increased corrosion protection
- Break-in-resistant design as per class B according to DIN 4547
- 2 compartment widths, 5 different box heights
- Reinforced doors, hinged on the right, with doorstop silencer, ventilation gills and label holder, as well as safety turning bolt latch for padlock (assembled box lockers with smooth doors and cylinder lock)
- Single-tier lockers: Inside each compartment: 1 nonadjustable storage shelf with sturdy changing room rail below with 3 anti-rotation double sliding hooks (load capacity per rail: 40 kg, per double hook: 15 kg)
- Double-tier lockers: Inside each box: 1 sturdy changing room rail with 3 anti-rotation double sliding hooks
- Compartment bottom can be swept out easily
- Slim lateral edges for a homogeneous look when lined up next to one another without doubling at the locker joints
- Additional ventilation thanks to ventilation openings in compartment bottom and top as self-ventilation concept through structurally optimized air flow behavior

Available floor-standing, with feet, base or bench

- + Plastic feet, base featuring increased corrosion protection, both for body RAL 7035 in light gray, otherwise in black gray
- Optional level adjustment for floor-standing, feet or base
- 420 mm-high bench frame made of square tubing in black gray, with 10 mm level adjustment, bench slats made of 60 x 25 mm beech, rounded on all sides, coated with clear varnish with natural color variations
- 450 mm seat height, 315 mm seat depth
- Bench and locker separate for easy DIY assembly






Classic PLUS

Lockers with full-length door.







Order no. 080010-20



Order no. 080020-22

Dimensions and design

With safety turning bolt Clear opening dimensions per door: 1,749 x 240/340 x 477 (H x W x D)





Floor-standing

Locker height: 1,850 Locker depth: 500 Compartments
Locker width

Order no.

Price

1x300 300

080000-10

272,-

080000-20 363,-

600

2x300

3x300

900 080000-30

490,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100 Compartments

Locker width
Order no.

Price

300

080010-10

312,-

1x300

2x300

080010-20

403,-

3 x 300

900 080010-30

530,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100 Compartments

Locker width
Order no.

Price

1x300

300

080020-10

335,-

2x300 600

080020-20


434,-


3 x 300

900 080020-30

571,-









(+) Accessories (optional)

Selection \rightarrow p. 94

Classic PLUS

Lockers with partition.

Space-saving solution for the separation of street and work clothing

Inside each compartment: 1 non-adjustable storage shelf, fixed steel partition below and sturdy changing room rail with anti-rotation double sliding hooks.



Order no. 080000-22F

Floor-standing

Locker height: 1,850

Locker depth: 500



Order no. 080010-22F



Order no. 080020-22F

Dimensions and design

With safety turning bolt Clear opening dimensions per door: 1,749 x 340 x 477 (H x W x D)





Locker width Order no.

Price

1x400

400

080000-12F

387,-

2x400

800

080000-22F

537,-

3x400

1200 080000-32F

734,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

Compartments

Locker width Order no.

Price

080010-12F

400

427,-

1x400

2x400

800 080010-22F

577,-

3 x 400

1200 080010-32F

774,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100

Compartments

Locker width

Order no. Price

1x400

400

080020-12F 456,-

2x400

080020-22F

616,-

800

3x400 1200

080020-32F

827,-

(o) Body and door color

Color concept → p. 48





Order no. 0800507-22F

Order no. 0800507-32F

Variant: Hardwood bench slats Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315 Clear opening dimensions per door: 1,599 x 340 x 477 (H x W x D)

| | ı | ҥ | ł | _ | ł |
|---|---|---|---|---|---|
| | ı | Ш | | | l |
| | ı | Ш | | | |
| | ı | Ш | | | l |
| H | 1 | ۳ | ı | | H |
| | l | l | l | | |
| | | | | | |





| With bench | built |
|------------|-------|
| underneath | |
| the locker | |

Locker depth, incl. bench: 815

| Compartments | |
|--------------|--|
| Locker width | |
| Order no. | |

Price

| 1x400 |
|-------------|
| 400 |
| 0800507-12F |
| 583,- |

| 2 x 400 | |
|-------------|--|
| 800 | |
| 0800507-22F | |
| 798,- | |

| 3x400 |
|-------------|
| 1200 |
| 0800507-32F |
| 1.087,- |

Bench slats for models mentioned above made of beech hardwood as standard, rounded on all sides, coated with clear varnish with natural color variations. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm.

Locker and bench are delivered separately for easy DIY assembly.



Other locker variants with partition (e.g. compartment width of 300 mm, floating bench, plastic bench slats and lots more) available as standard—we're looking forward to receiving your request.



 $(+)\,$ Accessories (optional)

Selection \rightarrow p. 94

Classic PLUS

Lockers with bench.

Bench slats for models mentioned below made of beech hardwood as standard, rounded on all sides, coated with clear varnish with natural color variations. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm.

Locker and bench are delivered separately for easy DIY assembly.

Variant: Hardwood bench slats

Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315 Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)








With bench built underneath the locker

Locker depth, incl. bench: 815

| С | ompa | ırtments |
|---|------|----------|
| | | |

Locker width Order no. Price



2 x 300 600 0800507-20 565,-

3 x 300 900 0800507-30 762,-







With floating bench

Locker depth, incl. bench: 815

Wall mounting required!

Compartments

Locker width Order no.

Price

1x300 300 0800407-10

424,-

2 x 300 600 0800407-20

565,-

3x300 900 0800407-30 762,-



484,-

+ 08050-70120



Flush with frame underneath

Locker depth, incl. frame: 500

Compartments Locker width

Order no.

Price

1x300 300

0800307-10 363,-

2x300 600 0800307-20

3 x 300 900 0800307-30 653,-

Optional

Clear height above shoe rack: 225

- + Order no. of shoe rack
- + Add. charge for shoe rack
- + 08050-70110

+ 45,-

- + 60,-
- + 08050-70130
- + 75,-







Order no. 0800407-30



Order no. 0800307-32 & 08050-70132











| | Compartments |
|--|--------------|
| | Locker width |
| | Order no. |
| | Price |

| 4 x 300 | |
|------------|--|
| 1200 | |
| 0800507-40 | |
| 988,- | |





| 3 x 400 |
|------------|
| 1200 |
| 0800507-32 |
| 990,- |









| Compartments | | | |
|--------------|--|--|--|
| Locker width | | | |
| Order no. | | | |

Price

| 0. | | |
|----|--|--|
| | | |
| | | |

| 4 x 300 |
|------------|
| 1200 |
| 0800407-40 |
| 988,- |

| 1x400 |
|------------|
| 400 |
| 0800407-12 |
| 550,- |

| 3x400 |
|------------|
| 1200 |
| 0800407-32 |
| 990,- |



847,-

+ 90,-







| Compartments | |
|--------------|--|
| Locker width | |

| Order no. | |
|-----------|--|
| Price | |

| 1 x 300 |
|------------|
| 1,7000 |
| 200 |
| 0800307-40 |

| 1x 400 |
|------------|
| 400 |
| 0800307-12 |
| 472,- |

| 2x400 |
|------------|
| 800 |
| 0800307-22 |
| 629,- |

| 3 x 400 |
|------------|
| 1200 |
| 0800307-32 |
| 849,- |
| |

| Order no. of shoe rack | |
|------------------------|--|
|------------------------|--|

| + | Order no. of shoe rack |
|---|---------------------------|
| + | Add. charge for shoe rack |

| + 08050-70140 |
|---------------|
|---------------|

^{+ 08050-70112}

+ 08050-70122

+ 08050-70132 + 90,-



(+) Accessories (optional)

Selection \rightarrow p. 94

^{+ 70,-}

Classic PLUS

Lockers with bench.

Bench slats for models mentioned below made of plastic with zinc-plated steel core for optimum stability. Plastic bench slats are more hygienic and easier to clean. Standard color of the bench underframes is black gray RAL 7021. Locker and bench are delivered separately for easy DIY assembly. Absolute body height of lockers on bench or frame: 1,700 mm.



Order no. 0800507-30 & 08530-7035

Variant: Bench slats made of plastic Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315 Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)







With bench built underneath the locker

Locker depth, incl. bench: 815

Compartments Locker width Order no.

Color no. for light gray

Color no. for white Color no. for black gray Price

2x300 1x300 600 0800507-10 + 08510 -7035

0800507-20 + 08520

3x300 900 0800507-30 + 08530

762.-



-9016

-7021

424,-

-9016 -7021

424,-



565.-



With floating bench

Locker depth, incl. bench: 815

Wall mounting required!

Compartments Locker width Order no.

Color no. for light gray Color no. for white

Color no. for black gray Price

1x300 300 0800407-10 + 08510 -7035

2x300 600 0800407-20 + 08520 3 x 300 900 0800407-30 + 08530

762,-565,-

Optional

Clear height above shoe rack: 225

- (+) Order no. of shoe rack
- + Add. charge for shoe rack
- + 08050-70110
- + 45,-
- + 08050-70120
- + 60,-
- + 08050-70130
- + 75,-

(
ightarrow) Body and door color

Color concept → p. 48



Order no. 0800507-30 & 08530-9016



Order no. 0800407-20 & 08520-7035



Order no. 0800507-32 & 08532-7021 & 08050-70132









| Compartments |
|--------------------------|
| Locker width |
| Order no. |
| Color no. for light gray |
| Color no. for white |
| Color no. for black gray |
| Price |
| |

| 4x300 | 1x400 |
|--------------------|--------------------|
| 1200 | 400 |
| 0800507-40 + 08540 | 0800507-12 + 08512 |
| -7035 | |
| -9016 | |
| -7021 | |
| 988,- | 550,- |
| | |

| 2 x 400 | 3×400 |
|--------------------|--------|
| 800 | 1200 |
| 0800507-22 + 08522 | 080050 |
| | |
| | |

| 1200 |
|--------------------|
| 0800507-32 + 08532 |
| |
| |







734,-



990,-

| Compartments |
|--------------------------|
| Locker width |
| Order no. |
| Color no. for light gray |
| Color no. for white |
| Color no. for black gray |
| Price |

| 4×300 | 1x400 | 2 x 400 | 3 x 400 |
|--------------------|--------------------|--------------------|--------------------|
| 1200 | 400 | 800 | 1200 |
| 0800407-40 + 08540 | 0800407-12 + 08512 | 0800407-22 + 08522 | 0800407-32 + 08532 |
| -7035 | | | |
| -9016 | | | |
| -7021 | | | |
| 988,- | 550,- | 734,- | 990,- |

| $\overline{\Box}$ | Order no | of shoo rock | |
|-------------------|----------|--------------|--|

| + 08050-70140 |
|---------------|
| + 90,- |

| + 08050-70112 |
|---------------|
| + 50,- |

| + 08050-70122 |
|---------------|
| + 70,- |

| + 08050-70132 | |
|---------------|--|
| + 90,- | |

+ Add. charge for shoe rack

Selection \rightarrow p. 94

(+) Accessories (optional)

Classic PLUS

Lockers with pairs of doors closing in the middle.

For the joint locking of two compartments for use by one person, e.g. for the separate placement of street and work clothing. Bench slats made of beech hardwood as standard, approx. 60 x 25 mm profile, rounded on all sides, coated with clear varnish with natural color variations. Plastic bench slats available at no additional charge. Standard color for the bench underframe: black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm. Locker and bench are delivered separately for easy DIY assembly.

Dimensions and design

With safety turning bolt Clear opening dimensions per door: 1,749 x 240/340 x 477 (H x W x D) With frame: 1,599 x 240/340 x 477 (HxWxD)



2 x 300

1

600

363,-

080002-20



4 x 300

2

1200

635,-

080002-40



2 x 400

800

472,-

080002-22

| vvitii iid | anie. 1,077 X 2407 04 |
|------------|-----------------------------|
| Floo | r-standing |
| | height: 1,850 depth: 500 |
| With | feet |
| Locker | height: 1,950 |
| Locker | depth: 500 |
| | acptii. 000 |

| Order no. |
|--------------------|
| Price |
| |
| Compartments |
| For no. of persons |
| Locker width |
| Order no. |


Compartments

Locker width

Price

For no. of persons

| 2x300 |
|-----------|
| 1 |
| 600 |
| 080012-20 |
| 403 - |



| 2 x 400 |
|-----------|
| 1 |
| 800 |
| 080012-22 |
| 512,- |
| |


With base

Locker height: 1,950 Locker depth: 500 Base height: 100

| Compartments |
|--------------------|
| For no. of persons |
| Locker width |
| Order no. |
| Price |

| 2x300 | |
|-----------|--|
| 1 | |
| 600 | |
| 080022-20 | |
| 434 - | |









4x300

2



Flush with frame underneath

Locker height: 2,120 Frame height: 420 Locker depth, incl. frame: 500 Compartments For no. of persons Locker width Order no.

2x300 1 0800327-20 484,-

4 x 300 2 0800327-40 847,-

2x400 0800327-22 629,-

+ 08050-70122

Optional

Clear height above shoe rack: 225

(+) Order no. of shoe rack

Price

- (+) Add. charge for shoe rack
- + 08050-70120

+ 60,-

- + 08050-70140


+ 90,-

+ 70,-

(o) Body and door color

Color concept → p. 48







Order no. 080022-22



Order no. 0800527-20 & 08050-70120



Order no. 0800327-40 & 08050-70140

Variant: Hardwood bench slats Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)







With bench built underneath the locker

Locker depth, incl. bench: 815

Compartments For no. of persons

Locker width

Order no.

Price

| 2x300 |
|------------|
| 1 |
| 600 |
| 0800527-20 |
| 565,- |

4 x 300 2 1200 0800527-40 988,-

| | 2x400 |
|--|------------|
| | 1 |
| | 800 |
| | 0800527-22 |
| | 734,- |







With floating bench

Locker depth, incl. bench: 815

Wall mounting required!

Compartments

For no. of persons

Locker width

Order no.

Price

2 x 300

600

0800427-20

565,-

4 x 300 2

1200

0800427-40

988,-

2 x 400

734,-

1 800 0800427-22

Optional

Clear height above shoe rack: 225

- +) Order no. of shoe rack
- + Add. charge for shoe rack
- + 08050-70120
- + 60,-
- + 08050-70140
- + 90,-
- + 08050-70122
- + 70,-



Accessories (optional)

Selection \rightarrow p. 94





Order no. 0800527-20 & 08520-7035



Order no. 0800527-20 & 08520-9016



Order no. 0800427-20 & 08520-7035



Order no. 0800527-22 & 08522-7021 & 08050-70122

Variant: Bench slats made of plastic Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)

| Г | Г | ı | | Ì |
|---|----|---|--|---|
| | l. | | | |
| | | | | |
| L | | | | Ц |
| | | | | |





With bench built underneath the locker

Locker depth, incl. bench: 815

| Compartments | |
|---------------------|--------|
| For no. of person | S |
| Locker width | |
| Order no. | |
| Color no. for light | gray |
| Color no. for whit | :e |
| Color no. for blac | k gray |

| partments | 2 X 3 U |
|-----------------------|---------|
| no. of persons | 1 |
| ker width | 600 |
| er no. | 0800 |
| or no. for light gray | -7035 |
| or no. for white | -9016 |
| or no. for black gray | -7021 |
| e | 565,- |
| | |

| | • |
|--------------------|--------|
| 2x300 | 4 x 30 |
| | 2 |
| 500 | 1200 |
| 0800527-20 + 08520 | 080 |

| 4x300 |
|--------------------|
| 2 |
| 1200 |
| 0800527-40 + 08540 |
| |

| 2x400 |
|--------------------|
| 1 |
| 800 |
| 0800527-22 + 08522 |
| |



-7035

-9016

565,-



988,-



734,-

With floating bench

Locker depth, incl. bench: 815

! Wall mounting required!

| Compartments |
|--------------------|
| For no. of persons |
| Locker width |
| Order no. |
| |

| Color no. for light gray |
|--------------------------|
| Color no. for white |
| Color no. for black gray |
| Price |

| 2x300 | |
|--------------------|--|
| 1 | |
| 600 | |
| 0800427-20 + 08520 | |
| | |


| 4x300 |
|--------------------|
| 2 |
| 1200 |
| 0800427-40 + 08540 |
| |

| 2x400 |
|--------------------|
| 1 |
| 800 |
| 0800427-22 + 08522 |

988,-734,-

Optional

- +) Order no. of shoe rack
- + 08050-70120
- + 60,-
- + 08050-70140
- + 90,-
- + 08050-70122
- + 70,-









Selection \rightarrow p. 94

All dimensions in mm, and all prices in Euros Frames also available in RAL 7035 or RAL 9016





Multi-purpose lockers.

Doors closing in the middle with a joint turning bolt latch for padlock, shelves not adjustable.



Order no. 080600-20



Order no. 080100-02

Dimensions and design

With safety turning bolt Clear opening dimensions per door: 1,749 x 240/340 x 477 (H x W x D)









Floor-standing

Locker height: 1,850 Locker depth: 500

Laundry locker Variant

Compartments Locker width

Compartments Locker width Order no. Price

Compartments Locker width Order no. Price

Order no. Price

4 shelves on the left, storage shelf on the right with sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks

| 2x300 |
|-----------|
| 600 |
| 080600-20 |

434,-

2x400 800 080600-22 543,-

Cleaning supply locker

Reduced-size partition, 4 compartments on the left, sturdy rail with an oval profile on the right with 3 anti-rotation sliding hooks.

| 2x300 | 2 x 400 |
|-----------|-----------|
| 600 | 800 |
| 080100-00 | 080100-02 |
| 434,- | 543,- |

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

Variant

4 shelves on the left, storage shelf on the right with sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks

| 2x30 0 | 2×400 |
|-----------|-----------|
| 600 | 800 |
| 080610-20 | 080610-22 |
| 474,- | 583,- |

Cleaning supply locker

Reduced-size partition, 4 compartments on the left, sturdy rail with an oval profile on the right with 3 anti-rotation sliding hooks.

| 2x300 | 2 x 400 |
|-----------|-----------|
| 600 | 800 |
| 080110-00 | 080110-02 |
| 474,- | 583,- |

With base

Locker height: 1,950 Locker depth: 500 Base height: 100

Variant Laundry locker

4 shelves on the left, storage shelf on the right with sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks

| 2 x 400 |
|-----------|
| 800 |
| 080620-22 |
| 622,- |
| |

Cleaning supply locker

Reduced-size partition, 4 compartments on the left, sturdy rail with an oval profile on the right with 3 anti-rotation sliding hooks.

| 2x300 | 2×400 |
|-----------|-----------|
| 600 | 800 |
| 080120-00 | 080120-02 |
| 504 - | 622 - |

(o) Body and door color

shelves not adjustable.

Doors with a turning bolt latch for padlock,







Order no. 080002-22B











Laundry locker

With individually lockable doors (both hinged on the right) per compartment with 4 shelves

Compartments

Locker width

Order no.

Price

2x300

600

080000-20B

504,-

2 x 400 800

080000-22B

613,-

Laundry locker

With doors closing in the middle (same lock) per compartment with 4 shelves

2x300

600

080002-20B

504,-

613,-

2x400 800

080002-22B

Variant

Laundry locker

With individually lockable doors (both hinged on the right)

Compartments

Locker width

Order no.

Price

Variant

per compartment with 4 shelves

2x300

600

080010-20B

544,-

2x400

800

080010-22B

653,-

Laundry locker

With doors closing in the middle (same lock)

per compartment with 4 shelves

2x300

600

080012-20B

544,-

2 x 400 800

080012-22B

653,-

Laundry locker

With individually lockable doors (both hinged on the right) per compartment with 4 shelves

Compartments

Locker width

Order no.

Price

2x300 600

080020-20B

575,-

2 x 400 800 080020-22B

692,-

Laundry locker

With doors closing in the middle (same lock) per compartment with 4 shelves

2x300 600 080022-20B

575,-

2 x 400 800 080022-22B

692,-

Accessories (optional)

Selection \rightarrow p. 94



Double-tier lockers.

Lockers, double-tier, 2 compartments on top of one another, per compartment: 1 door, sturdy wardrobe rail with an oval profile and 3 anti-rotation sliding hooks, doors at the top and bottom with ventilation gills, stamped-in label holder and turning bolt latch for padlock. Bench slats made of beech hardwood as standard, approx. 60 x 25 mm profile, rounded on all sides, coated with clear varnish with natural color variations. Plastic bench slats available at no additional charge. Standard color for the bench underframe: black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm.







Order no. 080300-20

Order no. 080310-20

Order no. 080320-22

Dimensions and design

With safety turning bolt Clear opening dimensions per door: 854x240/340x477 (HxWxD)













834,-

Floor-standing

Locker height: 1,850 Locker depth: 500

| Compartments |
|--------------|
| ocker width |
| Order no. |

Price

Price


Price

| 1x300 | 2x300 |
|-----------|-----------|
| 300 | 600 |
| 080300-10 | 080300-20 |
| 323 - | 161 - |

| | 3 x 300 |
|---|-----------|
| | 900 |
| - | 080300-30 |
| - | 641,- |

| 4 x 300 |
|----------|
| 1200 |
| 080300-4 |
| 837,- |

| | 1x400 | 2 x 40 |
|---|-----------|--------|
| | 400 | 800 |
|) | 080300-12 | 0803 |
| _ | 420,- | 603,- |



With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

| Compartments | |
|--------------|--|
| Locker width | |
| Order no. | |

| 3 | 1x300 |
|---|-----------|
| | 300 |
| | 080310-10 |
| _ | 363 |

| | 2x300 |
|---|-----------|
| _ | 600 |
| _ | 080310-20 |
| | 504,- |

| 3x300 | |
|-----------|--|
| 900 | |
| 080310-30 | |
| 681,- | |

| 4 x 300 | 1x400 |
|-----------|---------|
| 1200 | 400 |
| 080310-40 | 080310- |
| 877,- | 460,- |

| 800 |
|--------------|
| -12 080310-2 |

643,-



With base

Locker height: 1,950 Locker depth: 500 Base height: 100

| Compartments |
|--------------|
| Locker width |
| Order no. |

| ments | 1x300 | 2x300 | |
|-------|-----------|--------|--|
| width | 300 600 | | |
| ٥. | 080320-10 | 080320 | |
| | 386,- | 534,- | |

| | 3 x 300 |
|------|-----------|
| | 900 |
| 0-20 | 080320-30 |
| | 722,- |

| 4x300 | |
|-----------|--|
| 1200 | |
| 080320-40 | |
| 930,- | |

| | 1x400 | 2 |
|----|-----------|-----|
| | 400 | 8 |
| 40 | 080320-12 | 0 |
| | 100 | - 4 |

| 2×400 | 3 x 40 |
|-----------|--------|
| 800 | 1200 |
| 080320-22 | 0803 |
| 682,- | 927,- |


| 3 x 400 |
|-----------|
| 1200 |
| 080320-32 |

(
ightarrow) Body and door color

Color concept → p. 48



Variant: Hardwood bench slats Dimensions and design













| With bench | built |
|------------|-------|
| underneath | |
| the locker | |
| | |

Locker depth, incl. bench: 815

| Compartments |
|--------------|
| Locker width |
| Order no. |
| |

Price

| ; | 1x300 |
|---|------------|
| | 300 |
| | 0803507-10 |
| | 474 - |

2x300 600 900 0803507-20 665,-913,-

3x300 0803507-30

4x300 1x400 1200 400 0803507-40 1.189,-616,-

0803507-12

2x400 3x400 800 1200 0803507-22 0803507-32 865,-1.187,-













3x400

With floating bench

Locker depth, incl. bench: 815

| <u>i</u>) | Wall | mounting | required! |
|------------|------|----------|-----------|
| . / | | 0 | |

| Joinpar tinents | |
|-----------------|--|
| ocker width | |
| Order no. | |
| Price | |

| 113 | 1 X 3 0 0 |
|-----|-----------|
| h | 300 |
| | 0803407 |
| | 474,- |

| | 2 x 30 |
|------|--------|
| | 600 |
| 7-10 | 08034 |
| | 445 |

| 2x300 | 3x300 |
|------------|-----------|
| 600 | 900 |
| 0803407-20 | 0803407-3 |
| 665 - | 913 |

| | 4 x 300 |
|------|---------|
| | 1200 |
| 7-30 | 080340 |
| | 1189 - |

| <u> </u> | 17400 |
|----------|-----------|
| | 400 |
| 07-40 | 0803407-1 |
| | 616,- |

| | 800 | 1200 |
|---|------------|------------|
| 2 | 0803407-22 | 0803407-32 |
| | 865,- | 1.187,- |

2x400



Flush with frame underneath

Locker height: 2,120 Frame height: 420

Locker depth, incl. frame: 500

| | H |
|--------------|-----|
| Compartments | 1x3 |
| Locker width | 300 |

| 1x300 |
|------------|
| 300 |
| 0803307-10 |
| 410 |

| 2x300 | |
|------------|--|
| 600 | |
| 0803307-20 | |
| 585,- | |

| | 3x300 | |
|----|------------|--|
| | 900 | |
| 20 | 0803307-30 | |
| _ | 904 | |

| 4x300 |
|------------|
| 1200 |
| 0803307-40 |
| |

1.048,-

| 1x400 |
|------------|
| 400 |
| 0803307-12 |
| 537,- |

| 2x400 | 3 x 400 |
|------------|------------|
| 800 | 1200 |
| 0803307-22 | 0803307-32 |

Optional

Clear height above shoe rack: 225

| + | Order no. of shoe rack |
|---|---------------------------|

+

Order no.

Price

| Order no. | + 08050- | |
|---------------------------------|----------|--|
| of shoe rack | 70110 | |
| Additional charge for shoe rack | + 45,- | |

| + 08050- | + 08 |
|----------|------|
| 70120 | 7013 |
| . 40 | . 70 |

| | + 08050- 70130 | + 08050- 70140 |
|---|-------------------|-------------------|
| _ | + 75,- | + 90,- |

| • | + 08050- 70112 |
|---|-------------------|
| | + 50,- |

| + 08050- |
|----------|
| 70122 |
| + 70,- |

760,-

| + 08050 70132 |
|------------------|
| + 90,- |

1.045,-

(+) Accessories (optional)







Order no. 0803507-20 & 08520-7035

Order no. 0803407-30 & 08530-7021

Order no. 0803407-32 & 08532-9016

Variant: Bench slats made of plastic

Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 779 x 240/340 x 477 (H x W x D)













2 x 400



3 x 400

With bench built underneath

Locker depth incl. bench: 815



| Color no. for light gray |
|--------------------------|
| Color no. for white |





-9016

-7021

474,-

| 300 | 600 |
|-----------------------|---------------------|
| 0803507-10 + 08510 | 0803507-20 08520 |
| -7035 | |




2x300


3 x 300 4 x 300 900 0803507-30 + 08530

1200 0803507-40 + 08540

1x400 400 0803507-12 + 08512

800 1200









1.189,-

616,-

865,-

1.187,-



1x300

300

08510



2x300

0803407-20 +

600

08520



3 x 300

08530

0803407-30 +

900



4 x 300

08540

0803407-40 +

1200



1x400

400

08512



2 x 400



With floating bench

Locker depth incl. bench: 815

| LOCKEI V | viat | 11 |
|-----------|------|-------|
| Order no | Ο. | |
| Color no. | for | light |
| | | |

| Color no. for white |
|--------------------------|
| Color no. for black gray |

| _ | |
|------|-------|
| | Price |
| | |

| Compartments |
|--------------|
| Locker width |
| Order no. |
| |

| Color no. for light gray |
|--------------------------|
| Color no for white |

| | Color no. for white |
|---|--------------------------|
| ĺ | Color no. for black gray |

| ice | | |
|-----|--|--|


| gray | -7035 |
|------|-------|
| te | -9016 |
| | |

| -7021 | |
|-------|--|
| 474,- | |

0803407-10 +

| | _ |
|-------|---|
| 665,- | |

| _ | | |
|---|-------|--|
| | | |
| | 013 - | |
| | 710, | |



865,-

800

0803407-22 + 0803407-32 + 08532

3x400


1200

1.187,-

Wall mounting required!




78



⁽⁺⁾ Add. charge f. shoe rack + 45,-

+ 08050-70132 + 90,-

Clear height above shoe rack: 225










All dimensions in mm, and all prices in Euros Frames also available in RAL 7035 or RAL 9016

^{+ 08050-70130} + 75,-






Assembled box lockers.

Doors are single-walled, smooth, without ventilation gills and without label holders (if required, please order additional plastic label holders).

400 mm compartment width also suitable for motorcycle helmets. Each door features cylinder lock and 2 keys. The bottoms of the boxes are generally finished in the body color. For publicly accessible boxes, we recommend door opening limiters.









Order no. 080010-223

Variant: 3 box tiers Dimensions and design

With cylinder lock and 2 keys Clear opening dimensions per box: 562x240/340x477 (HxWxD)



1x300





Floor-standing

Locker height: 1,850 Locker depth: 500 Compartments
Boxes
Locker width

Locker width
Order no.
Price

1x300 3 300 080000-103 353,- 2×300 6 600 080000-203 525,- 3×300 9 900 080000-303 732,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100 Compartments

Boxes

Locker width

Order no.

3 300 080010-103 393,- 2×300 6 600 080010-203 565,- 3×300 9 900 080010-303 772,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100 Compartments

Price

Boxes
Locker width
Order no.
Price

1x300 3 300

080020-103

416,-

2×300 6 600 080020-203

595,-

3×300 9 900 080020-303 813,-

Body and door color





Order no. 080020-203

Order no. 080020-323

| | | · · | · · · · · | · · · · · · · · · · · · · · · · · · · |
|--------------|------------|------------|------------|---------------------------------------|
| Compartments | 4×300 | 1x400 | 2×400 | 3×400 |
| Boxes | 12 | 3 | 6 | 9 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 080000-403 | 080000-123 | 080000-223 | 080000-323 |
| Price | 958,- | 459,- | 682,- | 951,- |
| Compartments | 4×300 | 1x400 | 2×400 | 3×400 |
| Boxes | 12 | 3 | 6 | 9 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 080010-403 | 080010-123 | 080010-223 | 080010-323 |
| Price | 998,- | 499,- | 722,- | 991,- |
| Compartments | 4x300 | 1x400 | 2 x 400 | 3×400 |
| Boxes | 12 | 3 | 6 | 9 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 080020-403 | 080020-123 | 080020-223 | 080020-323 |
| Price | 1.051,- | 529,- | 761,- | 1.044,- |



(+) Accessories (optional)

Selection \rightarrow p. 94

Assembled box lockers.

Doors are single-walled, smooth, without ventilation gills and without label holders (if required, please order additional plastic label holders).

400 mm compartment width also suitable for motorcycle helmets. Each door features cylinder lock and 2 keys. The bottoms of the boxes are generally finished in the body color. For publicly accessible boxes, we recommend door opening limiters.









Order no. 080010-224

Variant: 4 box tiers Dimensions and design

With cylinder lock and 2 keys Clear opening dimensions per box: 415 x 240/340 x 477 (HxWxD)







Floor-standing

Locker height: 1,850 Locker depth: 500 Compartments
Boxes
Locker width
Order no.

Price

Order no.

Price

1x300 4 300 080000-104 394,- 2 x 300 8 600 080000-204 605,- 3×300 12 900 080000-304 853,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100 Compartments
Boxes
Locker width

4 300 080010-104 434,-

1x300

456,-

2×300 8 600 080010-204

645,-

675,-

3×300 12 900 080010-304 893,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100 Compartments

Boxes
Locker width
Order no.
Price

1x300 4 300 080020-104 2×300 8 600 080020-204 3×300 12 900 080020-304 934,-

Body and door color

Color concept → p. 48





Order no. 080020-204

| | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · |
|--------------|---------------------------------------|------------|---------------------------------------|---------------------------------------|
| Compartments | 4×300 | 1x 400 | 2×400 | 3×400 |
| Boxes | 16 | 4 | 8 | 12 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 080000-404 | 080000-124 | 080000-224 | 080000-324 |
| Price | 1.119,- | 511,- | 786,- | 1.109,- |
| Compartments | 4×300 | 1x400 | 2×400 | 3×400 |
| Boxes | 16 | 4 | 8 | 12 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 080010-404 | 080010-124 | 080010-224 | 080010-324 |
| Price | 1.159,- | 551,- | 826,- | 1.149,- |
| Compartments | 4×300 | 1x400 | 2×400 | 3×400 |
| Boxes | 16 | 4 | 8 | 12 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 080020-404 | 080020-124 | 080020-224 | 080020-324 |
| Price | 1.212,- | 581,- | | 1.202,- |

(+) Accessories (optional)

Assembled box lockers.

Doors are single-walled, smooth, without ventilation gills and without label holders (if required, please order additional plastic label holders).

400 mm compartment width also suitable for motorcycle helmets. Each door features cylinder lock and 2 keys. The bottoms of the boxes are generally finished in the body color. For publicly accessible boxes, we recommend door opening limiters.









Order no. 080010-225

Variant: 5 box tiers Dimensions and design

With cylinder lock and 2 keys Clear opening dimensions per box: 328x240/340x477 (HxWxD)

| | | ı |
|---|---|---|
| | • | ı |
| | • | ı |
| | | ı |
| İ | | |





Locker height: 1,850 Locker depth: 500 Compartments
Boxes
Locker width
Order no.

Compartments

Locker width

Order no.

Price

Price

Price

Boxes

1x300 5 300 080000-105 434,- 2×300 10 600 080000-205 686,- 3×300 15 900 080000-305 974,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

1x 300 5 300 080010-105 474,- 2×300 10 600 080010-205 726,- 3×300 15 900 080010-305 1.014,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100 Compartments

Boxes
Locker width
Order no.

1x300 5 300

080020-105


497,-

2x300 10 600 080020-205 756,- 3 x 300 15 900 080020-305

1.055,-

→ Body and door color







Order no. 080020-325

| | | | · · · · · · · · · · · · · · · · · · · | |
|--------------|------------|------------|---------------------------------------|-------------|
| | [] [] | | | |
| Compartments | 4x300 | 1x400 | 2 x 400 | 3 x 400 |
| Boxes | 20 | 5 | 10 | 15 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 080000-405 | 080000-125 | 080000-225 | 080000-325 |
| Price | 1.280,- | 564,- | 891,- | 1.266,- |
| | | | | |
| Compartments | 4×300 | 1x 400 | 2×400 | 3 x 400 |
| Boxes | 20 | 5 | 10 | 15 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 080010-405 | 080010-125 | 080010-225 | 080010-325 |
| Price | 1.320,- | 604,- | 931,- | 1.306,- |
| | | | | |
| Compartments | 4x300 | 1x400 | 2×400 | 3x400 |
| Boxes | 20 | 5 | 10 | 15 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 080020-405 | 080020-125 | 080020-225 | 080020-325 |
| Price | 1.373,- | 633,- | 970,- | 1.359,- |

(+) Accessories (optional)



Top lockers.

The practical and space-saving solution for when more storage space is required. Doors are single-walled, smooth, without ventilation gills and without label holders (if required, please order additional plastic label holders). 400 mm compartment width also suitable for motorcycle helmets.





Order no. 080090-20 Order no. 080000-20



Order no. 080090-32 Order no. 080000-32

Dimensions and design

Top locker above:

Base locker below:

With turning bolt latch Clear opening dimensions per door: 429x240/340x477 (HxWxD)

| With doors | |
|---------------------|--|
| hinged on the right | |

Locker height: 500 Locker depth: 500

Compartments Locker width Order no.

Price

1x300 300

080090-10 212,-

 \cdot

. .

2x300 600

080090-20 283,-

3x300

. . .

900 080090-30

381,-

. . .

With doors closing in the middle

Locker height: 500 Locker depth: 500

Compartments Locker width

Order no. Price

2x300

600 080092-20

283,-

4 x 300

494,-

1200 080092-40

2x400 800

080092-22 367,-

 (\rightarrow) Body and door color



Order no. 080092-20 Order no. 080002-20



Order no. 080092-40 Order no. 080002-40

| | • • • | | \Box | • • • |
|--------------|-----------|-----------|-----------|-----------|
| Compartments | 4×300 | 1x400 | 2×400 | 3 x 400 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 080090-40 | 080090-12 | 080090-22 | 080090-32 |
| Price | 494,- | 275,- | 367,- | 495,- |



+ Accessories (optional)

Selection \rightarrow p. 94

Z lockers.

Z lockers only require the space of a double-tier locker, but offer hanging room for long items of clothing. No risk of collisions at the doors thanks to appropriate positioning of the lock.

Per compartment: 1 door, top and bottom storage shelves, sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks.

Doors above and below feature ventilation gills, punched-in label holder and turning bolt latch for padlock.

Clear opening width of the narrow area

(comp. wid.: 300/400 mm): Left door: 123/173 mm Right door: 109/159 mm



Order no. 080003-204



Order no. 080013-204

Dimensions and design

With safety turning bolt Clear opening dimensions per door: 1,293x240/340x477 (HxWxD)







Floor-standing

Locker height: 1,850 Locker depth: 500 Compartments
Locker width

Order no.

Price

1x300

080003-102

300

515,-

2×300

080003-204

847,-

3×300 900

080003-306

1.216,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100 Compartments

Locker width

Order no.

Price

1x300

300

080013-102

555,-

2x300 600

080013-204

887,-

3x300 900

080013-306

1.256,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100 Compartments

Locker width

Order no.

1x300

300

578,-

080023-102

2x300

080023-204

918,-

600

3×300

900

1.297,-





Order no. 080023-204



Order no. 080023-326









| Compartments |
|--------------|
| Locker width |
| Order no. |
| Price |

| 4x300 |
|------------|
| 1200 |
| 080003-408 |
| 1.602,- |
| |

| 1x400 |
|------------|
| 400 |
| 080003-122 |
| 669,- |
| |

| 2x400 |
|------------|
| 800 |
| 080003-224 |
| 1.101,- |
| |

| 3x400 |
|------------|
| 1200 |
| 080003-326 |
| 1.580,- |

| Compartments |
|--------------|
| Locker width |
| Order no. |
| Price |

| 4x300 |
|------------|
| 1200 |
| 080013-408 |
| 1.642,- |
| |

| 1x400 | 2 x 40 |
|------------|---------|
| 400 | 800 |
| 080013-122 | 0800 |
| 709,- | 1.141,- |
| | |

| 00 | 3x400 |
|---------|------------|
| | 1200 |
| 013-224 | 080013-326 |
| ,- | 1.620,- |
| | |

| Compartments |
|--------------|
| Locker width |
| Order no. |
| Price |

| 4 x 300 |
|------------|
| 1200 |
| 080023-408 |
| 1.695,- |

| 1x400 | 2 x 400 |
|------------|------------|
| 400 | 800 |
| 080023-122 | 080023-224 |
| 739,- | 1.180,- |
| | |

| 3x400 |
|------------|
| 1200 |
| 080023-326 |
| 1.673,- |
| |



(+) Accessories (optional)

Selection \rightarrow p. 94

Z lockers with bench.

Bench slats for models mentioned below made of beech hardwood as standard, rounded on all sides, coated with clear varnish with natural color variations. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm.

Locker and bench are delivered separately for easy DIY assembly.

Variant: Hardwood bench slats Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 1,218 x 240/340 x 477 (H x W x D)







With bench built underneath the locker

Locker depth, incl. bench: 815

| Cor | npart | tm | ıe | ents | |
|-----|-------|----|----|------|--|
| | | | | | |

Locker width Order no

Price

| 1x300 | |
|-------|--|
| 300 | |

0800537-102

665,-



600

0800537-204

1.048,-



900 0800537-306

1.487,-







With floating bench

Locker depth, incl. bench: 815

Wall mounting required!

Compartments

Locker width

Order no.

Price

1x300

300

0800437-102

665,-

2x300

600

0800437-204

1.048,-

3x300

900

0800437-306

1.487,-

Flush with frame underneath

Locker depth, incl. frame: 500

Compartments Locker width

Order no.

Price

1x300

300 0800337-102

605,-

2x300

0800337-204

968,-

600

3 x 300 900 0800337-306 1.378,-

Optional

Clear height above shoe rack: 225

(+) Order no. of shoe rack

+) Add. charge for shoe rack

+ 08050-70110

+ 45,-

+ 08050-70120

+ 60,-

+ 08050-70130

+ 75,-

(o) Body and door color

Color concept → p. 48







Order no. 0800437-306



Order no. 0800337-326 & 08050-70132









| Compartments | |
|--------------|--|
| | |

Locker width

Order no.

Price

| I | ı | |
|-------|-----|--|
| 4 x 3 | 300 | |

0800537-408

1.955,-

1200



400

0800537-122

865,-

2x400

800

0800537-224

1.362,-



3 x 400

1200

0800537-326

1.933,-











Compartments

Locker width

Order no.

Price

4 x 300

1200

0800437-408

1.955,-

1x400

400

0800437-122

865,-

2x400

800

0800437-224

1.362,-

3 x 400

1200

0800437-326

1.933,-









Compartments

Locker width

Order no.

Price

4 x 300 1200

0800337-408

1.814,-

1x400 400

0800337-122

786,-

+ 50,-

2x400

800

0800337-224

1.258,-

+ 70,-

3 x 400

0800337-326

1.792,-

1200

+) Order no. of shoe rack

+ Add. charge for shoe rack

+ 08050-70140

+ 08050-70112

+ 08050-70122

+ 08050-70132 + 90,-

+ 90,-

(+) Accessories (optional)



Z lockers with bench.

Bench slats for models mentioned below made of plastic with zinc-plated steel core for optimum stability. Plastic bench slats are more hygienic and easier to clean. Standard color of the bench underframes is black gray RAL 7021. Locker and bench are delivered separately for easy DIY assembly. Absolute body height of lockers on bench or frame: 1,700 mm.



Order no. 0800537-306 & 08530-7035

Variant: Bench slats made of plastic Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315 Clear opening dimensions per door: 1,218 x 240/340 x 477 (H x W x D)



300

-7035 -9010

-7021

665,-

-9010

-7021

+ 45,-

0800537-102 + 08510





1.487,-


With bench built underneath the locker

Locker depth, incl. bench: 815

Compartments 1x300

Locker width Order no.


Price



Color no. for light gray

2x300 600 0800537-204 + 08520 3x300 900 0800537-306 + 08530

1.048,-



With floating bench

Locker depth, incl. bench: 815

Wall mounting required!

Compartments Locker width Order no. Color no. for light gray

Color no. for white Color no. for black gray 1x300 300 0800437-102 + 08510 -7035

2x300 600 0800437-204 + 08520

3x300 900 0800437-306 + 08530

Price 665,-1.048,-

Optional

Clear height above shoe rack: 225


- (+) Order no. of shoe rack
- + Add. charge f. shoe rack
- + 08050-70110
- + 08050-70120
- + 60,-+ 75,-
- + 08050-70130

1.487,-

Body and door color

Color concept → p. 48







Order no. 0800437-204 & 08520-7035



Order no. 0800537-326 & 08532-7021 & 08050-70132









| | | | 3 x 400 | |
|--------------------|---------------------|---------------------|---------------------|--|
| 00 | 400 | 800 | 1200 | |
| 300537-408 + 08540 | 0800537-122 + 08512 | 0800537-224 + 08522 | 0800537-326 + 08532 | |
| 035 | | | | |
| 010 | | | | |
| 021 | | | | |
| 55,- | 865,- | 1.362,- | 1.933,- | |
| | | III | | |
| | 035 010 021 | 035 010 021 | 035 010 021 | |

| Compartments | 4 x 300 | 1x400 | 2x400 | 3 x 400 |
|--------------------------|---------------------|---------------------|---------------------|---------------------|
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 0800437-408 + 08540 | 0800437-122 + 08512 | 0800437-224 + 08522 | 0800437-326 + 08532 |
| Color no. for light gray | -7035 | | | |
| Color no. for white | -9010 | | | |
| Color no. for black gray | -7021 | | | |
| Price | 1.955,- | 865,- | 1.362,- | 1.933,- |

- + Order no. of shoe rack
- + 08050-70140
- + 08050-70112
- + 08050-70122
- + 08050-70132

- + Add. charge f. shoe rack
- + 50,-
- + 70,-

- + 90,-

- + 90,-

(+) Accessories (optional)

Accessories.

Wet room version

| | For floor-standing Entire locker elec | | | |
|------------------------|--|---|------------------------|-----------|
| Number of compartments | 1 | 2 | 3 | 4 |
| Order no. | 08000-201 | 08000-202 | 08000-203 | 08000-204 |
| Price | 40,- | 80,- | 120,- | 160,- |
| | For lockers with Entire locker and | frame/bench frame electrolytically zin | c-plated and enamel co | ated |
| Number of compartments | 1 | 2 | 3 | 4 |
| Order no. | 08000-211 | 08000-212 | 08000-213 | 08000-214 |
| Price | 60,- | 120,- | 180,- | 240,- |



Sloping top

| | 230 mm hig | h in the rear, c | comprised of sl | oping top sec | tion and side p | panels, can be | retrofitted |
|------------------------|------------|------------------|-----------------|---------------|-----------------|----------------|-------------|
| Number of compartments | 1 | | 2 | | 3 | | 4 |
| Compartment width | 300 | 400 | 300 | 400 | 300 | 400 | 300 |
| Order no. | 08504-10 | 08504-12 | 08504-20 | 08504-22 | 08504-30 | 08504-32 | 08504-40 |
| Price | 78,- | 93,- | 95,- | 116,- | 120,- | 148,- | 148,- |



Support for wall mounting

| | | angled rail (wall rear panel as sta | | | | |
|------------------|-------------|--|-------------|-------------|-------------|-------------|
| For locker width | 300 | 400 | 600 | 800 | 900 | 1200 |
| Order no. | 08000-34030 | 08000-34040 | 08000-34060 | 08000-34080 | 08000-34090 | 08000-34120 |
| Price | 26,- | 28,- | 32,- | 37,- | 39,- | 45,- |



Door versions





| | | Smooth doors No ventilation gills, no stamped-in label holder, additional charge per door | | | |
|-----------|-------------------|--|----------|--|--|
| | Single-tier doors | Double-tier doors | Single-t | | |
| Order no. | 08001-303 | 08001-303D | 08001- | | |
| Price | 10,- | 10,- | 20,- | | |

| Doors with round holes |
|--|
| Hole pattern with 8 mm round holes as per DIN 4547, |
| no stamped-in label holder, additional charge per door |
| |

| Single-tier doors | Double-tier doors | |
|-------------------|-------------------|--|
| 08001-308 | 08001-308D | |
| 20,- | 20,- | |







Door designs

| | Hole pattern with 23 mm square holes, for looking into | | Label holder Made of plastic, self-adhesive | Door opening limiter Made of steel cable, for 90° opening angle | |
|-----------|--|-----------------------------|---|--|--|
| | Single-tier doors | Double-tier doors | Incl. label | Per door | |
| Order no. | - | - | 08500-15 | 08505-02 | |
| Price | Project-specific on request | Project-specific on request | 6,- | 18,- | |



Order no.

Price











| Glass mirror, small With tape strips, for attachment by customer | |
|---|--|
| H 110 x B 90 | |

| With tape strips, for attachment by customer |
|--|
| H 110 x B 90 |
| 00018-00 |
| 7,- |

| Metal mirror, large Polished, with tape strips, for attachment by customer |
|---|
| H 200 x B 115 |
| 00019-00 |
| 18 - |



Towel hanger Metal, for attachment on the door inside



Additional equipment







| | Partition below the storage shelf Made of translucent plastic, can be retrofitted |
|-----------|--|
| | H 1,210 x D 300 |
| Order no. | 04900-705 |
| Price | 55,- |

| Standard hanger Hardwood, painted black | |
|---|--|
| With special mounting | |
| 08000-061 | |
| 9,- | |

| Made of plastic, black, o pant clips |
|--------------------------------------|
| Vith special mounting |
| 8078-715 |
| 9,- |
| |
| |

| Drying hanger | Drying hanger |
|---------------|---------------|

| Drying hanger |
|-------------------------|
| Made of plastic, black, |
| with pant clips |

| With special mounting |
|-----------------------|
| 08078-716 |
| 34,- |

Accessories.

Additional equipment









| | Plastic shoe tray With spacers for maintaining rear compartment ventilation | | Flush-mounted base Otherwise recessed at the front as standard | Level adjustment For floor-standing lockers | Level adjustment For lockers with feet or base |
|-----------|---|----------------|--|--|--|
| | Comp. wid. 300 | Comp. wid. 400 | Per locker | Per locker | Per locker |
| Order no. | 08000-7072 | 08000-7073 | 08000-8020 | 08000-261 | 08000-26 |
| Price | 14,- | 15,- | 20,- | 21,- | 21,- |





Shoe shelf

| | | er shelf or cover i | | | | or cover in compartment. bsequent installation |
|-----------------------|-------------|---------------------|------------|--------------------|-----------------------|---|
| Installation height | 250 | | 300 | | Adjustable using grid | bar: 200, 250, 300 or 350 |
| For compartment width | 300 | 400 | 300 | 400 | 300 | 400 |
| Order no. | 08000-80250 | 08002-80250 | _ | | 08000-80 | 08002-80 |
| Price per compartment | 24,- | 28,- | Project-sp | pecific on request | 65,- | 69,- |





| | Number plate (for cylin lock area, self-adhes loose for easy attachments | ive, H 79 x W 45 mm, | Stainless steel number plate, small Free positioning, self-adhesive, H 30 x W 50 mm, loose for easy attachment | |
|-----------|--|-------------------------|--|--|
| | Made of plastic | Made of stainless steel | Made of stainless steel | |
| Order no. | 08502-0611 | 08501-0611 | 08501-06 | |
| Price | 8,- | 19,- | 21,- | |

Door protection with number plate





| | Door protection (for cylinder locks only) Suitable for holding number plate model 04900-744, loose for easy attachment | Number plate For easy attachment above the door protection (please specify desired 3-digit number!), can only be used with door protection model 04900-742 | |
|-----------|---|--|--|
| | Made of plastic | Made of plastic | |
| Order no. | 04900-742 | 04900-744 | |
| Price | 5,- | 3,- | |



Locker connectors



Side locker connection (1 set for 2 lockers), for the connection of 2 lockers to one another

| - | Order no. | 4500-715 |
|---|-----------|----------|
| | Price | 4 |

Sophistication, high value and presence

The new Evolo PLUS.

This version—elevated to the next level both technically and visually—is the re-molded flagship of all our models. In environments where maximum precision and cleanliness are indispensable, it's totally in its element—laboratories, clinics, research institutes and high-tech forges, to name a few examples. Its entire appearance is smooth, hygienic and easy to clean—both outside and inside, too. It shows its astonishing technical feats effortlessly and with refined understatement. It's optimally networked and grows to meet its tasks—it loves new challenges.







Evolo PLUS designer hole pattern ventilation with Comfort label holders



Anti-rotation and high-loadcapacity double sliding hooks with special mounting, e.g. for coat hangers or retrofitted



The SAFE-O-TRONIC LS 400 lock is shown here. This series enables a total of 58 different locking variants.

Unbeatable plus points

- + Sturdy steel construction with high-quality enamel coating
- Especially break-in-resistant design as per class C according to DIN 4547
- + 2 compartment widths, 6 different box heights
- Special cover profile on the side in the body for easy removal of clothing, extremely easy interior cleaning and for covered cable ducts, e.g. for locking systems
- Reinforced doors, hinged on the right, with doorstop silencer, designer ventilation hole pattern and matching Comfort label holder, as well as safety turning bolt latch for padlock (assembled box lockers with smooth doors and cylinder lock)
- + 90° door opening limiter as standard
- + Optionally available with decor doors in MDF or HPL
- Single-tier lockers: Inside each compartment: 1 non-adjustable storage shelf, sturdy changing room rail with 3 anti-rotation double sliding hooks below
- + Double-tier lockers: Inside each box: 1 sturdy changing room rail with 3 anti-rotation double sliding hooks
- + Compartment bottoms can be swept out easily
- + Wide variety of interior fitting solutions for any requirement

Available floor-standing, with feet, base or bench and in other versions, e.g. with built-in storage box

- Plastic feet, base featuring increased corrosion protection, both for body RAL 7035 in light gray, otherwise in black gray
- + Standard level adjustment for floor-standing, feet or base
- + 420 mm-high bench frame made of square tubing in black gray, with 10 mm level adjustment, bench slats made of 60 x 25 mm beech, rounded on all sides, coated with clear varnish with natural color variations
- + 450 mm seat height, 315 mm seat depth
- + Bench and locker separate for easy assembly

Available as of 10/1/23













Double-tier lockers → p. 126



Assembled box lockers → p. 134




Z lockers → p. 146

Evolo PLUS

Lockers with full-length door.







Order no. 049010-20



Order no. 049020-20 & 08500-7940R



Order no. 049020-22 & 049122-730

Dimensions and version

With safety turning bolt Clear opening dimensions per door: 1,749×240/340×477 (HxWxD)







Locker height: 1,850 Locker depth: 500

| Compartments |
|--------------|
| Locker width |
| Order no. |
| Price |

| 1x300 | |
|-----------|--|
| 300 | |
| 049000-10 | |
| 313,- | |

| 2x300 |
|-----------|
| 600 |
| 049000-20 |
| 418,- |

| 3 x 300 | |
|-----------|--|
| 900 | |
| 049000-30 | |
| 563 | |

With feet

Locker height: 1950, Locker depth: 500 Foot height: 100

| Compartments |
|--------------|
| Locker width |
| Order no. |
| Price |

| 1x300 |
|-----------|
| 300 |
| 049010-10 |
| 362,- |

| 2x300 |
|-----------|
| 600 |
| 049010-20 |
| 467,- |

| 3x300 |
|-----------|
| 900 |
| 049010-30 |
| 612 - |

With base

Locker height: 1,950 Locker depth: 500 Foot height: 100

| Compartments |
|--------------|
| Locker width |
| Order no. |
| |

Price

| 1x300 |
|-----------|
| 300 |
| 049020-10 |
| 384 - |

| 2x300 |
|-----------|
| 600 |
| 049020-20 |
| 496 - |

| 3×300 | |
|-----------|--|
| 900 | |
| 049020-30 | |
| 653,- | |

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

- Order no. of MDF decor doors
 Addtl. charge for MDF decor doors
- + Order no. of HPL decor doors

 Addtl. charge for HPL decor doors
- + 049110-750 + 83,-
- + 049110-730 + 133,-
- + 166,-+ 049120-730

+ 049120-750

- + 266,-
- + 049130-750 + 249,-
- + 049130-730
- + 399,-





+ 532,-







| Compartments | 4x300 | 1x400 | 2×400 | 3×400 |
|-----------------------------------|--------------|--------------|--------------|--------------|
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049000-40 | 049000-12 | 049000-22 | 049000-32 |
| Price | 730,- | 407,- | 543,- | 732,- |
| | | | | |
| Compartments | 4×300 | 1x400 | 2×400 | 3×400 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049010-40 | 049010-12 | 049010-22 | 049010-32 |
| Price | 779,- | 456,- | 592,- | 781,- |
| | | | | |
| Compartments | 4×300 | 1x400 | 2 x 400 | 3 x 400 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049020-40 | 049020-12 | 049020-22 | 049020-32 |
| Price | 832,- | 485,- | 630,- | 834,- |
| | | | | |
| +) Order no. of MDF decor doors | + 049140-750 | + 049112-750 | + 049122-750 | + 049132-750 |
| Addtl. charge for MDF decor doors | + 332,- | + 100,- | + 200,- | + 300,- |
| +) Order no. of HPL decor doors | + 049140-730 | + 049112-730 | + 049122-730 | + 049132-730 |
| | | | | _ |

+ 160,-





Selection \rightarrow p. 154

Addtl. charge for HPL decor doors

+ 320,-

+ 480,-

Evolo PLUS

Lockers with bench.

Bench slats for models mentioned below made of beech hardwood as standard, rounded on all sides, coated with clear varnish with natural color variations. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm. Locker and bench are delivered separately for easy assembly.

Variant: Hardwood bench slats

Dimensions and version

Locker height: 2,120 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)










With bench built underneath the locker

Locker depth, incl. bench: 815

| Compartments |
|--------------|
| _ocker width |
| Order no. |













With floating bench


Locker depth, incl. bench: 815

| Compartments | |
|--------------|--|
| Locker width | |
| Order no. | |
| Price | |

1x300 300 0490407-10 464,-

2 x 300 600 0490407-20 619,-

3x300 900 0490407-30 835,-





1x300





Flush with frame underneath

Locker depth, incl. bench: 500

| Compartments |
|--------------|
| Locker width |
| Order no. |

Price

300 0490307-10 404,-

2 x 300 600 0490307-20 538,-

3 x 300 900 0490307-30 727,-

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13 Clear height above shoe rack: 225 (+) Order no. of MDF decor doors Addtl. charge for MDF decor doors

Order no. of HPL decor doors Addtl. charge for HPL decor doors

(+) Order no. of shoe rack Additional charge for shoe rack + 049110-750 + 83.-

+ 049110-730 + 133 -

+ 08050-70110 + 45,-

+ 049120-750

+ 166,-+ 049120-730

+ 266 -+ 08050-70120

+ 60,-

+ 049130-750 + 249,-

+ 049130-730 + 399,-

+ 08050-70130 + 75,-

(
ightarrow) Body and door color & decors

Color and decor concept → p. 48

Order no. 0490507-20 & 08500-7721R



Order no. 0490407-30 & 08050-70130



Order no. 0490307-40 & 00008-70R



Changing room & wardrobe | Steel lockers | Evolo PLUS | With bench

Order no. 0490307-32 & 049132-730 & 08050-70132





1x400







| Compartments |
|--------------|
| Locker width |
| Order no. |
| Price |
| |
| |

| 4 x 300 |
|------------|
| 1200 |
| 0490507-40 |
| 1083 - |















| Compartments |
|--------------|
| Locker width |
| Order no. |
| Price |
| |
| |
| |

| 4x300 |
|------------|
| 1200 |
| 0490407-40 |
| 1.083,- |
| |

| 1x400 |
|------------|
| 400 |
| 0490407-12 |
| 604,- |
| |

| 2x400 |
|------------|
| 800 |
| 0490407-22 |
| 805,- |
| |

| 3 x 400 | |
|------------|--|
| 1200 | |
| 0490407-32 | |
| 1.086,- | |









| Compartments |
|--------------|
| Locker width |
| Order no. |
| Price |

| 4x300 | |
|------------|---|
| 1200 | |
| 0490307-40 | _ |
| 942,- | |
| | |

| 1x400 | |
|------------|--|
| 400 | |
| 0490307-12 | |
| 525,- | |
| | |

| 2x400 |
|------------|
| 800 |
| 0490307-22 |
| 700,- |
| |

| 3 x 400 |
|------------|
| 1200 |
| 0490307-32 |
| 945,- |
| |

| +) | Order no. of MDF decor doors |
|------------|-----------------------------------|
| | Addtl. charge for MDF decor doors |
| \bigcirc | Order no of HPI decor doors |

- + 049140-730 + 532,-Addtl. charge for HPL decor doors
- + Order no. of shoe rack Additional charge for shoe rack
- + 049140-750
- + 332,-
- + 08050-70140 + 90,-
- + 049112-750
- + 100,-
- + 049112-730
- + 160,-
- + 08050-70112 + 50,-
- + 049122-750
- + 200,-
- + 049122-730
- + 320,-
- + 08050-70122
- + 70,-

- + 049132-750
- + 300,-

+ 90,-

- + 049132-730
- + 480,-+ 08050-70132

(+) Accessories (optional)

Evolo PLUS

Lockers with bench.

Bench slats for models mentioned below made of plastic with zinc-plated steel core for optimum stability. Plastic bench slats are more hygienic and easier to clean. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm. Locker and bench are delivered separately for easy assembly.

Variant: Bench slats made of plastic

Dimensions and version

Locker height: 2,120 Seat height: 450 Seat depth: 315 Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)







With bench built underneath the locker

Locker depth, incl. bench: 815

| Compa | artments |
|-------|--------------------|
| Locke | r width |
| Order | no. |
| Color | no. for light gray |
| Color | no. for white |
| | |

| Color no. for white |
|--------------------------|
| Color no. for black gray |
| Price |

| 1x300 | 2x300 | 3x300 |
|--------------------|--------------------|--------------------|
| 300 | 600 | 900 |
| 0490507-10 + 08510 | 0490507-20 + 08520 | 0490507-30 + 08530 |
| -7035 | | |
| -9016 | | |
| -7021 | | |
| 464,- | 619,- | 835,- |
| | | |







With floating bench

Locker depth, incl. bench: 815

Wall mounting necessary!

| Compartments |
|--------------------------|
| Locker width |
| Order no. |
| Color no. for light gray |
| Color no. for white |

| Color no. for white |
|--------------------------|
| Color no. for black gray |
| Price |
| |

| 1x300 | 2x300 | 3 x 300 |
|--------------------|--------------------|--------------------|
| 300 | 600 | 900 |
| 0490407-10 + 08510 | 0490407-20 + 08520 | 0490407-30 + 08530 |
| -7035 | | |
| -9016 | | |
| -7021 | | |
| 464,- | 619,- | 835,- |
| | | |

+ 049120-750

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13 Clear height above shoe rack: 225

- (+) Order no. of MDF decor doors Addtl. charge for MDF decor doors
- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors
- (+) Order no. of shoe rack Additional charge for shoe rack

| + 049110-750 |
|--------------|
| + 83,- |
| + 049110-730 |

| + 049110-730 |
|---------------|
| + 133,- |
| + 08050-70110 |

+ 45,-

| | + 166,- |
|---|---------------|
| | + 049120-730 |
| | + 266,- |
| 0 | + 08050-70120 |
| | + 60,- |

| + 049130-750 |
|--------------|
| + 249,- |
| + 049130-730 |
| + 399 - |

+ 08050-70130 + 75,-

(
ightarrow) Body and door color & decors

Color and decor concept → p. 48







Order no. 0490507-30 & 08530-9016 & 08050-70130 & 08500-7981R



Order no. 0490407-40 & 08540-7021



Order no. 0490407-32 & 08532-7021 & 049132-730 & 08050-70132









| Order no. | 0490407-40 + 08540 | 0490407-12 + 08512 | 0490407-22 + 08522 | 0490407-32 + 0853 |
|--------------------------|--------------------|--------------------|--------------------|-------------------|
| Locker width | 1200 | 400 | 800 | 1200 |
| Compartments | 4x300 | 1x400 | 2×400 | 3×400 |
| | | | | |
| Price | 1.083,- | 604,- | 805,- | 1.086,- |
| Color no. for black gray | -7021 | | | |
| Color no. for white | -9016 | | | |
| Color no. for light gray | -7035 | | | |
| Order no. | 0490507-40 + 08540 | 0490507-12 + 08512 | 0490507-22 + 08522 | 0490507-32 + 0853 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Compartments | 4 x 300 | 1x400 | 2x400 | 3 x 400 |

| + | Order | no. | of MDF | decor | doors |
|---|-------|-----|--------|-------|-------|
| | | | | | |

Color no. for white

Price

Color no. for black gray

- Addtl. charge for MDF decor doors
- + Order no. of HPL decor doors Addtl. charge for HPL decor doors
- + Order no. of shoe rack Additional charge for shoe rack
- + 049140-750
- + 332,-

-9016

-7021

1.083,-

- + 049140-730
- + 532,-
- + 08050-70140 + 90,-
- + 049112-750
- + 100,-

604,-

- + 049112-730
- + 160,-
- + 08050-70112
- + 50,-

- + 049122-750
- + 200,-

805,-

- + 049122-730
- + 320,-
- + 08050-70122
- + 70,-

- + 049132-750
- + 300,-

1.086,-

- + 049132-730
- + 480,-
- + 08050-70132
- + 90,-





Evolo PLUS

Lockers with bench.

Seat for models mentioned below with HPL top for optimal stability, seating comfort and appearance. The 13 mm-thick HPL seats are available in all HPL decors of the C+P decor concept. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm. Locker and bench are delivered separately for easy assembly.

Variant: Seat made of HPL Dimensions and version

Locker height: 2,120 Seat height: 438 Seat depth: 315 Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)







With bench built underneath the locker

Locker depth, incl. bench: 815

| Compartments |
|-------------------------|
| Locker width |
| Order no. |
| Decor no. for white |
| Decor no for hirch gray |

| Decor no. for birch gray |
|---------------------------|
| Decor no. for black |
| Decor no. for silver gray |
| Price |

| 1x300 | 2x300 | 3 x 300 | |
|---------------------------|---------------------------|---------------------------|--|
| 300 | 600 | 900 | |
| 0490507-10 + 08510-004 | 0490507-20 + 08520-004 | 0490507-30 + 08530-004 | |
| -VK001 | | | |
| -VK741 | | | |
| -VK008 | | | |
| -VK002 | | | |



-VK741

-VK008

-VK002

490,-



670,-



911,-

+ 75,-

911,-

With floating bench

Locker depth, incl. bench: 815

Wall mounting necessary!

| Compartments | |
|--------------|--|
| Locker width | |
| Order no. | |

Decor no. for white Decor no. for birch gray Decor no. for black Decor no. for silver gray

| 1x300 | |
|---------------------------|--|
| 300 | |
| 0490407-10 + 08510-004 | |
| -VK001 | |

| 2x300 | |
|---------------------------|--|
| 600 | |
| 0490407-20 + 08520-004 | |

| 3×300 |
|---------------------------|
| 900 |
| 0490407-30 + 08530-004 |
| |

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13 Clear height above shoe rack: 225 (+) Order no. of MDF decor doors Addtl. charge for MDF decor doors

Price

- Order no. of HPL decor doors Addtl. charge for HPL decor doors
- (+) Order no. of shoe rack Additional charge for shoe rack

| + 049110-750 |
|--------------|
| + 83,- |
| + 049110-730 |
| + 133,- |

+ 08050-70110

+ 45,-

+ 049120-750 + 166,-+ 049120-730

670,-

+ 60,-

+ 049130-750 + 249,-+ 049130-730 + 399,-+ 266,-+ 08050-70120 + 08050-70130

(
ightarrow) Body and door color & decors

Color and decor concept → p. 48

Changing room & wardrobe | Steel lockers | Evolo PLUS | With bench



& 08520-004-VK001



& 08530-004-VK008 & 08050-70130 & 08500-767SR



Order no. 0490407-40 & 08540-004-VK008 & 08500-7940R



Order no. 0490407-32 & 08532-004-VK008 & 049132-730 & 08050-70132 & 00008-70R









| | | 1 1 | 1 1 | 1 1 | |
|----------------|---------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Compartme | ents | 4×300 | 1x400 | 2×400 | 3 x 400 |
| Locker widt | th | 1200 | 400 | 800 | 1200 |
| Order no. | | 0490507-40 + 08540-004 | 0490507-12 + 08512-004 | 0490507-22 + 08522-004 | 0490507-32 + 08532-004 |
| Decor no. f | for white | -VK001 | | | |
| Decor no. f | for birch gray | -VK741 | | | |
| Decor no. f | for black | -VK008 | | | |
| Decor no. f | for silver gray | -VK002 | | | |
| Price | | 1.168,- | 633,- | 862,- | 1.171,- |
| | | | | | |
| Compartme | ents | 4×300 | 1x400 | 2×400 | 3 x 400 |
| Locker widt | th | 1200 | 400 | 800 | 1200 |
| Order no. | | 0490407-40 + 08540-004 | 0490407-12 + 08512-004 | 0490407-22 + 08522-004 | 0490407-32 + 08532-004 |
| Decor no. f | for white | -VK001 | | | |
| Decor no. f | for birch gray | -VK741 | | | |
| Decor no. f | for black | -VK008 | | | |
| Decor no. f | for silver gray | -VK002 | | | |
| Price | | 1.168,- | 633,- | 862,- | 1.171,- |
| + Order no. of | MDF decor doors | + 049140-750 | + 049112-750 | + 049122-750 | + 049132-750 |
| Addtl. charge | for MDF decor doors | + 332,- | + 100,- | + 200,- | + 300,- |
| + Order no. of | f HPL decor doors | + 049140-730 | + 049112-730 | + 049122-730 | + 049132-730 |
| Addtl. charge | for HPL decor doors | + 532,- | + 160,- | + 320,- | + 480,- |
| + Order no. c | of shoe rack | + 08050-70140 | + 08050-70112 | + 08050-70122 | + 08050-70132 |
| Additional ch | narge for shoe rack | + 90,- | + 50,- | + 70,- | + 90,- |





Evolo PLUS

Lockers with integrated bench.

Locker in body height of 1,850 mm and doors reduced in size, on 100 mm-high base, with integrated seat thanks to bench support inserted into the body

Bench slats for models mentioned below made of beech hardwood as standard, rounded on all sides, coated with clear varnish with natural color variations. Standard color of the bench underframe is black gray RAL 7021. Locker and bench are delivered separately for easy assembly.



Order no. 049040-20 & 08500-7940R



Order no. 49040-20 & 08500-7821R



Order no. 49040-20 & 00008-70R



Order no. 49040-20

Variant: Hardwood bench slats

Dimensions and version

Locker height: 1,950 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 1,599x240/340x477 (HxWxD)







With integrated bench

Locker depth, incl. bench: 815 Base height: 100

Wall mounting necessary!

| Compartments | |
|--------------|--|
| Locker width | |

Order no.

Price

1x300

300

049040-10

464,-

2 x 300

600

049040-20

619,-

3 x 300

900

049040-30

835,-


Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

- + Order no. of MDF decor doors

 Addtl. charge for MDF decor doors
- Order no. of HPL decor doors

 Addtl. charge for HPL decor doors
- + 049110-750
- + 83,-
- + 049110-730
- + 133,-
- + 049120-750
- + 166,-
- + 049120-730
- + 266,-
- + 049130-750
- + 249,-
- + 049130-730
- + 399,-











| Compartments |
|--------------|
| Locker width |
| Order no. |

Price

| | - | | - |
|--|---|--|---|
| | | | |
| | | | |
| | | | |
| | | | |

| 4 x 300 |
|-----------|
| 1200 |
| 049040-40 |
| 1.083,- |

| 1x400 |
|-----------|
| 400 |
| 049040-12 |
| 604,- |

| 2×400 | |
|-----------|--|
| 800 | |
| 049040-22 | |
| 805,- | |

| 3 x 400 | |
|-----------|--|
| 1200 | |
| 049040-32 | |
| 1.086,- | |

| | _ |
|---|-----------------------------------|
| + | Order no. of MDF decor doors |
| | Addtl. charge for MDF decor doors |
| + | Order no. of HPL decor doors |

| | Addtl. charge for MDF decor doors | + 332 |
|------------------------------|-----------------------------------|-------|
| Order no. of HPL decor doors | | + 049 |
| | Addtl charge for HPL decor doors | + 532 |

| 4 | 049140-7 | 50 |
|---|----------|----|
| | | |

| + 332,- | |
|--------------|--|
| . 040140 720 | |

| 32,- | + 1 |
|------|-----|

^{+ 049112-750} + 100,-

| + 049112-730 |
|--------------|
|--------------|

^{160,-}

| + 200,- | |
|-------------|---|
| 0.40100 700 | Т |

| + 049122-730 |
|--------------|
|--------------|

| + | 320 - | |
|---|-------|--|

| + 049132-750 |
|--------------|
|--------------|

^{+ 300,-}





^{+ 049132-730}

^{+ 480,-}

Lockers with integrated bench.

Locker in body height of 1,850 mm and doors reduced in size, on 100 mm-high base, with integrated seat thanks to bench support inserted into the body.

Seats for models mentioned below with HPL top for optimal stability, seating comfort and appearance. The 13 mm-thick HPL seats are available in all HPL decors of the C+P decor concept. Standard color of the bench underframe is black gray RAL 7021. Locker and bench are delivered separately for easy assembly.



Order no. 049040-20 & 08520-004-VK001



Order no. 049040-20 & 08520-004-VK001



Order no. 049040-20 & 08520-004-VK741

Variant: Seat made of HPL Dimensions and version

Locker height: 1,950 Seat height: 438 Seat depth: 315

Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)

| | Π | | - | |
|--|---|--|---|--|



2x300

049040-20 + 08520-004

600



3x300

049040-30

+ 08530-004

900

With integrated bench

Locker depth, incl. bench: 815 Base height: 100

Wall mounting necessary!

| Compartments |
|--------------|
| Locker width |

Order no.

Decor no. for white

Decor no. for birch gray Decor no. for black

Decor no. for silver gray Price

| 1x300 | |
|-------|--|
| 300 | |
| | |

049040-10

+ 08510-004 -VK001

-VK741 -VK008

-VK002

490,-

670,-

911,-

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

- + Order no. of MDF decor doors Addtl. charge for MDF decor doors
- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors

+ 049110-750

+ 83,-

+ 049110-730 + 133,-

+ 049120-750

+ 166,-+ 049120-730

+ 266,-


+ 049130-750


+ 249,-

+ 049130-730

+ 399,-















Lockers with pairs of doors closing in the middle.

For the joint locking of two compartments for use by one person, e.g. for the separate placement of street and work clothing.









Order no. 049002-20 Order no. 049012-20 Order no. 049022-20 Order no. 049022-20

Dimensions and version

With safety turning bolt Clear opening dimensions per door: 1,749 x 240/340 x 477 (H x W x D)







Floor-standing

Locker height: 1,850 Locker depth: 500

| Compartments |
|--------------------|
| For no. of persons |
| Locker width |
| Order no. |

Price

| 2x300 |
|-----------|
| 1 |
| 600 |
| 049002-20 |
| 418,- |

| 4x300 |
|-----------|
| 2 |
| 1200 |
| 049002-40 |
| 730 - |

| 2x400 |
|-----------|
| 1 |
| 800 |
| 049002-22 |
| 5.12 _ |

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

| Compartments |
|--------------------|
| For no. of persons |
| Locker width |
| Order no. |
| Price |

| 2x300 |
|-----------|
| 1 |
| 600 |
| 049012-20 |
| 467,- |
| |

| 4x300 | |
|-----------|--|
| 2 | |
| 1200 | |
| 049012-40 | |
| 779,- | |

| | 2×400 |
|--|-----------|
| | 1 |
| | 800 |
| | 049012-22 |
| | 592 |

With base

Locker height: 1,950 Locker depth: 500 Base height: 100

| Compartments | | | | | |
|--------------------|--|--|--|--|--|
| For no. of persons | | | | | |
| Locker width | | | | | |
| Order no. | | | | | |
| Price | | | | | |

| 2x300 |
|-----------|
| 1 |
| 600 |
| 049022-20 |
| 496,- |

| 4x300 |
|-----------|
| 2 |
| 1200 |
| 049022-40 |
| 000 |

| 2 x 400 |
|-----------|
| 1 |
| 800 |
| 049022-22 |
| 630,- |

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

- (+) Order no. of MDF decor doors Addtl. charge for MDF decor doors
- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors
- + 049120-750 + 166,-
- + 049120-730
 - + 266,-
- + 049140-750 + 332,-
- + 049140-730 + 532,-
- + 049122-750 + 200,-+ 049122-730

+ 320,-













All street/work clothing lockers also available with full-length storage shelf on request. This results in a large box, e.g. for motorcycle helmets and personal protective equipment (PPE), which is why these lockers are also called PPE lockers.



Lockers with pairs of doors closing in the middle.

Bench slats for models mentioned below made of beech hardwood as standard, rounded on all sides, coated with clear varnish with natural color variations. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm. Locker and bench are delivered separately for easy assembly.







Flush with frame underneath

Locker height: 2,120 Frame height: 420

Locker depth, incl. frame: 500

| Compartments | | | | | |
|--------------------|--|--|--|--|--|
| For no. of persons | | | | | |
| Locker width | | | | | |
| Order no. | | | | | |

Price

Price

Price

2×300 1 600 0490327-20 538,- 4 x 300 2 1200 0490327-40 942,- 2 x 400 1 800 0490327-22 700,-

Variant: Hardwood bench slats

Dimensions and version

Locker height: 2,120 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 1,599x240/340x477 (HxWxD)







With bench built underneath the locker

Locker depth, incl. bench: 815

| Compartments | | | | | |
|--------------------|--|--|--|--|--|
| For no. of persons | | | | | |
| Locker width | | | | | |
| Order no. | | | | | |

2×300 1 600 0490527-20 619,- 4×300 2 1200 0490527-40 1.083,- 2×400 1 800 0490527-22 805,-







With floating bench

Locker depth, incl. bench: 815

Wall mounting necessary!

Compartments
For no. of persons
Locker width
Order no.

2 x 300 1 600 0490427-20 619,- 4 x 300 2 1200 0490427-40 1.083,- 2×400 1 800 0490427-22 805,-

Optional

116

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13 Clear height above shoe rack: 225 + Order no. of MDF decor doors

Addtl. charge for MDF decor doors

Order no. of HPL decor doors

Addtl. charge for HPL decor doors

Order no. of shoe rack

Additional charge for shoe rack

+ 049120-750

+ 166,-+ 049120-730

+ 266,-

+ 60,-

+ 08050-70120

+ 049140-750

+ 332,-+ 049140-730

+ 532,-

+ 90,-

+ 08050-70140

+ 049122-750


+ 200,-+ 049122-730

+ 049122-730

+ 08050-70122

+ 70,-










Selection → p. 154







Order no. 0490527-20

Order no. 0490427-20 & 08050-70120

Order no. 0490327-40

Order no. 0490427-40 & 08050-70140



Lockers with pairs of doors closing in the middle.

Bench slats for models mentioned below made of plastic with zinc-plated steel core for optimum stability. Plastic bench slats are more hygienic and easier to clean. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm. Locker and bench are delivered separately for easy assembly.

Variant: Bench slats made of plastic Dimensions and version

Locker height: 2,120 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)

| П | Ш | Г | | |
|---|---|---|--|--|
| ш | | | | |
| ш | | | | |
| ш | | | | |
| ш | | | | |
| ш | | | | |
| | | | | |
| _ | | _ | | |
| | | | | |






With bench built underneath the locker

Locker depth, incl. bench: 815

| Compartments | | | | | | |
|--------------------|--|--|--|--|--|--|
| Locker width | | | | | | |
| For no. of persons | | | | | | |
| Order no. | | | | | | |

Color no. for light gray Color no. for white



| ŀ | | | |
|---|--|--|--|
| | | | |

| 2 x 300 | |
|-----------------------|--|
| 600 | |
| 1 | |
| 0490527-20 + 08520 | |
| -7035 | |

4x300 1200 0490527-40 + 08540

2 x 400 800







-9016












With floating bench

Locker depth, incl. bench: 815



| Compartments |
|-------------------|
| Locker width |
| For no of persons |

Order no.



Color no. for black gray Price

600

0490427-20 + 08520

4x300 1200 0490427-40 800 0490427-22

-7035

619,-

-9016 -7021

1.083.-

+ 08540

805.-

+ 08522

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13 Clear height above shoe rack: 225

- + Order no. of MDF decor doors Addtl. charge for MDF decor doors
- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors
 - Order no. of shoe rack Additional charge for shoe rack

+ 049120-750

+ 049120-730

+ 08050-70120

+ 049140-750

+ 049140-730

+ 049122-730

+ 049122-750

+ 08050-70140


+ 08050-70122

(
ightarrow) Body and door color & decors

Color and decor concept → p. 48








All dimensions in mm, and all prices in Euros Frames also available in RAL 7035 or RAL 9016







Order no. 0490427-40 & 08540-7021 & 08050-70140



With pairs of doors closing in the middle.

Seat for models mentioned below with HPL top for optimal stability, seating comfort and appearance. The 13 mm-thick HPL seats are available in all HPL decors of the C+P decor concept. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm. Locker and bench are delivered separately for easy assembly.

Variant: Bench slats made of HPL Dimensions and version

Locker height: 2,120 Seat height: 438 Seat depth: 315 Clear opening dimensions per door: 1.599 x 240/340 x 477 (HxWxD)





4x300



With bench built underneath the locker

Locker depth, incl. bench: 815

| Compartments |
|---------------------|
| Locker width |
| For no. of persons |
| Order no. |
| Decor no. for white |

| Locker width |
|---------------------------|
| For no. of persons |
| Order no. |
| |
| Decor no. for white |
| Decor no. for birch gray |
| Decor no. for black |
| Decor no. for silver gray |

| | 600 |
|--|-------------------|
| | 1 |
| | 049052 + 08520 |
| | -VK001 |
| | -VK741 |
| | -VK008 |
| | -VK002 |
| | 670,- |

| 300 | |
|------------------------|--|
| 0 | |
| | |
| .90527-20 08520-004 | |

| 1200 |
|---------------------------|
| 2 |
| 0490527-40 + 08540-004 |
| |

2 x 400 0490527-22 + 08522-004














With floating bench

Locker depth, incl. bench: 815




| Compartments |
|--------------|
| Locker width |
| |

For no. of persons

Order no.

Price



- Decor no. for black Decor no. for silver gray Price
- 2x300 600 0490427-20

| 4x300 | | | |
|---------------------------|--|--|--|
| 1200 | | | |
| 2 | | | |
| 0490427-40 + 08540-004 | | | |

x300 200 490427-40

| 2×400 |
|------------|
| 800 |
| 1 |
| 0490427-22 |

+ 08522-004

-VK001

-VK741

+ 08520-004

-VK008

670,-

-VK002 1.168,-

862,-

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13 Clear height above shoe rack: 225

- (+) Order no. of MDF decor doors Addtl. charge for MDF decor doors
- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors
- Order no. of shoe rack Additional charge for shoe rack
- + 049120-750 + 166.-+ 049120-730
- + 266,-+ 08050-70120
- + 049140-750 + 332 -
- + 049140-730 + 532,-

+ 90,-

- + 08050-70140
- + 049122-750 + 200 -+ 049122-730 + 320,-+ 08050-70122 + 70,-

(
ightarrow) Body and door color & decors

Color and decor concept \rightarrow p. 48





Selection \rightarrow p. 154

+ 60,-

All dimensions in mm, and all prices in Euros Frames also available in RAL 7035 or RAL 9016



Order no. 0490527-20 & 08520-004-VK001



Order no. 0490527-20 & 08520-004-VK008 & 08050-70120



Order no. 0490427-40 & 08540-004-VK001 & 08050-70140




Lockers with pairs of doors closing in the middle with integrated bench.

Locker in body height of 1,850 mm and doors reduced in size, on 100 mm-high base, with integrated seat thanks to bench support inserted into the body.

Standard color of the bench under-frame is black gray RAL 7021. Locker and bench are delivered separately for easy assembly.







Order no. 049042-20 & 08500-7821R



Order no. 049042-20

Variant: Hardwood bench slats Dimensions and version

Locker height: 1,950 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)

| ı | | | | | | |
|---|---|--|---|----------|--|---|
| | | | | | | |
| | _ | | L | <u>_</u> | | _ |





With integrated bench

Locker depth, incl. bench: 815 Base height: 100

() Wall mounting necessary!

| Compartments |
|----------------|
| o o par timoto |

Locker width

For no. of persons

Order no.

Price

| 2 | х | 300 | |
|---|---|-----|--|
| _ | ^ | 000 | |

600

1

049042-20

619,-

4×300

1200

049042-40

1.083,-

| 2×400 |
|-------|
|-------|

800

049042-22

805,-

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

- Order no. of MDF decor doors

 Addtl. charge for MDF decor doors
- + Order no. of HPL decor doors

 Addtl. charge for HPL decor doors
- + 049120-750
- + 166,-
- + 049120-730
- + 266,-
- + 049140-750
- + 332,-
- + 049140-730
- + 532,-
- + 049122-750
- + 200,-
- + 049122-730
- + 320,-



Color and decor concept → p. 48





Variant: Seat made of HPL Dimensions and version

Locker height: 1,950 Seat height: 438 Seat depth: 315

Clear opening dimensions per door: $1,599 \times 240/340 \times 477 \text{ (H} \times \text{W} \times \text{D)}$







With integrated bench

Locker depth, incl. bench: 815 Base height: 100

Wall mounting necessary!

| Compartments | |
|--------------------|--|
| Locker width | |
| For no. of persons | |
| | |

Order no.

Decor no. for white

Decor no. for birch gray Decor no. for black

Decor no. for silver gray Price

2 x 400 2x300 4 x 300 600 1200 800 049042-20 049042-40 049042-22 + 08520-004 + 08540-004 + 08522-004 -VK001 -VK741 -VK008 -VK002

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

Selection \rightarrow p. 154

- + Order no. of MDF decor doors Addtl. charge for MDF decor doors
- Order no. of HPL decor doors Addtl. charge for HPL decor doors
- + 049120-750

670,-

- + 166,-+ 049120-730
- + 266,-
- + 049140-750 + 332,-

1.168,-

- + 049140-730 + 532,-
- + 049122-750

862,-

- + 200,-
- + 049122-730 + 320,-






Multi-purpose lockers.

Doors closing in the middle with a joint turning bolt latch for padlock, shelves not adjustable.







Order no. 049100-00

Dimensions and version

With safety turning bolt Clear opening dimensions per door: 1,749 x 240/340 x 477 (H x W x D)









Floor-standing

Locker height: 1,850 Locker depth: 500

Variant

Compartments Locker width Order no.

Laundry locker

4 shelves on the left, storage shelf on the right with sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks

| 2x300 |
|-----------|
| 600 |
| 049600-20 |
| 499,- |

2 x 400 800 049600-22

624,-

Cleaning supply locker Reduced-size partition,

4 compartments on the left, sturdy rail with an oval profile on the right with 3 anti-rotation sliding hooks.

| | . • |
|-----------|-----------|
| 2×300 | 2 x 400 |
| 600 | 800 |
| 049100-00 | 049100-02 |
| 499 | 624 |

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

Variant

Price

Compartments Locker width Order no. Price

Laundry locker

4 shelves on the left, storage shelf on the right with sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks

| 2x300 |
|-----------|
| 600 |
| 049610-20 |
| 548 - |

2 x 400

049610-22 673.-

800

Cleaning supply locker

Reduced-size partition, 4 compartments on the left, sturdy rail with an oval profile on the right with 3 anti-rotation sliding hooks.

| 2×300 | 2×400 |
|-----------|-----------|
| 600 | 800 |
| 049110-00 | 049110-02 |
| 548,- | 673,- |

With base

Locker height: 1,950 Locker depth: 500 Base height: 100

Variant

Compartments

Locker width

Order no.

Price

Laundry locker

4 shelves on the left, storage shelf on the right with sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks

| 2x300 | |
|-----------|--|
| 600 | |
| 049620-20 | |
| 577,- | |

2 x 400 800 049620-22 711,-

Cleaning supply locker

Reduced-size partition, 4 compartments on the left, sturdy rail with an oval profile on the right with 3 anti-rotation sliding hooks.

| 2x300 | 2x400 |
|-----------|-----------|
| 600 | 800 |
| 049120-00 | 049120-02 |
| 577,- | 711,- |

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

- Order no. of MDF decor doors Addtl. charge for MDF decor doors
- Order no. of HPL decor doors Addtl. charge for HPL decor doors
- + 049120-750
- + 166,-+ 049120-730
- + 266,-
- + 049122-750
- + 200,-+ 049122-730
- + 320,-
- + 049120-750
- + 166.-+ 049120-730
- + 266,-
- + 049122-750
- + 200,-
- + 049122-730
- + 320,-

(
ightarrow) Body and door color & decors





Doors with a turning bolt latch for padlock, shelves not adjustable.

Order no. 049000-20B

Order no. 049002-20B



2x300

049000-20B

600

580,-

2x300

600

629,-







Variant

Compartments

Locker width

Order no.

Laundry locker

With individually lockable doors (both hinged on the right) per compartment with 4 shelves

2x400

049000-22B

049010-22B

754,-

705,-

800

580,-

Laundry locker

Laundry locker

With doors closing in the middle (same lock) per compartment with 4 shelves

2x300 600 049002-20B 2 x 400 800 049002-22B 705,-

Price

Variant

Laundry locker

With individually lockable doors (both hinged on the right) per compartment with 4 shelves

2x400 800

With doors closing in the middle (same lock) per compartment with 4 shelves

| 2x300 | 2 x 400 |
|------------|------------|
| 600 | 800 |
| 049012-20B | 049012-22B |
| 629,- | 754,- |

Order no. Price

Variant

Compartments

Locker width

Laundry locker

049010-20B

With individually lockable doors (both hinged on the right) per compartment with 4 shelves

Laundry locker

With doors closing in the middle (same lock) per compartment with 4 shelves

| Compartments |
|--------------|
| Locker width |
| Order no. |
| Price |

| 2x300 |
|------------|
| 600 |
| 049020-20B |
| 658,- |

| 2x400 |
|------------|
| 800 |
| 049020-22B |
| 792,- |

| 2x300 | |
|------------|--|
| 600 | |
| 049022-20B | |
| 658,- | |
| | |

| 2 x 400 |
|------------|
| 800 |
| 049022-22B |
| 792,- |

| + | Order no. of MDF decor doors |
|---|-----------------------------------|
| | Addtl. charge for MDF decor doors |
| ÷ | Order no. of HPL decor doors |

Addtl. charge for HPL decor doors

| + 049120-750 | |
|--------------|--|
| + 166,- | |
| + 049120-730 | |
| + 266 | |

| + 049122-750 |
|--------------|
| + 200,- |
| + 049122-730 |
| + 320,- |

| + 049120-750 | + 049122-750 |
|--------------|--------------|
| + 166,- | + 200,- |
| + 049120-730 | + 049122-730 |
| + 266 | + 320,- |

Accessories (optional)





Double-tier lockers.

Lockers, double-tier, 2 compartments on top of one another, per compartment: 1 door, sturdy wardrobe rail with an oval profile and 3 anti-rotation sliding hooks, doors at the top and bottom with ventilation gills, stamped-in label holder and turning bolt latch for padlock. Bench slats made of beech hardwood as standard, approx. 60 x 25 mm profile, rounded on all sides, coated with clear varnish with natural color variations. Plastic bench slats available at no additional charge. Standard color for the bench underframe: Black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm.









Order no. 049300-20 Order no. 049310-20

& 00008-70R

Order no. 049320-20 & 08500-7940R

Order no. 049320-22 & 049222-750

Dimensions and version

With safety turning bolt Clear opening dimensions per door: 854x240/340x477 (HxWxD)













| Floor-standing |
|----------------|
|----------------|

Locker height: 1,850 Locker depth: 500

| Compartments | 1x300 |
|--------------|-----------|
| Locker width | 300 |
| Order no. | 049300-10 |
| Price | 371 |

| 2x300 |
|-----------|
| 600 |
| 049300-20 |
| 533,- |

3 x 300 900 049300-30 737.-

4x300 1200 049300-40 962 -

1x400 400 049300-12 482 -

800 049300-22 693.-

2x400




958 -

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

| Compartments | 1x300 |
|--------------|--------|
| Locker width | 300 |
| Order no. | 049310 |
| Price | 420,- |














3x400

With base

Locker height: 1,950 Locker depth: 500 Base height: 100

| Compartments |
|--------------|
| Locker width |
| Order no. |
| Price |













Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

| + | Order no. of MDF decor doors |
|---|---------------------------------|
| 8 | Addtl. charge for |
| | MDE dooor doors |

HPL decor doors


| 100013 | |
|-------------|--|
| charge for | |
| decor doors | |
| no of | |



1x300


300

442,-











+ 468,-



(+)Order HPL decor doors

Addtl. charge for

+ 049210-730 + 049220-730 + 195,-+ 390,-





+ 049212-730 + 234,-

+ 049222-730

+ 049222-750

+ 049232-730 + 702,-

Body and door color & decors

Color and decor concept → p. 48









Double-tier lockers.

Variant: Hardwood bench slats Dimensions and version

Locker height: 2,120 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 779x240/340x477 (HxWxD)
















| With bench built |
|------------------|
| underneath the |
| locker |

| Compartments |
|--------------|
| Locker width |
| Order no. |
| Price |

| S | 1x300 |
|---|------------|
| | 300 |
| | 0493507-10 |
| | 522,- |





4 x 300 1200 0493507-40 1.315,-

1x400 400 0493507-12 679,-

2 x 400 800 0493507-22 955,-



0493507-32

1.312,-

Locker depth, incl. bench: 815















With floating bench

Locker depth, incl. bench: 815





| 1x300 |
|------------|
| 300 |
| 0493407-10 |
| 522 |



3 x 300 900 0493407-30 1.009.-

4 x 300 1200 0493407-40 1 315 -

1x400 400 0493407-12 679 -

2x400 800 0493407-22 955.-



















Flush with frame underneath

Locker height: 2,120 Frame height: 420

Locker depth, incl. frame: 500

| Compartments |
|--------------|
| Locker width |
| Order no. |
| |

| 1x300 |
|------------|
| 300 |
| 0493307-10 |
| 462,- |



+ 049220-750

| 3 x 300 |
|------------|
| 900 |
| 0493307-30 |
| 900,- |

| 4 X 300 |
|------------|
| 1200 |
| 0493307-40 |
| 1 172 |

| 1x400 |
|------------|
| 400 |
| 0493307-12 |
| 400 |

+ 049212-750



| 3 x 400 |
|------------|
| 1200 |
| 0493307-32 |
| 1.170 |

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

Clear height above shoe rack: 225

| + | Order no. of MDF decor doors |
|---|---------------------------------|
| | |


Price


| Addtl. charge for MDF decor door |
|-------------------------------------|
| Order no. of |





| ors | + 049210-750 |
|-----|--------------|
| or | <u> </u> |







+ 450,-

+ 049230-750



+ 780 -

+ 600,-

+ 049240-750



+ 180,-



+ 049222-750

+ 360.-

+ 049232-730 + 702.-

+ 540,-

+ 049232-750

Order no. of shoe rack

for shoe rack

+ 08050-70110 + 45,-





+ 60,-



+ 08050-70130








Body and door color & decors

Color and decor concept → p. 48
















Order no. 0493507-20

Order no. 0493407-30 & 08050-70130 & 08500-7721R

Order no. 0493307-40 & 00008-70R

Order no. 0493307-32 & 049232-730 & 08050-70132



Double-tier lockers.

Variant: Bench slats made of plastic Dimensions and version

| Dimensions an | d version | | | | | | | |
|--|--------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Locker height: 2,120 Seat height: 450 Seat depth: 315 Clear opening dimensio 779×240/340×477 (H) | | | | | | · · | | |
| With bench buil | Compartments | 1x300 | 2x300 | 3 x 300 | 4x300 | 1x400 | 2x400 | 3x400 |
| underneath the | Locker width | 300 | 600 | 900 | 1200 | 400 | 800 | 1200 |
| locker | Order no. | 0493507-10 + 08510 | 0493507-20 + 08520 | 0493507-30 + 08530 | 0493507-40 + 08540 | 0493507-12 + 08512 | 0493507-22 + 08522 | 0493507-32 + 08532 |
| Locker depth, | Color no. for light gray | -7035 | | | | | | |
| incl. bench: 815 | Color no. for white | -9016 | | | | | | |
| | Color no. for black gray | -7021 | | | | | | |
| | Price | 522,- | 735,- | 1.009,- | 1.315,- | 679,- | 955,- | 1.312,- |
| | | | | | | · · | | |
| With floating | Compartments | 1x300 | 2x300 | 3×300 | 4x300 | 1x400 | 2×400 | 3×400 |
| bench | Locker width | 300 | 600 | 900 | 1200 | 400 | 800 | 1200 |
| Locker depth, | Order no. | 0493407-10 + 08510 | 0493407-20 + 08520 | 0493407-30 + 08530 | 0493407-40 + 08540 | 0493407-12 + 08512 | 0493407-22 + 08522 | 0493407-32 + 08532 |
| incl. bench: 815 | Color no. for light gray | -7035 | | | | | | |
| | Color no. for white | -9016 | | | | | | |

(!) Wall mounting necessary!

Color no. for black gray

for shoe rack

-7021 522,-

735,-

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

Clear height above shoe rack: 225

| + | Order no. of MDF decor doors | + 049210-750 | + 049220-750 | + 049230-750 | + 049240-750 | + 049212-750 | + 049222-750 | + 049232-750 |
|----------|--------------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| 18 13 | Addtl. charge for MDF decor doors | + 150,- | + 300,- | + 450,- | + 600,- | + 180,- | + 360,- | + 540,- |
| + | Order no. of HPL decor doors | + 049210-730 | + 049220-730 | + 049230-730 | + 049240-730 | + 049212-730 | + 049222-730 | + 049232-730 |
| | Addtl. charge for HPL decor doors | + 195,- | + 390,- | + 585,- | + 780,- | + 234,- | + 468,- | + 702,- |
| + | Order no. of shoe rack | + 08050-70110 | + 08050-70120 | + 08050-70130 | + 08050-70140 | + 08050-70112 | + 08050-70122 | + 08050-70132 |
| | Additional charge | + 45,- | + 60,- | + 75,- | + 90,- | + 50,- | + 70,- | + 90,- |

1.315,-

679,-

1.009,-






⁽⁺⁾ Accessories (optional)

955,-

1.312,-








Order no. 0493507-30 & 08530-7021 & 08050-70130 & 08500-7821R



Order no. 0493407-40 & 08540-9016 & 08500-767SR



Order no. 0493407-32 & 08532-7021 & 049232-750 & 08050-70132



Double-tier lockers.

Variant: Seats made of HPL Dimensions and version

Locker height: 2,120 Seat height: 438 Seat depth: 315

Clear opening dimensions per door: 779x240/340x477 (HxWxD)



1x300



2x300

0493507-20

08520-004

600



3 x 300

0493507-30

+ 08530-004

900



4 x 300

1200

0493507-40

+ 08540-004



1x400

0493507-12

+ 08512-004

400



2x400

0493507-22

+ 08522-004

800



 3×400

1200

0493507-32

+ 08532-004

With bench built underneath the locker

Locker depth, incl. bench: 815

| Compartments |
|---------------------|
| Locker width |
| Order no. |
| Decor no. for white |

Decor no. for birch gray

Decor no. for black Decor no. for silver gray

Price

300 0493507-10 + 08510-004

-VK008

-VK001 -VK741

-VK002

548,-786,-

1.085,-

1.400,-

708,-

1.012,-

1.397,-

With floating bench

Locker depth, incl. bench: 815

| Compartments |
|--------------|
| Locker width |
| Order no. |
| |

Decor no. for white Decor no. for birch gray

Decor no. for black Decor no. for silver gray

2x300 600

+ 08520-004

+ 049220-750

+ 300,-

3 x 300 900 0493407-20

0493407-30 + 08530-004

1200 0493407-40 + 08540-004

 4×300

1x400 400

0493407-12

+ 08512-004

 2×400 800

3x400 1200

0493407-22 0493407-32 + 08522-004 + 08532-004

-VK001 -VK741

1x300

0493407-10

+ 08510-004

300

-VK008 -VK002

+ 049210-750

786,-548,-

1.085,-

+ 049230-750

1.400,-

+ 049240-750

708.-

1.012,-

1.397,-

+ 049232-750

+ 049232-730

+ 540,-

(!) Wall mounting necessary!

Optional

shoe rack: 225

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13 Clear height above

(+)Order no. of MDF decor doors

Addtl. charge for MDF decor doors Order no. of

HPL decor doors Addtl. charge for HPL decor doors

Order no. of shoe rack Additional charge for shoe rack

+ 049210-730 + 195,-

+ 45,-

+ 150,-

+ 08050-70110 + 08050-70120

+ 60,-

+ 049220-730 + 049230-730 + 390,-+ 585,-

+ 08050-70130

+ 75,-

+ 450,-

+ 049240-730 + 780,-

+ 90,-

+ 600,-

+ 234,-

+ 180,-

+ 049212-750

+ 049212-730

+ 468,-

+ 70,-

+ 360,-

+ 049222-750

+ 049222-730

+ 702,-

+ 90,-


+ 08050-70140 + 08050-70112 + 08050-70122 + 08050-70132

+ 50,-

Selection \rightarrow p. 154

Accessories (optional)

All dimensions in mm, and all prices in Euros Frames also available in RAL 7035 or RAL 9016



Color and decor concept → p. 48










Order no. 0493507-20 & 08520-004-VK741 & 08500-7831R

Order no. 0493507-30 & 08530-004-VK008 & 08050-70130 & 00008-70R

Order no. 0493407-40 & 08540-004-VK001 & 08500-7821R

Order no. 0493407-32 & 08532-004-VK039 & 049232-730 & 08050-70132




Assembled box lockers.

Doors are single-walled, smooth, without ventilation hole pattern and without label holders (if required, please order additional plastic label holders).

400 mm compartment width also suitable for motorcycle helmets. Each door features cylinder lock and 2 keys. The bottoms of the boxes are generally finished in the body color.









Order no. 049010-223 & 08500-7821R

Variant: 3 box tiers Dimensions and version

With cylinder lock and 2 keys Clear opening dimensions per box: 562x240/340x477 (HxWxD)







| Floor-standing | Compartments | 1x300 | 2 x 300 | 3 x 300 |
|----------------------|--------------|------------|------------|------------|
| Locker height: 1,850 | Boxes | 3 | 6 | 9 |
| Locker depth: 500 | Locker width | 300 | 600 | 900 |
| | Order no. | 049000-103 | 049000-203 | 049000-303 |
| | Price | 406,- | 603,- | 841,- |
| With feet | Compartments | 1x300 | 2x300 | 3 x 300 |
| Locker height: 1,950 | Boxes | 3 | 6 | 9 |
| Locker depth: 500 | Locker width | 300 | 600 | 900 |
| Foot height: 100 | Order no. | 049010-103 | 049010-203 | 049010-303 |
| | Price | 455,- | 652,- | 890,- |
| With base | Compartments | 1x300 | 2×300 | 3 x 300 |
| Locker height: 1,950 | Boxes | 3 | 6 | 9 |
| Locker depth: 500 | Locker width | 300 | 600 | 900 |
| Base height: 100 | Order no. | 049020-103 | 049020-203 | 049020-303 |
| | Price | 477,- | 681,- | 931,- |




HPL decor doors: Thickness 13

- (+) Order no. of HPL decor doors
- + 049310-730
- + 049320-730
- + 049330-730

- Addtl. charge for HPL decor doors
- + 249,-
- + 498,-
- + 747,-

(→) Body and door color & decors







Order no. 049020-323 & 049332-730

| | | · · | | · · · · · · · · · · · · · · · · · · · |
|-----------------------------------|--------------|--------------|--------------|---------------------------------------|
| Compartments | 4x300 | 1x400 | 2×400 | 3x400 |
| Boxes | 12 | 3 | 6 | 9 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049000-403 | 049000-123 | 049000-223 | 049000-323 |
| Price | 1.101,- | 528,- | 784,- | 1.094,- |
| Compartments | 4×300 | 1×400 | 2×400 | 3×400 |
| Boxes | 12 | 3 | 6 | 9 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049010-403 | 049010-123 | 049010-223 | 049010-323 |
| Price | 1.150,- | 577,- | 833,- | 1.143,- |
| Compartments | 4×300 | 1×400 | 2×400 | 3×400 |
| Boxes | 12 | 3 | 6 | 9 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049020-403 | 049020-123 | 049020-223 | 049020-323 |
| Price | 1.203,- | 606,- | 871,- | 1.196,- |
| + Order no. of HPL decor doors | + 049340-730 | + 049312-730 | + 049322-730 | + 049332-730 |
| Addtl. charge for HPL decor doors | + 996,- | + 299,- | + 598,- | + 897,- |



(+) Accessories (optional)


Assembled box lockers.

Doors are single-walled, smooth, without ventilation hole pattern and without label holders (if required, please order additional plastic label holders).

400 mm compartment width also suitable for motorcycle helmets. Each door features cylinder lock and 2 keys. The bottoms of the boxes are generally finished in the body color.









Order no. 049010-224 & 08500-7940R

Variant: 4 box tiers Dimensions and version

With cylinder lock and 2 keys Clear opening dimensions per box: 415 x 240/340 x 477 (H x W x D)







| Floor-standing | Compartments | 1x300 | 2 x 300 | 3 x 300 |
|----------------------|--------------|------------|------------|------------|
| Locker height: 1,850 | Boxes | 4 | 8 | 12 |
| Locker depth: 500 | Locker width | 300 | 600 | 900 |
| | Order no. | 049000-104 | 049000-204 | 049000-304 |
| | Price | 452,- | 696,- | 980,- |
| With feet | Compartments | 1x300 | 2x300 | 3 x 300 |
| Locker height: 1,950 | Boxes | 4 | 8 | 12 |
| Locker depth: 500 | Locker width | 300 | 600 | 900 |
| Foot height: 100 | Order no. | 049010-104 | 049010-204 | 049010-304 |
| | Price | 501,- | 745,- | 1.029,- |
| With base | Compartments | 1x300 | 2×300 | 3 x 300 |
| Locker height: 1,950 | Boxes | 4 | 8 | 12 |
| Locker depth: 500 | Locker width | 300 | 600 | 900 |
| Base height: 100 | Order no. | 049020-104 | 049020-204 | 049020-304 |
| | Price | | | 1.070,- |

Optional

HPL decor doors: Thickness 13


- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors
- + 049410-730 + 300,-
- + 049420-730
- + 600,-
- + 049430-730

+ 900,-



(→) Body and door color & decors







Order no. 049020-324 & 049432-730

| | | · · · | · · · · · · · · · · · · · · · · · · · | |
|-----------------------------------|--------------|--------------|---------------------------------------|--------------|
| Compartments | 4×300 | 1×400 | 2 x 400 | 3×400 |
| Boxes | 16 | 4 | 8 | 12 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049000-404 | 049000-124 | 049000-224 | 049000-324 |
| Price | 1.286,- | 588,- | 904,- | 1.274,- |
| Compartments | 4x300 | 1x400 | 2×400 | 3x400 |
| Boxes | 16 | 4 | 8 | 12 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049010-404 | 049010-124 | 049010-224 | 049010-324 |
| Price | 1.335,- | 637,- | 953,- | 1.323,- |
| Compartments | 4x300 | 1x400 | 2×400 | 3x400 |
| Boxes | 16 | 4 | 8 | 12 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049020-404 | 049020-124 | 049020-224 | 049020-324 |
| Price | 1.388,- | 666,- | 991,- | 1.376,- |
| + Order no. of HPL decor doors | + 049440-730 | + 049412-730 | + 049422-730 | + 049432-730 |
| Addtl. charge for HPL decor doors | + 1.200,- | + 360,- | + 720,- | + 1.080,- |



(+) Accessories (optional)





Company

Color concept

Changing room & wardrobe

Workshop & factory

Assembled box lockers.

Doors are single-walled, smooth, without ventilation hole pattern and without label holders (if required, please order additional plastic label holders).

400 mm compartment width also suitable for motorcycle helmets. Each door features cylinder lock and 2 keys. The bottoms of the boxes are generally finished in the body color.





Order no. 049000-205 & 08500-7732R



Order no. 049010-225

Variant: 5 box tiers Dimensions and version

With cylinder lock and 2 keys Clear opening dimensions per box: 328x240/340x477 (HxWxD)





| Floor-standing | Compartments | 1x300 | 2×300 | 3 x 300 |
|---|--------------|------------|------------|------------|
| Locker height: 1,850 Locker depth: 500 | Boxes | 5 | 10 | 15 |
| | Locker width | 300 | 600 | 900 |
| | Order no. | 049000-105 | 049000-205 | 049000-305 |
| | Price | 499,- | 788,- | 1.120,- |
| With feet | Compartments | 1x300 | 2×300 | 3×300 |
| Locker height: 1,950 Locker depth: 500 Foot height: 100 | Boxes | 5 | 10 | 15 |
| | Locker width | 300 | 600 | 900 |
| | Order no. | 049010-105 | 049010-205 | 049010-305 |
| | Price | 548,- | 837,- | 1.169,- |
| With base Locker height: 1,950 Locker depth: 500 Base height: 100 | Compartments | 1x300 | 2×300 | 3×300 |
| | Boxes | 5 | 10 | 15 |
| | Locker width | 300 | 600 | 900 |
| | Order no. | 049020-105 | 049020-205 | 049020-305 |
| | Price | 570,- | 866,- | 1.210,- |

Optional

HPL decor doors: Thickness 13

- Order no. of HPL decor doors

 Addtl. charge for HPL decor doors
- + 049510-730 + 350,-
- + 049520-730
- + 700,-
- + 049530-730
- + 1.050,-



Order no. 049020-205 & 08500-7821R



Order no. 049020-325 & 049532-730

| | | | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · |
|-----------------------------------|--------------|--------------|---------------------------------------|---------------------------------------|
| Compartments | 4 x 300 | 1×400 | 2×400 | 3 x 400 |
| Boxes | 20 | 5 | 10 | 15 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049000-405 | 049000-125 | 049000-225 | 049000-325 |
| Price | 1.472,- | 648,- | 1.025,- | 1.455,- |
| Compartments | 4×300 | 1×400 | 2×400 | 3×400 |
| Boxes | 20 | 5 | 10 | 15 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049010-405 | 049010-125 | 049010-225 | 049010-325 |
| Price | 1.521,- | 697,- | 1.074,- | 1.504,- |
| Compartments | 4×300 | 1×400 | 2×400 | 3×400 |
| Boxes | 20 | 5 | 10 | 15 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049020-405 | 049020-125 | 049020-225 | 049020-325 |
| Price | 1.574,- | 726,- | 1.112,- | 1.557,- |
| + Order no. of HPL decor doors | + 049540-730 | + 049512-730 | + 049522-730 | + 049532-730 |
| Addtl. charge for HPL decor doors | + 1.400,- | + 420,- | + 840,- | + 1.260,- |



(+) Accessories (optional)


Assembled box lockers.

Doors are single-walled, smooth, without ventilation hole pattern and without label holders (if required, please order additional plastic label holders).

Each door features cylinder lock and 2 keys. The bottoms of the boxes are generally finished in the body color.









Order no. 049010-226 & 08500-7821R


Variant: 6 box tiers Dimensions and version

With cylinder lock and 2 keys Clear opening dimensions per box: 272×240/340×477 (HxWxD)





| Floor-standing Locker height: 1,850 Locker depth: 500 | Compartments Boxes Locker width | 1x300 6 300 | 2 x 300 12 600 | 3 x 300 16 900 | | | | | |
|---|-----------------------------------|-------------------|----------------------|----------------------|--|-----------|------------|------------|------------|
| | | | | | | Order no. | 049000-106 | 049000-206 | 049000-306 |
| | | | | | | Price | 545,- | 881,- | 1.259,- |
| With feet | Compartments | 1x300 | 2×300 | 3×300 | | | | | |
| Locker height: 1,950 Locker depth: 500 | Boxes | 6 | 12 | 16 | | | | | |
| | Locker width | 300 | 600 | 900 | | | | | |
| Foot height: 100 | Order no. | 049010-106 | 049010-206 | 049010-306 | | | | | |
| | Price | 594,- | 930,- | 1.308,- | | | | | |
| With base | Compartments | 1x300 | 2×300 | 3×300 | | | | | |
| | Boxes | 6 | 12 | 16 | | | | | |
| Locker depth: 500 | Locker width | 300 | 600 | 900 | | | | | |
| Base height: 100 | Order no. | 049020-106 | 049020-206 | 049020-306 | | | | | |
| | Price | 616,- | 959,- | 1.349,- | | | | | |



Optional

^{+ 049610-730}

| + 049620-730 | |
|--------------|--|
| + 830,- | |


^{+ 049630-730} + 1.245,-



⁺ Order no. of HPL decor doors

Addtl. charge for HPL decor doors







Order no. 049020-326

| | - - - - - - - - - - | | | |
|-----------------------------------|---------------------------------------|--------------|--------------|--------------|
| Compartments | 4×300 | 1x400 | 2×400 | 3×400 |
| Boxes | 24 | 6 | 12 | 18 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049000-406 | 049000-126 | 049000-226 | 049000-326 |
| Price | 1.657,- | 708,- | 1.145,- | 1.636,- |
| Compartments | 4×300 | 1x400 | 2×400 | 3×400 |
| Boxes | 24 | 6 | 12 | 18 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049010-406 | 049010-126 | 049010-226 | 049010-326 |
| Price | 1.706,- | 757,- | 1.194,- | 1.685,- |
| Compartments | 4×300 | 1×400 | 2×400 | 3×400 |
| Boxes | 24 | 6 | 12 | 18 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049020-406 | 049020-126 | 049020-226 | 049020-326 |
| Price | 1.759,- | 786,- | 1.232,- | 1.738,- |
| +) Order no. of HPL decor doors | + 049640-730 | + 049612-730 | + 049622-730 | + 049632-730 |
| Addtl. charge for HPL decor doors | + 1.660,- | + 498,- | + 996,- | + 1.494,- |



(+) Accessories (optional)

Evolo PLUS Top lockers.

The practical and space-saving solution for when more storage space is required. Doors are single-walled, smooth, without ventilation hole pattern and without label holders (if required, please order additional plastic label holders). 400 mm compartment width also suitable for motorcycle helmets.







Top locker above: Base locker below:

Order no. 049090-20 & 00008-70R Order no. 049090-32 Order no. 049000-20 & 00008-70R Order no. 049000-32

+ 332,-

+ 200,-

Dimensions and version

| With turning bolt latch Clear opening dimensions per doc 429 x 240/340 x 477 (HxWxD) | or: | | | $\overline{\cdot \cdot \cdot \cdot \cdot}$ |
|--|-----------------------------------|---------------|---------------|--|
| With doors | Compartments | 1x300 | 2×300 | 3×300 |
| hinged on the | Locker width | 300 | 600 | 900 |
| right | Order no. | 049090-10 | 049090-20 | 049090-30 |
| Locker height: 500 Locker depth: 500 | Price | 244,- | 325,- | 438,- |
| Optional | + Order no. of HPL decor doors | + 0490910-730 | + 0490920-730 | + 0490930-730 |
| HPL decor doors: Thickness 13 | Addtl. charge for HPL decor doors | + 83,- | + 166,- | + 249,- |
| | | Ŀ | | \Box |
| With doors closing in the middle | Compartments | 2x300 | 4×300 | 2×400 |
| | Locker width | 600 | 1200 | 800 |
| | Order no. | 049092-20 | 049092-40 | 049092-22 |
| Locker height: 500 Locker depth: 500 | Price | 325,- | 568,- | 422,- |
| Optional Optional | + Order no. of HPL decor doors | + 0490920-730 | + 0490940-730 | + 0490922-730 |

+ 166.-

Addtl. charge for HPL decor doors



HPL decor doors: Thickness 13





Order no. 049092-20 & 08500-7721R Order no. 049092-40 Order no. 049000-20 & 08500-7721R Order no. 049002-40

| Compartments | 4x300 | 1x400 | 2 x 400 | 3×400 |
|------------------------------|---------------|---------------|---------------|---------------|
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049090-40 | 049090-12 | 049090-22 | 049090-32 |
| Price | 568,- | 317,- | 422,- | 570,- |
| | | | | |
| Order no. of HPL decor doors | + 0490940-730 | + 0490912-730 | + 0490922-730 | + 0490932-730 |



(+) Accessories (optional)

Selection \rightarrow p. 154

Evolo PLUS

Z lockers.


Z lockers only require the space of a doubletier locker, but offer hanging room for long items of clothing. Evolo PLUS models **do not have a bothersome door overhang** like conventional Z lockers. This prevents injury and enables a convenient, central lock position.

Per compartment: 2 doors closing in the middle, top and bottom storage shelves, sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks.

Doors feature label holder and turning bolt latch for padlock.

Clear opening dimensions per door (Comp. wid. 300/400 mm): Height of large door: 1,293 mm Width of left doors: 123/173 mm Width of right doors: 109/159 mm







Order no. 049013-204

Dimensions and version

With safety turning bolt





+ 049220-730

+ 390,-

| П | Γ | П | | ١ |
|---|---|---|--|---|
| | | | | |
| | | L | | |

+ 049230-730

+ 585,-

| Floor-standing | Compartments | 1x300 | 2x300 | 3×300 |
|----------------------|--------------|------------|------------|------------|
| Locker height: 1,850 | Locker width | 300 | 600 | 900 |
| Locker depth: 500 | Order no. | 049003-102 | 049003-204 | 049003-306 |
| | Price | 591,- | 974,- | 1.398,- |
| With feet | Compartments | 1x300 | 2×300 | 3×300 |
| Locker height: 1,950 | Locker width | 300 | 600 | 900 |
| Locker depth: 500 | Order no. | 049013-102 | 049013-204 | 049013-306 |
| Foot height: 100 | Price | 640,- | 1.023,- | 1.447,- |
| With base | Compartments | 1x300 | 2x300 | 3x300 |
| Locker height: 1,950 | Locker width | 300 | 600 | 900 |
| Locker depth: 500 | Order no. | 049023-102 | 049023-204 | 049023-306 |
| Base height: 100 | Price | 662,- | 1.052,- | 1.488,- |

+ 049210-730

+ 195,-

(+) Order no. of HPL decor doors

Addtl. charge for HPL decor doors



Optional

(
ightarrow) Body and door color & decors

HPL decor doors: Thickness 13





Order no. 049023-204 & 08500-7940R

Order no. 049023-326

| | | Ш | | |
|---------------------------------|--------------|--------------|--------------|--------------|
| Compartments | 4 x 300 | 1x 400 | 2×400 | 3×400 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049003-408 | 049003-122 | 049003-224 | 049003-326 |
| Price | 1.842,- | 769,- | 1.265,- | 1.817,- |
| Compartments | 4×300 | 1x 400 | 2×400 | 3×400 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049013-408 | 049013-122 | 049013-224 | 049013-326 |
| Price | 1.891,- | 818,- | 1.314,- | 1.866,- |
| Compartments | 4×300 | 1x 400 | 2×400 | 3×400 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 049023-408 | 049023-122 | 049023-224 | 049023-326 |
| Price | 1.944,- | 847,- | 1.352,- | 1.919,- |
| +) Order no. of HPL decor doors | + 049240-730 | + 049212-730 | + 049222-730 | + 049232-730 |

+ 234,-



(+) Accessories (optional)

Selection \rightarrow p. 154

Addtl. charge for HPL decor doors

+ 780,-

+ 468,-

+ 702,-

Evolo PLUS

Z lockers with bench.

Bench slats for models mentioned below made of beech hardwood as standard, rounded on all sides, coated with clear varnish with natural color variations. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm.

Locker and bench are delivered separately for easy assembly.

Clear opening dimensions per door (comp. wid. 300/400 mm):

Height of large door: 1,218 mm Width of left doors: 123/173 mm Width of right doors: 109/159 mm

Variant: Hardwood bench slats

Dimensions and version

Locker height: 2,120 Seat height: 450 Seat depth: 315







With bench built underneath the locker

Locker depth, incl. bench: 815

| Compartments | |
|--------------|--|
| Locker width | |

Order no.

Price



742,-



0490537-204

1.175,-



3x300

1.669,-

900 0490537-306







With floating bench

Locker depth, incl. bench: 815

Wall mounting necessary!

Compartments

Locker width Order no.

Price

1x300 300

0490437-102

742,-

2x300

0490437-204

1.175,-

600

3 x 300

900 0490437-306

1.669,-

Flush with frame underneath

Locker height: 1,950 Locker depth: 500 Base height: 100

Compartments

Locker width Order no.

Price

1x300

300 0490337-102

682,-

2x300

1.094,-

3x300

0490337-306

Optional

HPL decor doors: Thickness 13 Clear height above shoe rack: 225 (+) Order no. of HPL decor doors

Order no. of shoe rack

Additional charge for shoe rack

+ 08050-70110

+ 45,-

600

0490337-204

900

1.561,-

Addtl. charge for HPL decor doors

+ 049210-730

+ 195,-

+ 049220-730 + 390,-

+ 08050-70120

+ 60,-

+ 049230-730

+ 585,-


+ 08050-70130

+ 75,-

Body and door color & decors

Color and decor concept \rightarrow p. 48







& 08500-7821R



Order no. 0490337-326 & 08050-70132









| Compartments | |
|--------------|--|
| Locker width | |
| Order no. | |

| Locker width | |
|--------------|--|
| Order no. | |
| Price | |



| 0490537-408 | |
|-------------|--|
| 2 195 - | |



| 0490537-122 | |
|-------------|--|
| 965,- | |

2 x 400 800 0400537_224

| 0490551-224 | |
|-------------|--|
| 1.527,- | |

| | 3x400 |
|--|-------------|
| | 1200 |
| | 0490537-326 |
| | 2.170,- |









| Compartments | |
|--------------|--|
| Locker width | |
| Order no. | |
| Price | |

| 4x300 |
|-------------|
| 1200 |
| 0490437-408 |
| 2.195,- |

| 1x4 | 00 |
|-----|----------|
| 400 |) |
| 049 | 0437-122 |
| 965 | ,- |

| 2 x 400 |
|-------------|
| 800 |
| 0490437-224 |
| 1.527,- |
| |

| 3x400 |
|-------------|
| 1200 |
| 0490437-326 |
| 2.170,- |









| | Compartments |
|--|--------------|
| | Locker width |
| | Order no. |
| | Prico |

| 4x300 |
|-------------|
| 1200 |
| 0490337-408 |
| 2.054,- |
| |

| 1x400 | |
|-------------|--|
| 400 | |
| 0490337-122 | |
| 886,- | |
| | |

| 2×400 | |
|-------------|--|
| 800 | |
| 0490337-224 | |
| 1.423,- | |

| 3x400 |
|-------------|
| 1200 |
| 0490337-326 |
| 2.029 |

| + | Order no. of HPL decor doors |
|---|-----------------------------------|
| | Addtl. charge for HPL decor doors |

| | + 049240-730 |
|---------|--------------|
| + 780,- | + 780,- |

| + 049212-730 |
|--------------|
| + 234,- |

| + 468,- |
|---------------|
| + 08050-70122 |
| . 70 |

+ 049222-730

| + 702,- |
|---------------|
| + 08050-70132 |
| . 00 |

+ Order no. of shoe rack Additional charge for shoe rack

| + 08050-70140 |
|---------------|
| + 90,- |

| + 08050-70112 | |
|---------------|--|
| | |

| _ | 5 | Λ | _ | | | | | |
|---|---|---|---|--|--|--|--|--|
| + | J | U | , | | | | | |



| + 08050-70132 |
|---------------|
| + 90,- |

+ 049232-730



(+) Accessories (optional)

Selection \rightarrow p. 154

Evolo PLUS

Z lockers with bench.

Bench slats for models mentioned below made of plastic with zinc-plated steel core for optimum stability. Plastic bench slats are more hygienic and easier to clean. Standard color of the bench underframes is black gray RAL 7021. Locker and bench are delivered separately for easy assembly. Absolute body height of lockers on bench or frame: 1,700 mm.

Clear opening dimensions per door (comp. wid. 300/400 mm):

Height of large door: 1,218 mm Width of left doors: 123/173 mm Width of right doors: 109/159 mm



Order no. 0490537-306 & 08530-9016

Variant: Bench slats made of plastic Dimensions and version

Locker height: 2,120 Seat height: 450

Seat depth: 315







With bench built underneath the locker

Locker depth, incl. bench: 815

| Compartments |
|--------------|
| Locker width |
| Order no. |

Color no. for light gray

Color no. for white Color no. for black gray

Price

Price



| 1x300 | 2 |
|------------------------|---|
| 300 | 6 |
| 0490537-102 + 08510 | (|

-7035 -9016

-7021 742,-

2 x 300 600 0490537-204

- 08520

3x300 900 0490537-306

1.669,-

+ 08530





1.175,-



With floating bench

Locker depth, incl. bench: 815

Wall mounting necessary!

Compartments Locker width Order no.

Color no. for light gray Color no. for white Color no. for black gray 1x300 300 0490437-102 + 08510 -7035 -9016

600

2x300 0490437-204 + 08520

3x300 900 0490437-306 + 08530

1.669,-

Optional

HPL decor doors: Thickness 13 Clear height above shoe rack: 225 (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors

Order no. of shoe rack Additional charge for shoe rack + 049210-730

-7021 742,-

+ 45,-

+ 195,-+ 08050-70110 + 390,-

+ 049220-730

1.175,-

+ 08050-70120 + 60,-

+ 049230-730

+ 585,-


+ 08050-70130

+ 75,-

(
ightarrow) Body and door color & decors

Color and decor concept \rightarrow p. 48







Order no. 0490437-204 & 08520-7035 & 08500-7731R



Order no. 0490537-326 & 08532-7021 & 08050-70132









| Compartments | | | | |
|--------------------------|--|--|--|--|
| Locker width | | | | |
| Order no. | | | | |
| | | | | |
| Color no. for light gray | | | | |
| Color no. for white | | | | |
| Color no. for black gray | | | | |
| Price | | | | |

| | | - |
|-------|--|-------|
| Price | | |
| | | |
| | | |
| | | |



| 4x300 | 1x |
|------------------------|----|
| 1200 | 40 |
| 0490537-408 + 08540 | 04 |
| -7035 | |
| -9016 | |

| 1x400 |
|------------------------|
| 400 |
| 0490537-122 + 08512 |
| |
| |
| |



| 3x400 |
|------------------------|
| 1200 |
| 0490537-326 + 08532 |
| |



-7021



965,-



1.527,-



2.170,-

| Locker width | |
|--------------------------|--|
| Order no. | |
| | |
| Color no. for light gray | |
| Color no. for white | |
| Color no. for black gray | |
| Price | |

Compartments

| 4x300 |
|------------------------|
| 1200 |
| 0490437-408 + 08540 |
| -7035 |
| -9016 |
| -7021 |
| 2.195,- |

| 1x400 | 2 x |
|------------------------|-----|
| 400 | 80 |
| 0490437-122 + 08512 | 04 |
| | |
| | |
| | |

| - | |
|--------------------|------------------------|
| 400 | 3 x 400 |
| 0 | 1200 |
| 90437-224)8522 | 0490437-326 + 08532 |
| | |

| ,- | 965,- | 1.527,- | 2.170,- |
|----|-------|---------|---------|
| | | | |
| | | | |

| + Order no. of HPL decor doors | | |
|--------------------------------|-----------------------------------|--|
| | Addtl. charge for HPL decor doors | |
| + | Order no. of shoe rack | |

| 'S | + 049240-730 |
|----|---------------|
| rs | + 780,- |
| _ | + 08050-70140 |

| + 049212-730 | |
|---------------|--|
| + 234,- | |
| + 08050-70112 | |

| 70 | |
|---------------|---------------|
| + 08050-70122 | + 08050-70132 |
| + 468,- | + 702,- |
| + 049222-730 | + 049232-730 |

Additional charge for shoe rack

+ 90,-

+ 50,-

+ 90,-




Evolo PLUS

Z lockers with bench.

Bench slats for models mentioned below made of plastic with zinc-plated steel core for optimum stability. Plastic bench slats are more hygienic and easier to clean. Standard color of the bench underframes is black gray RAL 7021. Locker and bench are delivered separately for easy assembly. Absolute body height of lockers on bench or frame: 1,700 mm.

Clear opening dimensions per door (comp. wid. 300/400 mm):

Height of large door: 1,218 mm Width of left doors: 123/173 mm Width of right doors: 109/159 mm



Locker height: 2,120 Seat height: 438 Seat depth: 315



-VK741 -VK008

-VK002





Order no. 0490537-306 & 08530-004-VK008



| With | bench | buil | t |
|------|--------|------|--------|
| unde | rneath | the | locker |

Locker depth, incl. bench: 815

| Compartments |
|-------------------------|
| Locker width |
| Order no. |
| Decor no. for white |
| Decor no for hirch gray |

Decor no. for black Decor no. for silver gray Price



| 1x300 | 2×300 |
|----------------------------|----------------------------|
| 300 | 600 |
| 0490537-102 + 08510-004 | 0490537-204 + 08520-004 |
| -VK001 | |

3 x 300 900 0490537-306 + 08530-004



With floating bench

Locker depth, incl. bench: 815

Wall mounting necessary!

| Compartments |
|--------------------------|
| Locker width |
| Order no. |
| |
| Decor no. for white |
| Decor no. for birch gray |

| Locker width | | | |
|---------------------------|---|--|--|
| Order no. | | | |
| | | | |
| Decor no. for white | | | |
| Decor no. for birch gray | - | | |
| Decor no. for black | - | | |
| Decor no. for silver gray | - | | |

| 1x300 | 2x300 | 3x300 |
|----------------------------|----------------------------|----------------------------|
| 300 | 600 | 900 |
| 0490437-102 + 08510-004 | 0490437-204 + 08520-004 | 0490437-306 + 08530-004 |
| -VK001 | | |
| -VK741 | | |
| -VK008 | | |
| -VK002 | | |
| 768,- | 1.226,- | 1.745,- |

Optional

HPL decor doors: Thickness 13 Clear height above shoe rack: 225 (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors

Price

- (+) Order no. of shoe rack Additional charge for shoe rack
- + 049210-730
- + 195,-+ 08050-70110 + 45,-
- + 049220-730
- + 390,-+ 08050-70120
- + 60,-
- + 049230-730
- + 585,-+ 08050-70130
- + 75,-

Body and door color & decors

Color and decor concept → p. 48



Order no. 0490537-306 & 08530-004-VK001



Order no. 0490437-204 & 08520-004-VK001 & 08500-797R



Order no. 0490537-326 & 08532-004-VK008 & 08050-70132









| Compartments | 4x300 | 1x400 | 2 x 400 | 3×400 |
|-----------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 0490537-408 + 08540-004 | 0490537-122 + 08512-004 | 0490537-224 + 08522-004 | 0490537-326 + 08532-004 |
| Decor no. for white | -VK001 | | | |
| Decor no. for birch gray | -VK741 | | | |
| Decor no. for black | -VK008 | | | |
| Decor no. for silver gray | -VK002 | | | |
| Price | 2.280,- | 994,- | 1.584,- | 2.255,- |
| | | | | |
| Compartments | 4×300 | 1x400 | 2×400 | 3×400 |
| Locker width | 1200 | 400 | 800 | 1200 |
| Order no. | 0490437-408 + 08540-004 | 0490437-122 + 08512-004 | 0490437-224 + 08522-004 | 0490537-326 + 08532-004 |
| Decor no. for white | -VK001 | | | |
| Decor no. for birch gray | -VK741 | | | |
| Decor no. for black | -VK008 | | | |
| Decor no. for silver gray | -VK002 | | | |
| Price | 2.280,- | 994,- | 1.584,- | 2.255,- |
|) Order no. of HPL decor doors | + 049240-730 | + 049212-730 | + 049222-730 | + 049232-730 |
| Addtl. charge for HPL decor doors | + 780,- | + 234,- | + 468,- | + 702,- |
| Order no. of shoe rack | + 08050-70140 | + 08050-70112 | + 08050-70122 | + 08050-70132 |

+ 50,-



+ 90,-



Additional charge for shoe rack

+ 70,-

+ 90,-

Evolo PLUS

Accessories.

Wet room design

| | | g lockers and lockers w trolytically zinc-plated ar | | |
|------------------------|---------------------------------------|--|------------------------|-----------|
| Number of compartments | 1 | 2 | 3 | 4 |
| Order no. | 08000-201 | 08000-202 | 08000-203 | 08000-204 |
| Price | 40,- 80,- | | 120,- | 160,- |
| | For lockers with Entire locker and | frame/bench frame electrolytically zin | c-plated and enamel co | ated |
| Number of compartments | 1 | 2 | 3 | 4 |
| Order no. | 08000-211 | 08000-212 | 08000-213 | 08000-214 |
| Price | 60,- | 120,- | 180,- | 240,- |



Sloping top

| | 230 mm hig | h in the rear, c | comprised of sl | oping top sec | tion and side p | panels, can be | retrofitted |
|------------------------|------------|------------------|-----------------|---------------|-----------------|----------------|-------------|
| Number of compartments | 1 | | 2 | | 3 | | 4 |
| Compartment width | 300 | 400 | 300 | 400 | 300 | 400 | 300 |
| Order no. | 08504-10 | 08504-12 | 08504-20 | 08504-22 | 08504-30 | 08504-32 | 08504-40 |
| Price | 78,- | 93,- | 95,- | 116,- | 120,- | 148,- | 148,- |



Support for wall mounting

| | | Rear aluminum angled rail (wall mounting holes in each locker rear panel as standard!) | | | | |
|------------------|-------------|--|-------------|-------------|-------------|-------------|
| For locker width | 300 | 400 | 600 | 800 | 900 | 1200 |
| Order no. | 08000-34030 | 08000-34040 | 08000-34060 | 08000-34080 | 08000-34090 | 08000-34120 |
| Price | 26,- | 28,- | 32,- | 37,- | 39,- | 45,- |



Door designs





| | Smooth doors No ventilation gills, no st additional charge per do | | | ound holes as per DIN 4547, ler, additional charge per door |
|-----------|--|--------------------|-------------------|--|
| | Single-tier doors | Double-tier doors | Single-tier doors | Double-tier doors |
| Order no. | 04901-303 | 04901-303D 04901-3 | | 04901-308D |
| Price | 10,- | 10,- | 20,- | 20,- |





Door designs

| | Doors with square perforations Hole pattern with 23 mm square holes, for looking into the locker, no label holder | Letter drop With rounded corners, H 25 x W 140/240, for steel doors | | Letter drop With rounded corners, H 25 x W 140/240, for decor doors | | Collection box on the door inside for doors with letter drop | |
|-----------|---|--|----------------|--|----------------|--|----------------|
| | | Comp. wid. 300 | Comp. wid. 400 | Comp. wid. 300 | Comp. wid. 400 | Comp. wid. 300 | Comp. wid. 400 |
| Order no. | - | 04900-131 | 04900-132 | 04900-133 | 04900-134 | 04900-141 | 04900-142 |
| Price | Project-specific on request | 30,- | 33,- | 30,- | 33,- | 63,- | 65,- |


Additional equipment

Order no.

Price









| | Glass mirror, small With tape strips, for attachment by customer |
|---|---|
| · | H 110 x R 90 |

00018-00

7,-

| ror, small strips, for nt ner | Metal mirror, large Polished, with tape strips, for attachment by customer |
|--|---|
| 00 | H 200xB 115 |
|) | 00019-00 |

18,-

Additional inserts for label holder 1x DIN A4 sheet (27 pc.), e.g. for printing H 30 x B 60

Made of plastic, black,

08501-071

15,-

| double-tier lockers |
|--|
| E.g. for numbering in lock area, p. 97 |
| 04901-306 |

Made of plastic, black,

Omission of label

holderfor single- and

Additional equipment







0,-

| | Partition below the storage shelf Made of translucent plastic, can be retrofitted | | |
|-----------|--|--|--|
| | H 1,210 x D 300 | | |
| Order no. | 04900-705 | | |
| Price | 55,- | | |

| Standard coat hanger Hardwood, painted black |
|---|
| With special mounting |
| 08000-061 |
| 9,- |
| |

| with pant clips | | |
|-----------------------|--|--|
| With special mounting | | |
| 08078-716 | | |
| 34,- | | |
| | | |



Additional equipment









| Plastic shoe tray With spacers |
|--------------------------------|
| for maintaining rear |
| compartment ventilation |

Flush-mounted base Otherwise recessed at the front as standard

Omission of the door opening limiter, approx. 110° door opening angle

Evolo label holder Individual, plastic, self-adhesive, incl. label

| Order no. | 08000-707 |
|-----------|-----------|
| Price | 14,- |

| 08000-7073 |
|------------|
| 15 _ |

Comp. wid. 300 Comp. wid. 400 Per locker

| 04900-4920 | _ |
|------------|---|
| 20,- | |

Per door 04900-7061

E.g. for assembled box lockers (3 or more vertical doors)

04900-715 9,-

Shoe shelf permanently installed

| Installation height | |
|-----------------------|---|
| For compartment width | n |
| Order no. | |

| For compartment width | | | |
|-----------------------|--|--|--|
| Order no. | | | |
| | | | |
| Price per compartment | | | |

| 200 | | 250 | |
|-----------------|-----------------|-----------------|-----------------|
| 300 | 400 | 300 | 400 |
| 08000- 80200 | 08002- 80200 | 08000- 80250 | 08002- 80250 |
| 24,- | 28,- | 24,- | 28,- |

Additional lower shelf or cover in compartment. Permanently mounted, cannot be retrofitted

| 300 | | 350 | |
|-----------------|-----------------|-----------------|----------------|
| 300 | 400 | 300 | 400 |
| 08000- 80300 | 08002- 80300 | 08000- 80350 | 08002 80350 |
| 24,- | 28,- | 24,- | 28,- |

0,-



Retrofittable shoe shelf

| Installation height |
|-----------------------|
| For compartment width |
| Order no. |

Price per compartment

Additional lower shelf or cover in compartment. With grid bars for subsequent installation

Adjustable using grid bar: 200, 250, 300 or 350

08000-80 65,-

08002-80 69,-



Additional equipment for door interior









| Metal | |
|-----------|---------------|
| Applicat | ion |
| For compa | artment width |
| Order n | 0. |

| Towel hanger | |
|------------------|-----------|
| Only for steel 1 | fronts |
| 300 | 400 |
| 04900-770 | 04900-772 |
| 22,- | 34,- |

| Towel holde | er |
|--------------------|----------------|
| | |
| Only for de | cor fronts |
| Only for de | cor fronts 400 |

22,-

| Only for de | cor fronts |
|--------------------|------------|
| 300 | 400 |
| 04900-772 | 3 |

| Shoe and flip-flop holder | |
|---------------------------|----------|
| Only for deco | r fronts |
| 300 | 400 |
| 04900-7733 | |
| 34 | |

Price

| Number | |
|--------|--|
| plates | |

263

Stainless steel number plate, small Free positioning, self-adhesive, H 30 x W 50 mm, loose for easy attachment

Made of stainless steel

08501-06

Order no.

Price

21,-



Number plates



| cylinder locks! | door protection | | |
|-----------------|------------------------------------|--|--|
| | H 123 x W 39 mm, in lock area, sel | | |
| | adhasiva loosa for pasy attachma | | |

adhesive, loose for easy attachment

Order no.

Price

Made of plastic 04902-0601

10,-

Made of stainless steel 04901-0601 23,-



Number plate without integrated door protection

H 68 xW 39 mm, in lock area, selfadhesive, loose for easy attachment

Made of plastic 04902-0611

8,-

Made of stainless steel 04901-0611

19,-



Door protection with number plate





Door protection (for cylinder locks only)

Suitable for holding number plate model 04900-744, loose for easy attachment

Made of plastic 04900-742

Number plate

For easy attachment above the door protection (please specify desired 3-digit number!), can only be used with door protection model 04900-742

Made of plastic

04900-744

3,-



Locker connectors



Order no. Price

Side locker connection (1 set for 2 lockers), for the connection of 2 lockers to one another

Order no.

Price

5,-

4500-715


4,-



Locking systems

Which locking system for which application/task?

One lock fits all? That's a thing of the past. C+P locking system solutions are as versatile as the applications of today. For orientation purposes, this double page includes an overview of the most important options. We'd be happy to provide consultation for your specific project.



Locking systems

Classic PLUS and Evolo PLUS

- All lockers with 1 or 2 tiered compartments always feature safety turning bolt
- All assembled box lockers (3 or more tiered boxes) always feature cylinder locks

Optional Rotary cylinder lock Rotary cylinder lock Rotary cylinder lock Rotary cylinder lock (*no additional charge For master locking For master locking features for lockers with C+F function (ML) function (ML) Available as safety turning bolt) standard with 2 keys instead of the standard installed solutions Up to 1,000* Up to 6,000 Up to 6,000 Up to 6,000 Number of key numbers Master locking functions Without security certificate With security certificate 00008-70R 00008-700R 00010-010R 00010-10R Order no 9,-11,-11,-49,-Price Same version as above, except with 4 keys Up to 1,000 Number of key numbers Order no. 00008-704R you need. Price 14,-

Wet room



Number of keys

Order no.

Price

We'd be happy to advise you on additional accessories for the lockers

design



2

00008-72R

12,-

2

14,-

00010-012R

2

00010-12R

52,-

Lock no. as per customer request or for simultaneous locking,

For combining lockers

For key numbers

Order no.

Price



For rotary cylinder lock

Up to 1,000

00008-7099R

11,-



For rotary cylinder lock

Up to 6,000



For rotary cylinder lock

ML without security cert.

00010-01099R

13,-



For rotary cylinder lock

ML with security cert.

00010-1099R

55,-

Spare and master keys for reorder

For existing key numbers



Order no. Spare key

Price

Order no.

Master key

Price



Up to 1,000

00006-21

19,-



00008-70099R



Up to 6,000 00006-00

19,-



ML without security cert. 00006-00

00012-00

18,-



ML with security cert.

00010-11

00011-00

22,-

Turning bolt locks for use with padlocks

Optional

features Instead of the standard installed solutions

Turning bolt with master key function

C+P safety turning bolt (no additional charge for lockers with cylinder lock)

Safety turning bolt KEYLESS H3, matte nickel



Protection function

For use for

Order no.

Price



For master key

Bolt size 6 - 8 mm

00002-010R

25,-



With over-twist protection

Bolt size 6 - 8 mm

08500-718R



With over-twist protection

Bolt size 6 - 8 mm

08500-719R

33,-

Optional accessories and padlocks for turning and safety turning

bolt size: approx. 6 mm.

Key numbers

Order no.

Price



Master key for turning bolt

00014-00

32,-



Padlock, brass version, 2 keys

Up to 300

0002-10

11,-



Safety lock made of brass, precision cylinder, 2 keys

Up to 168,000

0002-11

32,-



BURG number CODElock with hardened steel shackle

With 4-digit combination

00002-14

29,-





C+P safety turning bolt

Turns while locked, thereby preventing break-in through over-twisting.







Locking systems

Classic PLUS and Evolo PLUS

Electronic PIN code locks with master code function (for Classic PLUS on request)







EURO-LOCKS 3780 For master key,



Digilock NEXT SOLA 3



Number of key numbers Color

Order no.

Price

- +)

999.999 Black

08500-7871R

120,-

— +)

999.999 Black

08500-764SR

125,-

Gantner

(+ –

MIFARE®

248,-

08500-738

— +)

999.999

Silver

08500-765SR

SAFE-O-TRONIC

ACCESS LS 300

125,-

Black

一十)

999.999

Nickel

08500-797R

SAFE-O-TRONIC

136,-

Electronic RFID locks for use of RFID cards (for Evolo PLUS only)







GAT ECO.Lock 7xxx














GANTNER



GANTNER GL7p RFID & PIN White



- +)

999.999

White

08500-768R

244,-

OJMAR OTS BASIC



(+]

MIFARE®

08500-741

223,-

Combination and deposit locks

In the case of locks for changing users, the code is reset after each closing process; this is not the case for permanent users.

Number of key numbers

Color

Order no. Price

Order no.

Price

All WF locks can also be retrofitted!

| Combination | lock |
|-------------|------|
| WF 1401 | |
| _ | |

For permanent users,



With master key function

| 9.999 | |
|-------------|---|
| Black | |
| 08500-7721R | |
| 55 | _ |

Combination lock WF 1402 For changing users,





With master key function

| | 9.999 |
|-----|-------------|
| | Black |
| 21R | 08500-7722R |
| | 55,- |
| | |

Coin-operated deposit WF 1606



with clamping device for deposit coin

"Deposit lock light"

| Black |
|-------------|
| 08500-7821R |
| 42,- |
| |

Master key WF 1401/1402




08500-774 15,-



Master key WF 1606/1904



08500-784 58,-



For PIN code and RFID locks, there are a variety of options and solutions available to suit all customer requirements.

Thanks to decades of experience and close cooperation with just about every locking system manufacturer, C+P's knowledge across the entire breadth of applications is unmatched.

From simple code locks to networked security compartment systems to interactive assembled box locker solutions in the SmartLocker sector, we're always able to offer the right solution to any requirement.

Please contact our specialist consultants!

Locking systems

Classic PLUS and Evolo PLUS









| SAFE-O-MA | |
|-----------|--|
| locks | |

| Attention: Key heads cannot be retrofitted; please order the variant you need! (see below) | Twin-coin deposit lock For use with 1 and 2 Euro coins | Twin-coin token-operated lock, multi-use lock for 2 Euro deposit and 1 Euro cash function | Sign For outside, indicates SAFE-O-MAT | Number plate Alternative to the note plate; please specify number |
|--|--|---|---|---|
| | Incl. 1 user key | Incl. 1 user key | | |
| With standard key head | | | | |
| Order no. | 08500-731R | 08501-40R | Included | 08501-430 |
| With ball holder key head | On request | On request | | |
| With ball ring key head | On request | On request | | |
| Price | 139,- | 199,- | - | 14,- |









| | Promax replacement cylinders for cylinder exchange after emergency opening, e.g. if key is lost | Promax emergency opening key for emergency opening and cylinder exchange | Spare key for SAFE-O-MAT lock, to be ordered additionally upon order placement | Number set with 50 small number plates for clipping into the key heads |
|------------------------------|--|--|---|---|
| | Incl. 1 user key | | | Please specify: 001 – 050, |
| With standard key head | | | | |
| Order no. | 08501-4101 | 08511-00 | 08501-4102 | 08501-55 |
| With ball holder key head | On request | | On request | |
| With ball ring key head | On request | | On request | |
| Price | 69,- | 49,- | 29,- | 86,- |

^(!) Additional information on SAFE-O-MAT coin-operated locks can be found on p. 219.









Color numbers: 51 black 52 white 53 red 55 blue 61 green 67 yellow Wristband set 1 for standard key head Wristband can be passed through crosswise Wristband set 2 for ball holder key head With protective pouch for holding a key parallel to wristband Key ring for ball ring key head For the attachment of number plates or key rings Astralon number plate for ball ring key head White, for key ring

Color: 51 black; other colors no addtl. charge, change color no. at end of order no. Please specify desired numbers! Please specify color no. and desired numbers!

Please specify numbers!

Order no.

Price

8501-46**51**

24,-

On request

On request

On request
On request

On request

On request

Coin-operated deposit lock ASSA-RUKO

Coin-operated deposit lock for 1 Euro coins, with standard master key function Incl. 1 user key Order no. 08500-745R 105, 105, 105, Master key for coin-operated deposit lock 08511-20 25,-

Accessories for ASSA-RUKO lock

| | Replacement exchangeable cylinder | Removal key | Spare key |
|-----------|-----------------------------------|-------------|-----------|
| Order no. | 08500-7450 | 08511-21 | 08511-22 |
| Price | 69,- | 27,- | 27,- |



More versatile than other lockers Cambio lockers.

Cambio from C+P is more than just a locker! These hard facts make this range so very incomparable:

- + Innovative ventilation and drying thanks to the SVL, FVL and FVLD concepts (see p. 170)
- + Optimum use of space and interior design thanks to corner, niche and end solutions
- + Underbench solutions designed to meet your needs for adaptation to any room situation
- + Choose from many materials and colors for every taste and every need
- Body, base and steel doors electrolytically zinc-plated as standard







Cambio from C+P features lots of space for customerspecific solutions, of which a few examples are shown on the following pages. The range of options is endless: single- and double-walled steel doors, HPL decor doors, corner lockers, electronic locking systems and so much more...

Let us know what you're looking for and send us your project-specific request! In the world of changing room and assembled box lockers, Cambio is the professional answer to just about every furnishing requirement.

Optimal

Cambio lockers.





The Cambio ventilation concepts

Detailed explanation → p. 170

Sophisticated and pleasant for meeting the highest standards.



130 mm-high feet, vertically adjustable from inside and outside with sleeves.



Single- or double-walled doors with insulation: Single-walled steel doors with closed side profiles for maximum stability. Doublewalled sandwich construction doors with convenient body sound absorption for minimal unpleasant noise.





90° door opening limiter as standard design. New design with high-load, plastic-sheathed stainless steel special cable.





172 Lockers



174 Lockers, double-tier



176 Assembled box lockers



180 **Z** lockers and corner solutions



Stainless steel hinge: For HPL decor doors.



Can be integrated into Cambio: All common mechanical and electronic locking systems, from turning bolt latches to coin-operated locks to electronic locking systems as part of complete building automation (see p. 214).



Cylinder lock: With 2 keys as standard equipment.



C+P POWER LOCKERS

Smart ventilation and drying with C+P power lockers.

Self-ventilation using the SVL concept was examined and confirmed with Cambio and Prefino from C+P.

Thanks to the flow behavior resulting from the design, damp clothing dries out considerably faster—guaranteed, and without any additional energy input! For special drying tasks, forced ventilation concepts with and without dryers are also available. We look forward to your handling your task.

SVLSelf-ventilation





Our SVL technology means effective drying, without any additional ventilation equipment at all!

- + Can be used for 90% of all drying tasks
- + No customer-side requirements
- Perforations positioned with ventilation in mind ensure optimal flow and efficient drying in the locker
- + Standard with Cambio and Prefino lockers

FVL








Our FVL technology means a high air renewal rate thanks to connection to the customer's ventilation system.

- + Improved drying and odor elimination
- + Used in industrial plants and in foodstuff processing, for example
- + Extraction occurs by way of the customer's ventilation system (ideally with heat exchangers to reduce energy loss)
- + For optimal ventilation, we recommend an air renewal rate of 8 to 10 times per hour

PERFORMANCE COMPARISON

All specifications and values assume a room temperature of approx. 20°C at a relative humidity of approx. 50% (common climate in Central Europe).



FVLD

Forced ventilation with dryer





Our FVLD technology means maximum drying efficiency with minimal energy consumption.

- + Closed drying system for up to 15 compartments with integrated condensation dryer
- + Used at building yards, at road maintenance depots and in the construction industry, for example
- + Only a drain for condensation water and a power connection are required
- + Very energy efficient: The power consumption of the dryer is only 550 watts!
- + Up to 30 liters of water can be dried per day!
- + In addition to moisture, odors are also eliminated to a large degree
- + A separate, energy-hungry drying room is unnecessary.

FLEX[†]

Drying and preheating





Our FLEX* technology means high efficiency and optimum flexibility—the perfect solitary locker solution.

- + The right choice for places where employees get wet while working and need to dry out both their clothing and lots of protective gear for its next use, preheat it if desired and keep it securely locked up
- + A power connection's all that's needed
- + Drying, ventilation and heating can be controlled and programmed with an app in an energy-efficient way
- + Special interior for drying and preheating helmets, gloves and boots

Cambio

Lockers.

Features of the Cambio series:

- + Sturdy steel construction with overlay doors and high-quality enamel coating
- + Interior slopes in the body for high stability and easy, convenient clothing removal
- + Novel ventilation using the SVL concept as standard
- + Steel fronts (single-walled, optionally double-walled and insulated) or optional HPL with wood decor for an even more attractive appearance
- + Door hinges for sheet metal doors made of aluminum/plastic
- + Door hinges for phenolic HPL decor fronts made of stainless steel
- + 90° door opening limiter for outstanding closing characteristics as standard
- + Body, base and steel doors electrolytically zinc-plated as standard
- + Cylinder lock with 2 keys
- + Optimum air circulation thanks to defined ventilation spaces in front of and behind the bottom storage shelf
- + Sturdy changing room rail with an oval profile, 4 anti-rotation hooks with system holder, e.g. for coat hangers or movable partitions
- + Wide variety of interior fitting solutions for any requirement
- + Slot-in shoe shelf, easy to retrofit by the user
- + Height adjustment using adjustable 130 mm-high plastic feet, easy to operate from inside and outside
- + Vertically adjustable base
- + Wear-resistant plastic feet ensure protection from corrosion
- + Sub-frame available with feet or base, as well as with spacious storage box or bench on request



- Corner lockers → p. 182
- SVL concept $^{\circ}$ and drying guarantee as standard \rightarrow p. 170

Door version:

- + Single-walled, reinforced steel doors as standard
- + Optional: Double-walled, insulated steel doors
- + Optional: HPL decor doors (standard with Z lockers)
- + Steel doors are 19 mm thick, HPL doors are 13 mm thick

Dimensions and door material (A)

On 130 mm-high feet, depth: 525.









| Clear opening dimension 1,757 x 262/362 x 480 (Heach compartment with changing room rail and 4 | xWxD), storage shelf, | | | | |
|--|--------------------------|-------------|-------------|-------------|-------------|
| Height: 1,980 | Compartments | 1x300 | 1×400 | 2×300 | 2×400 |
| | Width | 300 | 400 | 600 | 800 |
| Single-walled steel doors | Order no. | 45100-10 | 45100-12 | 45100-20 | 45100-22 |
| - | Price | 612,- | 796,- | 816,- | 1.061,- |
| Double-walled steel doors | & order no. | + 45110-710 | + 45112-710 | + 45120-710 | + 45122-710 |
| D | & addtl. charge | + 74,- | + 90,- | + 147,- | + 179,- |
| HPL decor doors | & order no. | + 45110-730 | + 45112-730 | + 45120-730 | + 45122-730 |
| | & addtl. charge | + 133,- | + 160,- | + 266,- | + 320,- |



Order no. 45100-20



Order no. 45100-20 & 45120-730 (HPL decor doors in sen ash) & 4500-700 (base)








| 3x300 |
|----------|
| 900 |
| 45100-30 |
| 1102 - |

| 3×400 |
|----------|
| 1200 |
| 45100-32 |
| 1.432,- |

| 4 x | 300 |
|-----|--------|
| 120 | 00 |
| 45 | 100-40 |
| 1.4 | 28,- |

| + 45130-710 | + 45132-710 | + 45140-710 |
|-------------|-------------|-------------|
| + 220,- | + 269,- | + 293,- |
| | | |
| + 45130-730 | + 45132-730 | + 45140-730 |
| + 399,- | + 480,- | + 532,- |
| | | |



| Color (standard) | Black gray RAL 7021 |
|------------------|------------------------|
| Locker height | 1950 |
| & order no. | + 4500-700 |
| & addtl. charge | + 40,- |





(+) Accessories

Cambio

Double-tier lockers.



Order no. 45101-20



Order no. 45101-30 & 4500-700 (base)

Dimensions and door material

2 box tiers
On 130 mm-high feet, depth: 525.
Clear opening dimensions per door:
862 x 262/362 x 480 (HxWxD), each box with changing room rail and 4 hooks







| leight: 1,980 | Compartments | 1x300 | 1x400 | 2×300 | 2×400 |
|---------------------------|--------------|----------|----------|----------|----------|
| | Width | 300 | 400 | 600 | 800 |
| Single-walled steel doors | Order no. | 45101-10 | 45101-12 | 45101-20 | 45101-22 |
| | Price | 726,- | 943,- | 1.043,- | 1.356,- |

| 0 | & addtl. charge | + 106,- | + 122,- | + 212,- | + 244,- | _ |
|-----------------|------------------------------|------------------------|-------------|-------------|-------------|---|
| HPL decor doors | & order no. & addtl. charge | + 45210-730 + 195,- | + 45212-730 | + 45220-730 | + 45222-730 | _ |











| 3 x 300 |
|----------|
| 900 |
| 45101-30 |
| 1.442,- |

| | 3x400 |
|--|----------|
| | 1200 |
| | 45101-32 |
| | 1.874,- |

| 4 x 300 |
|--------------|
| 1200 |
| 45101-40 |
| 1.882,- |
| |

| + 45230-710 | + 45232-710 | + 45240-710 |
|-------------|-------------|-------------|
| + 318,- | + 366,- | + 423,- |
| | | |
| + 45230-730 | + 45232-730 | + 45240-730 |
| + 585,- | + 702,- | + 780,- |
| | | |

Base instead of feet, steel version, 100 mm high, vertically adjustable

| Color (standard) | Black gray RAL 7021 | | |
|------------------|------------------------|--|--|
| Locker height | 1950 | | |
| & order no. | + 4500-700 | | |
| & addtl. charge | + 40,- | | |





Available upgrades, locks \rightarrow p. 184

Cambio

Assembled box lockers.



Order no. 45102-30



Order no. 45103-22 & 4500-700 (base)

Dimensions and door material

3 box tiers
On 130 mm-high feet, depth: 525.










| Clear opening dimension 562 x 262/362 x 480 (H x without interior fittings | ns per door: WxD), | <u>. </u> | <u>. </u> | | | |
|--|-----------------------|--|--|---|---------------------------------------|--|
| Height: 1,980 | Compartments | 1x300 | 1x400 | 2x300 | 2x400 | |
| | Width | 300 | 400 | 600 | 800 | |
| Single-walled steel doors | Order no. | 45102-10 | 45102-12 | 45102-20 | 45102-22 | |
| | Price | 794,- 1.032,- | | 1.179,- | 1.533,- | |
| 4 box tiers On 130 mm-high feet, d Clear opening dimension 412×262/362×480 (Hx' without interior fittings | ns per door: | · · · | · · · | • | · · · · · · · · · · · · · · · · · · · | |
| Height: 1,980 | Compartments | 1x300 | 1×400 | 2x300 | 2×400 | |
| | Width | 300 | 400 | 600 | 800 | |
| Single-walled steel doors | Order no. | 45103-10 | 45103-12 | 45103-20 | 45103-22 | |
| | Price | 884,- | 1.150,- | 1.360,- | 1.768,- | |
| Double-walled steel doors | Order no. | + 45410-710 | + 45412-710 | + 45420-710 | + 45422-710 | |
| 0 | & addtl. charge | + 139,- | + 163,- | + 277,- | + 326,- | |
| HPL decor doors | Order no. | + 45410-730 | + 45412-730 | + 45420-730 | + 45422-730 | |
| at the same of the | & addtl. charge | + 300,- | + 360,- | + 600,- | + 720,- | |





Base instead of feet, steel version, 100 mm high, vertically adjustable

| Color (standard) | Black gray RAL 7021 |
|------------------|------------------------|
| Locker height | 1950 |
| & order no. | + 4500-700 |
| & addtl_charge | + 40 - |





Available upgrades, locks \rightarrow p. 184

Cambio

Assembled box lockers.







Order no. 45105-30 & 45630-730 (HPL decor doors in sen ash)

Dimensions and door material

| 5 box tiers On 130 mm-high feet, depth: 525. Clear opening dimensions per door: 322x262/362x480 (HxWxD), without interior fittings | | · · · | | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · |
|--|--------------|-------------|-------------|---------------------------------------|---------------------------------------|
| Height: 1,980 | Compartments | 1x300 | 1×400 | 2×300 | 2×400 |
| | Width | 300 | 400 | 600 | 800 |
| Single-walled steel doors | Order no. | 45104-10 | 45104-12 | 45104-20 | 45104-22 |
| Price | | 975,- | 1.267,- | 1.542,- | 2.004,- |
| 6 box tiers On 130 mm-high feet, d Clear opening dimensio 262×262/362×480 (Hx without interior fittings | ns per door: | • | · | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · |
| Height: 1,980 | Compartments | 1x300 | 1x400 | 2x300 | 2×400 |
| | Width | 300 | 400 | 600 | 800 |
| Single-walled steel doors | Order no. | 45105-10 | 45105-12 | 45105-20 | 45105-22 |
| | Price | 1.066,- | 1.385,- | 1.723,- | 2.240,- |
| Double-walled steel doors | Order no. | + 45610-710 | + 45612-710 | + 45620-710 | + 45622-710 |

+ 196,-

+ 498,-

+ 45612-730

+ 358,-

+ 830,-

+ 45620-730



HPL decor doors

& addtl. charge

& addtl. charge

Order no.

+ 179,-

+ 415,-


+ 45610-730

+ 391,-

+ 996,-

+ 45622-730

| | | | | | 1 | Changi | ng room | & wardro | be Cambio | Assembled be | ox lockers |
|---|----|-----|----|----|----|--------|---------|----------|-------------|--------------|------------|
| | | - 4 | | | 57 | 58 | 59 | 6 | | | |
| | | | | | U | u . | | | 77 | 78 | 79 |
| | 41 | 42 | 43 | 44 | 61 | 62 | 63 | 6 | | | |
| | 45 | 46 | 47 | 48 | 9 | .0 | | | | | |
| | 49 | 11 | 51 | 52 | 65 | 66 | 67 | E | 81 | 82 | 83 |
| | 53 | 54 | 56 | 56 | | 10 · | * | | 0 | 0 | |
| | | | | | 69 | 70 | 71 | 7 | | | |
| F | | | | | | | | | 85 | 86 | 87 |
| | | | | | | | | | | | |
| | | | | | | | | | | 1 | |



Base instead of feet, steel version, 100 mm high, vertically adjustable

| Color (standard) | Black gray RAL 7021 |
|------------------|------------------------|
| Locker height | 1950 |
| & order no. | + 4500-700 |
| & addtl_charge | + 40 - |





Cambio

Z lockers.

Z lockers offer more:

- Optimum use of the interior space for 2 users, with low floor-space requirements
- For use in areas that only offer enough space for a double-tier locker but still require long items of clothing to be hung
- Lots of storage space! Lots of storage space! Large, bulky bags or helmets, long garments, shoes and small objects all have their place
- Great overview thanks to functional division in the locker
- Each compartment has a rail with 3 hooks on the side
- HPL decor doors as standard



Order no. 45180-224

Dimensions and door material

On 130 mm-high feet, depth: 525. Each compartment has a rail with 3 hooks on the side









| Height: 1,980 | Width |
|-----------------|-------------|
| | Description |
| HPL decor doors | Order no. |
| | Price |

| 300 |
|--------------|
| For 2 people |
| 45180-132 |
| 1.360,- |
| |

| 400 |
|--------------|
| For 2 people |
| 45180-122 |
| 1.632,- |

| 600 |
|--------------|
| For 4 people |
| 45180-234 |
| 1.904,- |
| |

| 800 |
|--------------|
| For 4 people |
| 45180-224 |
| 2.285,- |

On 130 mm-high feet, depth: 525. Two Z compartments each on the left and right, double-tier compartment in the center





| Height: 1,980 | Width | |
|-----------------|-------------|--|
| | Description | |
| HPL decor doors | Order no. | |
| | Price | |
| | | |

| 900 |
|--------------|
| For 6 people |
| 45181-336 |
| 2.448,- |
| |

| 1200 |
|--------------|
| For 6 people |
| 45181-326 |
| 2.938,- |
| |





2.448,-







| 900 | |
|--------------|--|
| For 6 people | |
| 45180-336 | |

| 1200 |
|--------------|
| For 6 people |
| 45180-326 |
| 2.938,- |

| 1200 |
|--------------|
| For 8 people |
| 45180-438 |
| 2.992,- |



The practical, sturdy changing room rail with an oval profile with 3 anti-rotation sliding hooks is very user-friendly and allows several garments to be hung spaced out. to be hung spaced out.



Order no. 45181-326



Available upgrades, locks \rightarrow p. 184



Cambio

Changing room corner lockers. W

Cambio creates spaces

It makes a big difference whether furniture is simply placed in a room or whether the furnishings become part of the overall interior architecture. Cambio meets all the requirements for harmoniously integrating into any desired environment.

Thanks to intelligent corner lockers which are flexible in use as an inside or outside corner, incomparable spatial experiences are created.

More than just a large number of available locker configurations are decisive for integration potential—the diversity of material options and the surface design also play a key role.

Please send us your project-specific request.








Versions and accessories

(+) Sloping tops without a locker: approx. 230 mm high in rear (nothing can be left on top of the locker!)





| For locker width | 300 | 400 | 600 | 800 | 900 | 1200 | 1200 |
|------------------|-----------|-----------|-----------|-----------|-----------|------------------|------------------|
| For compartments | 1x300 | 1x 400 | 2x300 | 2x400 | 3x300 | 3x400 | 4x300 |
| & order no. | + 4531-70 | + 4541-70 | + 4532-70 | + 4542-70 | + 4533-70 | + 4543-70 | + 4534-70 |
| & addtl charge | | | | ± 1/15 = | ± 150 = | _ <u>_ 185 -</u> | _ <u>_ 185</u> _ |

+ Sloping tops
For corner on
existing corner
locker





| Version | Inside corner | Outside corner |
|---------|---------------|----------------|

Project-specific on request

| (+) | Base instead of fee |
|--------|-----------------------|
| \sim | steel version, |
| | 100 mm high, |
| | vertically adjustable |

| Color (standard) | Black gray RAL 7021 |
|------------------|------------------------|
| Locker height | 1950 |
| & order no. | + 4500-700 |
| & addtl. charge | + 40,- |



+ Pairs of doors closing in the middle* Doors with joint lock, price per pair

| For series | 45100-20 | 45100-22 |
|-----------------|------------|------------|
| Locker width | 600 | 800 |
| & order no. | + 45107-20 | + 45107-22 |
| & addtl. charge | + 72,- | + 72,- |

+ Base blanking panel

Black gray plastic, 60 or 100 mm high, with bottom sealing lip, self-adhesive

| Per running meter | |
|-------------------|-------------|
| 60 mm high | 100 mm high |
| + 4400-7006 | + 4400-7002 |
| + 18,- | + 23,- |



HPL = high-pressure laminate

Cambio

Accessories and available upgrades.

Experience this space-saving miracle.

Make optimal use of your C+P wardrobe and changing room lockers. With well-thought-out locker accessories from C+P, it's no problem. Versatile interior fitting solutions ensure that every bit of space is used. You'll be amazed at what else can fit into your C+P steel locker.

Available upgrades in the locker

Shoe tray made of plastic, removable, with bottom spacers



4500-707

Price 20,-

Coat hangers with laundry net

The classic variant, e.g. for bathrooms or wellness centers



8501-04251

29,-

Coat hangers with multi-function hooks As an alternative to the net, for example for areas with

special hygiene requirements



0001 04

22,-

Towel hanger, movable, for easier drying of large towels



4500-760

20 -

Additional fittings in the housing

Slot-in shoe shelf

Order no.

Installation height: approx. 250, easy to retrofit by the user



| Version | Coated steel, black gray | | |
|-----------------------|--------------------------|----------|--|
| For compartment width | 300 | 400 | |
| Order no. | 4500-765 | 4500-766 | |
| Price | 34,- | 38,- | |

Outside shield panel,

Additional charge per compartment, for compartment rear panel with back-to-back configuration



| Version | | |
|-----------------------|---------|---------|
| For compartment width | 300 | 400 |
| Order no. | 4500-10 | 4500-11 |
| Price | 71,- | 78,- |

Partitions Below the storage shelf



Made of translucent plastic, movable and swivel design, low-maintenance

| Partition, HxW | 1210 x 300 | |
|----------------|------------|--|
| Order no. | 4500-705 | |
| Drico | | |

Side locker connection (1 set for 2 lockers), for the connection of 2 lockers to one another



Order no. 4500-715

Price 4,-



The easy way to keep things neat!

Use the door insides of your C+P changing room and locker furniture as an extra storage area.

The benefits to you

- More space inside
- Accessories easy to reach
- Neat storage, even of small items
- User-friendly handling



Without additional equipment

Flip-flop and shoe holder

With additional equipment

Upgrades available for the locker door

Towel holder For steel and decor doors hinged on the right



Towel and shower gel holder For steel and decor doors hinged on the right



400

| (A | |
|-----|--|

For steel and decor doors hinged on the right

| For compartment width | 300 | | | |
|-------------------------|----------------|---------------|--|--|
| Version for steel doors | Singled-walled | Double-walled | | |
| Order no. | 4500-775 | 4500-770R | | |
| Price | 22,- | 22,- | | |
| Version for decor doors | HPL doors | | | |
| Order no. | 4500-7703R | | | |
| Price | 22,- | | | |
| | | | | |

| I | Singled-walled | Double-walle |
|---|----------------|--------------|
| | 4500-776 | 4500-771R |
| | 34,- | 34,- |
| | | |
| | HPL doors | |
| | 4500-7713R | |
| _ | 34,- | |
| | | |


| | 300 | 400 | 300/400 |
|----|----------------|----------------|---------------|
| ed | Singled-walled | Singled-walled | Double-walled |
| _ | 4500-777 | 4500-778 | 4500-773R |
| | 34,- | 34,- | 34,- |
| | HPL doors | | |
| | 4500-7733 | | |
| | 34,- | | |

Mirror

For steel and decor doors, for attachment by customer



| WidthxHeight | 110 x 90 | 200 x 115 | |
|---|----------|------------------------------|--|
| For compartment width | 300/400 | 300/400 | |
| Version for steel/decor doors Glass mirror, small | | Polished metal mirror, large | |
| Order no. 00018-00 | | 00019-00 | |
| Price | 7,- | | |









Prefino


For the most stringent requirements.

There are tasks that only specialists can handle. Furnishing changing rooms, for example.

Where a crucial bit of extra space, functionality and design is needed—that's where Prefino comes into play.

- + Looking for attractive, uniform **glass fronts** with door mounts not visible from the outside?
- + Looking for a **double-walled design** allowing you to route cables in a clean way or implement interior lighting, for example?
- + Outfitting areas with high hygienic requirements and value smooth internal walls and locker floors, as well as face plates for optimal cleaning and disinfection?
- + Looking for a **reconfigurable** modular system for complete flexibility and investment security as well?
- + Seeking a broad a range of **locker variants** and available door types and materials?
- + Want to make special requests a reality, like room lighting integrated into the locker top or custom-printed locker fronts? If so, Prefino from C+P is the right product range for you!









Prefino







Have a seat!

Depending on a building's design, a variety of different sub-frames can be utilized with locker systems. Prefino is flexible, making it well equipped for any challenge.

In addition to the classic foot and base designs, integrated bench solutions are becoming more and more commonplace. Whether it's overhanging benches on an existing base, benches built in front with locker doors reduced in size or benches with storage boxes underneath: Prefino is the best choice for ideal results.

All of the sub-frames shown here are very easy to clean, in part thanks to clear-cut corner solutions. This means extraordinary sanitary conditions and simple, fast and cost-effective cleaning as a result. The variant with storage boxes underneath also offers additional storage space that has generally gone unused—a true added benefit for visitors.

We look forward to your project-specific inquiry.






Bench with storage box underneath:

The seat serves as a lid that can only be opened by the user of the locker. It ensures that bags, helmets and other items can be stored conveniently and removed easily.

A clean solution.

In areas with high hygiene requirements (e.g. in the foodstuffs industry) locker systems require something special. As well, connecting to existing ventilation and extraction systems also requires a professional solution.







Flex PLUS drying locker

Drying and heat with maximum flexibility.





The right choice for places where employees get wet while working and need to dry out both their clothing and lots of protective gear for its next use, preheat it if desired and keep it securely locked up.

Ambient air is drawn in and fed into the locker interior through the ventilation/heating element integrated in the slanted roof. Here, it exits through various air outlets like pipes/ holders for boots, helmets etc. The extracted humidity escapes into the surrounding room, which has a positive effect on the room climate in the winter when heating air is dry. Dripping water is led downward out of the compartment via the perforated stainless steel tray.

The hours of operation can be conveniently controlled with an app. Independent program circuits for ventilation and heating ensure energy-saving and efficient use. With optionally available 230-volt sockets, additional electrification for charging e-bike

and other mobile batteries is possible, for

Number per locker

Helmet holder

Upper storage shelf

Hinged floor

Glove holder

Side hook rail

steel tub

Sockets in compartment

Perforated stainless

Drying coat hanger

Metal mirror, large

Small-part repository

Lock with 2 keys

Boot holder



2 x

 \odot









2 compartments

4 x

2 x

2 x

Optionally available

2 x

2 x

2 compartments for 1 person

1x

1x

4 x

1x

2 x

1x

example.

Product information

- + Flex PLUS technology enables the fastest possible drying of work clothing. Wet clothing is usually dried especially energy efficiently within 1 to 3 hours!
- The electrical consumption of the ventilation/heating element integrated in the slanted roof is less than 0.15 W in standby, 8.8 W in ventilation mode and 1,000 W in heating mode
- Sturdy steel construction with multi-functional modular system, overlay doors and high-quality enamel coating
- Body height: 2,100 mm (2,200 mm incl. feet, 2,350 mm including slanted roof)

- Body and steel doors electrolytically zinc-plated as a standard
- Fronts made of steel or HPL with wood decor for an even more attractive appearance
- Double-walled design for high stability
- Smooth interior walls—hygienic and easy to clean
- Perforated storage shelf for improved ventilation
- Convenient operation of the control unit with an app (Apple or Android), each locker individually operable
- Connection cable with grounded plug, approx. 5 m long.

Versions

2 compartments for 2 people

Compartment width: 350 mm

2 compartments for 1 person

Compartment width: 350 mm



Per compartment:

- 1 x helmet holder
- glove holders
- 2 x boot holders
- 1 x hinged floor
- 1 x hook rail
- 1 x stainless steel tub

Door

- 1 x mirror (per door)
- 1 x small-part tray
- 1 x lock



On feet

| Order no. (steel doors) | 46113-2118 |
|-------------------------|------------|
| Price | 3.099,- |
| Order no. (HPL doors) | 46121-730 |
| & addtl. charge | 244,- |



Left compartment:

- 1 x helmet holder
- 4 x glove holders
- 4 x boot holders
- 1 x hinged floor
- 1 x stainless steel tub

Right compartment:

- 1 x storage shelf
- 2 x drying coat hanger
- 1 x hook rail
- 1 x stainless steel tub

Door

- 1 x mirror
- 1 x small-part tray
- 1 x lock

H 2,350 xW 700 xD 600

On feet

| O11 1000 | |
|-------------------------|-------------|
| Order no. (steel doors) | 46112-21181 |
| Price | 3.069,- |
| Order no. (HPL doors) | 46121-730 |
| & addtl. charge | 244,- |



Our energy-saving tip for guaranteed drying:

3 hours of ventilator drying in the evening, 1/2 hour of drying with heated air in the morning, controllable with an app.

Drying diagram



Clothing

Measurement conditions: 22°C and 48% relative humidity

Liquid volume: 100 ml




Drying with heated air (38°C)



Drying with air at room temperature

No additional measures



School and assembled box lockers



Intro

The sturdy classic lockers with many different box sizes

- + Sturdy steel construction with high-quality enamel coating
- + 6 box heights, 2 box widths, 2 box depths for any requirement
- + Can also be used as wardrobe locker
- + Doors are single- or double-walled, depending on the box size, mounted on a sturdy strap hinge, with 170° door opening
- + Attractive locker base in black gray
- + Each box has cylinder lock and 2 keys
- Other locks available: turning bolt, safety turning bolt, master key system and Safe-O-Mat locks
- + Also available with doors made of acrylic glass, available with 90° door opening limiter as standard



Assembled box lockers in sideboard height Kindergarten/elementary school lockers

The "short ones" for the little ones

- + Series descriptions: See Intro and Resisto
- + Intro series: 1 box size
 Resisto series: 3 box sizes
- Decor top cover in MCPB (melamine coated particle board)
 25 mm thick
- + Kindergarten locker, 300 mm deep, single- and double-tier
- + Elementary school locker, 500 mm deep, single- and double-tier

| | single maled | Oglobe maked | Ogotalic dates | rampeteseani | Dodo opinie artie | Helderick littlet |
|--|--------------|--------------|----------------|--------------|-------------------|-------------------|
| Intro Assembled box lockers | • | • | • | _ | • | 90°* |
| Intro school lockers | _ | • | | | • | 90° |
| Kindergarten and elementary school lockers | • | | | | _ | Optional |
| Resisto school lockers | _ | | | • | _ | 80° |
| Resisto assembled box lockers | _ | | | • | | 80° |

*For doors with acrylic glass only








Evolo PLUS assembled box lockers \rightarrow p. 134

Resisto

The "tamper resistant" lockers with special doors

- + Sturdy steel construction with high-quality enamel coating
- 3 box heights and 3 box depths for any requirement
- "Tamper resistant" special doors made of steel 1.5 mm thick, curved to the front, mounted on sturdy swivel-rod hinges (kick-resistant!)
- + Integrated 80° door opening limiter as standard
- + Locker base in color of the body
- Each box has cylinder lock and 2 keys
- Other locks available: turning bolt, safety turning bolt, master key system and Safe-O-Mat locks
- 30 mm height adjustment



| Oor star hinges | get Doot galvelod hi | ge ^e O ^{ite} ter ⁱ te ^s | Chippertue te for | TO COPE | 6856 HW | ⟨eĕ [™] | Heilligh | Location to |
|-----------------|----------------------|--|-------------------|---------|---------|------------------|----------|-------------|
| • | _ | • | W 400 | _ | • | _ | _ | • |
| • | _ | _ | W 400 | • | • | _ | | • |
| _ | _ | • | _ | _ | • | • | | Optional |
| _ | • | • | W 380 | • | • | _ | • | • |
| _ | • | • | W 380 | | • | _ | • | • |

Intro

Assembled box lockers.

Features of the Intro series:

- + Sturdy steel construction with high-quality enamel coating
- + 6 box heights, 2 box widths, 2 box depths for any requirement
- + All lockers with attractive base, 100 mm high, in black gray
- + Doors single-walled or double-walled (see individual descriptions)
- + Each door has cylinder lock and 2 keys
- + Other lock types available, e.g. coin-operated lock
- + Each door mounted and hinged on the right with sturdy strap hinges, door opening angle of 170°
- + All lockers with louvers in the rear panel and 20 mm wall spacer (absolute body depth: approx. 480 mm)



Order no. 8270-201

| Dimensions and versio | n | | | | | |
|---|--|---|------------------|---------------------------------------|--|--|
| With base | Boxes | 2 | 3 | 4 | | |
| Base height: 100 | Width | 620 | 920 | 1220 | | |
| Locker height: 1,950 Locker depth: 500 | Clear opening dimensions per door, HxWxD | 1825 x 260 x 460 | 1825 x 260 x 460 | 1825 x 260 x 460 | | |
| Single-walled doors, reinforced | Description | With full-length doors , 1 storage shelf and 1 sturdy changing room rail with an oval profile inside with 3 anti-rotation sliding hooks | | | | |
| | Order no. | 8170-201 | 8170-301 | 8170-401 | | |
| | Price | 762,- | 1.088,- | 1.415,- | | |
| | | · · · · · · · · · · · · · · · · · · · | · · · · · · | • • • • • • • • • • • • • • • • • • • | | |
| With base | Boxes | 8 | 12 | 16 | | |
| Base height: 100 | Width | 620 | 920 | 1220 | | |
| Locker height: 1,950 Locker depth: 500 | Clear opening dimensions per door, HxWxD | 435 x 260 x 460 | 435×260×460 | 435×260×460 | | |
| Double-walled doors | Description | With 4 box tiers | | | | |
| | Order no. | 8470-201 | 8470-301 | 8470-401 | | |
| | Price | 1.088,- | 1.542,- | 1.941,- | | |



Sloping top (retrofittable)
Prevents objects from
being left on top
& rear approx. 230 mm high & for body depth 480 mm



| For locker width | 620 | 920 | 1220 |
|------------------|------------|------------|------------|
| Order no. | + 8504-201 | + 8504-301 | + 8504-401 |
| & addtl. charge | + 95,- | + 120,- | + 148,- |

Order no. 8570-401

| 4 | 6 | 8 | 6 | 9 | 12 |
|--|--|-----------------|------------------|-----------------|-----------------|
| 620 | 920 | 1220 | 620 | 920 | 1220 |
| 895 x 260 x 460 | 895×260×460 | 895×260×460 | 580×260×460 | 580×260×460 | 580 x 260 x 460 |
| With 2 box tiers , 1 sturdy changing ro inside with 3 anti-ro | om rail with an oval profilitation sliding hooks | e | With 3 box tiers | | |
| 8270-201 | 8270-301 | 8270-401 | 8370-201 | 8370-301 | 8370-401 |
| 871,- | 1.306,- | 1.669,- | 1.016,- | 1.415,- | 1.850,- |
| · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | | | | |
| 10 | 15 | 20 | 12 | 18 | 24 |
| 620 | 920 | 1220 | 620 | 920 | 1220 |
| 345 x 260 x 460 | 345×260×460 | 345 x 260 x 460 | 285 x 260 x 460 | 285 x 260 x 460 | 285 x 260 x 460 |
| With 5 box tiers | | | With 6 box tiers | | |
| 8570-201 | 8570-301 | 8570-401 | 8670-201 | 8670-301 | 8670-401 |
| 1.197,- | 1.614,- | 2.067,- | 1.233,- | 1.669,- | 2.285,- |



(+) Accessories

Selection \rightarrow p. 201







Order no. 8370-302

Order no. 8470-203

Dimensions and versions

Single-walled doors, reinforced



4







With base

Base height: 100 Locker height: 1,950

| Boxes | |
|-------|--|
| Width | |

820 500 4 820 1220 500

1220 600

Clear opening dimensions per door, HxWxD Description

Depth

895 x 360 x 460

895 x 360 x 560

895 x 360 x 460

895 x 360 x 560

With $\bf 2$ box tiers, 1 sturdy changing room rail with an oval profile inside with 3 anti-rotation sliding hooks

Order no. Price

8270-202 1.001,-

8270-203 1.133,-

8270-302 1.502,-

8270-303 1.689,-









With base

Base height: 100 Locker height: 1,950

| Boxes |
|--|
| Locker width |
| Depth |
| Clear opening dimension per door, HxWxD |
| Description |
| Order no |

Price

| 8 | |
|-----|--|
| 820 | |
| 500 | |

| 8 |
|-----|
| 820 |
| 600 |
| |

| 12 | |
|------|--|
| 1220 | |
| 500 | |

12 1220 600

435 x 360 x 460 With 4 box tiers

| 8470-202 | |
|----------|--|
| 1.252,- | |

| 8470-203 |
|----------|
| 1.383,- |

435 x 360 x 560

| 8470-302 | |
|----------|--|


435 x 360 x 460

1.773,-

435 x 360 x 560 8470-303

1.960,-

(
ightarrow) Body and door color



| 6 | 6 | 9 | 9 |
|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| 820 | 820 | 1220 | 1220 |
| 500 | 600 | 500 | 600 |
| 580 x 360 x 460 | 580x360x560 | 580 x 360 x 460 | 580 x 360 x 560 |
| With 3 box tiers | | | |
| 8370-202 | 8370-203 | 8370-302 | 8370-303 |
| 1.168,- | 1.300,- | 1.627,- | 1.815,- |
| · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · |
| 10 | 10 | 15 | 15 |
| 820 | 820 | 1220 | 1220 |
| 500 | 600 | 500 | 600 |
| 345 x 360 x 460 | 345 x 360 x 560 | 345 x 360 x 460 | 345 x 360 x 560 |
| With 5 box tiers | | | |
| 8570-202 | 8570-203 | 8570-302 | 8570-303 |
| 1.377,- | 1.508,- | 1.856,- | 2.044,- |



+ Accessories

Available upgrades, locks \rightarrow p. 201

Intro

Features of the Intro series with acrylic glass doors:

- + Sturdy steel construction with high-quality enamel coating
- + 2 locker widths and 2 box heights for any requirement
- + All lockers with attractive base, 100 mm high, in black gray
- + Doors made of 8 mm-thick acrylic glass, outfitted with 90° door opening limiter as standard
- + Each door has cylinder lock and 2 keys
- + Other lock types available, e.g. coin-operated lock
- + Every door mounted and hinged on the right with sturdy strap hinges
- + All lockers with louvers in the rear panel and 20 mm wall spacer (absolute body depth: approx. 480 mm)



Order no. 8470A302

| Dimensions and versions With acrylic glass doors and 3 or 4 box tiers | | · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | • • • • • • • • • • • • • • • • • • • | · · · · · · · · · · · · · · · · · · · |
|---|--|-------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| With base | Boxes | 6 | 9 | 8 | 12 |
| Base height: 100 | Width | 820 | 1220 | 820 | 1220 |
| Locker height: 1,750 Locker depth: 500 | Clear opening dimensions per door, HxWxD | 510 x 360 x 460 | 510 x 360 x 460 | 380×360×460 | 380×360×460 |
| Locker depth. 000 | Description | With 3 box tiers | | With 4 box tiers | |
| | Order no. | 8370A202 | 8370A302 | 8470A202 | 8470A302 |
| | Price | 1.927,- | 2.684,- | 2.065,- | 2.925,- |



+ Accessories

Features of the Intro series:

- Sturdy steel construction with high-quality enamel coating
- Boxes easy for children to reach
- Assembled box lockers with decor top cover made of MCPB (melamine coated particle board)
- All lockers with attractive base, 100 mm high, in black gray
- Double-walled doors, with 90° door opening limiter as standard
- Each door has cylinder lock and 2 keys
- Each door mounted and hinged on the right with sturdy strap hinges
- All lockers with louvers in the rear panel and 20 mm wall spacer (absolute body depth: approx. 480 mm)
- Top covers feature 20 mm projection in the rear as standard to avoid a gap between the wall and locker, e.g. due to baseboard (top depth: 500 mm)





Order no. 8573-201



Order no. 8573-301 & 8573-7301 (top cover without rear projection)

Dimensions and versions

With 3 box tiers with 25 mm-thick MCPB decor top cover, double-walled doors





With base

Base height: 100 Locker height: 1,250 Locker depth: 500

Boxes Width

Clear opening dimensions per door, HxWxD

Description

Order no.

Price

620

345 x 260 x 460

With 3 box tiers

8573-201

921,-

9

920

345 x 260 x 460

With 3 box tiers

8573-301

1.279,-

For locker width

& addtl. charge

Top depth

Order no.

Top covers without projection in rear Flush with body on all sides please specify top decor

MCPB plate

→ p. 52



620


480

0.-

920

8573-7201

480 8573-7301 0,-



Color concept → p. 48

Cylinder locks and turning bolt latch

Prices per lock Basic design

Cylinder lock



Up to 1,000 different key numbers

8077-30

Order no. Price

Optional

Cylinder lock in black with 2 keys



Via master key system with security certificate*

8000-01

49,-

Via master key system without security certificate

8000-001

11,-

Without

security

certificate

0012-00

18.-

Turning bolt latch



For padlock

0003-00

7,-

Safety turning bolts



For padlock (see also Page 83)

8000-718

9,-

Keys and wristband for cylinder locks

Spare key for rotary cylinder lock



Spare key for lock 8077-30

Order no. Price

0006-21

19.-

Master key for master key system



With security

certificate*

0011-00

22.-

Perlon wristband for cylinder key



Color: 51 black; other colors no addtl. charge, change color no. at end of order no. Please specify desired numbers!

8501-05**51**

17.-

Color no.

51 Black

52 White

53 Red

55 Blue

61 Green

67 Yellow





SAFE-O-MAT locks

To overview \rightarrow p. 219

Padlocks

For turning and safety turning bolt, bolt size: approx. 6 mm



Padlock. brass version. 2 keys

Up to 300

0002-10

11,-

Key numbers

Order no.

Price



Safety lock made of brass, precision cylinder, 2 keys

Up to 168,000

0002-11

32,-



BURG number CODElock with hardened steel shackle

With 4-digit combination

00002-14

29,-

Lock no. as per customer request

For cylinder lock (longer delivery time) Addtl. charge per lock

Order no.

..-..99

& addtl. charge

On request

Number plates



Number plates in lock area, self-adhesive, loose for easy attachment, suitable for cylinder locks only

Please specify numbers

Version Order no.

Price

Plastic

With integrated door protection,

123 x 39 x 1.0 mm

4902-0601 10,-

Stainless steel

4901-0601 23,-

Without integrated door protection, 68 x 39 x 1.0 mm

Plastic 4902-0611

8,-

Stainless steel

4901-0611

Stainless steel number plate self-adhesive, 30 x 50 x 1.0 mm



Stainless steel

8501-06

21,-

Additional door protection/number plate



19,-

Daycare lockers 300 mm deep.

Features of the kindergarten lockers:

- + Sturdy steel construction with high-quality enamel coating
- All compartments are easy to reach for children, making them ideal for use at kindergartens and daycares
- + Available in 2 versions with full-length doors and 2 doors arranged vertically (double-tier)
- + Either with feet or base as sub-frame
- + Doors hinged on the right, mounted on fulcrum pins, with easy-to-clean hole pattern
- + Version without label holder for customer labeling
- + Convenient doorstop silencer for pleasant closing
- + Interior is easy to clean, as compartment shelves can be swept out easily



Order no. 480103-20

Variant: with full-length door Dimensions and version

With safety turning bolt









| Clear opening dimensions per door: 1,105 x 230 x 265 (H x W x D) | | | | | |
|--|--------------|-----------|-----------|-----------|-----------|
| With feet | Compartments | 1x300 | 2x300 | 3×300 | 4×300 |
| Locker height: 1,350 | Locker width | 320 | 610 | 900 | 1190 |
| Locker depth: 300 | Order no. | 480103-10 | 480103-20 | 480103-30 | 480103-40 |
| Foot height: 150 | Price | 362,- | 466,- | 612,- | 779,- |
| With base | Compartments | 1x300 | 2x300 | 3x300 | 4×300 |
| Locker height: 1,300 | Locker width | 320 | 610 | 900 | 1190 |
| Locker depth: 300 | Order no. | 480203-10 | 480203-20 | 480203-30 | 480203-40 |
| Base height: 100 | Price | 384,- | 496,- | 653,- | 832,- |



Order no. 483203-30

- Compartments with a sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks with system holder, e.g. for coat hangers
- Also 1 storage shelf per compartment in models with full-length doors, internal height above the storage shelf: 320 mm
- + Ergonomic safety turning bolt latch for padlock with door protection as practical basic fittings
- + Locker feet (e.g. in model 480103) made of plastic for improved corrosion protection of the locker!
- Feet in light gray with body color RAL 7035, in black for all other body colors



90° door opening limiter

Price per door

Version

+ Order no.

+ Addtl. charge

90°

+ 8505-02

+ 18,-

Variant: double-tier Dimensions and version

With safety turning bolt Clear opening dimensions per door: 536x230x265 (HxWxD)









With feet

Locker height: 1,350 Locker depth: 300 Foot height: 150 Compartments
Locker width
Order no.
Price

1x300 320 483103-10 420,- 2 x 300 610 483103-20 582,- 3×300 900 483103-30 786,- 4 x 300 1190 483103-40 1.011,-

With base

Locker height: 1,300 Locker depth: 300 Base height: 100 Compartments
Locker width
Order no.
Price

1x 300 320 480203-10 384,- 2 x 300 610 483203-20 611,- 900 483203-30 827,- 4x300 1190 483203-40 1.064,-

Elementary school lockers 500 mm deep.

Features of the elementary school lockers:

- Sturdy steel construction with high-quality enamel coating
- Bottom and locker floor generally zinc-plated for increased corrosion protection
- All compartments easy for elementary school students to reach
- Break-in-resistant design as per class C according to DIN 4547
- Reinforced doors hinged on the right with doorstop silencer, ventilation hole pattern and safety turning bolt latch for padlock
- 90° door opening limiter as standard
- Version without label holder for customer labeling
- Single-tier lockers: Inside each compartment: 1 non-adjustable storage shelf, sturdy changing room rail with 3 anti-rotation double sliding hooks below
- Double-tier lockers: Inside each box: 1 sturdy changing room rail with 3 anti-rotation double sliding hooks



Variant: with full-length door Dimensions and version

With safety turning bolt Clear opening dimensions per door: 1,429 x 240 x 477 (H x W x D)



313,-

1x300



2x300

418,-

467,-



563,-



| Floor-standing |
|----------------------|
| Locker height: 1,530 |

Locker depth: 500

Locker width Order no.

1x300 320 0490005-10

600 0490005-20 3x300 900 0490005-30 4 x 300 1200 0490005-40 730,-

With feet

Locker height: 1,630 Locker depth: 500 Foot height: 100

Compartments Locker width

Compartments

Price

Price

300 0490105-10 Order no. 362,-

2x300 600 0490105-20 3 x 300 900 0490105-30 612,-

4 x 300 1200 0490105-40 779,-

With base

Locker height: 1,630 Locker depth: 500 Base height: 100

Compartments Locker width

Order no. Price

1x300 320

0490205-10 384,-

2x300 600

0490205-20 496,-

3 x 300 900

0490205-30 653,-

4 x 300 1200 0490205-40 832,-

Body and door color



- Compartment bottoms can be swept out easily
- Slim lateral edges for a homogeneous look when lined up next to one another without doubling at the locker joints
- Additional ventilation thanks to ventilation openings in compartment bottom and top as self-ventilation concept through structurally optimized air flow behavior
- Available with feet or with base
- Standard level adjustment
- Plastic feet, base featuring increased corrosion protection, both for body RAL 7035 in light gray, otherwise in black gray



90° door opening limiter as standard equipment

Variant: double-tier Dimensions and version

With safety turning bolt Clear opening dimensions per door: 694x240x477 (HxWxD)



533,-

582,-





Floor-standing

Locker height: 1,530 Locker depth: 500

| Compartmen | | |
|--------------|--|--|
| Locker width | | |
| Order no. | | |

Price

Price

300 0493005-10 371,-

1x300

2x300 600 0493005-20

3 x 300 900 0493005-30 737,-

4 x 300 1200 0493005-40 962,-

With feet

Locker height: 1,630 Locker depth: 500 Foot height: 100

| Compartments |
|--------------|
| Locker width |
| Order no |

1x300 300 0493105-10 420,-

2x300 600 0493105-20

900 0493105-30 786,-

3 x 300

4 x 300 1200 0493105-40

1.011,-

With base

Locker height: 1,630 Locker depth: 500 Base height: 100

| Compartments |
|--------------|
| Locker width |
| Order no. |
| Price |

| 1x300 |
|------------|
| 300 |
| 0493205-10 |
| 442,- |
| |

| 2x300 |
|------------|
| 600 |
| 0493205-20 |
| 611 _ |

| 3x300 |
|------------|
| 900 |
| 0493205-30 |
| 827,- |

4x300 1200 0493205-40 1.064,-

Resisto

Half-height lockers.

Features of Resisto-series half-height lockers:

- Sturdy steel construction with high-quality enamel coating
- All boxes are easy to reach for children, making them ideal for use in schools and childcare facilities
- 2 different depths: 540 and 640 mm (absolute body depths of 480 and 580 mm)
- 640 mm depth ideally suited for storing large gym bags
- Assembled box lockers feature decor top cover made of 25 mm-thick MCPB (melamine coated particle board)
- All lockers feature attractive, 100 mm-high base
- in same color as body and 30 mm level adjustment

- Special doors made of 1.5 mm-thick steel, curved to the front, absolutely sturdy and "tamper resistant"
- Right-opening with sturdy swivel rod hinge
- Each door features cylinder lock and 2 keys
- Integrated 80° door opening limiter and wall mounting as standard
- Other lock types such as coin-operated locks and electronic locking systems also available
- Lockers feature louvers in the rear panel and 20 mm wall spacer
- Top covers feature 20 mm projection in the rear

Dimensions and design

With full-length doors

On 100 mm-high base, 1 changing room rail with 3 sliding hooks inside each box, with MCPB decor top cover



2

751,-





1.072,-



Height: 1,070

| Boxes |
|-------------------------|
| Width |
| Depth |
| Clear opening dimension |

per door, HxWxD

Description

Order no. Price

770 540

870 x 320 x 460

With 2 adjacent boxes

8271-272

770 640

870 x 320 x 560

8271-273 863,-

3 1150 540

1150 640

870 x 320 x 460 870 x 320 x 560 With 3 adjacent boxes

8271-372

8271-373 1.233,-



Order no. 8472-372 & 8573-7372 (top cover without projection in rear)



Order no. 8573-372 & 8573-7372 (top cover without projection in rear)

(
ightarrow) Body and door color & decors

This series offers additional box volume for greater storage needs



"Tamper resistant": 1.5 mm-thick curved steel doors make Resisto extremely sturdy



Top cover: Durable MCPB tops protect the upper surfaces of the half-height lockers



Dimensions and design

With 2 box tiers

On 100 mm-high base, with MCPB decor top cover









Height: 1,070

Boxes Width

Depth

Clear opening dimensions per door, HxWxD

Description

Order no.

Price

770

540

420 x 320 x 460

770 640

420 x 320 x 560

With 2 adjacent boxes

8472-272 8472-273

879,-992,-

1150 540

1150 640

420 x 320 x 460 420 x 320 x 560

With 3 adjacent boxes

8472-372

8472-373 1.329,-1.490,-

Dimensions and design

With 3 box tiers

On 100 mm-high base, with MCPB decor top cover



6





540

1.511,-



Height: 1,250

Boxes

Price

Width

770 540 6 770 640 9 1150 9 1150

640

Depth

336 x 320 x 460

336 x 320 x 560

Clear opening dimensions per door, HxWxD

Order no.

1.088,-

336 x 320 x 460

336 x 320 x 560

Description With 2 adjacent boxes

8573-272

8573-273 1.206,-

With 3 adjacent boxes

8573-372 8573-373

1.680,-

Accessories Locks \rightarrow p. 212

Top covers Without projection in rear

Selection \rightarrow p. 212

Resisto

Assembled box lockers.

Features of the Resisto series:

- + Sturdy steel construction with high-quality enamel coating
- + 2, 4 or 5 box tiers and 2 different depths: 540 and 640 mm (absolute body depths of 480 and 580 mm)
- All lockers feature attractive, 100 mm-high base in same color as body and 30 mm level adjustment
- Special doors made of 1.5 mm-thick steel, curved to the front, absolutely sturdy and "tamper resistant"
- + Right-opening with sturdy swivel rod hinge
- + Each door features cylinder lock and 2 keys
- + Standard 80° door opening limiter with soft doorstop and wall mounting
- Other lock types such as coin-operated locks and electronic locking systems also available
- + Lockers feature louvers in rear panel and 20 mm wall spacer

640 mm deep:

This extra-spacious variant of the Resisto series with a depth of 640 mm holds even large gym bags comfortably.



With 4 box tiers

Height: 1,950

On 100 mm-high base





8



| | | ٦ |
|--|---|---|
| | • | |

| Boxes |
|--|
| Width |
| Depth |
| Clear opening dimensions per door, HxWxD |
| Description |
| Order no. |
| Price |

| 396 | 396 |
|-----------------|-----------------|
| 540 | 640 |
| | |
| 420 x 320 x 460 | 420 x 320 x 560 |
| With 4 boxes | |
| 8470-172 | 8470-173 |
| 772,- | 849,- |
| | |

| 770 |
|-----------------|
| 640 |
| |
| 420 x 320 x 560 |
| |
| 8470-273 |
| 1.421,- |
| |

Dimensions and design

With 5 box tiers

Height: 1,950

On 100 mm-high base









| | • | 7 |
|---|---|---|
| _ | | |

| Boxes |
|--|
| Width |
| Depth |
| Clear opening dimensions per door, HxWxD |
| Description |
| Order no |

Price

| 5 | 5 |
|-----------------|-------------|
| 396 | 396 |
| 540 | 640 |
| | - |
| 336 x 320 x 460 | 336×320×560 |
| With 5 boxes | |
| 8570-172 | 8570-173 |
| 815,- | 892,- |

| 770 | 770 |
|-----------------------|-----------------|
| 540 | 640 |
| · | |
| 336 x 320 x 460 | 336 x 320 x 560 |
| With 2 adjacent boxes | |
| 8570-272 | 8570-273 |
| 1.415,- | 1.550,- |
| | |

Body and door color



Order no. 8470-272





| With 3 adiacent boxes | |
|-----------------------|-----------------|
| 420 x 320 x 460 | 420 x 320 x 560 |
| 540 | 640 |
| 1150 | 1150 |
| 12 | 12 |

| With 3 adjacent boxes | |
|-----------------------|----------|
| 8470-372 | 8470-373 |
| 1.822,- | 2.015,- |






| 15 | 15 |
|-------------|-----------------|
| 1150 | 1150 |
| 540 | 640 |
| 336×320×460 | 336 x 320 x 560 |

| ith 3 adjacent boxes |
|----------------------|
| ith 3 adjacent boxes |

| 8570-372 | 8570-373 |
|----------|----------|
| 1.908,- | 2.101,- |



Locks & number plates \rightarrow p. 212





+ Sloping top and upgrades

Selection \rightarrow p. 212



Resisto

Extra-large assembled box lockers.

Dimensions and design

On 100 mm-high base, 1 changing room rail with 3 sliding





2

396





Height: 1,950

| | , | | | | | |
|---|-------|--------|----|-----|-----|--|
| g | hooks | inside | ea | ach | box | |
| | | | | | | |
| | | | | | | |





Clear opening dimensions per door, HxWxD

Description

Order no.

Price

| _ | | |
|-----|--|--|
| 396 | | |
| 540 | | |

640

870 x 320 x 460 870 x 320 x 560

With 2 boxes

8270-172

579,-



770 540

770 640

870 x 320 x 560

870 x 320 x 460

With 2 adjacent boxes

8270-273 1.164,-

Dimensions and design

Combination lockers

On 100 mm-high base



1150

540



1150

640

656,-



1.029,-



640

Height: 1,950

Width

Clear opening dimensions per door, HxWxD

Description

Order no.

Depth

420/870 x 320 x 460 420/870 x 320 x 560 With 2 + 4 + 2 boxes, 1 changing room rail with 3 sliding hooks inside each large box

8070-3722

1.629,-

8070-3732 1.822,-

1150

540

1150


420/870 x 320 x 460

420/870 x 320 x 560

With 4 + 2 + 4 boxes, 1 changing room rail with 3 sliding hooks inside each large box

8070-3723 1.736,-

8070-3733 1.929,-



Combination lockers

On 100 mm-high base







1150

540



Height: 1,950

Width Depth

Clear opening dimensions per door, HxWxD

Description

Order no.

Price

1150

540



1150

640



1150

640

336/870 x 320 x 460

336/870 x 320 x 560

With 2 + 5 + 2 boxes, 1 changing room rail with 3 sliding hooks inside each large box

8070-3720

1.672,-

8070-3730 1.865,-

336/870 x 320 x 460

336/870 x 320 x 560

With 5 + 2 + 5 boxes, 1 changing room rail with 3 sliding hooks inside each large box

8070-3721 1.822,-

8070-3731 2.015,-

Body and door color



| 6 | 6 |
|------|------|
| 1150 | 1150 |
| 540 | 640 |
| | |

| 870 x 320 x 460 | 870 x 320 x 560 |
|-----------------------|-----------------|
| With 3 adjacent boxes | |
| 8270-372 | 8270-373 |



Integrated 80° door opening limiter



Order no. 8270-272 with special equipment (Safe-O-Tronic locks)

Extra-large assembled box lockers

1.543,-

These lockers offer additional box volume — for example as bag lockers at fitness centers, where they hold even large gym bags comfortably, or for large backpacks in school lockers.

1.736,-



Order no. 8070-3733



Order no. 8070-3730 With special equipment (Safe-O-Tronic locks)

Sloping top and accessories

Selection \rightarrow p. 212

Resisto

Accessories and locks.

Sloping top

Approx. 230 mm high in the rear, for retrofitting, prevents objects from being left on top, body depth of 480/580





| For locker width | 396 | 396 | 770 | 770 | 1150 | 1150 |
|------------------|----------|----------|----------|----------|----------|----------|
| For body depth | 480 | 580 | 480 | 580 | 480 | 580 |
| Order no. | 8504-172 | 8504-173 | 8504-272 | 8504-273 | 8504-372 | 8504-373 |
| Price | 95,- | 105,- | 116,- | 120,- | 148,- | 150,- |

Top covers without projection in rear

Flush with body on all sides, for half-height lockers from p. 206. Please specify top decor, see p. 52





| MCPB plate | For locker width | 770 | 770 | 1150 | 1150 |
|------------|------------------|-------------|-------------|-------------|-------------|
| | Top depth | 480 | 580 | 480 | 580 |
| | Thickness: 25 mm | • | • | • | • |
| | & order no. | + 8573-7272 | + 8573-7273 | + 8573-7372 | + 8573-7373 |
| | & addtl. charge | + 0,- | + 0,- | + 0,- | + 0,- |

MCPB = Melamine coated particle board



Cylinder locks and turning bolt latch

Prices per lock Basic design

Cylinder



Up to 6,000 different key numbers

Order no. 8570-70

9,-

Price

Optional

Cylinder lock in black with 2 keys



Via master key system with security certificate*

8570-711

49,-

Via master key system without security certificate

8570-710

11,-

Turning bolt



For padlock

0003-00

Safety turning bolts



For padlock

8500-718

9,-

Keys and wristband for cylinder locks

Spare key for cylinder lock

Spare key

for lock

8570-70

Spare key for master key system



Without security security certificate* certificate* master key system

Master key for

With security certificate*

0011-00

22,-

Without security certificate* Perlon wristband for cylinder keys



Color: 51 black; other colors no addtl. charge, change color no. at end of order no.: 51 black, 52 white, 53 red, 55 blue, 61 green, 67 yellow

Please specify desired numbers!

8501-05**51**

Order no. Price

0006-21 19,-

0010-11 59,-

19,-

0006-00

18,-

0012-00

17,-

Optional accessories and padlocks

For turning bolts and safety turning bolts, bolt size: approx. 6 mm.

Key numbers

Order no. Price

Padlock, brass version, 2 keys

Up to 300

0002-10

11,-



Safety lock made of brass, precision cylinder,

Up to 168,000

0002-11

32,-



BURG number CODElock with hardened steel

With 4-digit combination

00002-14

29,-

Lock no. as per customer request

For cylinder lock (longer delivery time) Addtl. charge per lock

& addtl. chargeOn request



Version

Price

Order no.

Number plates

In lock area, self-adhesive, loose for easy attachment, suitable for cylinder locks only

Stainless steel

4901-0601

23,-

Please specify numbers

With integrated door protection, 123 x 39 x 1.0 mm

Plastic

4902-0601

10,-

Without integrated door protection, 68 x 39 x 1.0 mm

Plastic

8,-

4902-0611

Stainless steel

4901-0611

19,-

Stainless steel number plate self-adhesive. 30 x 50 x 1.0 mm



Stainless steel

8501-06

21,-







Additional door protection/ number plate





Modern locker locking systems from GANTNER

The requirements on modern lockers and security compartments are very clear: They have to be easy to manage, straightforward in operation and, above all, secure. Each and every GANTNER solution boasts these features.

The identification—and therefore operation—of GANTNER locks occurs in an intuitive and convenient way using a contactless data carrier (chip) integrated into a card, a wristband, a key ring or a watch. Alternatively, the lockers can be operated with a smartphone app.

Locker locking systems from GANTNER can be perfectly integrated into holistic solutions. Using the same contactless data carrier, a unique customer experience is created throughout the entire system—from the ticketing

web shop to the access solution at the entrance through to the cashless payment solution.

The product portfolio includes centrally powered systems with a power pack operated and managed using locker management software. Alternatively, battery-powered locker locks enabling especially easy retrofitting are available. What they all have in common is easy operation and flexible use for all types of cabinets, lockers, rental & security compartments and for frequently changing users and personally assigned lockers.

GAT NET.Lock

- + Operation with a chip card, key ring or wristband
- Management and control using the eLoxx Suite software (on premise, cloud or embedded)
- + Automatic opening of all lockers
- + Alarm in case of break-in attempts
- + Statistical evaluations easy to create
- Status overview of all lockers on a computer, incl. utilization overview
- + Authorization can be defined for one or more people for each locker
- + Intuitive operation—unique LED status indication
- + Automatic self-calibration and large reader range
- + No maintenance costs
- + Emergency mode in case of loss of service
- + High quality and long service life



Wired GAT NET.Lock locker lock

GAT ECO.Lock

- Locker operated with chip card, key ring or wristband
- + No wiring required
- + Easy retrofitting of existing lockers
- + Intuitive operation
- + Can be integrated into access systems
- + Authorization can be defined for one or more people for each locker
- + Free locker selection or personalized locker assignment
- + High quality and long service life (including the batteries)
- + Clear and unambiguous status indication on the locker
- + Battery-operated and wired locks can be combined
- + Minimal maintenance costs



Battery-operated GAT ECO.Lock locker lock

GAT ECO.Side Lock

- + Low-power technology from GANTNER ensures around 10 years of use before a battery change is necessary
- + Audible and visual alarm functions on the locker
- + Locker aesthetic isn't disrupted thanks to fully internal installation
- + Protected against vandalism (no external parts)
- + Intuitive one-handed operation
- + Easy installation, no wiring—suitable for all locker materials
- + Large variety of operating modes—free locker selection, personal locker or time-limited locker
- + Multiple master keys



Battery-operated GAT ECO. locker lock Side lock

GT7 terminal

- + Universal terminal with different apps for different applications
- + Rugged hardware with touch display and integrated RFID reader
- + Flush-mounted and surfacemounted variants available
- + Different interfaces for flexible integration into an overall system
- + Info app: Read the locker number from the data carrier
- + Access app: Available for access control
- G7 Connect service: Cloud-based commissioning and backup (for even greater security)



GT7 terminal with info app

Locking systems:

Examples of many different options.

Electronic PIN code lock 3780

Whether for free locker selection or for permanently assigned security compartments and lockers, the 3780 is the perfect solution whenever the use of keys for locker locking is not desired.

Instead of a key, a 4-digit numerical code ensures secure locking and unlocking of the locker or security compartment. In a nutshell, the Euro-Locks PIN code lock stands out thanks to its:

- + Ease of use
- + Fast installation
- + Compatibility with the most common standard hole patterns for cylinder locks
- + Ease of operation and code setting
- + Immediate readiness for operation
- Emergency opening using master key function in case of battery failure

Should battery replacement be forgotten and the battery die (but the locker compartment needs to be opened), the lock can be opened mechanically with the integrated lock cylinder with a master key, preventing the need for destructive opening.





Available in the colors silver and black



All the advantages at a glance

- + Private, public and technical mode
- + Operated with 2 type AA batteries
- + 4-digit user code
- + 6-digit master code, 6-digit technical code
- + Up to 80,000 tested locking cycles with one set of batteries
- + Battery status warning via LED
- + Master key (optional)
- + Audible signal (switchable)
- + Function display via LED
- + Sturdy die-cast zinc housing and handle

lote:

If you are buying locks at a later stage, we always need you to provide the original order and the locker type.

Mechanical combination lock WF 1401 and 1402



The mechanical WF combination locks are characterized by easy operation and a rugged and functional design-they're the affordable alternative to electronic PIN locks.

- + Maintenance-free, as they're purely mechanical; 10,000 freely programmable user codes
- Lock cylinders for service key (for resetting and emergency opening)
- ANTI-SPY system: Reading out of personal user codes is no longer possible
- QUICK-RESET function for restoring the factory setting in seconds without the need to go through the complicated code-finding process
- Automatic code scrambling function for even greater security and convenience
- + Model WF 1401 for permanent users: A set code is retained until it's changed
- Model WF 1402 for changing users: The code is automatically cleared each time the lock is opened



Mechanical coin-operated deposit lock 1606

The first coin-operated deposit lock which can be used as a real lever lock with nearly all steel lockers or retrofitted. Its compact size offers considerable space and cost advantages over conventional coin-operated deposit locks when used on smaller compartments.

- + Maintenance-free, as it's purely mechanical
- + Master key-compatible
- + Convenient front operation, self-explanatory design, no instructions required
- + Practical reversible key with pleasant large grip area
- + Lock cylinder with centering as insertion aid, also easy to operate by persons with disabilities
- + Rugged design and compact, round shape means essentially no attackable surface for the use of force or vandalism
- + Theft-proof storage of the coin while locked thanks to two powerful metal claws
- + Available for 1 Euro coins as standard, various other currencies available on request



Electronic PIN code lock 1904



PIN code lock 1904 is a battery-operated, self-contained and standalone lever lock. The electronics offer numerous settable functions and operating modes. Operation and programming are supported by visual and audible signals.

- Flexibly settable for permanent or changing users, freely selectable master and user codes, in-use indication and battery warning
- + AUTO-OPEN TIMER (automatic door opening at a settable point in time) in public mode
- + Lock cylinder for service key for emergency opening and more:
- + Operating section, incl. battery, removable without tools using service key without opening the locker doorfor convenient programming and battery changing at any location (practical with low compartments, for example)
- + Battery change possible without losing any codes or settings
- + Depending on the operating mode, up to 100,000 locking cycles with a single commonly available 1.5 V AA alkaline battery


Electronic RFID lock 1905

The RFID lock 1905 is a battery-operated and self-contained system which works only with WF-certified and -initialized transponders (13.56 MHz Mifare Ultralight). This makes it the first choice for use wherever locks and transponders are to harmonize with one another perfectly and flawlessly.

Cards, key rings or wristbands can be used as the transponder.


- + Dimensions, battery access, bolt, service key and mechanical design are identical to PIN code lock 1904
- + Large number of settable functions and operating modes for permanent and changing users (private/public)
- + AUTO-OPEN TIMER (automatic door opening at a settable point in time) in public mode
- + Read/write system where information can also be transferred from the lock to the transponder
- + Easy programming using accompanying transponder with NFC-compatible smartphone and free app





- + In private mode, up to 8 transponders can be taught in and withdrawn again per lock
- + Information such as locker and compartment numbers can be read out by authorized persons if necessary
- + Depending on the operating mode, up to 80,000 locking cycles with a single commonly available 1.5 V AA alkaline battery







Combined RFID and PIN code lock SAFE-O-TRONIC® access LS

SAFE-O-TRONIC® access replaces the conventional cylinder lever locks with electronic locking convenience. This finally makes cumbersome key management a thing of the past. PIN code and RFID technologies are combined in a unique way.



Keyless with a PIN code

The personal PIN code can be conveniently entered through a light touch of the key pad. Programming the locking system with master codes is also possible using an RFID card to save time.



Contactless with an RFID card

For use with RFID data carriers (e.g. card, wristband or key ring)—just hold the data carrier in front of the reader. All RFID technologies as per ISO 14443 A (e.g. MIFARE®) are available.





SAFE-O-TRONIC® access LS 101 PIN code lock



SAFE-O-TRONIC® access LS 200 PIN code lock with RFID programming and RFID master function



SAFE-O-TRONIC® access LS 300 RFID lock



SAFE-O-TRONIC® access LS 400 combined RFID and PIN code lock

All the advantages at a glance:

+ Easily adapt standards

Locker doors prepared for the usual standard lever cylinder can very easily be outfitted or retrofitted with SAFE-O-TRONIC® access. This saves both time and money at the time of installation.

+ Flexible management

Different user groups can be organized extremely easily with a PIN code (e.g. daily visitors) or RFID chip card (e.g. club members, and personnel).

+ Convenient operation

A light touch of the keypad (capacitive technology) is all that's required to enter a personal PIN code. RFID data carriers are simply held in front of the reader for identification. The keyboard won't wear down and facilitates use in wet rooms like swimming pools and sauna areas.

+ Locker capacity optimization

Large variety of functions for protection against compartment reservation optimize your locker capacity. Among other things, this allows you to program your lockers in a way that locks or unlocks them automatically at a predetermined point in time (e.g. automatic nighttime opening).

+ Controlled opening

Should it be necessary for the personnel to open a locker, master locking which only allows opening—and not uncontrolled re-closing—is available in addition to conventional master locking. This way, you increase security for your visitors and protect your personnel from false suspicion.

Organize offline locking systems online The card-based network SAFE-O-TRONIC® CyberNet offers online convenience for offline locking systems.

+ Time-saving programming

Your locking system can be programmed in a flash thanks to SystemKeys.

+ Convenient monitoring options

For monitoring purposes, all locking processes can be logged, printed, analyzed and verified beyond a doubt.

+ Universal applications

The slim SAFE-O-TRONIC® access LS designer lock is suitable for locker doors on the left and right as well as doors in special shapes.

+ Custom design

From locker numbering to logos, SAFE-O-TRONIC® access makes your custom design ideas a reality.

Coin-operated locks

C+P offers locking systems of the SAFE-O-MAT brand for its assembled box and changing room lockers. Lockers with these locking systems are suitable for use at public facilities and institutions such as swimming pools, sports facilities, schools, universities, fitness and recreation centers as well as at shopping malls, trade shows, libraries and hospitals. SAFE-O-MAT systems are available in different

variants:

The 2-coin slot models are available as both a deposit lock and as a combined deposit/token-operated lock.

- + The twin-coin deposit lock enables the user to choose between two different coins for use in the coin slot. This prevents operators and users alike from having to change coins.
- + With the twin-coin multi-use combined deposit/token-operated lock, a visitor can insert a deposit coin which is returned to them after using the locker, in addition to a coin paid as a fee. This enables the visitor to come back and use "their" compartment as often as they'd like, free of charge. The inserted deposit coin also protects against kev theft.
- + The deposit/token-operated lock is also optionally available for other coin combinations.

Functioning of the locking systems

Prior to use, the key is firmly lodged in the lock and the locker door is open.

After the required coin(s) or token is/are inserted, the door can be closed and the key removed. Clothing and valuables are securely stored. The user holds on to the kev. As soon as the user re-opens the locker, the coin/token drops into the collecting tray. The key is again firmly lodged in the lock, making the locker available for the next visitor right away.

Practical key logistics

Key wristband sets and identical numbering on the locker and wristband (available upgrades) ensure practical use. Thanks to keys with clip-in number plates, the locking system can be organized very easily and conveniently. The number plates can be clipped into the key head by the operator themselves at any time-in seconds and without any tools. This eliminates the need for elaborate stamping and fastening. At the same time, it ensures greater flexibility and saves time when numbering and allocating the user keys. The fully laser-marked number plates can be stored on site in sets of 50.



Twin-coin deposit lock

Additional security

The SAFE-O-MAT locking system has an exchangeable cylinder system as standard. By means of an emergency opening key, it allows for emergency openings (if keys are lost) through controllable cylinder replacement. Visitors who have lost their key can receive help immediately. The lost key doesn't pose a threat to security, as the replaced lock cylinder ensures that the key no longer fits the lock.

Special benefit of this solution: Quick cylinder replacement after any key loss means there's no need to buy several spare keys for every lock. This also eliminates any associated security risk. One or two replacement cylinders are all you need! In addition, there are no risks associated with the traditional master key system where the loss of the master key can jeopardize the security of the entire locking system.

However, a conventional master key can be provided on request in order to, for instance, take the deposit coin as a "fine" for the unauthorized reservation of a compartment. Let us help you with your individual needs.

The advantages of coin-operated locks at a glance:

- + Lower operating costs No need for staff members to give out and take back keys.
- + Protection against key loss The locker key is held in the lock until the locker is in use. Even after the locker is opened, the key is automatically lodged in position and cannot be removed accidentally.
- Time savings for the user No long wait for keys to be issued.
- + Better utilization of locker capacity The locker can be used by different visitors several times a day.



Twin-coin multi-use token-operated lock

Key head and wristband versions

As standard, SAFE-O-MAT locks are supplied with a standard key head. Wristband set 1, which is also standard, also fits this, where the wristband is inserted crosswise through the key:



On request, the ball holder key head and matching wristband set 1 can also be provided. This features a key protection pouch in which the key can be held parallel to the wristband.



The ball ring key head is also available on request. This is not suitable for wristbands, but only for number tags with a key ring.



Prior to ordering, please choose the variant you need, as different versions cannot be retrofitted!

Benches and benches with coat rack Sturdy and flexible in use.





Stackable benches, series 855

The stackable benches

- + Sturdy round tube steel frame construction with high-quality enamel coating
- Seat section made of solid beech wood slats coated with clear varnish
- + Benches can be stacked
- + Plastic floor gliders
- + Delivered fully assembled


BASIC benches and benches with coat rack

The tried and tested benches with wood and plastic slats

- + Sturdy steel square tube construction with high-quality enamel coating
- + Seats, backrests and hook rails made of rounded hardwood slats, with clear varnish
- + Alternative plastic bench slats with steel core
- + Adjustable floor gliders for easy level adjustment (10 mm)
- + Hook rails with plastic double clothes hooks, concealed according to DIN 7917
- + Delivered preassembled for immediate use
- + Optional shoe rack, can also be retrofitted








The wet room benches with HPL seats

- Sturdy square profile structure made of steel
- Frames and shoe racks electrolytically zinc plated as standard and with high-quality enamel coating
- Seats, backrests and hook rails made of solid-core top (HPL, 13 mm thick) with decor surface
- Adjustable floor gliders for easy level adjustment (10 mm)
- Hook rails with plastic double clothes hooks, concealed according to DIN 7917
- Delivered preassembled for immediate use
- Optional shoe rack, can also be retrofitted







wardrobes → p. 234

Series 855 stackable benches



Features of stackable benches of the 855 series:

- Sturdy construction
- Feet made of 25 mm round tube steel frame, powder coated in RAL 7021 black gray
- Seat section made of three 80 x 20 mm solid beech wood slats coated with clear varnish
- Seat depth: 300 mm, seat height: 460 mm
- Benches can be stacked
- Black abrasion-resistant plastic floor gliders
- Delivered fully assembled

| Dimensions | and design | | T | |
|---------------------------|------------|----------|----------|----------|
| Height: 460 Depth: 460 | Width | 1200 | 1600 | 2000 |
| | Order no. | 8550-000 | 8551-000 | 8552-000 |
| | Price | 146,- | 176,- | 206,- |



Basic benches and benches with coat rack

Features of BASIC benches and benches with coat rack:

- + Sturdy steel square tube construction, 30 x 30 mm, with high-quality enamel coating
- Seats, backrests and hook rails made of beech hardwood slats rounded and planed on all sides, 60x25 mm profile, coated with clear varnish, with natural color differences
- + Alternative plastic bench slats with steel core available for all models at no additional charge
- + Adjustable floor gliders for easy level adjustment (10 mm)
- + Hook rails with plastic double clothes hooks, concealed according to DIN 7917
- + Delivered preassembled for immediate use
- + Optional shoe rack, can also be retrofitted
- + Standard frame color black gray RAL 7021



Order no. 8052-000



Dimensions and design

| Free-standing benc | _ |
|--------------------|---|

Frame in black gray RAL 7021 (standard)

1000

242,-

8050-000

4

1500 1960 4 6 8051-000 8052-000 315,- 411,-

Without shoe rack

Height: 420

Depth: 353

shoe rack

Feet
Order no.
Price

Width

Order no.

8050-010 293,-8051-010 380,-

1-010 8052-010 ,- 497,-



Accessories



Order no. 8078-2101

Wall-mounted wardrobe

Hook rail for wall mounting with plastic double hooks, incl. 20 mm wall spacer

Width Double hooks Depth Order no.

Price

| 996 |
|-----------|
| 4 |
| 68 |
| 8078-2101 |
| 91,- |



| 1496 |
|-----------|
| 6 |
| 68 |
| 8078-2111 |
| 118,- |



Comfort coat hooks

Additional functions

- + Combined hat and double coat hook
- + Customizable number plate (with individual motifs, numbering etc.)
- + Coat hook bent backward (concealed according to DIN 7917)

Featuring a modern design, made of high-quality plastic.




Shoe racks

With 5 crossbars made of square profile, one-sided. For retroactive mounting in benches without shoe racks (double-sided benches require a shoe rack on each side).

| Width | 1000 | 1500 | 1960 |
|---------------|-----------|-----------|-----------|
| Order no. | 8050-7100 | 8051-7100 | 8052-7100 |
| Addtl. charge | 51,- | 65,- | 86,- |





| | Light gray | White Black gray | | | |
|-----------------|-------------|------------------|-------------|--|--|
| & order no. | + 8000-7035 | + 8000-9010 | + 8000-7021 | | |
| & addtl. charge | + 0,- | + 0,- | + 0,- | | |

Basic one-sided and double-sided benches

with coat rack



Dimensions and design

One-sided bench with coat rack

Frame in black gray RAL 7021 (standard)

| A A A A | |
|---------|--|
| | |





1960

403

822,-

| Height: 1,710 | |
|------------------|--|
| Seat height: 420 | |

| Nidth |
|-------|
| Depth |
| eet |

Order no.

Price

| | | l | | | |
|-----|--|---|--|--|--|
| 000 | | | | | |
| .03 | | | | | |

4(4 4

8050-100 484,-

| * | Л | A | A | A | = |
|---|---|---|---|---|---|
| | | | | | = |

Double hooks

| 150 | 00 | | |
|-----|--------|--|--|
| 40 | 3 | | |
| 4 | | | |
| 6 | | | |
| 80 | 51-100 | | |

8 8052-100



shoe rack

Order no.

Price

8050-110 534,-

8051-110 695,-


8052-110 908,-




Comfort coat hooks with exchangeable individual label



Floor gliders with 10 mm level adjustment





Frame in black RAL 7021 (star

| bench | |
|--------|--|
| k | |
| k gray | |
| ndard) | |







| Width | |
|-------|--|
| Depth | |
| F | |

Feet Double hooks

Order no.

Price

| 1000 |
|------|
| 756 |
| 2x4 |
| 2×4 |
| |

774,-

| 756 |
|----------|
| 2 x 4 |
| 2 x 4 |
| 8050-200 |
| |

| 1500 |
|----------|
| 756 |
| 2 x 4 |
| 2x6 |
| 8051-200 |
| 1.006,- |

| I | 1 |
|----------|---|
| | |
| 1960 | |
| 756 | |
| 2x6 | |
| 2x8 | |
| 8052-200 | |
| 1.316,- | |

8052-210 1.487,-



Order no. 8050-200 & plastic bench slats 8000-7021

Order no.

Price

8050-210 875,-

8051-210 1.137,-

Comfort benches and benches

with coat rack


Features of COMFORT wet room benches with HPL seats:


- + Sturdy square profile construction, 30 x 30 mm, made of steel
- Frames and shoe racks electrolytically zinc plated as standard and with high-quality enamel coating
- Seats, backrests and hook rails made of solid-core top (HPL, 13 mm thick) with decor surface
- + Adjustable floor gliders for easy level adjustment (10 mm)
- + Hook rails with plastic double clothes hooks, concealed according to DIN 7917
- + Delivered preassembled for immediate use
- + Optional shoe rack, can also be retrofitted
- + Standard frame color: black gray RAL 7021



Dimensions and design

| Free-standing bench Frame in black gray R | n RAL 7021 (standard) | | | |
|--|--------------------------|----------|----------|----------|
| Height: 401 | Width | 1000 | 1500 | 1960 |
| Depth: 353 Seat height: 401 | Feet | 4 | 4 | 6 |
| | Order no. | 8060-000 | 8061-000 | 8062-000 |
| Without shoe rack | Price | 363,- | 472,- | 617,- |
| and and | Order no. | 8060-010 | 8061-010 | 8062-010 |
| With shoe rack | Price | 439,- | 570,- | 745,- |
| Free-standing bench with backrest | n | | | |
| Height: 796 | Width | 1000 | 1500 | 1960 |
| Depth: 407 Seat height: 401 | Feet | 4 | 4 | 6 |
| | Order no. | 8060-300 | 8061-300 | 8062-300 |
| Without shoe rack | Price | 581,- | 755,- | 987,- |
| | Order no. | 8060-310 | 8061-310 | 8062-310 |
| With shoe rack | Price | 656,- | 853,- | 1.115,- |











Order no. 8060-210

Dimensions and design

One-sided bench with coat rack

Frame in black gray RAL 7021 (standard)

Height: 1,710 Depth: 407 Seat height: 401



Width

Double hooks

Feet

Order no. Price

1000 4 8060-100 726,-

8060-110

1500 4 8061-100 943,-



1960 6 8062-100 1.233,-



Order no. Price

801,-

1.042,-

8061-110



8062-110

Double-sided bench with coat rack Frame in black gray RAL 7021 (standard)

Height: 1,710 Depth: 760 Seat height: 401

Without shoe rack

Width Feet

Order no. Price

Double hooks

1000 2 x 4 2 x 4 8060-200

1.161,-

1500 2 x 4 2x6 8061-200 1.509,-

| 1960 |
|----------|
| 2x6 |
| 2x8 |
| 8062-200 |
| 1.973,- |



Order no. Price

8060-210 1.312,-

8061-210 1.705,-

8062-210 2.230,-

Accessories & decors



Order no. 8078-4101

Wall-mounted wardrobe

Hook rail for wall mounting with plastic double hooks, incl. 20 mm wall spacer





| Width | 996 | 1496 |
|--------------|-----------|-----------|
| Depth | 68 | 68 |
| Double hooks | 4 | 6 |
| Order no. | 8078-4101 | 8078-4111 |
| Unit price | 136,- | 177,- |



Comfort coat hooks

- + Combined hat and double coat hook
- + Customizable number plate (with individual motifs, numbering etc.)
- + Coat hook bent backward (concealed according to DIN 7917)



Shoe racks

With 5 crossbars made of square profile, for retroactive mounting in benches without a shoe rack electrolytically zinc plated and with enamel coating, RAL 7021 black gray

| Width | 1000 | 1500 | 1960 |
|-----------|-----------|-----------|-----------|
| Order no. | 8060-7100 | 8061-7100 | 8062-7100 |
| Price | 82 - | 104 - | 138 - |



Seats, backrests and hook rails made of high-pressure laminate/HPL, 13 mm thick, with decor surface



Floor gliders with 10 mm level adjustment



Something for everyone Open wardrobe systems.



Wall-mounted and free-standing wardrobes

The useful helpers for the lobby

- + Sturdy steel and aluminum construction
- + Functional and adaptable design
- + Intermediate sizes in 100 mm increments also possible
- + Free-standing wardrobes optionally available with casters for mobile use (on request)
- + Optional double numbering for use as a "theater wardrobe"
- + Two umbrella stand variants
- + Delivered disassembled with easy assembly instructions





Open wardrobes and assembled box lockers

The classic office wardrobe designed for continuous connection

- + Sturdy steel construction with high-quality enamel coating
- + 2 box widths (wide version suitable for motorcycle helmets)
- Flexible continuous system comprising assembled box lockers, intermediate parts and end panels, expandable at any time
- + 90° door opening limiter as standard
- + Coat hangers feature special mounting (discourages theft)
- + Double-walled doors with cylinder lock and 2 keys



Wall-mounted and free-standing wardrobes

Features of wall-mounted and free standing wardrobes:

Wall-mounted wardrobes A and B:

- + Cross profile and hook rail made of silver-colored anodized aluminum
- Model B side profiles made of steel, silver-metallic coated (textured paint)

Wall-mounted and free-standing wardrobes C through G:


- All silver-colored profiles made of anodized aluminum
- All dark profiles and frames made of steel, coated dark gray (textured paint)
- All clothes hooks and coat hangers made of plastic, dark gray
- Delivered disassembled with easy assembly instructions
- Wall-mounted wardrobes C and D sized 400 mm to 3,000 mm wide available in 100 mm increments-just ask us!



Dimensions and version

Wall-mounted wardrobes


| Height |
|------------------------|
| Width |
| Depth |
| Number of hooks |
| Number of coat hangers |
| Order no. |
| Price |



| · LTTTTTTTT |
|--------------|
| B |
| 160 |
| 1000 |
| 330 |
| 19 |
| - |
| 99004-000063 |
| 492,- |

| r | 3333333 |
|---|---------|
| | |

| © |
|--------------|
| 160 |
| 1000 |
| 150 |
| 10 |
| - |
| 99004-000039 |
| 239 - |




99004-000012

719,-



Replacement coat hangers for wardrobes D and G, made of dark gray plastic,



Order no. Price

99004-000060



For all free-standing wardrobes with hooks, consisting of self-adhesive number plates and matching wardrobe tag, both black plastic with white numbering (please specify).

Plastic number plate

29 x 24 mm, self-adhesive, numbers 1 through 999 possible


99004-000061 Order no. Price 7,-

Plastic issue number

65 x 32 mm, can have same number as number plate

| Order no. | 99004-000062 |
|-----------|--------------|
| Price | 8,50 |





Umbrella stands with drip pan

Height

Width

Depth

Order no.

Price

Silver-colored profiles made of anodized aluminum, dark profiles made of steel, coated dark gray (textured paint). Drip pan coated with rubber.





| Height: 530 | Width | 700 | 1000 |
|-------------|-------------|-----------------|-----------------|
| Depth: 220 | Description | For 5 umbrellas | For 7 umbrellas |
| | Order no. | 99004-000004 | 99004-000005 |
| | Price | 454,- | 489,- |

8070 series

Open wardrobes.





90° door opening limiter





Order no. 80700-00



Order no. 80710-00

Dimensions and versions

Width

Description





Height: 1,950 Depth: 480

no. 80700-10, 1 top shelf, 1 hat rack with 5 coat hangers, 1 shoe rack, 1 end side panel

For no. of persons

Clear opening dimensions per box HxWxD

Order no.

Price

740

1 locker with 5 boxes,

5

345 x 190 x 460

80700-00

680,-

960

1 locker with 5 boxes, no. 82700-10, doublewidth, 1 top shelf, 1 hat rack with 5 coat hangers, 1 shoe rack, 1 end side panel

5

345 x 410 x 460

82700-00

824,-

1430

2 lockers with 5 boxes each, no. 80700-10, 1 top shelf, 1 hat rack with 10 coat hangers,

10

345 x 190 x 460

1 shoe rack

80710-00

1.189,-

1870

2 lockers with 5 boxes each, no. 82700-10, double-width, 1 top shelf,

1 hat rack with 10 coat hangers, 1 shoe rack

10

345 x 410 x 460

82710-00

1.476,-

(
ightarrow Body and door color

Features of the 8070 series:

- + Sturdy steel construction with high-quality enamel coating
- + Expandable and modifiable continuous system
- + Double-walled hinged doors
- + All doors with 90° door opening limiter
- + Cylinder lock with 2 keys
- + Two box sizes
- + Lockers prepared for intermediate parts on left and right
- + Coat hangers feature special mounting (discourages theft)
- + Hat rack and shoe rack made of square tube, coated in black gray, base in body color
- + The wardrobes are delivered disassembled with easy assembly instructions
- + Asymmetrical wardrobes can also be assembled mirrored







Order no. 80730-20





2 end panels, no. 8074-00, 1 top shelf,

1 hat rack with 10 coat hangers, 1 shoe rack,

1 rear panel, no. 8071-02

10

8071-03 607,- 1410

1 locker with 10 boxes, no. 80700-20, 1 top shelf, 1 hat rack with

1 hat rack with 10 coat hangers, 1 shoe rack, 1 end side panel

10

345 x 190 x 460

80720-00 1.063,-

2100

1 locker with 10 boxes, no. 80700-20, 1 locker with 5 boxes, no. 80700-10 1 top shelf,

1 hat rack with 15 coat hangers, 1 shoe rack

15

345 x 190 x 460

80730-00

1.572,-

2840

2 lockers with 5 boxes each, no. 80700-10, 1 locker with 10 boxes, no. 80700-20, 2 top shelves,

2 hat racks with 10 coat hangers each, 2 shoe racks

20

345 x 190 x 460

80730-20

2.065,-

Accessories for open wardrobe systems

Intermediate parts

| Width | 500 | 950 | 1400 |
|-----------|---|--|--|
| Depth | 480 | 480 | 480 |
| | 1 top shelf, 1 hat rack with 5 coat hangers, 1 shoe rack for no. 80700-00 and 82700-00 | 1 top shelf, 1 hat rack with 10 coat hangers, 1 shoe rack for no. 80710, 80720, 8270-00 and 80730-20 | 1 top shelf, 1 hat rack with 15 coat hangers, 1 shoe rack for no. 80730-00 |
| Order no. | 8070-01 | 8071-01 | 8073-01 |
| Price | 210,- | 285,- | 355,- |



Height: 1,950



8070-02




8071-02 140,-



8073-02 175,-

Side end panel

Height: 1,950 mm Depth: 480 mm





Door reduced in size

For letter drop for 80700/82700 series (addtl. charge per door/longer delivery time possible)

| Order no. | 8000-25 |
|-----------|---------|
| Price | 29 - |



Double coat hooks for ease of use, with integrated mounting for coat hangers

Coat hangers



Standard Hardwood in black paint finish (with special mounting)

Order no. 8000-061 Price



Stainless steel (with conventional mounting)

8000-063 15,-

8070 series

Assembled box lockers.




Order no. 80700-40



Order no. 82700-20

| Dimension | ns and design | • | · · · · · · · · · · · · · · · · · · · | • | • • • • • • • • • • • • • • • • • • • | | · · · · · · · · · · · · · · · · · · · |
|---------------|--|------------------|--|--|--|--|---|
| Height: 1,950 | Width | 240 | 460 | 680 | 900 | 460 | 900 |
| Depth: 480 | Description | With 5 box tiers | With 5 box tiers and 2 adjacent boxes = 10 boxes | With 5 box tiers and 3 adjacent boxes = 15 boxes | With 5 box tiers and 4 adjacent boxes = 20 boxes | With 5 box tiers (double- width) | With 5 box tiers and 2 adjacent boxes (double-width) = 10 boxes |
| | Clear opening dimensions per box HxWxD | 345 x 190 x 460 | 345 x 190 x 460 | 345 x 190 x 460 | 345 x 190 x 460 | 345 x 410 x 460 | 345×410×460 |
| • | Order no. | 80700-10 | 80700-20 | 80700-30 | 80700-40 | 82700-10 | 82700-20 |
| | Price | 479,- | 832,- | 1.121,- | 1.436,- | 623,- | 1.081,- |




8070 series

Accessories for assembled box lockers.

Cylinder locks and turning bolt latch

| Prices per lock | Basic version | Optional | | | |
|--------------------|---|--------------------------------------|---|--|-------------|
| | Cylinder lock | Cylinder lock in black | Turning bolt latch | | |
| | | | O HS | HS HS | 40 |
| | Up to 1,000 different key numbers | Up to 6,000 different key numbers | Via master key system with security certificate | Via master key system without security certificate | For padlock |
| Order no. | 8077-30 | 8077-300 | 8000-01 | 8000-001 | 0003-00 |
| Price | 9,- | 11,- | 49,- | 11,- | 7,- |

Keys and wristband for cylinder locks



*Considerably longer delivery time, brass key





Padlocks

Order no.

Price

For turning bolt latch, bolt size: approx. 6 mm



Brass version, 2 keys, up to 300 different key numbers

0002-10

11,-



Brand name lock, brass version with precision pin cylinder, 2 keys, up to 168,000 different key numbers

0002-11

32,-



BURG number CODE lock with hardened steel shackle, with 4-digit combination

00002-14

29,-



Number plates

Please specify numbers



Number plates in lock area, self-adhesive, loose for easy attachment, suitable for cylinder locks only

Stainlass staal

Stainless steel number plate, self-adhesive, 30 x 50 x 1.0 mm

Stainless steel

8501-06 21,-

| Version | |
|-----------|--|
| Order no. | |
| Price | |

| With integrated door protection, 123 x 39 x 1.0 mm | | | | |
|--|-----------------|--|--|--|
| Plastic | Stainless steel | | | |
| 4902-0601 | 4901-0601 | | | |
| 10,- | 23,- | | | |
| | | | | |

| 68 x 39 x 1.0 mm | | | | |
|------------------|-----------------|--|--|--|
| Plastic | Stainless steel | | | |
| 4902-0611 | 4901-0611 | | | |
| 8 - | 19 – | | | |

Lock no. as per customer request

Additional charge per lock

For cylinder lock (longer delivery time)

Order no.

...-...99

& addtl. charge On request



(+) Additional door protection/ number plates



Industry-specific and custom solutions







Fire service lockers

The professionals for professionals

- Complete range for all fire service applications—developed in practice, for use in practice
- + Sturdy steel construction with high-quality enamel coating
- All locker bottoms are zinc-plated for optimum corrosion protection as standard
- Optional folding C+P helmet holder with effective ventilation function, suitable for all common EU helmet manufacturers and sizes without adjustment.
- + Various compartment widths and versions available
- + All lockers can be combined with one another
- Large selection of practiceoriented accessories
- Available floor-standing, wallmounted, with feet or with base

Laundry collection and dispensing lockers

The well thought-out dispensing and collecting lockers

- Sturdy steel construction with high-quality enamel coating
- Dispensing lockers with two different box sizes
- Practical central door for collective loading and individual unloading
- + Either feet or base as sub-frame
- + Collection lockers with integrated swing flap
- + Laundry-bag holder

Laptop lockers

The secure computer garage

- + Sturdy steel construction with high-quality enamel coating
- The solution for secure and space-saving storage of 10 or 20 laptops, notebooks or tablets
- Optionally available with power connection in each box (sockets always installed on left, locker connection cable included)
- + Doors hinged on the right, with sturdy swivel rod hinge
- + One cylinder lock with 2 keys for each door







Loading assembled box lockers

The spacious loading aid with 2 sockets per box

- With boxes for the secure and space-saving storage of batteries and other implements
- + With two power connections in each box (230 V sockets)
- + Sturdy steel construction with high-quality enamel coating
- Doors hinged on the right, with sturdy swivel rod hinge
- + Convenient doorstop silencer for pleasant closing
- + All lockers feature a base
- + Usable box sizes (HxWxD): 375 x 330 x 465

Small-compartment and safe deposit box lockers

The specialist lockers

- + Sturdy steel construction with high-quality enamel coating
- + Safe deposit box lockers with door reduced in size, e.g. for letter drop
- + Small-compartment lockers with two box sizes for easy adaptation to the desired use
- + Attractive locker base in black gray
- One cylinder lock with2 keys for each door

Classic PLUS Compartment width: 250

The space-savers for tight spaces

- + Sturdy steel construction with high-quality enamel coating
- + Single- and double-tier versions
- + Break-in-resistant design as per class B according to DIN 4547-2
- + Compartment width: 250 mm
- Reinforced doors with ventilation gills and stamped-in label holder
- + Safety turning bolt for padlock
- Compartment bottoms can be swept out easily

Available floor-standing, with feet or with base

The professionals for professionals

Developed together with fire service professionals for fire service professionals.


Rescue, extinguish, retrieve and protect: Together with your team, you overcome the biggest challenges day in and day out. This demands 100% professionalism—just like the storage space at your fire station.

We've developed a series of fire service lockers which cover all your individual needs in a very flexible way. From youth firefighters to volunteers to plant firefighters, all the models have one thing in common— they're extremely rugged, highly functional, comply with all the current guidelines and look really good, too. All C+P fire service lockers can easily be combined with one another. Choose from a variety of equipment options and colors—with us, there are no limits to your dream-locker team.

For optimum corrosion protection, all locker bottoms are zinc plated as standard.



To the fire service lockers →





Dirty/clean separation made easy and very flexible

Many fire service stations need to be modernized to guarantee legally required dirty/clean separation and therefore prevent the potential carryover of contamination. This is also one of the key stipulations for new buildings in Part 1 "Planning guidelines" of DIN 14092 "Fire service stations." C+P fire service lockers can easily be combined with one another. Choose from a variety of equipment options and colors—with us, there are no limits to your dream-locker team.





Fire service lockers from C+P ensure that your personal protective equipment (PPE) and your street clothes are always stored well & securely and guarantee quick drying as well. Thanks to the option to combine all the different models, they can be arranged extremely flexibly in such a way that the storage room solution perfectly suits the individual requirements of your fire station and your team of firefighters. And that goes for colors, too. In addition to the classic "fire red," a broad range of other colors are available.





Product features and accessories well thought out in every detail



Folding helmet holder with effective ventilation function, suitable for all common EU helmet manufacturers and sizes without adjustment.



Base level adjustment as standard, optional for feet and floor-standing versions



Special combination lock with code-cover and master key functions for the secure locking of valuable objects and personal items.




For optimal corrosion protection, all locker bottoms and bases are zinc plated as standard, and the locker feet are made of plastic.



High load-capacity double sliding hooks with hanging option for adjustable partitions or hangers with a "hotel pin"



For the secure storage and quick removal of accessories: side hook rail with high load capacity and stainless steel sliding hooks.



Special drying hanger prevents clothing from being creased and accelerates drying thanks to optimal air circulation.



Maximum stability and ruggedness thanks to the use of steel and high-quality processing.



Integrated security compartment for the secure storage of valuable items like wallets and smartphones.

The C+P professional team

Easy to combine.









Maxi

Flexo

Flexo White

Kombi

All fire service lockers are available:



| Advantages | Maxi Flexo Flexo White Kombi | | te Kombi | Praktus | Expert | Youngster | Aperto | | |
|--|--|---|----------|---------|--------|-----------|--------|---|---|
| Space for | 1x complete | • | • | - | • | • | • | • | • |
| work clothing | 2x complete | • | • | - | 0 | 0 | 0 | | 0 |
| Helmet area | In the locker | • | • | | • | - | • | • | - |
| | On the locker | • | • | | • | • | • | • | • |
| Security | Separate small security compartment | • | • | | - | - | | | - |
| compartment/ Combination compartment | Separate large security compartment | - | | | • | • | | | - |
| | Separate combination compartment (for helmet or personal use) | - | - | - | - | - | • | • | - |
| Clean area/ Personal compartment | Individual locker compartment for street clothing and personal items | • | - | • | - | - | - | - | _ |
| | Especially large compartment for street clothing and personal items | - | - | - | • | - | _ | _ | • |

- Ideally suitable/Features present
- O Suitable to some extent
- Not suitable/Features not present



Classic red? Sure, but it doesn't have to be. With fire service lockers from C+P, you not only choose the model and equipment, but the color, too. This way, your fire station not only benefits from order and functionality, but visual variety as well.

Body color









RAL 3000

Fire red

Light gray **RAL 7035**



Front colors







RAL 5012





RAL 2004

Don't see the right configuration for your needs here?

Can't find the color you want? We'd be happy to make it all a reality for you. The C+P team is looking forward to your message:

sales@cp.de

Laundry collecting and dispensing lockers



Laundry bags made of 100% polyester, with 4 hanging loops, packaging unit: 5 pc.



Version

& order no. & addtl. charge White

+ 360,-

+ 48270-7015





Dimensions and design

Width

420









With feet

Locker height: 1,850 Locker depth: 500 Foot height: 150

Doors Clear opening dimensions, HxWxD

Description

5 Per door 269 x 251 x 475

10 Per door 126 x

Laundry dispensing lockers

251x475

Featuring central door with which all vertically arranged

Boxes and central doors with cylinder lock and 2 keys

compartments can be opened at the same time (e.g. for loading).

810 10 Per door 269 x 295 x 475

810 20 Per door 126 x 295 x 475

420

1

Per swing flap 282 x 270 x 475

Steel doors

Order no. Price

48060-105 881,-

48060-110 1.391,-

48060-205 1.391,-

48060-210 1.808,-

Laundry collection lockers One swing flap at the top in the hinged door, hinged door with cylinder lock and 2 keys. Laundry-bag holder inside

48070-210 510,-



Width



Doors dimensions.

Description Order no. Price

420 5 Per door 251x475

10

Per door

295 x 475

48160-205

1.421,-



With base

Locker height: 1,800 Locker depth: 500 Base height: 100

Clear opening HxWxD

See above 48160-105 911,-

10 Per door 126 x 251x475

> 48160-110 1.421,-

810 20 Per door 126 x 295 x 475

48160-210 1.838,-



420 Per swing flap 282 x 270 x 475 See above 48170-210 540,-

(o) Body and door color

Laptop lockers

Features of the laptop lockers:

- The solution for secure and space-saving storage of 10 or 20 laptops, notebooks or tablets
- Optionally available with power connection in each box (sockets always installed on left, locker connection cable included)
- Sturdy steel construction with high-quality enamel coating
- Either with feet or base as sub-frame
- Doors hinged on the right, with sturdy swivel rod hinge
- One cylinder lock with 2 keys for each door
- Convenient doorstop silencer for pleasant closing



Optional electrification in each box for additional charge

Order no. 48010-1210 & 4800-1210 (electrification)



Dimensions and design

Clear opening dimensions per door: 148 x 330 x 478 mm (H x W x D)





With feet

Locker height: 1,850 Locker depth: 500 Foot height: 150

| Width |
|--------------|
| Compartments |
| Boxes |
| Order no. |

Price

| 1 | 420 | |
|-----------|------------|--|
| partments | 1x400 | |
| 3 | 10 | |
| r no. | 48010-1210 | |
| | 997,- | |
| | | |

| 810 |
|------------|
| 2x400 |
| 20 |
| 48010-2210 |
| 1.784,- |



Clear opening dimensions per door: 148 x 330 x 478 mm (H x W x D)





With base

Locker height: 1,800 Locker depth: 500 Base height: 100

Width Compartments Boxes Order no.

Price

420 1x400 10 48020-1210 1.027,-


810 2x400 20 48020-2210 1.815,-



Electrification of all boxes

Per box: 1 grounded 2-pin 230 V plug (for sockets used outside Germany, please specify country code (e.g. FR for France) and inquire about prices)

| & order no. | + 4800-1210 | + 4800-2210 |
|-----------------|-------------|-------------|
| & addtl. charge | + 450,- | + 900,- |



Loading assembled box lockers



Order no. 48020-1204EB



Order no. 48020-220404EB & 8 x 4800-7871 (PIN code locks)

Dimensions and design

With cylinder lock (2 keys) Clear opening dimensions per door: 375 x 330 x 465 (H x W x D)



With base

Locker height: 1,800 Locker depth: 500 Compartments

Locker width

Order no.

Price

1x400

48020-1204EB

1.263,-

2 x 400

48020-220404EB

1.937,-

(+) WF 1904 for master key, black



Number of key numbers

Color

Order no.

Price




999.999

schwarz

4800-7871

120,-

(
ightarrow) Body and door color





STORAGE SPACE
The individual boxes provide enough space for any user. The steel used is smooth and easy to clean.



ELECTRIFICATION Each box has two 230 V outlets which can be used to charge any devices with a conventional power connection.



THEFT PROTECTION
Each box is equipped with a cylinder lock
and two keys as standard. Many other
locking systems are available, e.g. PIN code
lock, mechanical combination lock, safety
turning bolt latch for padlock and lots more.

Small-compartment and safe deposit box lockers



Dimensions and design

Each box has cylinder lock and 2 keys, base in body color





With base Height: 1,950

Width: 460 Depth: 200

Clear opening dimensions, HxWxD Order no.

Price

Boxes

30

98 x 190 x 180 80700-201

1.806,-

20

158 x 190 x 180 80700-203

1.483,-



Each box has cylinder lock and 2 keys





Wall-mounted

Height: 770 Width: 460 Depth: 200

Boxes Clear opening dimensions, HxWxD

Order no. Price

98 x 190 x 180 80700-231 1.032,-

871,-

158 x 190 x 180 80700-233



Each box has cylinder lock and 2 keys





Wall-mounted

Height: 1,130 Width: 460 Depth: 200

Boxes Clear opening dimensions, HxWxD

Order no.

Price

18

98 x 190 x 180

80700-221

1.290,-

12

158 x 190 x 180

80700-223 1.088,-



Order no. 80700-203



Number plates also available as option

All small-compartment lockers (including the base version) are intended for wall mounting due to their depth. Suitable accessories for mounting for the respective wall to be provided by customer.















All safe deposit box lockers with louvers in the rear panel and 10 mm wall spacers (absolute body depth: approx. 480 mm)

Order no. 8170-111

Dimensions and design

Safe deposit box lockers With 1, 2 or 3x11compartments, doors reduced in size (e.g. for letter drop) with plastic label holder and cylinder lock with 2 keys, locker on black gray base



320



620

22



Height: 1,950 Depth: 490



Width Boxes Clear opening dimensions, HxWxD

Order no. Price

11 Closed door: 23x250x460, Open door: 150x230x460

8170-111 1.088,-

8170-211

1.669,-

8170-311 2.225,-

920

33

Classic PLUS compartment width: 250

The space-savers.

Single-tier lockers:

Inside each compartment:

1 non-adjustable storage shelf with sturdy changing room rail below with 3 anti-rotation double sliding hooks

Double-tier lockers:

Inside each box:
1 sturdy changing room rail with
3 anti-rotation double sliding hooks



Order no. 080000-19



Order no. 080000-29

Dimensions and design

Single-tier,

With safety turning bolt Clear opening dimensions per door: 1,749 x 190 x 477 (H x W x D)



259,-



2x250



466,-



Floor-standing

Locker height: 1,850 Locker depth: 500

| | _ | |
|--|---|--|

1x250 250 080000-19

500 080000-29 345,- 3×250 750 080000-39 4 x 250 1000 080000-49 604,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100 Compartments

Locker width

Order no.

Compartments

Locker width

Order no.

Price

Price

1x250 250 080010-19 299,- 2×250 500 080010-29 385,- 3×250 750 080010-39 506,- 4 x 250 1000 080010-49 644,-


With base

Locker height: 1,950 Locker depth: 500 Base height: 100 Compartments
Locker width
Order no.
Price

1x250 250 080020-19 321,- 2×250 500 080020-29 414,- 3×250 750 080020-39 545,- 4×250 1000 080020-49 695,-

Body and door color







Order no. 080310-39



Order no. 080320-39

Double-tier,

With safety turning bolt Clear opening dimensions per door: 854 x 190 x 477 (H x W x D)







Floor-standing

Locker height: 1,850 Locker depth: 500

| 1x250 |
|-----------|
| 250 |
| 080300-19 |
| 307,- |

| 2x250 |
|-----------|
| 500 |
| 080300-29 |
| 441 - |

| 3 x 250 |
|-----------|
| 750 |
| 080300-39 |
| 609,- |
| |

| 4 x 250 |
|-----------|
| 1000 |
| 080300-49 |
| 795,- |

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

| 1x 250 | |
|-----------|--|
| 250 | |
| 080310-19 | |
| 347,- | |

| 500 080310-29 |
|------------------|
| 080310-29 |
| |
| 481,- |

| 3 x 250 |
|-----------|
| 750 |
| 080310-39 |
| 649,- |

| 4×250 |
|-----------|
| 1000 |
| 080310-49 |
| 835,- |

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

| 1x 250 | 0 | |
|--------|-------|--|
| 250 | | |
| 0803 | 20-19 | |
| 369,- | | |

| 2x250 |
|-----------|
| 500 |
| 080320-29 |
| 510,- |
| |

| 3 x 250 |
|-----------|
| 750 |
| 080320-39 |
| 688,- |

| 4x250 |
|-----------|
| 1000 |
| 080320-49 |
| 886,- |

Accessories (optional)









Workshop & factory

Order, safety and the support of functional work processes are important principles for the development of warehouse and workshop furniture.

At C+P, you'll find a product range that offers any solution you can imagine, from storage to workplace configuration.

Practical details, such as the patented Ergo-Lock grip lock in hinged-door cabinets, make your work easier and bring real benefit to your everyday workshop and warehouse routines.

Cabinets, workbenches and shelving



262

Hinged-door cabinets



312

Sliding-door cabinets





326

340

Workbenches, drawer cabinets and mobile computer, measurement and testing stations Shelf systems

Hinged-door cabinets Sturdy and practical.







For tools and equipment

The cost-effective universal cabinets for warehouse and workshop

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves, drawers in light gray
- + **Ergo-Lock** grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- Doors on bolt hinges, approx. 110° opening angle, models with drawer block have doors on external hinges, approx. 180° opening angle
- + Complete product line (different heights, dimension variants and shelf/drawer configurations for any requirement)

With viewing windows

Tool cabinets with a view

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- + **Ergo-Lock** grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- + Doors on external hinges, approx. 180° opening angle
- Steel doors with viewing window made of acrylic glass for direct viewing
- + Complete product line (different heights, dimension variants and shelf/drawer configurations for any requirement)





Loads of up to **700 kg**





Loads of up to **700 kg**

For heavy loads

The strong cabinets for heavy loads

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves, reinforced
- + **Ergo-Lock** grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- + Doors on external hinges, approx. 180° opening angle
- Load capacity per shelf: 110 kg, cabinet load: 700 kg
- + Complete product line (different heights, dimension variants and shelf/drawer configurations for any requirement)

For heavy loads with a viewing window

Hard workers with a view

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- + **Ergo-Lock** grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- + Doors on external hinges, approx. 180° opening angle
- Load capacity per shelf: 110 kg, cabinet load: 700 kg
- Steel doors with viewing window made of acrylic glass for direct viewing
- + Complete product line (different heights, dimension variants and shelf/drawer configurations for any requirement)

The patented Ergo-Lock from C+P



Outstanding operating safety, wear resistance and an attractive appearance characterize the patented "Ergo-Lock" grip lock from C+P. The "simply push shut to close" feature in particular already makes the work of hundreds of thousands of users easier—and soon yours, too!

Features of the Ergo-Lock:

- High-quality appearance current and contemporary
 Fits in with any room and gives your cabinet
 a distinctive look.
- + Patented "simply push shut to close" mechanism
 Neatly close a cabinet, even if your hands
 are full—only from C+P.
- Exchangeable cylinder, subsequent replacement, simultaneous locking—it's all possible!
 Remain open to future change and safeguard the security of your investment.
- Suitable locking systems with PIN code or transponder with the same appearance.
 Use a PIN code or transponder instead of a key with the same design if required for security purposes. As a comp

same design if required for security purposes. As a complete, electronic offline lock, the Ergo-Lock offers full state-of-the-art features.









Whether you use it as a key lock or with PIN codes or transponders, the Ergo-Lock product range offers the right system to suit every requirement.



Opt for security and access control to suit your particular needs:



Mechanical locking system



- + Standard design for all tool hinged-door cabinets (unless specified otherwise)
- + Also easy and convenient to operate with gloves





PIN code lock

- + Motorized locking bolt
- 4 digits
- 4- to 8-digit codes possible
- Optical function feedback (green/red)
- Master key code

- + Usage range: +5 to +40°C
- + Operated with 2 standard AA batteries (alkaline)
- + Batteries last for approx. 30,000 openings or approx. 3 years

Order no. 8900-750 Price 225,-



RFID transponder lock

- + Motorized locking bolt
- Transponder type: MIFARE® **DESFire®**
- Can be integrated into existing access control systems
- USB programming interface
- Optical function feedback (green/red)
- + Easy operation with programmable user and master cards, as well as a service card
- + Management software also available as an option
- + Usage range: +5 to +40°C
- Operated with 2 standard AA batteries (alkaline)
- Batteries last for approx. 30,000 openings or approx. 3 years

| Order no. | 8900-740 |
|-----------|------------|
| Price | On request |

Hinged-door cabinets

for tools and equipment

Features of the tool and equipment cabinets:

- + Sturdy steel construction with high-quality enamel coating
- + Wide range of different dimensions for any application
- Improved operating safety, wear resistance and an attractive ergonomic appearance thanks to the **Ergo-Lock** grip lock (3-bolt latch) in black with 2 keys
- + Doors on bolt hinges, door opening angle of approx. 110°
- + Door reinforcement for high stability
- + Highly flexible interior fittings thanks to adjustability in 15 mm steps
- + High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg), for reinforcement, see p. 279



Order no. 08920-00

| Dimensions With triple-bolt Ergo | | | | | | |
|----------------------------------|-------------------------------|------------------|------------------|------------------|------------------|------------------|
| Height: 1,950 | Width | 500 | 500 | 700 | 700 | 930 |
| | Depth: | 400 | 500 | 400 | 500 | 400 |
| | Interior dimensions, HxWxD | 1840 x 498 x 353 | 1840 x 498 x 453 | 1840 x 698 x 353 | 1840 x 698 x 453 | 1840 x 928 x 353 |
| | Shelves | 4 | 4 | 4 | 4 | 4 |
| | Order no. | 8900-00 | 8901-00 | 8910-00 | 8911-00 | 8920-00 |
| | Price | 408,- | 470,- | 432,- | 498,- | 480,- |

+ Additional shelves

| | Width x depth | 495 x 352 | 495 x 452 | 695 x 352 | 695 x 452 | 925 x 352 |
|-------------|---------------|-----------|-----------|-----------|-----------|-----------|
| Zinc-plated | & order no. | + 8900-80 | + 8901-80 | + 8910-80 | + 8911-80 | + 8920-80 |
| | & unit price | + 21,- | + 22,50 | + 24,50 | + 26,50 | + 28,50 |

Underframes made of square tube, 150 mm high, adjustable level Black gray RAL 7021, other colors on request

| Widthxdepth | - | - | _ | _ | 930×400 |
|--------------|---|---|---|---|-----------|
| & order no. | - | | | | + 9964-00 |
| & unit price | _ | | | | + 129,- |





Ergo-Lock grip lock

Improved operation safety, wear resistance and appearance-to close the door, all you need to do is push the grip lock closed





| | | XXL depth! | | | | XXL |
|-----------------------------------|----------------------------------|-----------------------------------|-----------------------------------|------------------------------------|------------------------------------|----------------------------|
| 930 | 930 | 930 | 1200 | 1200 | 1200 | 1200 |
| 500 | 600 | 800 | 400 | 500 | 600 | 800 |
| 1840 x 928 x 453 | 1840 x 928 x 553 | 1840 x 928 x 753 | 1840 x 1198 x 353 | 1840 x 1198 x 453 | 1840 x 1198 x 553 | 1840 x 1 |
| 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 8921-00 | 8922-00 | 8924-00 | 8930-00 | 8931-00 | 8932-00 | 8934-0 |
| 553,- | 649,- | 971,- | 624,- | 719,- | 844,- | 1.262,- |
| | | | | | | |
| 925 x 452 | 925 x 552 | 925×752 | 1195 x 352 | 1195 x 452 | 1195×552 | 1195 x 7 |
| 925 x 452 + 8921-80 + 30,50 | 925 x 552 + 8922-80 + 32,- | 925 x 752 + 8924-80 + 42,50 | 1195 x 352 + 8930-80 + 36,- | 1195 x 452 + 8931-80 + 38,50 | 1195 x 552 + 8932-80 + 40,50 | 1195 x 7 + 8934 + 54 |

1200 x 400

+ 2027-00

+ 158,-

930 x 800

+ 2032-00

+ 181,-

(+) Accessories (optional)

930 x 600

+ 9994-00

+ 155,-

930 x 500

+ 9984-00

+ 142,-

1200 x 500

+ 2028-00

+ 173,-

1200 x 600

+ 2033-00

+ 189,-

1200 x 800

+ 2034-00

+ 220,-

Workshop shelving units



Order no. 8911-02



Order no. 8920-02


| Dimensions and v | version | | | | | |
|------------------|---------|-----|-----|-----|----------|-----|
| Without doors | Width | 500 | 500 | 700 | 700 | 930 |
| _ | Donth | 400 | | 400 | <u> </u> | 400 |


Height: 1,950

| Width | 500 | 500 | 700 | 700 | 930 |
|----------------------|---------------------|--------------------|---------------------|---------------------|---------------------|
| Depth | 400 | 500 | 400 | 500 | 400 |
| Interior dimensions, | 1840 x 498 x 353 | 1840 x 49 x 453 | 1840 x 698 x 353 | 1840 x 698 x 453 | 1840 x 928 x 353 |
| Shelves | 4 | 4 | 4 | 4 | 4 |
| Order no. | 8900-02 | 8901-02 | 8910-02 | 8911-02 | 8920-02 |
| Price | 321,- | 370,- | 334,- | 386,- | 372,- |

+ Additional shelves

| | Widthxdepth | 495 x 352 | 495 x 452 | 695 x 352 | 695 x 452 | 925 x 352 |
|-------------|--------------|-----------|-----------|-----------|-----------|-----------|
| Zinc-plated | & order no. | + 8900-80 | + 8901-80 | + 8910-80 | + 8911-80 | + 8920-80 |
| | & unit price | + 21,- | + 22,50 | + 24,50 | + 26,50 | + 28,50 |





+ 8930-80

+ 36,-

+ 8921-80

+ 30,50

+ 8922-80

+ 32,-

+ 8924-80

+ 42,50

+ 8931-80

+ 38,50

+ 8932-80

+ 40,50

+ 8934-80

+ 54,-

Hinged-door cabinets for tools and equipment

Dimensions and version

With drawers and shelves, incl. triple-bolt Ergo-Lock grip lock Drawers on sturdy guide slide bearing, load capacity: 25 kg each







Height: 1,950 Depth: 500

Width Interior dimensions, HxWxD Shelves

Description

Clear drawer interior dimensions, HxWxD*

Order no.

Price

930

1840 x 928 x 453

Left and right 2 large drawers each

125 x 367 x 438

8921-3042

986,-

1200

1840 x 1198 x 453

Left and right 2 large drawers each

125 x 502 x 438

8931-3042

1.161,-

930

1840 x 928 x 453

4 small drawers on left, 2 large drawers on right

70/125 x 367 x 438

8921-3041

1.127,-

Additional shelves



For cabinet width Widthxdepth

& order no. & unit price 930

459 x 449

+ 8921-3707

+ 21,50

1200

594 x 449

+ 8931-3707

+ 24,50









+ 294,-



Generally in light gray RAL 7035

For cabinet width

Drawer panel height

& order no.

& price

With 2 large drawers (from model 8921/31-3042)

Approx. 170

+ 8921-3723

+ 203,-

Approx. 170 + 8931-3723

+ 218,-

With 4 small drawers (from model 8921/31-3041)

Approx. 82 + 8921-3722

Approx. 82 + 8931-3722

+ 314,-

| 1200 | 930 | 1200 |
|---|---|---|
| 1840 x 1198 x 453 | 1840 x 928 x 453 | 1840 x 1198 x 453 |
| 6 | 6 | 6 |
| 4 small drawers on left, 2 large drawers on right | 4 small drawers and 4 large drawers on left | 4 small drawers and 4 large drawers on left |
| 70/125×502×438 | 70/125 x 367 x 438 | 70/125×502×438 |
| 8931-3041 | 8921-305 | 8931-305 |
| 1.302,- | 1.258,- | 1.433,- |




Order no. 8921-3041



Order no. 8921-3716



Order no. 8921-700



For cabinet width

& order no.

& price

Depth

& order no. & unit price



Plastic boxes for small parts, approx. 54 mm high



+ 8921-3713

+ 109,-



1200

+ 8931-3713

+ 131,-



Zinc-plated separators, approx. 68 mm high


930

+ 8921-3716

+ 62,-

+ 8931-3716 + 78,-

1200



For cabinet width



930 500

+ 8921-700

+ 40,-



1200

500 + 8931-700 + 48,-

(+) Accessories (optional)



Hinged-door cabinets

for tools and equipment

Dimensions and version

With security compartments, drawers and shelves, incl. triple-bolt **Ergo-Lock** grip lock Drawers on sturdy guide slide bearing, load capacity: 25 kg each







With hinged doors

Height: 1,950 Depth: 500

| Wi | dth |
|----|-----|
|----|-----|

Interior dimensions, HxWxD

Security compartment dimensions, HxWxD Clear drawer interior dimensions, HxWxD*

Shelves

Description

Order no.

Price

1840 x 928 x 453

1 security compartment with cylinder lock, 8 large drawers on left

400 x 376 x 460

125 x 367 x 438 8921-306

1.379,-

1840 x 1198 x 453

1 security compartment with cylinder lock, 8 large drawers on left

400 x 511 x 460

125 x 502 x 438

8931-306 1.545,-

1840 x 928 x 453

1 security compartment with cylinder lock. 16 small drawers on left

400 x 376 x 460

70 x 367 x 438

8921-301

1.561,-

Additional shelves



For cabinet width

Width x depth

& order no.

& unit price

930

459 x 449

+ 8921-3707

+ 21,50

1200

594 x 449

+ 8931-3707

+ 24,50











Generally in light gray RAL 7035

For cabinet width Drawer panel height

& order no.

& price

With 2 large drawers (from model 8921/31-3042)

Approx. 170

+ 8921-3723

Approx. 170

+ 8931-3723

+ 218,-

With 4 small drawers (from model 8921/31-3041)

Approx. 82

+ 8921-3722

Approx. 82 + 8931-3722

+ 314,-



Order no. 8921-3713

Drawer tidies

For cabinet width

& order no. & price



+ 203,-

approx. 54 mm high 930

+ 8921-3713 + 109,-



Plastic boxes for small parts,

+ 8931-3713

1200

+ 131,-



+ 294,-




Zinc-plated separators, approx. 68 mm high

930 + 8921-3716

+ 62,-


1200 + 8931-3716 + 78,-

^{*}Panel height: 82 or 170 mm





Order no. 8921-700



For cabinet width

Depth

& order no.

& unit price





500 + 8921-700

+ 40,-



1200 500

> + 8931-700 + 48,-



Order no. 8921-3042

Ergo-Lock

Ergo-Lock with master key system Master with key for this

Ergo-Lock Ergo-Lock with lock no. simultaneous upon request locking (longer

delivery times) ...-...99

0004-11

Single/ spare key for master key

compartment system 0005-10 0006-50

Keys and locks for tool and equipment cabinets (for PIN and RFID locks, see p. 265)



Order no. Price

8900-721 22,-

8900-723 25,-

8900-7131 18,-

8900-7211 25,-

On request

19,-

Single/

spare

key

19,-

19,-

Single/

key for security

spare

Top, hanging and occasional cabinets



Dimensions and version

| Top cabinet with triple-bolt Ergo-Lock |
|---|
| grip lock, incl. accessories for mounting |
| to underbench cabinet |
| |

Height: 500

| ch cabinet | s for mounting | | | | | | |
|------------|----------------------|--------------------|--------------------|-----------------|---------------------|---------------------|---------------------|
| | Width | 930 | 930 | 930 | 1200 | 1200 | 1200 |
| | Depth | 400 | 500 | 600 | 400 | 500 | 600 |
| | Interior dimensions, | 440 x 928 x 353 | 440 x 928 x 453 | 440×928 ×553 | 440 x 1198 x 353 | 440 x 1198 x 453 | 440 x 1198 x 553 |
| | Shelves | _ | _ | | _ | _ | |
| | Order no. | 9264-000 | 9284-000 | 9294-000 | 9464-000 | 9484-000 | 9494-000 |
| | Price | 323,- | 371,- | 436,- | 403,- | 464,- | 544,- |
| | | | | | | | |
| | Width | 930 | 930 | 930 | 1200 | 1200 | 1200 |
| | Depth | 400 | 500 | 600 | 400 | 500 | 600 |

| Height: 790 | Width |
|-------------|---------------------|
| | Depth |
| | Interior dimesions, |
| | Shelves |
| | Order no. |
| | |

| /idth | 930 |
|---------------------------|--------------------|
| epth | 400 |
| terior dimesions, x W x D | 730 x 928 x 353 |
| helves | 1 |
| order no. | 9265-009 |
| rice | 397,- |
| | |

| | 930 |
|-----|-----------|
| | 500 |
| 28 | 730 x 453 |
| _ | 1 |
| 009 | 9285 |
| | 157- |

| | 930 |
|------------|--------------------|
| | 600 |
| x 928 3 | 730 x 928 x 553 |
| | 1 |
| 5-009 | 9295-009 |
| ,- | 539,- |
| | |

| 1200 |
|---------------------|
| 400 |
| 730 x 1198 x 353 |
| 1 |
| 9465-009 |
| 496,- |
| |

| 1200 |
|---------------------|
| 500 |
| 730 x 1198 x 453 |
| 1 |
| 9485-009 |
| 571,- |

| 1200 |
|---------------------|
| 600 |
| 730 x 1198 x 553 |
| 1 |
| 9495-009 |

673,-

Wall mount

Customer must provide wall mount for top cabinets.

Hanging cabinet/Hanging shelf

For example for hanging above the workbench, cabinet with doors on bolt hinges and triple-bolt **Ergo-Lock** grip lock, shelving without doors





| Height: 830 |
|-------------|
| Width: 700 |
| Depth: 300 |
| |

| Version |
|----------------------------|
| Interior dimensions, HxWxD |
| Shelves |
| Order no. |
| Price |

| Cabinet | |
|-----------------|--|
| 770 x 695 x 250 | |
| 3 | |
| 134013-22 | |
| 335,- | |

| Shelving | |
|----------------|---|
| 770 x 695 x 25 | 0 |
| 3 | |
| 134013-02 | |
| 234,- | |
| | |



Order no. 134013-22





Dimensions and version

| Occasional | |
|------------|--|
| | |

With triple-bolt Ergo-Lock grip lock, with corrugated rubber mat









1200

Height: 1,000

| Width | |
|-------|--|
| Depth | |

Interior dimensions, HxWxDShelves

Order no. Price

Width

| • | |
|---|--|
| | |

930 400

855 x 928 x 353

8820-000 536,-



930 500

855 x 928 x 453

8821-000 604,-

1200 400

855 x 1198 x 353 8830-000 640,-

500 855 x 1198 x 453

8831-000 728,-









1200

500

Height: 1,200

| Depth |
|------------------------------|
| nterior dimensions, HxWxD |
| Shelves |

Order no. Price

930 400

1055 x 928 x 353 2 8520-000

554,-

930 500

1055 x 928 x 453 2 8521-000 624,-

1200 400

1055 x 1198 x 353 2 8530-000

1055 x 1198 x 453 2

8531-000 754,-

Occasional cabinets, simultaneous locking

| & order no. |
|-----------------|
| & addtl. charge |

+ 8900-7211

+ 25,-

662,-

(+) Top decor

Selection \rightarrow p. 272

Additional shelves

Occasional cabinets with hinged doors

Features of the occasional cabinets:

These classics shouldn't be missing from any workshop. Outfit your cabinet with our accessories however you like: Storage space near the workstation or mobile helper—everything's possible!

- + Sturdy steel construction with high-quality enamel coating
- + Central door reinforcement for high stability of the doors
- + Hinged doors on bolt hinges with approx. 110° opening angle
- + Cylinder lock with 2 keys
- + Highly flexible interior thanks to adjustability in 30 mm steps
- + High load capacity of each zinc-plated shelf: 70 kg



Order no. 87210-00 & 8721-71656



Order no. 87210-00 & 8721-713 & 8750-00 & 8721-7010



Order no. 87210-00 & 8721-713



Dimensions and version

1 drawer above, 2 adjustable, zinc-plated shelves below

| Height: 1,000 | Width | 500 | 1000 |
|---------------|-----------|----------|----------|
| Depth: 500 | Shelves | 2 | 2 |
| | Order no. | 87210-00 | 88210-00 |
| | Price | 350 - | 539 - |

+ Additional shelves

| Width | 500 | 1000 |
|-----------|---------|----------|
| Order no. | 8721-80 | 88210-80 |
| Price | 22,50 | 38,50 |





Corrugated rubber mat for customer attachment to the housing or raised edge

| Width | 500 | 1000 |
|-----------|---------|----------|
| Order no. | 8750-00 | 88500-00 |
| Price | 26,- | 40,- |



Raised edge for customer attachment

| Width | 500 | 1000 |
|-----------|----------|----------|
| Depth | 500 | 500 |
| Height | 20 | 20 |
| Order no. | 8721-713 | 8821-713 |
| Price | 34,- | 39,- |



Tabletop lectern, 500 x 500, for customer attachment, light gray in color

| Width | 500 |
|-----------|------------|
| Depth | 500 |
| Order no. | 8721-71656 |
| Price | 215,- |





4 casters, 2 with lock, for installation by customer

| Order no. | 8721-7010 |
|-----------|-----------|
| Price | 60,- |

(+) Occasional cabinet colors


Hinged-door cabinets

for tools and equipment





Order no. 8920-314



With triple-bolt Ergo-Lock grip lock











| Various | Width | 930 | 1200 | 930 | 930 | 930 |
|-------------------|-----------------------------------|-----------------------------|-----------------------------|--|--|---------------------------------------|
| interior fittings | Depth | 500 | 500 | 400 | 500 | 400 |
| Height: 1,950 | Interior dimensions, H x W x D | 1840×460×450 | 1840 x 595 x 450 | 1840 x 928 x 353 | 1840×928×453 | 1840 x 928 x 353 |
| | Shelves | 8 | 8 | 3 | 3 | 2 |
| | Two-door security | - | - | 1 | 1 | _ |
| | compartment, HxWxD | | | 335 x 755 x 335 | 335 x 755 x 435 | |
| | Description | With center partition | With center partition | Security compartment with cylinder lock | Security compartment with cylinder lock | 9 width- adjustable boxes above |
| | Order no. | 8921-311 | 8931-311 | 8920-313 | 8921-313 | 8920-314 |
| | Price | 725,- | 890 | 822,- | 896,- | 802,- |


+ Additional shelves

| Zinc-plated | Widthxdepth | 459×449 | 594 x 449 | 925 x 352 | 925 x 452 | 925 x 352 |
|-------------|--------------|-------------|-------------|-----------|-----------|-----------|
| | & order no. | + 8921-3707 | + 8931-3707 | + 8920-80 | + 8921-80 | + 8920-80 |
| | & unit price | + 21,50 | + 24,50 | + 28,50 | + 30,50 | + 28,50 |









| 925 x 452 | |
|-----------|--|
| | |
| + 8921-80 | |

8921-314

+ 30,50

876,-

| 1195 x 352 | |
|------------|--|
| | |

8930-314

946,-

| + 8930-80 |
|-----------|
| + 36,- |

| 1195 x 452 | |
|------------|--|
| | |
| ± 8031_80 | |

8931-314

1.041,-

+ 38,50

| 459 x 449 |
|----------------|
| For right side |
| + 8921-3707 |
| + 21,50 |
| |

8921-312

714,-

| 925 x 452 |
|-----------|
| |
| + 1050-80 |

9280-088

606,-

+ 36,50

| 375 x 349 | |
|----------------|--|
| For right side | |
| + 8920-3707 | |
| + 18,- | |

8920-312

641,-

Reinforced shelf



| Load capacity per shelf | Approx. 110 kg |
|-------------------------|------------------------|
| Order no. | +802 |
| Price | Double the shelf price |

Tool cabinets with drawer block

Features of the tool cabinets with drawer block:

- Sturdy steel construction with high-quality enamel coating
- Different dimension variants (2 widths, 2 heights, 3 depths)
- Improved operating safety, wear resistance and appearance thanks to the Ergo-Lock grip lock (3-bolt latch) in black with 2 keys
- 3 drawers with telescopic rail guide, fully extendable, 50 kg load capacity/drawer
- Door mounting bracket with external hinges, approx. 180° opening angle
- Highly flexible interior fittings thanks to adjustability in 15 mm steps
- High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg), for reinforcements see below



& 8931-5713 (drawer tidy/plastic boxes)

Dimensions and version

With hinged doors on external hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 50 kg load capacity/drawer, wall mounting necessary











Drawers below

Height: 1,950

| Depth | 5 |
|-----------------------------------|---|
| Shelves | 4 |
| Drawer interior dimensions, HxWxD | 1 |
| Drawers | 3 |
| Order no. | 8 |

| 930 | |
|-----|--|
| 500 | |
| 4 | |
| | |

| 930 | |
|-----|--|
| 600 | |
| 4 | |
| | |

| 1200 | |
|------|--|
| 400 | |
| 4 | |
| | |

| 120 | 00 | |
|-----|----|--|
| 50 | 0 | |
| 4 | | |

| 1200 |
|------|
| 600 |
| 4 |
| |

| dimensions, HxWxD |
|----------------------|
| Drawers |
| Order no. |
| Drico |

Width

| 100 x 730 x 440 |
|-----------------|
| 3 |
| 8921-503 |

1.057,-

| 100 x 730 x 440 | |
|-----------------|--|
| 3 | |
| 8922-503 | |
| 1.153,- | |

| 100 x 1000 x 330 |
|------------------|
| 3 |
| 8930-503 |
| 1.127,- |

| 100 x 1000 x 440 |
|------------------|
| 3 |
| 8931-503 |
| 1 222 _ |

| 100 x 1000 x 440 |
|------------------|
| 3 |
| 8932-503 |
| 1.347,- |

(+) Additional shelves

| For cabinet widt | h 930 | 930 | 1200 | 1200 | 1200 |
|------------------|-----------|-----------|-----------|-----------|-----------|
| Depth | 500 | 600 | 400 | 500 | 600 |
| & order no. | + 8921-80 | + 8922-80 | + 8930-80 | + 8931-80 | + 8932-80 |
| & unit price | + 30,50 | + 32,- | + 36,- | + 38,50 | + 40,50 |



Ergo-Lock grip lock

Improved operation safety, wear resistance and appearanceto close the door, all you need to do is push the grip lock closed





Order no. 8921-5030



Order no. 8931-5030 & 8931-5713 (drawer tidy/plastic boxes)











Drawers in the center

Height: 1,950

| 930 | |
|-----|--|
| 500 | |
| 3 | |

| 930 | |
|-----|--|
| 600 | |
| 3 | |

| 1200 | |
|------|--|
| 400 | |
| 3 | |

| 1200 | |
|------|--|
| 500 | |
| 3 | |

| 1200 |
|------|
| 600 |
| 3 |

| 100 x 730 x 440 | |
|-----------------|--|
| 3 | |
| 8921-5030 | |
| 1.057 | |

| 100 x 73 | 30 x 440 |
|----------|----------|
| 3 | |
| 8922-5 | 030 |
| 1.153 | |

| 100 x 1000 x 330 |
|------------------|
| 3 |
| 8930-5030 |
| 1.127,- |

| 100 x 1000 x 440 |
|------------------|
| 3 |
| 8931-5030 |
| 1.223,- |

| 100 x 1000 x 440 |
|------------------|
| 3 |
| 8932-5030 |
| 1.347,- |

| 930 | |
|-----------|--|
| 500 | |
| + 8921-80 | |
| + 30,50 | |

Price

| 930 |
|-----------|
| 600 |
| + 8922-80 |
| + 32,- |

| 1200 |
|-----------|
| 400 |
| + 8930-80 |
| + 36,- |

| 1200 |
|-----------|
| 500 |
| + 8931-80 |
| + 38,50 |

| | 1200 |
|---|-----------|
| | 600 |
| | + 8932-80 |
| • | + 40,50 |

Reinforced shelf



| Load capacity | ner | shelf | Annroy | 110 kg | |
|---------------|-----|-------|---------|--------|--|
| Load Capacity | pei | SHEII | Approx. | HU Kg | |

Order no. + ...-802

Double the shelf price

+ Accessories (optional)

Foam rubber mats etc. \rightarrow p. 283

Occasional cabinets with drawer block



Dimensions and version

With hinged doors on external hinges (door opening angle of 180°), with corrugated rubber mat, wall







| - | | _ | | |
|---|--------|---|------------------------|---|
| ı | laiab+ | 4 | $\alpha \alpha \alpha$ | ١ |

| mounting necessary | | | | |
|--------------------|-----------------------------------|-----------------|------------------|------------------|
| Height: 1,000 | Width | 930 | 1200 | 1200 |
| | Depth | 500 | 400 | 500 |
| | Interior dimensions, HxWxD | 450 x 928 x 453 | 450 x 1198 x 353 | 450 x 1198 x 453 |
| | Shelves | 2 | 2 | 2 |
| | Drawer interior dimensions, HxWxD | 100×730×440 | 100×1000×330 | 100×1000×440 |
| | Drawers | 3 | 3 | 3 |
| | Order no. | 8821-5035 | 8830-5035 | 8831-5035 |
| | Price | 1.017,- | 1.083,- | 1.171,- |
| | | | | |

Drawer tidies



Drawer tidies

Plastic boxes for small parts, 63 mm high



930





For cabinet width

Depth

Boxes

500/600 4 x 162 x 108 8 x 108 x 108 16 x 54 x 54 16 x 108 x 54

1200 400

6 x 162 x 108 6 x 108 x 108 12 x 54 x 54 18 x 108 x 54

+ 8930-5713

8 x 162 x 108 8 x 108 x 108 16 x 54 x 54 24 x 108 x 54

500/600

1200

& order no.

& unit price

+ 86,-

+ 8921-5713

+ 114,-

+ 8931-5713

+ 131,-



Drawer tidies

Zinc-plated separators, approx. 68 mm high







For cabinet width

Depth

Boxes (vertically adjustable)

& order no.

& unit price

930

500/600

2 x 134 x 420 12 x 95 x 110/199

+ 8921-5718

+ 155,-

1200 400 2 x 161 x 315 18 x 95 x 57/199

+ 8930-5718

+ 218,-

18 x 95 x 110/199 + 8931-5718

500/600

2 x 161 x 420

+ 235,-

1200



Foam rubber mat

To be inserted into the drawer







For cabinet width

Depth

& order no.

& unit price

| 930 | |
|-----|--|

500/600

+ 8921-701

+ 40,-

1200 400

+ 8930-701

+ 45,-

1200 500/600

+ 8931-701

+ 48,-

Keys and locks for tool and equipment cabinets

(for PIN code and RFID locks, see p. 265)



Ergo-Lock

Ergo-Lock with master key system

Master key for this Ergo-Lock with simultaneous locking

Single/ spare key.

Additional charge for lock with lock no. upon request (longer delivery times)

key for master key system

8900-7211

0004-11

...-...99

0005-10

Single/spare

Order no. Price

8900-721 22,-

8900-723 25,-

8900-7131 18,-

25,-

19,-

On request

19,-

Tool and equipment cabinets

With viewing windows

Features of the tool cabinets with viewing windows:

- Sturdy steel construction with high-quality enamel coating
- Different dimension variants (2 widths, 3 heights)
- Door mounting bracket with external hinges, approx. 180° opening angle
- Steel doors with viewing window made of acrylic glass (3 mm thick) for a direct view
- Acrylic glass panes can be replaced using simple screw connection
- Highly flexible interior thanks to adjustability in 15 mm steps
- High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg), for reinforcement, see Seite 281

Ergo-Lock grip lock

Improved operation safety, wear resistance and appearance-to close the door, all you need to do is push the grip lock closed





Dimensions and version

With hinged doors on external hinges (door opening angle of 180°), incl. Ergo-Lock triple-bolt grip lock





500







| Height: | 1950 |
|---------|-------|
| neignt. | 1,750 |

| Depth |
|----------------------------------|
| Interior dimensions, HxWxD |
| Shelves |
| Order no. |

Width

Price

8900-055

589,-

4

500 1840 x 498 x 453 4 8901-055

652,-

8910-055

795,-

4 8911-055 930

400

Additional shelves



Widthxdepth & order no. & unit price

495 x 352 + 8900-80 + 21,-

495 x 452 + 8901-80 + 22,50

695 x 352 + 8910-80 + 24,50

861,-

695 x 452

+ 8911-80

+ 26,50

x 353 4 8920-055 843,-

1840 x 928

925 x 352 + 8920-80

+ 28,50





Cabinets that earn money

Finding instead of searching saves time and money!

- + Simply brilliant: Thanks to the direct view of the cabinet contents, you eliminate tedious searching and cumbersome labeling systems. Better order is automatically kept in viewing window cabinets as well.
- + Die C+P cabinets with viewing windows pay for themselves after just a short period of time—and then they even make you money by saving time and costs!
- + They're also perfectly suited for the implementation of modern simplification and improvement concepts such as KAIZEN or CPI.

| | | XXL depth! | | | | XXL depth! |
|------------------|------------------|------------------|----------------------|-------------------|-------------------|----------------------|
| 930 | 930 | 930 | 1200 | 1200 | 1200 | 1200 |
| 500 | 600 | 800 | 400 | 500 | 600 | 800 |
| 1840×928 ×453 | 1840×928 ×553 | 1840×928 ×753 | 1840 x 1198 x 353 | 1840×1198 ×453 | 1840×1198 ×553 | 1840 x 1198 x 753 |
| 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 8921-055 | 8922-055 | 8924-055 | 8930-055 | 8931-055 | 8932-055 | 8934-055 |
| 916,- | 1.012,- | 1.333,- | 986,- | 1.082,- | 1.206,- | 1.624,- |
| 925 x 452 | 925 x 552 | 925×752 | 1195 x 352 | 1195 x 452 | 1195 x 552 | 1195 x 752 |
| + 8921-80 | + 8922-80 | + 8924-80 | + 8930-80 | + 8931-80 | + 8932-80 | + 8934-80 |
| + 30,50 | + 32,- | + 42,50 | + 36,- | + 38,50 | + 40,50 | + 54,- |

Dimensions and version

Occasional cabinets with viewing windows

With hinged doors on external hinges (door opening angle of 180°), incl. Ergo-Lock triple-bolt grip lock with corrugated rubber mat



1000





1200



1.056,-

| Depth: | 500 |
|--------|-----|

| | Height |
|--|-------------------------------|
| | Width |
| | Interior dimensions, HxWxD |
| | Shelves |
| | |

| Interior dimensions, HxWxD | |
|----------------------------|--|
| Shelves | |
| Order no | |

Price

930 855 x 928 x 453 8821-055 876,-

| 1000 |
|------------------|
| 1200 |
| 855 x 1198 x 453 |
| 1 |

| 1000 | 1200 |
|------------------|------------------|
| 1200 | 930 |
| 855 x 1198 x 453 | 1055 x 928 x 453 |
| 1 | 2 |
| 8831-055 | 8521-055 |
| 1.030,- | 896,- |

| 1200 |
|-------------------|
| 1200 |
| 1055 x 1198 x 453 |
| 2 |
| 8531-055 |
| |

Tool cabinets with viewing windows

and drawer block





Order no. 8931-553

Dimensions and version

drawer, wall mounting necessary

With hinged doors on external door hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 50 kg load capacity/









Drawer below

Height: 1,950

| Width | 930 | 930 | 1200 | 1200 |
|---|-----------------|--------------|-------------------|-------------------|
| Depth | 500 | 600 | 500 | 600 |
| Interior dimensions, HxWxD | 1840×928×453 | 1840×928×553 | 1840 x 1198 x 453 | 1840 x 1198 x 553 |
| Shelves | 4 | 4 | 4 | 4 |
| Drawer interior dimensions, HxWxD | 100 x 730 x 440 | 100×730×440 | 100×1000×440 | 100 x 1000 x 440 |
| Drawers | 3 | 3 | 3 | 3 |
| Order no. | 8921-553 | 8922-553 | 8931-553 | 8932-553 |
| Price | 1.319,- | 1.415,- | 1.485 | 1.609,- |





Order no. 8931-5530



930

500

1.319,-



930

600



1200

500



1200

600

3

Drawers in the center

Height: 1,950

| Width | |
|-----------------------------------|---|
| Depth | |
| Interior dimensions, HxWxD | |
| Shelves | |
| Drawer interior dimensions, HxWxD | - |
| Drawers | |

Order no. Price

| 1840 x 928 x 453 |
|------------------|
| 3 |
| |
| 100 x 730 x 440 |
| 3 |
| 8921-5530 |

| 1840 x 928 x 553 |
|------------------|
| 3 |
| |
| 100 x 730 x 440 |
| 3 |
| 8922-5530 |
| 1.415,- |

| 3 | |
|---------|----------|
| | |
| 100 x 1 | 1000×440 |
| 3 | |
| 8931- | 5530 |
| 1.485, | _ |

1840 x 1198 x 453

| 100 x 1000 x 440 |
|------------------|
| 3 |
| 8932-5530 |
| 1.609,- |

1840 x 1198 x 553

Additional shelves

| | Widthxdepth | 925 x 452 | 925 x 552 | 1195 x 452 | 1195 x 552 |
|-------------|--------------|-----------|-----------|------------|------------|
| Zinc-plated | & order no. | + 8921-80 | + 8922-80 | + 8931-80 | + 8932-80 |
| | & unit price | + 30,50 | + 32,- | + 38,50 | + 40,50 |

+ Accessories

Drawer tidies, foam rubber mats and locks \rightarrow p. 295

Tool and equipment cabinets

For heavy loads




Features of the cabinets for heavy loads:

- + Sturdy steel construction with high-quality enamel coating
- Different dimension variants (3 widths, 3 heights)
- Door mounting bracket with external hinges, approx. 180° opening angle
- Door reinforcement for high stability and concealed locking rod
- Highly flexible interior fittings thanks to adjustability in 15 mm steps
- High load capacity of each zinc-plated shelf: 110 kg
- Cabinet load: 700 kg



Order no. 8921-052

Loads of up to **700 kg**



Improved operation safety, wear resistance and appearance—to close the door, all you need to do is push the grip lock closed







Dimensions and version

On external hinges (door opening angle of 180°), incl. Ergo-Lock triple-bolt grip lock









Height: 1,950

| Width | 500 |
|-------------------------------|--------|
| Depth | 400 |
| Interior dimensions, HxWxD | 1840 x |
| | 4 |
| Shelves | 8900- |
| Order no. | 550,- |
| Price | |

| 500 |
|------------------|
| 400 |
| 1840 x 498 x 353 |
| 4 |
| 8900-052 |

| 500 |
|------------------|
| 500 |
| 1840 x 498 x 453 |
| 4 |
| 8901-052 |
| 618,- |

| 930 |
|------------------|
| 400 |
| 1840 x 928 x 353 |
| 4 |
| 8920-052 |

629.-

| 930 | |
|-------|-------------|
| 500 | |
| 1840 | x 928 x 453 |
| 4 | |
| 8921 | -052 |
| 709 - | |

Additional shelves Load capacity: 110 kg



| Width x depth | 495 x 3 |
|---------------|---------|
| & order no. | + 8900 |
| & unit price | + 41.50 |

| 495 X 352 | |
|------------|--|
| + 8900-802 | |
| + 41,50 | |

| 495 X 452 | |
|------------|--|
| + 8901-802 | |
| + 44,50 | |

| 925 x 352 | |
|------------|--|
| + 8920-802 | |
| + 57,- | |

| 925 x 452 |
|------------|
| + 8921-802 |
| + 61 |

(o) Body and door color



Order no. 8521-052

Loads of up to **700 kg**

Occasional cabinets with hinged doors on external hinges (door opening angle of 180°), incl. Ergo-Lock triple-bolt grip lock with corrugated rubber mat









| | | 5 | |
|--|--|---|--|
| | | | |
| | | | |

| Height | 1000 | 1000 | 1200 | 1200 |
|-------------------------------|-----------------|------------------|------------------|-------------------|
| Width | 930 | 1200 | 930 | 1200 |
| Interior dimensions, HxWxD | 855 x 928 x 453 | 855 x 1198 x 453 | 1055 x 928 x 453 | 1055 x 1198 x 453 |
| Shelves | 1 | 1 | 2 | 2 |
| Order no. | 8821-052 | 8831-052 | 8521-052 | 8531-052 |
| Price | 666,- | 835,- | 688,- | 864,- |

| YYI | depth! |
|------------------|--------|
| $\Lambda\Lambda$ | uepu: |



| 930 | |
|------------------|---|
| 600 | |
| 1840 x 928 x 553 | |
| 4 | |
| 8922-052 | _ |

| 930 |
|------------------|
| 800 |
| 1840 x 928 x 753 |
| 4 |
| 8924-052 |
| 1.168,- |

| 1200 |
|-------------------|
| 400 |
| 1840 x 1198 x 353 |
| 4 |
| 8930-052 |
| 787,- |

| 1200 |
|-------------------|
| 500 |
| 1840 x 1198 x 453 |
| 4 |
| 8931-052 |
| 892,- |
| |

| 1200 |
|-------------------|
| 600 |
| 1840 x 1198 x 553 |
| 4 |
| 8932-052 |
| 1.029,- |
| |

| 1200 |
|-------------------|
| 800 |
| 1840 x 1198 x 753 |
| 4 |
| 8934-052 |
| 1.489,- |
| |

XXL depth!

| 25 | Χ | 552 | |
|----|---|-----|--|
| | | | |

815,-

| 5 x 552 | 925 x 752 | |
|----------|------------|--|
| 8922-802 | + 8924-802 | |
| 54,- | + 85,- | |

| ,- | + 72, |
|----|-------|

| + 8930-802 | |
|------------|--|
| + 72,- | |

1195 x 352

| 1195 x 452 | |
|------------|--|
| + 8931-802 | |
| ± 77 - | |

| 1195 x 552 |
|------------|
| + 8932-802 |
| + 81 - |

| 1195 x 752 | |
|------------|----|
| + 8934-8 | 02 |
| + 108,- | |

(+) Accessories

Tool cabinets for heavy loads

with drawer block

Dimensions and version

With hinged doors on external hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 75 kg load capacity/drawer, wall mounting necessary









Drawers below

Height: 1,950

Width Depth Interior dimensions,

Shelves

Drawer interior dimensions, HxWxD

Drawers Order no.

Price

500

1435 x 928 x 453

100 x 730 x 440

1.213,-

8921-523

600 1435 x 928 x 553

100 x 730 x 440

3 8922-523

1.318,-

1200

500 1435 x 1198 x 453

100 x 1000 x 440

8931-523

1.395,-

1200 600

1435 x 1198 x 553

100 x 1000 x 440

3

8932-523

1.533,-



Loads of up to **700 kg**

Order no. 8831-5235

Foam rubber mat To be inserted into the drawer

For cabinet width

Depth

& order no. & unit price



930

500/600

+ 8921-701

+ 40,-



1200

500/600 + 8931-701

+ 48,-

Occasional cabinets with hinged doors on external hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 75 kg load capacity/drawer, with corrugated rubber mat. Wall mounting necessary





Height: 1,000 Depth: 500

Interior dimensions, HxWxD Shelves

Drawer interior dimensions, HxWxD

Drawers Order no.

Price

450 x 925 x 453

100 x 730 x 440

3

8821-5235

1.118,-

450 x 1198 x 453

100 x 1000 x 440

8831-5235

1.272,-

(o) Body and door color

Color concept → p. 48



3

8921-5230

1.213,-







1200

Drawers in the center

Height: 1,950

| 930 |
|------------------|
| 500 |
| 1435 x 928 x 453 |
| 3 |
| 100×730×440 |

| 930 |
|------------------|
| 600 |
| 1435 x 928 x 553 |
| 3 |
| 100×730×440 |
| 3 |

8922-5230

1.318,-

| 12 | 200 |
|-----|------------------|
| 5 | 00 |
| 14 | 135 x 1198 x 453 |
| 3 | |
| 10 | 00 x 1000 x 440 |
| 3 | |
| 8 | 931-5230 |
| 1.3 | 395,- |
| | |

| 600 |
|-------------------|
| 1435 x 1198 x 553 |
| 3 |
| 100 x 1000 x 440 |
| 3 |
| 8932-5230 |
| 1.533,- |

Additional shelves Load capacity: 110 kg



| For cabinet width |
|-------------------|
| Depth |
| & order no. |
| & unit price |

| | _ |
|------------|---|
| 930 | |
| 500 | |
| + 8921-802 | |
| 500 | |

+ 61,-

| 930 |
|------------|
| 600 |
| + 8922-802 |
| + 64 - |

| 1200 | 1200 |
|------------|-------|
| 500 | 600 |
| + 8931-802 | + 89 |
| + 77,- | + 81, |
| | |

| 1200 |
|------------|
| 600 |
| + 8932-802 |
| + 81,- |

Drawer tidies Plastic boxes



| | H | Н | ⊢ | Н | Н | |
|--|---|---|---|---|---|--|
| | F | | F | F | Н | |
| | F | | F | Е | Е | |
| | F | | F | H | Н | |
| | _ | | | | _ | |

1200 500/600

| for small parts, 63 mm high |
|--------------------------------|
| For cabinet width |

| Depth | |
|-------|--|
| Boxes | |

| 930 | |
|---------------|--|
| 500/600 | |
| 4 x 162 x 108 | |

| 500/600 |
|---|
| 4x162x108 8x108x108 16x54x54 16x108x54 |
| + 8921-5713 |

| 54 x 54 108 x 54 | |
|---------------------|---|
| 21-5713 | _ |
| | |

| | | \Box | | |
|---------------|---|--------|----------------|---|
| \rightarrow | | | + | _ |
| | | ㅁ | \blacksquare | |
| H | = | н | H | |
| | | | | |
| | | ㅁ | | |

| 8 x 162 x 108 | |
|---------------|--|
| 8 x 108 x 108 | |
| 16 x 54 x 54 | |
| 24 x 108 x 54 | |
| + 8931-5713 | |

| + 8931-5713 | |
|-------------|--|
| + 131,- | |

& order no.

& unit price

+ 86,-



Drawer tidies Zinc-plated

separators, approx. 68 mm high



| | | | Н | _ | |
|--|--|--|---|---|--|

| or | cabinet | width | |
|----|---------|-------|--|
| | | | |

Depth

Boxes (vertically adjustable)

& order no.

& unit price

930

500/600

2 x 134 x 420 12 x 95 x 110/199

+ 8921-5718

+ 155,-



1200 500/600

2 x 161 x 420 18 x 95 x 110/199

+ 8931-5718

+ 235,-



Order. 8931-5230 & 8931-5713

Heavy-duty cabinets with viewing window doors

- + Sturdy steel construction with high-quality enamel coating
- + Different dimension variants (3 widths, 3 heights)
- + Door mounting bracket with external hinges, approx. 180° opening angle
- + Steel doors with viewing window made of acrylic glass (3 mm thick) for a direct view
- + Acrylic glass panes can be replaced using simple screw connection
- + Door reinforcement for high stability and concealed locking rod
- + Highly flexible interior thanks to adjustability in 15 mm steps
- + High load capacity of each zinc-plated shelf: 110 kg
- + Cabinet load: 700 kg



Dimensions and version

With hinged doors on external door hinges (door opening angle of 180°), zinc-plated shelves, 110 kg load capacity/shelf











Without drawers

Height: 1,950

Width
Depth
Shelves

Order no.
Price

_

8920-0552

891,-

930

400

500 4

930

8921-0552 971,- 930

8922-0552

1.077,-

4

930

800

8924-0552

1.430,-

Dimensions and version

With hinged doors on external door hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 75 kg load capacity/drawer, 110 kg load capacity/shelf, wall mounting necessary





1.415,-





Drawers in the center

Height: 1,950

Width
Depth
Shelves
Order no.

Price

930 500 3 8921-55302 1.319,-

1200 500 3 8931-55302 1.485,- 1200 600 3 8932-55302 1.609,-







Loads of up to **700 kg**



grip lock (3-bolt latch) Easy to operate with gloves on



Door opening angle Approx. 180° thanks to external hinges



Drawers with telescopic rail guide, fully extendable, 75 kg load capacity per drawer



Steel doors with viewing windows made of permanently adhered 3 mm-thick acrylic glass and concealed locking rods



1200

400

8930-0552

1.049,-

4



1200

500

8931-0552

1.154,-


4



1.291,-



| 1200 | |
|-----------|--|
| 600 | |
| 4 | |
| 8932-0552 | |





1.319,-







Drawers below Height: 1,950 Width Depth Shelves Order no. Price

930 600 4 8922-5532 1.415,-

1200 500 4 8931-5532 1.485,-

1200 600 4 8932-5532 1.609,-

(
ightarrow) Body and door color

Color concept → p. 48

Occasional cabinets



Order no. 8821-0552

Dimensions and version

With hinged doors on external door hinges (door opening angle of 180°), zinc-plated shelves, adjustable, 110 kg load capacity/shelf, corrugated rubber mat for top

| П | П | Γ | |
|-----------------------|----|----------|--|
| $\parallel \parallel$ | ŀШ | \vdash | |
| | Ш | L | |







| Depth: | 500 |
|--------|-----|
| | |

| or top | | | | | |
|-----------|-----------|-----------|-----------|-----------|---|
| Height | 1000 | 1000 | 1200 | 1200 | _ |
| Width | 930 | 1200 | 930 | 1200 | |
| Shelves | 1 | 1 | 2 | 2 | |
| Order no. | 8821-0552 | 8831-0552 | 8521-0552 | 8531-0552 | |
| Price | 928,- | 1.097,- | 949,- | 1.125,- | |
| | | | | | |

+ Accessories

Additional shelves → p. 288

Drawer tidies



Drawer tidies

Plastic boxes for small parts, 63 mm high



930

+ 86,-





For cabinet width Depth Boxes

& order no.

& unit price

500/600 4 x 162 x 108 8 x 108 x 108 16 x 54 x 54 16 x 108 x 54 + 8921-5713 1200 400 6 x 162 x 108 6x108x108 12x54x54 18 x 108 x 54 + 8930-5713 + 114,-

1200 500/600 8 x 162 x 108 8 x 108 x 108 16 x 54 x 54 24 x 108 x 54 + 8931-5713



Drawer tidies

Zinc-plated separators, approx. 68 mm high







+ 131,-

For cabinet width Depth Boxes (vertically adjustable) & order no. & unit price

930 500/600 2 x 134 x 420 12 x 95 x 110/199 + 8921-5718 + 155,-

1200 400 2 x 161 x 315 18 x 95 x 57/199 + 8930-5718 + 218,-

1200 500/600 2 x 161 x 420 18 x 95 x 110/199 + 8931-5718 + 235,-



Foam rubber mat

To be inserted into the drawer







For cabinet width Depth & order no.

& unit price

930 500/600 + 8921-701 + 40,-

1200 400 + 8930-701 + 45,-

1200 500/600 + 8931-701 + 48,-

Keys and locks for tool and equipment cabinets

(for PIN code and RFID locks, see p. 265)



Ergo-Lock

with master key system

Ergo-Lock

Master key for this Ergo-Lock with simultaneous locking

Single/ spare key.

no. upon request (longer delivery times) ...-...99

Additional charge Single/spare key for master for lock with lock key system

0005-10

Order no. Price

8900-721 22,-

8900-723 25,-

8900-7131 18,-

8900-7211 25,-

0004-11 19,-

On request

19,-

(
ightarrow) Body and door color

Color concept → p. 48

Hinged-door cabinets Sturdy and practical.







As battery charging cabinets

The versatile electrical experts

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- Special e-tray, permanently installed, with integrated socket strip
- + Ergo-Lock grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- + Doors on external hinges, approx. 180° opening angle
- + Rear panel perforated for optimal ventilation, Comfort version with fan
- Available with solid-metal doors or with viewing windows made of acrylic glass for direct view
- + Basic or Comfort variant for any equipment and electrification needs

As hazardous substance cabinets

The secure cabinets for storing water-polluting substances

- + Protection against high consequential costs!
- + Sturdy steel construction with high-quality enamel coating
- + Trays made of zinc-plated steel or polyethylene
- Ergo-Lock grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- + Various dimension variants and occasional cabinets









With open-front containers

The top-notchers for small parts

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- + Ergo-Lock grip lock (3-bolt)
 with 2 keys and optional exchangeable cylinder
- + Open-front containers in professional quality
- Complete product line (different heights, dimension variants and box/drawer configurations for any requirement)

Battery charging cabinets Basic and Comfort versions.

Features of the C+P battery charging cabinets:

- + Sturdy steel construction with high-quality enamel coating
- + Doors on external hinges, door opening angle of 180°
- + Available with solid-metal doors or viewing windows made of 3 mm-thick acrylic glass, easy replacement using simple screw connection
- + Ergo-Lock 3-bolt grip lock with 2 keys and patented mechanism: Simply push shut to close!
- + Highly flexible shelf configuration: Adjustability in 15 mm steps
- + Special e-tray, permanently installed, with integrated socket strip, for better order in the cabinet
- + Rear panel perforated for optimal ventilation, Comfort version with fan
- + Upgradable with C+P interior fittings, e.g. drawer block
- + Each cabinet incl. 3 m grounded supply line, 230 V
- + All cabinets comply with Low-Voltage Directive 2014/35/EU, EMC Directive 2014/30/EU & RoHS Directive 2011/65/EU



With 3 zinc-plated shelves, one e-tray (electrical tray) and a 5x socket strip

| Height: 1,950 | | With solid-metal doors | With viewing window doors |
|---------------|-----------|------------------------|---------------------------|
| | Shelves | 3 | 3 |
| Depth: 500 | E-trays | 1 | 1 |
| | Order no. | 8921-05E1 | 8921-055E1 |
| | Price | 1158 - | 1 420 - |

Comfort dimensions and version

With one zinc-plated shelf, 3 e-trays (electrical trays) and 5x socket strips, central master strip with fan connection FI circuit breaker and line circuit breaker

| Height: 1,950 | | With solid-metal doors | With viewing window door |
|--------------------------|-----------|------------------------|--------------------------|
| Width: 930 Depth: 500 | Shelves | 1 | 1 |
| | E-trays | 3 | 3 |
| | Order no. | 8921-05E3 | 8921-055E3 |
| | Price | 2.366,- | 2.628,- |

The innovative e-tray from C+P: Refined technology, easy to use

- + Concealed placement tray for power packs and supply cables of the charging units for better order
- + More space and better organization of the area
- + Holder and positioning of the socket strip (permanently connected to shelf)
- + Tray perforated to avoid overheating
- + Zinc-plated version
- + Other plug variants available on request







Basic version with solid-metal doors, order no. 8921-05E1





Patented mechanism: Simply push shut to close. Easy to operate with gloves on. Can also be used as PIN code and RFID transponder lock! (see Page 265)




Temperature-controlled fan and central master strip with COMFORT cabinet

+ Additional standard shelf Zinc-plated

Order no. 8921-80
Price 30.50







Comfort version with solid-metal doors, order no. 8921-05E3



Comfort version with viewing window doors Order no. 8921–055E3

+ Additional e-tray only for BASIC cabinet, only one addtl. shelf with cabinet order possible (cannot be retrofitted), incl. supply line.



| Width | 930 |
|-----------|-------------|
| Depth | 500/600 |
| Order no. | + 8921-80E1 |
| Price | + 395 - |

(+) Corrugated rubber mat for placement on e-tray, For easy assembly, incl. tape strips



| Width | 930 |
|-----------|------------|
| Depth | 500/600 |
| Order no. | + 8921-703 |
| Price | + 40,- |

+) **Drawer tidy,** plastic boxes for small parts, approx. 63 mm high



44 boxes: 4x 162 x 108 8x 108 x 108 16x 54 x 54 16x 108 x 54

Order no.
Price

(+) **Drawer tidy,** zinc-plated separators, approx. 68 mm high



14 boxes: 2x 134 x 420 12x 95 x 110/199 (vertically adjustable)

Order no. + 8921-5718 Price + 155,-

(+) **Drawer block below**with 3 fully extendable drawers, 50 kg load capacity each, with telescopic rails



| Width | 930 |
|-----------|-------------|
| Depth | 500/600 |
| Order no. | + 8921-5702 |
| Price | + 535,- |

+ 8921-5713

+ 86,-

(+) Foam rubber mat to be inserted into the drawer for careful storage of sensitive stock items



| Width | 930 |
|-----------|------------|
| Depth | 500/600 |
| Order no. | + 8921-701 |
| Price | + 40,- |

→ Body and door color

Color concept → p. 48

Hazardous substance

cabinets

Features of the hazardous substance cabinets:

- + Safe storage of small containers with water-polluting substances (no acids or alkalis)
- Sturdy steel construction with high-quality enamel coating
- Doors on bolt hinges, approx. 110° door opening angle, with easy to clean ventilation hole pattern above and below
- + Protection against consequential costs at a low price
- Legally prescribed for many sectors (e.g. agricultural businesses)
- Collection trays tested according to the German Water Resources Act (WHG)
- + Highly flexible interior fittings thanks to adjustability in 15 mm steps



Order no. 8921-315

Dimensions and version

With hinged doors, with ventilation hole pattern, incl. Ergo-Lock triple-bolt grip lock









| Height: 1,950 |
|---------------|
| Depth: 500 |

| Width | |
|-------------------------------|---|
| Interior dimensions, HxWxD | |
| Shelves | |
| Collection volume | 9 |
| Zinc-plated trays | |
| Polyethylene trays | s |

Order no. Price

| 500 |
|------------------|
| 1840 x 498 x 453 |
| - |
| 10 L/tray |
| 4 |
| - |
| 8901-315 |
| 682,- |
| |

| 930 |
|------------------|
| 1840 x 928 x 453 |
| - |
| 20 L/tray |
| 4 |
| - |
| 8921-315 |
| 802,- |
| |

| 500 | 93 |
|--------------|-----|
| 1840×498×453 | 18 |
| 3 | 3 |
| 10 L/tray | 20 |
| - | - |
| 4 | 4 |
| 8901-316 | 89 |
| 1128 - | 1.3 |

| 930 | |
|------------------|---|
| 1840 x 928 x 453 | _ |
| 3 | _ |
| 20 L/tray | _ |
| - | _ |
| 4 | _ |
| 8921-316 | _ |
| 1.327,- | _ |

Additional tray or polyethylene tray









| For cabinet width |
|-------------------|
| Dimensions, WxD |
| Collection volume |
| & order no. |
| & addtl. charge |


| 500 |
|-------------|
| 490 x 450 |
| 10 L/tray |
| + 8901-3725 |
| + 51,- |

| 930 |
|-------------|
| 920 x 450 |
| 20 L/tray |
| + 8921-3725 |
| + 60,- |
| |

| • | |
|-------------|--|
| 500 | |
| 490 x 450 | |
| 10 L/tray | |
| + 8901-3726 | |
| + 226,- | |

| 930 |
|-------------|
| 920 x 450 |
| 20 L/tray |
| + 8921-3726 |
| + 267,- |







Order no. 8721-315 & 8751-00 (corrugated rubber mat for top)

Dimensions and version

Occasional safety cabinets

With hinged doors, with ventilation hole pattern, incl. Ergo-Lock triple-bolt grip lock



500

2

633,-



930

745,-





930

Height: 1,000 (incl. raised edge: 1,020)

Depth: 500

| Width |
|----------------------------|
| Interior dimensions, HxWxD |
| Shelves |
| Collection volume |
| Zinc-plated trays |
| Polyethylene trays |

855 x 498 x 453 10 L/tray

20 L/tray 2

8721-315

855 x 928 x 453 8821-315

2

8721-316 1.048,-

855 x 928 x 453 1 20 L/tray 2 8821-316 1.232,-

Corrugated rubber mat for top Self-adhesive



Order no.

Price



+ 40,-

For cabinet width

& order no.

& addtl. charge

500 + 8751-00 + 8851-00

+ 26,-

930



Zinc-plated tray: Load capacity: 80 kg



Polyethylene tray: Load capacity: 70 kg

Open-front container cabinets

Features of the open-front container cabinets:

- + Sturdy steel construction with high-quality enamel coating
- Wide range of different dimensions and container hardware for any application
- + Door mounting bracket with approx. 110° opening angle (except for models on page 310/311 (180°))
- + Central door reinforcement for high stability
- Highly flexible interior fitting options thanks to adjustability in 10 mm steps (except models 8931-501 and -502 (15 mm steps))
- + Load capacity per zinc-plated shelf: 70 kg
- + Load capacity per shortened shelf: 50 kg
- + Cabinet load capacity: 450 kg
- Wall mounting is necessary for sturdy and secure positioning. The fastening method depends on the wall material. Please use screws and dowels that are suitable for the respective type of wall (not included)
- Cabinets with drawer block, 3 drawers each with telescopic rail guide, fully extendable,
 50 kg load capacity/drawer





Extra-large cabinets with doors on external door hinges (door opening angle of 180°)

Ergo-Lock grip lock

Improved operation safety, wear resistance and appearance—to close the door, all you need to do is push the grip lock closed








Features of the open-front and shelf containers:

- + Smooth internal walls and recessed grip on the rear panel
- + Stacking lugs facilitate stacking without slippage
- + The slightly roughened bottom ensures anti-slip transport on conveyor belts
- The open-front containers are made of polypropylene (food-safe and oil-resistant from -20 to +90°C).
 Available in 7 practical sizes and in the cadmium-free colors of red and blue
- Can also be fitted with protective label covers, dust covers, front panels, and carrying bars as well as vertical dividers for more better organization














Dimensions and version

Loose, incl. labels, available only in the specified packaging units













| Size | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|----------------|------------------|----------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| | 50 x 102 x 85 | 75×103 ×160 | 125 x 150 x 230 | 145 x 210 x 350 | 200 x 210 x 350 | 145 x 315 x 500 | 200 x 315 x 500 |
| Packaging unit | 60 pc. | 40 pc. | 20 pc. | 10 pc. | 10 pc. | 8 pc. | 6 pc. |
| Color red | | | | | | | |
| Order no. | 8920-59153 | 8920-59253 | 8920-59353 | 8920-59453 | 8920-59553 | 8920-59653 | 8920-59753 |
| Price | 129,- | 179,- | 170,- | 170,- | 197,- | 254,- | 170,- |
| Color blue | | | | | | | |
| Order no. | 8920-59155 | 8920-59255 | 8920-59355 | 8920-59455 | 8920-59555 | 8920-59655 | 8920-59755 |
| Price | 129,- | 179,- | 170 | 170 | 197,- | 254,- | 170,- |

| (+) | Protective label cover | 1 packaging unit = 50 pc. |) |
|-----|------------------------|---------------------------|---|
|-----|------------------------|---------------------------|---|

| & order no. | + 8920-59105 | + 8920-59205 | + 8920-59305 | + 8920-59405 | + 8920-59505 | + 8920-59605 | + 8920-59705 |
|-----------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| & addtl. charge | + 33,- | + 38,- | + 40,- | + 43,- | + 46,- | + 56,- | + 56,- |

(+) **Dust cover** (1 packaging unit = 10 pc.)

| & order no. | + 8920-59101 | + 8920-59201 | + 8920-59301 | + 8920-59401 | + 8920-59501 | + 8920-59601 | + 8920-59701 |
|-----------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| & addtl. charge | + 18 | + 33 | + 83 | + 170 | + 170 | + 220 | + 220 |

+ Vertical dividers (1 packaging unit = 10 pc.)

| & order no. | - | - | - | + 8920-59402 | + 8920-59502 | - | + 8920-59702 |
|-----------------|---|---|---|--------------|--------------|---|--------------|
| & addtl. charge | - | - | - | + 95,- | + 95,- | - | + 136,- |

(+) Carrying bar (1 packaging unit = 10 pc.)

| & order no. | - | - | - | - | - | + 8920-59606 | + 8920-59706 |
|-----------------|---|---|---|---|---|--------------|--------------|
| & addtl. charge | _ | _ | _ | _ | - | + 33 | + 33 |

+ Front panel (1 packaging unit = 10 pc.)

| & order no. | + 8920-59104 | + 8920-59204 | + 8920-59304 | + 8920-59404 | + 8920-59504 | + 8920-59604 | + 8920-5970 |
|-----------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|
| & addtl. charge | + 15,- | + 40,- | + 49,- | + 61,- | + 80,- | + 93,- | + 100,- |



Protective label cover



Dust cover



Vertical divider



Carrying bar



Front panel

Open-front container cabinets





Dimensions and version

With hinged doors, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps











| Height: 830 |
|-------------|
| Width: 700 |
| Depth: 300 |

| Interior dimensions, HxWxD |
|-------------------------------|
| Shelves |
| Open-front containers |
| Order no. |

Price

| 770 x 695 x 250 |
|-------------------------------------|
| 4 |
| 18 x size 2 red 12 x size 2 blue |
| 134013-23 |
| 478,- |

| 770 x 695 x 250 |
|------------------------------------|
| 5 |
| 24 x size 2 red 8 x size 3 blue |
| 134013-24 |
| 491,- |

| 770 x 695 x 250 |
|-----------------|
| 6 |
| 42 x size 2 blu |
| 10.4010.01 |
| 134013-21 |
| 519 |

| 770 x 695 x 25 |
|----------------|
| 3 |
| - |
| |
| 134013-22 |
| 335,- |

| | - |
|---|-----------|
| - | 134013-20 |
| | 363,- |

770 x 695 x 250

Accessories

Additional shelves, corrugated rubber mat \rightarrow p. 283

Open-front container cabinets



Dimensions and version

With hinged doors, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps, wall mounting necessary











Height: 1,690 Width: 700 Depth: 300

| Interior dimensions, HxWxD | 1620 x 695 x 250 | 1620 x 695 x 250 | 1620 x 695 x 250 | 1620 x 695 x 250 | 1620 x 695 x 250 |
|-------------------------------|-------------------------------------|-------------------------------------|--|-------------------------------------|--|
| Shelves | 9 | 9 | 9 | 11 | 13 |
| Open-front containers | 20 x size 3 red 20 x size 3 blue | 12 x size 3 red 28 x size 3 blue | 45 x size 1 red 45 x size 1 blue 24 x size 2 red 24 x size 2 blue | 36 x size 2 red 24 x size 3 blue | 18 x size 2 red 20 x size 3 blue 18 x size 1 red 18 x size 1 blue |
| Order no. | 133413-22 | 133413-28 | 133413-24 | 133413-23 | 133413-27 |
| Price | 833,- | 833,- | 833,- | 866,- | 898,- |

Occasional cabinets with open-front containers

With hinged doors, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps











Height: 1,000 Width: 1,000 Depth: 420

| Interior dimensions, HxWxD | 890×995×370 | 890 x 995 x 370 | 890 x 995 x 370 | 890 x 995 x 370 | 890×995×370 |
|-------------------------------|-------------------------------------|-------------------------------------|-----------------|-------------------------------------|-------------------------------------|
| Shelves | 4 | 4 | 2 | 6 | 6 |
| Open-front containers | 18 x size 3 red 12 x size 3 blue | 12 x size 3 red 12 x size 4 blue | - | 36 x size 2 red 27 x size 2 blue | 45 x size 2 red 12 x size 3 blue |
| Order no. | 133944-22 | 133944-23 | 133944-21 | 133944-24 | 133944-25 |
| Price | 684,- | 684,- | 457,- | 732,- | 732,- |

+ Accessories

Corrugated rubber mat → p. 307











| 1620 x 695 x 250 | 1620 x 695 x 250 | 1620 x 695 x 250 | 1620 x 695 x 250 |
|-------------------------------------|-------------------------------------|--|------------------|
| 14 | 15 | 17 | 6 |
| 42 x size 2 red 48 x size 2 blue | 48 x size 2 red 48 x size 2 blue | 30 x size 1 red 30 x size 1 blue 24 x size 2 red 24 x size 2 blue | - |
| 133413-25 | 133413-29 | 133413-210 | 133413-20 |
| 915 - | 964 - | 996 - | 391 - |

+ Corrugated rubber mat for top For occasional cabinets and shelves, self-adhesive





| Widthxdepth | 700 x 300 | 1000 x 420 | |
|--------------|--------------|--------------|--|
| & order no. | + 134013-701 | + 133944-701 | |
| & unit price | + 26,- | + 38,- | |

+ Additional shelves

| | For cabinet width | 700 | 1000 |
|-------------|-------------------|-------------|-------------|
| Zinc-plated | Thickness in mm | 15 | 25 |
| | & order no. | + 130013-81 | + 130044-81 |
| | & unit price | + 21,50 | + 29,- |

Open-front container sizes (HxWxD):

| 1: | 50 | х | 102 | Χ | 85 mm | |
|----|-----|---|-----|---|--------|--|
| 2: | 75 | х | 103 | Х | 160 mm | |
| 3: | 125 | Х | 150 | Х | 230 mm | |
| 4: | 145 | х | 210 | Х | 350 mm | |
| 5: | 200 | Х | 210 | Х | 350 mm | |
| 6: | 145 | х | 315 | Χ | 500 mm | |
| 7. | 200 | х | 315 | х | 500 mm | |



The **Ergo-Lock** grip lock (3-bolt latch) in an appealing ergonomic design



Open-front container cabinets





Order no. 133113-23

Dimensions and version

Hinged doors, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps, wall mounting necessary











| Width | 700 | 700 | 700 | 700 | 1000 |
|-------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|------------------|-------------------------------------|
| Depth | 300 | 300 | 300 | 300 | 420 |
| Interior dimensions, HxWxD | 1910 x 695 x 250 | 1910 x 695 x 250 | 1910 x 695 x 250 | 1910 x 695 x 250 | 1870 x 995 x 370 |
| Shelves | 11 | 15 | 18 | 9 | 6 |
| Open-front containers | 24 x size 3 red 24 x size 3 blue | 60 x size 2 red 24 x size 3 blue | 60 x size 2 red 54 x size 2 blue | - | 16 x size 5 red 12 x size 5 blue |
| Order no. | 133113-21 | 133113-22 | 133113-23 | 133113-20 | 133144-22 |
| Price | 914,- | 1.011,- | 1.077,- | 514,- | 941,- |



Open-front container sizes (HxWxD):

50 x 102 x 85 mm 75 x 103 x 160 mm x 150 x 230 mm 125

x 210 x 350 mm 145

200 x 210 x 350 mm 145 x 315 x 500 mm

7: 200 x 315 x 500 mm

Shelf container sizes (outside dimensions, HxWxD):

RK 3109: 90 x 117 x 300 mm RK 3209: 90 x 234 x 300 mm RK 3214: 140 x 234 x 300 mm

| 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |
|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--|---|------------------|
| 420 | 420 | 420 | 420 | 420 | 420 | 420 |
| 1870 x 995 x 370 | 1870 x 995 x 370 | 1870 x 995 x 370 | 1870 x 995 x 370 | 1870 x 995 x 370 | 1870 x 995 x 370 | 1870 x 995 x 370 |
| 8 | 8 | 9 | 9 | 11 | 12 | 4 |
| 24 x size 4 red 12 x size 5 blue | 30 x size 3 red 16 x size 5 blue | 20 x size 4 red 20 x size 4 blue | 30 x size 3 red 20 x size 4 blue | 48 x RK 3109 blue 12 x size 4 red 12 x size 4 blue | 40 x RK 3109 blue 16 x RK 3209 blue 16 x RK 3214 blue | - |
| 133144-23 | 133144-25 | 133144-24 | 133144-27 | 133144-29 | 133144-28 | 133144-20 |
| 1.074,- | 1.074,- | 1.132,- | 1.132,- | 1.170,- | 1.189,- | 516,- |



Extra-large cabinets with open-front containers


Dimensions and version

Hinged doors on external hinges, 180° opening angle, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps, for model 8931-502: 15 mm steps, wall mounting necessary





1100





1100

Height: 1,980

| Width | |
|-------------------|--|
| Depth | |
| Shelves | |
| Shortened shelves | |

1100 535 9

5 per door

535 9 5

1100 535 11

535 11 11

Mounting rails

Open-front 40 x size 2 blue containers 28 x size 3 red 15 x size 4 blue 9 x size 7 red

7 per door 56 x size 2 red 35 x size 3 blue 6xsize 6 red 9 x size 7 blue

10 per door 40 x size 1 red 80 x size 2 blue 28 x size 3 red 20 x size 4 blue 10 per door 40 x size 1 red 90 x size 2 blue 28 x size 3 red 15 x size 4 blue

Order no.

Price

130276-65 2.636,-

130276-66 2.636,-

130276-61 2.687,-


130276-62 2.687,-

Extra-large cabinets with drawers

Hinged doors on external hinges, 180° opening angle, incl. Ergo-Lock triple-bolt grip lock, load capacity per drawer: approx. 50 kg, shelves adjustable in 10 mm steps, for model 8931-501: in 15 mm steps, wall mounting necessary









Height: 1,980

| | Width |
|--|-------------------|
| | Depth |
| | Shelves |
| | Shortened shelves |
| | Mounting rails |
| | Open-front |

1100 535 6

1100 535 7

1100 535 9

1100 535 9

5 per door 40 x size 2 blue 28 x size 3 red 15 x size 4 blue

7 per door

10 per door

8

3

10 per door

Drawers Order no.

containers

3 130276-67 56 x size 2 red 35 x size 3 blue 6 x size 6 red

40 x size 1 red 70 x size 2 blue 21x size 3 red 15 x size 4 blue

40 x size 1 red 70 x size 2 blue 21x size 3 red 5 x size 4 blue 6 x size 6 red

Price

2.458,-

130276-68 2.458,-

130276-63 2.636,-

3 130276-64 2.636,-



Drawer tidies Plastic boxes for small parts, 63 mm high



3





For cabinet width For cabinet depth

| 1100 |
|---|
| 535 |
| 8×162×108 8×108×108 16×54×54 20×108×54 |
| + 130076-5713 |

500 8 x 162 x 108 8 x 108 x 108 16 x 54 x 54 24 x 108 x 54

& order no. & unit price

+ 131,-

+ 8931-5713 + 131,-





| 1100 | |
|------|--|
| 535 | |
| 4 | |
| | |

| 1200 | |
|------|--|
| 500 | |
| 9 | |

| - | | | |
|---|--|--|--|
| - | | | |
| | | | |

| • | | | |
|----|-----|------|--|
| 10 | per | door | |

Each: 40 x size 1 red/blue 21 x size 3 blue 28 x size 3 red 10 x size 4 blue 5 x size 4 red

| 130276-613 | |
|------------|--|
| 1.152,- | |

| 893 | 1- | -5(|)2 |
|-----|----|-----|----|
| | | | |





Order no. 8931-502



| _ | | | |
|------|--|--|--|
| 1200 | | | |
| 500 | | | |
| 10 | | | |

9

10 per door

Each: 40 x size 1 red/blue Each: 44 x size 2 red/blue 7 x size 3 red 5 x size 4 blue

3


8931-501

2.353,-



Order no. 130276-64

(
ightarrow) Body and door color





Additional drawer tidies \rightarrow p. 283

Sliding-door cabinets

Space-saving and good for heavy loads.







For tools and equipment

The practical space-saving cabinets

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- + Ergonomic bow-shaped handles made of metal for easy operation
- + Push and turn cylinder lock with 2 keys and optional exchangeable cylinder
- + Easy to move sliding doors with long-lasting special casters
- Various dimension variants, top and occasional cabinets

With viewing windows

Sliding-door cabinets with a view

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- + Ergonomic bow-shaped handles made of metal for easy operation
- + Push and turn cylinder lock with2 keys and optional exchangeable cylinder
- + Easy to move sliding doors with long-lasting special casters
- + Steel doors with viewing window made of acrylic glass for direct viewing
- + Various dimension variants and occasional cabinets





Loads of up to **700 kg**

For heavy loads

The strong cabinets with sliding doors for heavy loads

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- + Ergonomic bow-shaped handles made of metal for easy operation
- + Push and turn cylinder lock with2 keys and optional exchangeable cylinder
- + Easy to move sliding doors with long-lasting special casters
- + Load capacity per shelf: 110 kg, cabinet load: 700 kg
- + Various dimension variants and occasional cabinets







Shelving → p. 340

Sliding-door cabinets

Features of the sliding-door cabinets:

- + Sturdy steel construction with high-quality enamel coating
- Zinc-plated shelves
- Ergonomic bow-shaped handles made of metal for easy operation
- + Push and turn cylinder lock with 2 keys and optional exchangeable cylinder
- + Easy to move sliding doors with long-lasting special casters
- + Highly flexible interior fittings thanks to adjustability in 15 mm steps
- + High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg)
- Various dimension variants, top and occasional cabinets



Dimensions and version

With push and turn cylinder lock

| • | |
|---|--|
| | |
| | |





| Width |
|-------------------------------|
| Depth |
| Interior dimensions, HxWxD |
| Shelves |
| Center partition |
| Order no. |
| |

Price

| 1200 |
|-------------------|
| 400 |
| 1840 x 1197 x 328 |
| 4 |
| - |
| 2049-00 |
| 810,- |
| |

| 1200 |
|-------------------|
| 500 |
| 1840 x 1197 x 428 |
| 4 |
| - |
| 2059-00 |
| 931,- |
| |

| 1200 |
|-------------------|
| 600 |
| 1840 x 1197 x 528 |
| 4 |
| - |
| 2069-00 |
| 1.093,- |
| |

(+) Additional shelves

| Widthxdepth | 1196 x 327 |
|--------------|------------|
| & order no. | + 2049-80 |
| & unit price | + 35,50 |

| 1196 x 427 | |
|------------|--|
| + 2059-80 | |
| + 37,50 | |


| 1196 x 527 |
|------------|
| + 2069-80 |
| + 39,50 |



(
ightarrow) Body and door color







| 1600 |
|-------------------|
| 500 |
| 1840 x 797 x 428* |
| 8 |
| 1 |
| 2159-00 |
| 1.197,- |

| 1600 |
|---------------|
| 600 |
| 1840×797×528* |
| 8 |
| 1 |
| 2169-00 |
| 1.398 - |

*Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)

| 796 x 327 | 796×427 | 796×527 |
|-----------|-----------|-----------|
| + 2149-80 | + 2159-80 | + 2169-80 |
| + 26,50 | + 27,50 | + 29,- |

+ Reinforced shelf



| Load capacity per shelf | Approx. 110 kg |
|-------------------------|------------------------|
| Order no. | +802 |
| Price | Double the shelf price |

Top cabinets

With sliding doors.





Dimensions and version

With push and turn cylinder lock

| Height |
|----------------------------|
| Width |
| Depth |
| Interior dimensions, HxWxD |
| Shelves |
| Center partition |
| Order no. |
| |

500 1200 400

450 x 1197 x 328

2044-00 565,-

| 500 |
|------------------|
| 1200 |
| 500 |
| 450 x 1197 x 428 |
| - |
| - |
| 2054-00 |
| 649,- |

| 790 |
|------------------|
| 1200 |
| 400 |
| 740 x 1197 x 328 |
| 1 |
| - |
| 2045-09 |
| 600,- |

Wall mount

Customer must provide wall mount for top cabinets.

Price

Body and door color



Order no. 2145-09

| 790 | 500 | 500 | 790 | 790 |
|------------------|------------------|------------------|------------------|------------------|
| 1200 | 1600 | 1600 | 1600 | 1600 |
| 500 | 400 | 500 | 400 | 500 |
| 740 x 1197 x 428 | 450 x 1597 x 328 | 450 x 1597 x 428 | 740 x 797 x 328* | 740 x 797 x 428* |
| 1 | - | - | 2 | 2 |
| - | - | - | 1 | 1 |
| 2055-09 | 2144-00 | 2154-00 | 2145-09 | 2155-09 |
| 690,- | 750,- | 855,- | 786,- | 898,- |

^{*}Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)

(+) Top covers, 25 mm thick made of MCPB, for use as occasional cabinet

| | For cabinet width | 1200 | 1200 | 1600 | 1600 |
|------|-------------------|------------|------------|------------|------------|
| МСРВ | Depth | 400 | 500 | 400 | 500 |
| | & order no. | + 2016-000 | + 2017-000 | + 2018-000 | + 2019-000 |
| | & price | + 137,- | + 141,- | + 173,- | + 188,- |

+ Top decor

Occasional cabinets With sliding doors.

| With push and turn ncl. corrugated rub | | | | |
|---|---|--------------------------------------|--------------------------------------|--------------------------|
| Width: 1,200 | Height | 1000 | 1000 | 1000 |
| | Depth | 400 | 500 | 600 |
| | Interior dimensions, HxWxD | 855 x 1197 x 328 | 855 x 1197 x 428 | 855 x 1197 x 528 |
| | Shelves | 1 | 1 | 1 |
| | Order no. | 2046-09 | 2056-09 | 2066-09 |
| | Price | 600,- | 690,- | 810,- |
| | | | | |
| Vidth: 1.600 | | | | 1000 |
| Vidth: 1,600 | Height Depth | 1000 | 1000 | 1000 |
| Vidth: 1,600 | Height | 1000 | 1000 | |
| Vidth: 1,600 | Height Depth | 1000 | 1000 | 600 |
| Vidth: 1,600 | Height Depth Interior dimensions, HxWxD | 1000 400 855×797×328* | 1000 500 855×797×428* | 600 855×797×528* |
| Vidth: 1,600 | Height Depth Interior dimensions, HxWxD Shelves | 1000 400 855 x 797 x 328* 2 | 1000 500 855 x 797 x 428* 2 | 600 855×797×528* 2 |

1200

500

+ 2059-80

+ 37,50

1200

600

+ 2069-80

+ 39,50

1600

400

+ 2149-80

+ 26,50

1200

400

+ 2049-80

+ 35,50

Each is for one cabinet side (left or right of the middle panel)

1600

500

+ 2159-80


+ 27,50

1600

600

+ 29,-

+ 2169-80



Additional shelves

Zinc-plated

For cabinet width

& order no.

& unit price

Color concept → p. 48





Order no. 2047-09 & order no. 2016-000 (top decor)

| 1200 | 1200 | 1200 | |
|----------------------|--------------------------|--------------------------|--|
| 400 | 500 | 600 | |
| 1055 x 1197 x 328 | 1055 x 1197 x 428 | 1055 x 1197 x 528 | |
| 2 | 2 | 2 | |
| 2047-09 | 2057-09 | 2067-09 | |
| 660,- | 759,- | 891,- | |
| | | | |
| | | | |
| 1200 | 1200 | 1200 | |
| 1200 400 | 1200 500 | 1200 600 | |
| | | | |
| 400 | 500 | 600 | |
| 400 1055×797×328* | 500 1055 x 797 x 428* | 600 1055 x 797 x 528* | |
| 400 1055×797×328* | 500 1055 x 797 x 428* | 600 1055 x 797 x 528* | |

^{*}Interior dimensions refer to \emph{one} side of the cabinet respectively (to the left or right of the center partition)



Sliding-door cabinets With viewing windows.

Features of the sliding-door cabinets with viewing windows:

- Sturdy steel construction with high-quality enamel coating
- Zinc-plated shelves
- Ergonomic bow-shaped handles made of metal for easy operation
- Push and turn cylinder lock with 2 keys and optional exchangeable cylinder
- Easy to move sliding doors with long-lasting special casters
- Highly flexible interior thanks to adjustability in 15 mm steps
- Steel doors with viewing windows made of acrylic glass (3 mm thick) for a direct view
- Various dimension variants and occasional cabinets



The sliding doors are outfitted with smoothrunning casters

Dimensions and version

With push and turn cylinder lock







Height: 1,950

| Width |
|---------------------------|
| Depth |
| Interior dimensions, HxWx |
| Shelves |
| Center partition |
| Order no. |

Price

| 1200 |
|-------------------|
| 400 |
| 1840 x 1197 x 328 |
| 4 |
| - |
| 2049-055 |
| 1.214,- |

| 1200 |
|-------------------|
| 500 |
| 1840 x 1197 x 428 |
| 4 |
| - |
| 2059-055 |
| 1.396,- |

| 1200 |
|-------------------|
| 600 |
| 1840 x 1197 x 528 |
| 4 |
| - |
| 2069-055 |
| 1.639,- |

(+) Additional shelves

| | - |
|-------------|---|
| Zinc-plated | |

| Widthxdepth | |
|--------------|--|
| & order no. | |
| & unit price | |

| 1196 x 327 |
|------------|
| + 2049-80 |
| + 35,50 |

| 1196 x 427 | |
|------------|--|
| + 2059-80 | |
| + 37.50 | |

| 1196 x 527 |
|------------|
| + 2069-80 |
| + 39,50 |

(
ightarrow) Body and door color







Cabinets that earn money

Finding instead of searching saves time and money!

- Simply brilliant: Thanks to the direct view of the cabinet contents, you eliminate tedious searching and cumbersome labeling systems.
 Better order is automatically kept in viewing window cabinets as well.
- + Die C+P cabinets with viewing windows pay for themselves after just a short period of time—and then they even make you money by saving time and reducing costs!
- They're also perfectly suited for the implementation of modern simplification and improvement concepts such as KAIZEN or CPI.







| 1600 | 160 |
|-------------------|------|
| 400 | 500 |
| 1840 x 797 x 328* | 184 |
| 8 | 8 |
| 1 | 1 |
| 2149-055 | 215 |
| 1.505,- | 1.73 |
| | |

| 1600 |
|---------------|
| 500 |
| 1840×797×428* |
| 8 |
| 1 |
| 2159-055 |
| 1.731,- |
| |

| 1600 |
|---------------|
| 600 |
| 1840×797×528* |
| 8 |
| 1 |
| 2169-055 |
| 2.032,- |

^{*}Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)

| 796 x 327 | 796 x 427 |
|-----------|-----------|
| + 2149-80 | + 2159-80 |
| + 26.50 | <u> </u> |

| 796×527 |
|-----------|
| + 2169-80 |
| + 29,- |

+) Reinforced shelf



| Load capacity per shelf | Approx. 110 kg | |
|-------------------------|------------------------|--|
| Order no. | +802 | |
| Price | Double the shelf price | |

(←) BACK

Occasional cabinets With viewing windows.



Dimensions and version

With push and turn cylinder lock, incl. corrugated rubber mat for top







Width: 1,200

| Height |
|---------------------------|
| Depth |
| nterior dimensions, HxWxD |
| Shelves |
| Order no. |

Price

| 1000 |
|------------------|
| 400 |
| 855 x 1197 x 328 |
| 1 |
| 2046-055 |
| 900,- |

| 1000 |
|------------------|
| 500 |
| 855 x 1197 x 428 |
| 1 |
| 2056-055 |
| 1.034,- |

| 10 | 000 |
|----|-----------------|
| 6 | 00 |
| 8 | 55 x 1197 x 528 |
| 1 | |
| 2 | 066-055 |
| 1. | .214,- |









Width: 1,600 mm

| Height |
|----------------------------|
| Depth |
| Interior dimensions, HxWxD |
| Shelves |
| Center partition |
| Order no. |
| Price |

| 1000 |
|------------------|
| 400 |
| 855 x 797 x 328* |
| 2 |
| 1 |
| 2146-055 |
| 1.158,- |
| |

| 1000 |
|------------------|
| 500 |
| 855 x 797 x 428* |
| 2 |
| 1 |
| 2156-055 |
| 1.325,- |
| |

| 1000 |
|------------------|
| 600 |
| 855 x 797 x 528* |
| 2 |
| 1 |
| 2166-055 |
| 1.548 |

(+) Additional shelves

| | For cabinet width | 1200 400 | 1200 500 | 1200 | 1600 | 500 | 1600 |
|-------------|-------------------|-------------|-------------|-----------|-----------|-----------|-----------|
| Zinc-plated | Depth | | | | | | |
| | & order no. | + 2049-80 | + 2059-80 | + 2069-80 | + 2149-80 | + 2159-80 | + 2169-80 |
| | & unit price | + 35 50 | + 3750 | + 39 50 | + 26 50 | + 2750 | + 29 - |

Each is for one cabinet side (left or right of the middle panel)



(
ightarrow) Body and door color

Color concept → p. 48



Order no. 2056-055



Cabinets that earn money

Finding instead of searching saves time and money!

- Simply brilliant: Thanks to the direct view of the cabinet contents, you eliminate tedious searching and cumbersome labeling systems. Better order is automatically kept in viewing window cabinets as well.
- + Die C+P cabinets with viewing windows pay for themselves after just a short period of time—and they even make you money by saving time and reducing costs!
- They're also perfectly suited for the implementation of modern simplification and improvement concepts such as KAIZEN or CPI.

| 1200 | 1200 | 1200 |
|--|--------------------------|----------------------|
| 400 | 500 | 600 |
| 1055 x 1197 x 328 | 1055 x 1197 x 428 | 1055 x 1197 x 528 |
| 2 | 2 | 2 |
| 2047-055 | 2057-055 | 2067-055 |
| 989,- | 1.138,- | 1.336,- |
| | | |
| | | |
| 1200 | 1200 | 1200 |
| | 1200 | 1200 |
| 400 | | |
| 400 1055 x 797 x 328* | 500 | 600 |
| 400 1055 x 797 x 328* | 500 1055 x 797 x 428* | 600 1055×797×528* |
| 1200 400 1055 x 797 x 328* 4 1 2147-055 | 500 1055 x 797 x 428* | 600 1055×797×528* |

^{*}Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)

(+) Top decor

Sliding-door cabinets for heavy loads

Features of the cabinets for heavy loads:

- Sturdy steel construction with high-quality enamel coating
- Zinc-plated shelves
- Ergonomic bow-shaped handles made of metal for easy operation
- Push and turn cylinder lock with 2 keys and optional exchangeable cylinder
- Easy to move sliding doors with long-lasting special casters
- Highly flexible interior thanks to adjustability in 15 mm steps
- + High load capacity of each zinc-plated shelf: 110 kg
- Cabinet load: 700 kg
- Various dimension variants and occasional cabinets



Dimensions and version

With push and turn cylinder lock



| | • | | |
|--|---|--|--|
| | | | |
| | | | |

| epth: 500 leight: 1,950 | Width |
|----------------------------|----------------------------|
| | Interior dimensions, HxWx[|
| | Shelves |
| | Center partition |
| | Order no. |
| | Price |

| 1200 |
|-------------------|
| 1840 x 1197 x 428 |
| 4 |
| - |
| 2059-002 |
| 1.025,- |

| 1600 |
|---------------|
| 1840×797×428* |
| 8 |
| 1 |
| 2159-002 |
| 1.317,- |

^{*}Interior dimensions refer to *one* side of the cabinet respectively (to the left or right of the center partition)

(+) Additional shelves

| Zinc-plated | Width | 1196 | 796 | |
|-------------|--------------|------------|------------|--|
| | Depth | 427 | 427 | |
| | & order no. | + 2059-802 | + 2159-802 | |
| | & unit price | + 75 | + 55 | |

(
ightarrow) Body and door color





Loads of up to 700 kg



Order no. 2057-092

Order no. 2059-002

Dimensions and version

With push and turn cylinder lock, incl. corrugated rubber mat for top









| D = = 4 l= . | F 00 |
|--------------|-------------|
| Deptn: | 500 |

| d rubber mat for top | | | | |
|-------------------------------|------------------|-------------------|------------------|-------------------|
| Height | 1000 | 1200 | 1000 | 1200 |
| Width | 1200 | 1200 | 1600 | 1600 |
| Interior dimensions, HxWxD | 855 x 1197 x 428 | 1055 x 1197 x 428 | 855 x 797 x 428* | 1055 x 797 x 428* |
| Shelves | 1 | 2 | 2 | 4 |
| Center partition | - | - | 1 | 1 |
| Order no. | 2056-092 | 2057-092 | 2156-092 | 2157-092 |
| Price | 759 | 835 | 988 | 1.082 |

^{*}Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)

Workbenches, drawer cabinets and mobile computer, measurement and testing stations Versatility at its best.





Row benches

The flexible modular system

- + Sturdy steel construction with high-quality enamel coating
- + Welded base made of square tube
- + Loads of up to 1,000 kg
- + Cylinder lock with 2 keys
- + Secure central locking of the drawers
- + Various dimension variants and drawer blocks

Cabinet workbenches

The rugged cabinets for heavy-duty purposes

- + Sturdy steel construction with high-quality enamel coating
- + Made of square tube
- + Loads of up to 1,000 kg
- + Cylinder lock with 2 keys
- + Secure central locking of the drawers
- + Level adjustment sliders under the feet
- + Various dimension variants and drawer blocks



Drawer cabinets

The heavy-load pros with drawers

- + Sturdy steel construction with high-quality
- enamel coating
- + Recessed handle bars with labeling strips
- + Ball-bearing drawer guides with full extension slide
- + Individual anti-tilt mechanism
- + Cylinder lock with 2 keys
- + Secure central locking
- + Various dimension variants and panel heights



Mobile cabinets

The mobile helpers

- + Sturdy steel construction with high-quality enamel coating
- + Mobile thanks to 4x 125 mm-dia. casters, 2 of which lock
- + Cable openings in the rear panel
- + Small and large cabinet for every need
- + Large cabinet with square perforation in the rear panel for ventilation

Row workbench series 450

Features of the row workbenches:

- Sturdy steel construction with high-quality enamel coating
- Welded base made of 50 x 50 x 2 mm square tube
- The modular principle enables flexible arrangement of the drawer cabinets or workbench legs
- Large cabinets with usable housing height of 700 mm, doors and drawers flush with housing
- Recessed, full-length handle bars with labeling strips and transparent cover
- Secure central locking, combination lock system available
- Drawers with ball guide and 100% full extension slide
- Drawers with 50 mm panel height, 70 kg load
- Drawers with 75 mm panel height and up, 100 kg load
- Work tops made of 40 mm glued laminated multiplex beech, oiled
- Delivered disassembled for easy assembly

Dimensions and version

With cylinder lock



2000





| Depth: 750 | Width |
|-------------|-------------|
| Height: 859 | Description |
| | |

| 1000 | 1500 |
|-----------------------------|------|
| 2 x bases, 1 x multiplex | |

2xbases, 1x multiplex beech top Cabinet hanging underneath: 1x150

1500

2000 1500 2xbases. 1x multiplex beech top

Cabinet hanging underneath: 2x150

| Order | no. |
|-------|-----|
| Price | |

| 4501-010 | |
|----------|--|
| /11 _ | |

beech top

4502-010 4503-010 528,-640,-

4501-140 4502-140 637,-754,-

1000


4503-140 854,-

2000

4501-020 794,-1.140,-

1000

4503-020 4502-020 1.197,-





$(+)\,$ Small-part boxes | 24-piece

| For panel height | 50 | 100 | | |
|------------------|------------|------------|--|--|
| Order no. | 99003-0001 | 99003-0002 | | |
| Price | 74,- | 87,- | | |

(+) Metal dividers | 8-piece


| 50 | 100 | 150 | 200 |
|------------|------------|------------|------------|
| 99003-0003 | 99003-0004 | 99003-0005 | 99003-0006 |
| 44,- | 50,- | 57,- | 65,- |

Body/Frame

RAL 7035 light gray

The specified product order no. must be supplemented with the color specification when ordering: Body/frame always RAL 7035 light gray, fronts as per chart-please specify color no. (fronts are shown in RAL 5012 light blue in chart header)

Available fronts











| 1500 | 2000 | 1500 | 2000 | 1500 | 2000 |
|---|----------|--|----------|---|-----------------------|
| 1x base, 1x multiplex beech 1x panel 1x150, 1x hinged door 550 | 1.7 | 1x base, 1x multiplex beec 1x50, 3x100, 1x150 & 1x200 p | , , | 1x base, 1x multiplex beec 1x50, 1x100, 1x150 & 2x200 p 1x panel (right) 1x 1x hinged door (ri | panels (left) 150, |
| 4502-100 | 4503-100 | 4502-070 | 4503-070 | 4502-130 | 4503-130 |
| 1.111,- | 1.225,- | 1.779,- | 1.899,- | 2.313,- | 2.385,- |

| | | | | | | 3 | | |
|--------------------|---------------------|-----------------------|------------|------------|----------------------------|------------|---------------------------|------------|
| + Additional | accessories | Whole shelf, thick | 25 mm | | Half shelf, 25 mm thick | | Backboard, 15 mm thick | |
| Multiplex beech | For workbench width | 1000 | 1500 | 2000 | 1500 | 2000 | 1500 | 2000 |
| Deecn | Width | 840 | 1350 | 1850 | 850 | 1350 | 1500 | 2000 |
| | Depth | 550 | 550 | 550 | 550 | 550 | 120 | 120 |
| | Order no. | 99003-0011 | 99003-0012 | 99003-0013 | 99003-0014 | 99003-0015 | 99003-0016 | 99003-0017 |
| | Price | 129,- | 207,- | 283,- | 145,- | 222,- | 53,- | 71,- |

(←) BACK

"Small" workbenches with cabinet

Features of the "Small" workbenches with cabinet:

- + No assembly required—workbenches are delivered fully assembled
- Sturdy steel construction with high-quality enamel coating
- Frame made of 40 x 40 x 2 mm square tube
- Drawers feature ball guides
- Recessed drawers and doors, therefore no risk of injury due to projecting handle bars
- 100% full extension (FE) slide drawers
- Usable drawer dimensions: 450 x 600 mm
- Drawers with 50 mm panel height, 70 kg load
- Drawers with 75 mm panel height and up, 100 kg load
- Secure central locking, cylinder lock with two keys
- + Work top made of 40 mm glued laminated multiplex beech, oiled
- Level adjustment sliders under the feet



Order no. 99003-0019-002

Dimensions and version



1500

Left:







Height: 859 Depth: 750 Width Description

Price

Order no. (for front 5012)

3 x 200 Right: 3 x 100, 2 x 150

99003-0018-002

2.665,-

1500 Left: 1xhinged door 600 with shelf

Right 1x100, 1x200 & 1x300

99003-0019-002

1.835,-

1500 Left: 3 x 100, 2 x 150

Right: 1 x half shelf


99003-0020-002


1.891,-





| For panel height | 50 | 100 |
|------------------|------------|------------|
| Order no. | 99003-0022 | 99003-0023 |
| Price | 54,- | 63,- |





| 50 | 100 | 150 | 200 |
|------------|------------|------------|-----------|
| 99003-0007 | 99003-0008 | 99003-0009 | 99003-001 |
| 52,- | 59,- | 66,- | 75,- |



(+) Metal dividers | 25-piece

| 50 | 100 | 150 |
|------------|------------|------------|
| 99003-0024 | 99003-0025 | 99003-0026 |
| 104,- | 117,- | 133,- |



For special colors for bodies, frames or fronts, as well as special locks, please inquire on a project-by-project basis











| 1500 | |
|------------------|-------|
| Left: 1x half | shelf |

Right: 1x200,

1.226,-

1x hinged door 400

99003-0021-002

Left: 2x50, 2x100 & 2x150 Right: 1 x half shelf

2.190,-

99003-0027-002

2000

Right: 1x1 alf shelf 1xhinged

Right: 1x150, 1xhinged door 450

Left: 1x50, 1x150 & 2x200

99003-0028-002

2.340,-

2000

2000 Left: 4x150

Center: 4 x 150 Right:

1x hinged door 600

99003-0029-002

3.170,-

2000 Left: 3 x 100, 2 x 150

Center: 3x200 Right: 2x75, 1x150 & 1x300

99003-0030-002

3.770,-



Workbench holder for perforated plates Suitable for perforated plates on Page p. 338.

Recommendations for widths:

1,000 mm: 2 holders 1,500 mm: 3 holders 2,000 mm: 3 holders

| | For 1 perforated plate | For 2 tiered perforated plates | |
|-----------|------------------------|--------------------------------|--|
| Order no. | 99003-0154 | 99003-0155 | |
| Price | 29,50 | 44,- | |

Body/Frame

RAL 7035 light gray

The specified product order no. includes the first front color of the color chart at the end (RAL 5012 light blue, color no. -002). All other specified colors are available at no additional charge—simply change the color no. at the end of the product order no.

| Available fronts | Color no. |
|--------------------------|-----------|
| RAL 5012 light blue | -002 |
| RAL 3003 ruby red | -009 |
| RAL 5010 gentian blue | -008 |
| RAL 6011 reseda green | -003 |
| RAL 7016 anthracite gray | -453 |
| RAL 7035 light gray | -001 |

"Medium" workbenches with cabinet

Features of the "Medium" workbenches with cabinet:

- No assembly required—workbenches are delivered fully assembled
- Sturdy steel construction with high-quality enamel coating
- Frame made of 40 x 40 x 2 mm square tube
- Drawers feature ball guides
- Recessed drawers and doors, therefore no risk of injury due to projecting handle bars
- 100% full extension (FE) slide drawers
- Usable drawer dimensions: 600 x 600 mm
- Drawers with 50 mm panel height, 70 kg load
- Drawers with 75 mm panel height and up, 100 kg load

- Secure central locking, cylinder lock with two keys
- Work top made of 40 mm glued laminated multiplex beech, oiled
- Level adjustment sliders under the feet



1500

Dimensions and version



Height: 859 Depth: 750 Width Description

Left: 2x75, 1x100, 1x150 & 1x200 Right: 1x150. 1xhinged door 450 Left: 2x100 & 2x200 Right: 2x100 & 2x200

99003-0032-002

Order no. (for front 5012)

99003-0031-002

2.770,-



2.427,-



Height: 859 Depth: 750 Width Description

Price

Price

1500

Left: 1x150, 1xhinged door 450

Center: 2 x shelves Right: 3 x 200

Left: 1x50, 1x150 & 2x200 Center: 2xshelves Right: 2x75, 1x150 & 1x300


99003-0034-002

Order no. (for front 5012)

99003-0033-002 2.386,-

3.103,-







Small-part boxes | 32-piece

| For panel height | 50 | 100 | |
|------------------|------------|------------|--|
| Order no. | 99003-0035 | 99003-0036 | |
| Price | 98,- | 116,- | |

Metal dividers | 13-piece


| 50 | 100 |
|------------|------------|
| 99003-0037 | 99003-0038 |
| 68,- | 79,- |

| 150 | 200 |
|------------|------------|
| 99003-0039 | 99003-0040 |
| 89 | 99 |

Metal dividers | 11-piece

| | 100 | 150 | 200 |
|---|------------|------------|------------|
|) | 99003-0041 | 99003-0042 | 99003-0043 |
| | 67,- | 76,- | 97,- |

Body/Frame



The specified product order no. includes the first front color of the color chart at the end (RAL 5012 light blue, color no. -002). All other specified colors are available at no additional chargesimply change the color no. at the end of the product order no.

Available fronts

| Co | lor | nc |
|----|-----|----|

| RAL 5012 light blue | -002 | |
|--------------------------|------|--|
| RAL 3003 ruby red | -009 | |
| RAL 5010 gentian blue | -008 | |
| RAL 6011 reseda green | -003 | |
| RAL 7016 anthracite gray | -453 | |
| RAL 7035 light gray | -001 | |

"Small" drawer cabinets

Features of the "Small" drawer cabinets:

- + Sturdy steel construction with high-quality enamel coating
- 100% full extension (FE) slide drawers
- Drawers: 50 mm, 70 kg load
- Drawers: 75 mm and up, 100 kg load
- Ball bearing drawer guide
- Individual anti-tilt mechanism
- Handle bars with labeling strips for insertion
- Usable drawer dimensions: 450 x 600 mm
- Recessed drawers, therefore no risk of injury due to projecting handle bars
- Secure central locking, cylinder lock with two keys
- For drawer tidies, see p. 330







| Height: 819 | Width | 555 | 555 | 555 |
|-------------|----------------------------|----------------|-------------------|------------------------------|
| Depth: 736 | Panel heights | 1x100 & 4x150 | 5 x 100 & 1 x 200 | 1x50, 2x75, 2x100 & 2x150 |
| | Order no. (for front 5012) | 99003-0044-002 | 99003-0045-002 | 99003-0046-002 |
| | Price | 1.348,- | 1.545,- | 1.715,- |





| Multiplex beech | | |
|-----------------|------------|--|
| Order no. | 99003-0047 | |
| Price | 113,- | |



| $\overline{}$ | | |
|---------------|-----|-------|
| +) | Top | cover |


| Particle board coated with melamine | | |
|-------------------------------------|------------|--|
| resin | 99003-0048 | |
| Order no. | | |
| Price | - / | |



3-sided metal raised edge

| 20 mm high | |
|------------|------------|
| Order no. | 99003-0049 |
| Price | 97,- |





| Order no. | 99003-0050 |
|-----------|------------|
| Price | 234,- |

Body/Frame

RAL 7035 light gray

The specified product order no. includes the first front color of the color chart at the end (RAL 5012 light blue, color no. -002). All other specified colors are available at no additional charge-simply change the color no. at the end of the product order no.



Mobile add-on (cannot be retrofitted)

2xfixed casters and 2x casters with lock, 125 mm dia. 2x plastic push handles

| Order no. | 99003-0051 |
|-----------|------------|
| Price | 293,- |

| Available | tronts |
|-----------|--------|
| | |

Color no.

| RAL 5012 light blue | -002 | |
|--------------------------|------|--|
| RAL 3003 ruby red | -009 | |
| RAL 5010 gentian blue | -008 | |
| RAL 6011 reseda green | -003 | |
| RAL 7016 anthracite gray | -453 | |
| RAL 7035 light gray | -001 | |

"Medium" drawer cabinets

Features of the "Medium" drawer cabinets:

- + Sturdy steel construction with high-quality enamel coating
- Housing: powder-coated
- 100% full extension (FE) slide drawers
- Drawers: 50 mm, 70 kg load
- Drawers: 75 mm and up, 100 kg load
- Ball bearing drawer guide
- Individual anti-tilt mechanism
- Handle bars with labeling strips for insertion
- Usable drawer dimensions: 600 x 600 mm
- Recessed drawers, therefore no risk of injury due to projecting handle bars
- Secure central locking, cylinder lock with two keys



Order no. 99003-0053-002



Dimensions and version

| Height: 1,019 | |
|---------------|--|
| Depth: 736 | |

Width Panel heights

Order no. (for front 5012)

Price



705

2x100, 2x150 & 2 x 200

99003-0052-002

1.221,-



705

1x50, 2x100, 3x150 & 1x200

99003-0053-002

1.403,-



2x50, 2x75, 1x100, 1x150 & 2x200

99003-0054-002

2.037,-



Top cover

| Multiplex | beech |
|-----------|-------|
| Order no. | |

Price



Top cover

Particle board coated with melamine resin

Order no. 99003-0056 Price

109.-



20 mm high Order no.

Price

99003-0057

107.-



Lift truck base

| Order no. | 99003-0058 | |
|-----------|------------|--|
| Price | 249 - | |

99003-0055

139.-

Body/Frame

RAL 7035 light gray

The specified product order no. includes the first front color of the color chart at the end (RAL 5012 light blue, color no. -002). All other specified colors are available at no additional charge-simply change the color no. at the end of the product order no.



Mobile add-on (cannot be retrofitted)

2 x fixed casters and 2 x casters with lock, 125 mm dia. 2xplastic push handles

99003-0059 Order no. Price 317,-

| Available fronts | Color no. | |
|--------------------------|-----------|--|
| RAL 5012 light blue | -002 | |
| RAL 3003 ruby red | -009 | |
| RAL 5010 gentian blue | -008 | |
| RAL 6011 reseda green | -003 | |
| RAL 7016 anthracite gray | -453 | |
| RAL 7035 light gray | -001 | |

"Large" drawer cabinets

Features of the "Large" drawer cabinets:

- Sturdy steel construction with high-quality enamel coating
- Housing: powder-coated
- 100% full extension (FE) slide drawers
- Drawers: 50 mm, 70 kg load
- Drawers: 75 mm and up, 100 kg load
- Ball bearing drawer guide
- Individual anti-tilt mechanism
- Handle bars with labeling strips for insertion
- Usable drawer dimensions: 900 x 600 mm
- Recessed drawers, therefore no risk of injury due to projecting handle bars
- Secure central locking, cylinder lock with two keys



Order no. 99003-0061-002







| 1005 |
|--------------------------------------|
| 1x75, 2x100, 1x125, 2x150 & 1x200 |

99003-0060-002

2.399,-

| _ | | |
|-----|---|---|
| | | |
| | | |
| | _ | |
| | _ | |
| | _ | |
| | _ | |
| _ | _ | |
| | | |
| | | |
| | _ | |
| | | |
| | _ | |
| 100 | | г |
| | | |

| 1005 | |
|------------------------|--|
| 2×75, 1×150 & 3×200 | |
| 99003-0061-002 | |

2.037,-



| 1005 | 5 |
|-----------------|-------------------------|
| 2 x 5 1 x 20 | 0, 1x100, 4x125 & 00 |
| 9900 | 03-0062-002 |

2.664,-





| Multiplex beech | |
|-----------------|------------|
| Order no. | 99003-0063 |
| | |



Top cover



(+) 3-sided metal raised edge


| Multiplex beech | |
|-----------------|------------|
| Order no. | 99003-0063 |
| Price | 200 |

| Particle board coated | d with melamine resir |
|-----------------------|-----------------------|
| Order no. | 99003-0064 |
| Ditai | 470 |

20 mm high 99003-0065 Order no. Price 148,-

Color no.





| Order no. | 99003-0066 |
|-----------|------------|
| Price | 265,- |

Body/Frame

RAL 7035 light gray

The specified product order no. includes the first front color of the color chart at the end (RAL 5012 light blue, color no. -002). All other specified colors are available at no additional charge-simply change the color no. at the end of the product order no.



Mobile add-on (cannot be retrofitted)


2xfixed casters and 2x casters with lock, 125 mm dia. 2xplastic push handles

| Order no. | 99003-0067 |
|-----------|------------|
| Price | 339,- |

| RAL 5012 light blue | -002 | |
|--------------------------|------|--|
| RAL 3003 ruby red | -009 | |
| RAL 5010 gentian blue | -008 | |
| RAL 6011 reseda green | -003 | |
| RAL 7016 anthracite gray | -453 | |
| RAL 7035 light gray | -001 | |


Available fronts

Tidies for "Medium" drawer cabinets:




+ Small-part boxes | 24-piece

| Comprised of: 12 boxes of size 150 x 150 mm, 4 boxes of size 75 x 150 mm & 8 boxes of size 75 x 75 mm | | | | |
|---|------------|------------|--|--|
| For panel height | 50 | 100 | | |
| Order no. | 99003-0068 | 99003-0069 | | |
| Price | 80,- | 95,- | | |



(+) Metal dividers | 10-piece

| Comprised of: 2 center rails of size 600 mm & 8 partitions of size 200 mm | | | | | |
|---|------------|------------|------------|------------|--|
| For panel height | 50 | 100 | 150 | 200 | |
| Order no. | 99003-0070 | 99003-0071 | 99003-0072 | 99003-0073 | |
| Price | | 66,- | 73,- | 81,- | |



+ Metal dividers | 23-piece

| Comprised of: 5 center rails of size 600 mm & 18 partitions of size 100 mm | | | | | |
|--|------------|------------|------------|------------|--|
| For panel height | 50 | 100 | 150 | 200 | |
| Order no. | 99003-0074 | 99003-0075 | 99003-0076 | 99003-0077 | |
| Price | 112,- | 127,- | 146,- | 166,- | |



+ Corrugated rubber inlay


| For panel height | 50 - 200 |
|------------------|------------|
| Order no. | 99003-0078 |
| Price | 52 - |

Tidies for "Large" drawer cabinets:




+ Small-part boxes | 40-piece

| Comprised of: 16 boxes of size 150 x 150 mm, 8 boxes of size 75 x 150 mm & 16 boxes of size 75 x 75 mm | | | |
|--|------------|------------|--|
| For panel height | 50 | 100 | |
| Order no. | 99003-0079 | 99003-0080 | |
| Price | 125 | 147 | |



+ Metal dividers | 20-piece

| Comprised of: 5 center rails of size 600 mm & 15 partitions of size 150 mm | | | | |
|--|------------|------------|------------|------------|
| For panel height | 50 | 100 | 150 | 200 |
| Order no. | 99003-0081 | 99003-0082 | 99003-0083 | 99003-0084 |
| Price | 109,- | 126,- | 142,- | 160,- |



+ Metal dividers | 15-piece

| Comprised of: 3 center rails of size 600 mm, 9 partitions of size 200 mm & 3 partitions of size 300 mm | | | | |
|--|------------|------------|------------|--|
| For panel height | 50 | 100 | 150 | |
| Order no. | 99003-0085 | 99003-0086 | 99003-0087 | |
| Price | 101,- | 113,- | 142,- | |



+ Corrugated rubber inlay

| For panel height | 50 - 200 |
|------------------|------------|
| Order no. | 99003-0088 |
| Price | 69 - |

- Sturdy steel construction with high-quality enamel coating
- + Mobile thanks to 4x 125 mm-dia. casters, 2 of which lock
- + Cable openings in the rear panel
- + Small and large cabinet for every need
- + Large cabinet with square perforation in the rear panel for ventilation





Dimensions and version

| Depth: 500 | Height | 1000 | 1610 |
|------------|----------------------------|---|--|
| | Width | 530 | 680 |
| | Description | 1xhinged door 1xmultiplex beech top cover, 25 mm 1xdrawer, 100 mm, fully extendable, 70 kg load 1xroller base, 125 mm dia. 1x4-socket outlet | 2 x hinged doors 1 x pull-out keyboard tray 1 x shelf Perforated rear panel 1 x slanted shelf 1 x flat-screen holder with VESA screw connection 1 x roller base, 125 mm dia. 1 x 4-socket outlet |
| | Order no. (for front 5012) | 99003-0089-002 | 99003-0090-002 |
| | Price | 1.140,- | 1.895,- |

Body/Frame

RAL 7035 light gray

The specified product order no. includes the first front color of the color chart at the end (RAL 5012 light blue, color no. -002). All other specified colors are available at no additional charge—simply change the color no. at the end of the product order no.

| Available fronts | Color no. |
|--------------------------|-----------|
| RAL 5012 light blue | -002 |
| RAL 3003 ruby red | -009 |
| RAL 5010 gentian blue | -008 |
| RAL 6011 reseda green | -003 |
| RAL 7016 anthracite gray | -453 |
| RAL 7035 light gray | -001 |

Perforated plates

Perforated plate system: The right hook for every tool. They're simply mounted in the desired hole and clicked in place. The hook stays in place and doesn't wobble.

- + Clear, space-saving storage of tools, small parts and work materials
- Rugged powder coating
- + Reinforced with binding beams



+ Perforated plate

Steel plate, perforated, 10 x 10 mm beveled all around, RAL 7035 light gray perforation spacing: 38 x 38 mm

| Order no. | Dimensions | Price |
|------------|------------|-------|
| 99003-0150 | 500 x 450 | 111,- |
| 99003-0151 | 1000 x 450 | 137,- |
| 99003-0152 | 1500 x 450 | 178,- |
| 99003-0153 | 2000 x 450 | 210,- |



+ Tool holder With straight pin

| Ø 6 mm | | |
|------------|------------|-------|
| Order no. | Dimensions | Price |
| 99003-0135 | 35 | 4,50 |
| 99003-0136 | 75 | 4,50 |
| 99003-0137 | 125 | 5,- |



(+) Tool holder With vertical hook end

| Ø 6 mm | | |
|------------|------------|-------|
| Order no. | Dimensions | Price |
| 99003-0098 | 50 | 4,50 |
| 99003-0099 | 100 | 4,50 |
| 99003-0100 | 150 | 5 |



(+) Tool holder With slanted hook end

| Ø 6 mm | | |
|------------|------------|-------|
| Order no. | Dimensions | Price |
| 99003-0094 | 50 | 4,50 |
| 99003-0095 | 100 | 4,50 |
| 99003-0096 | 150 | 5,50 |
| 99003-0097 | 200 | 5,50 |



+ Double tool holder With slanted hook end

| Ø 6 mm | | | | |
|------------|------------|-------|--|--|
| Order no. | Dimensions | Price | | |
| 99003-0103 | 50 | 9,- | | |
| 99003-0104 | 75 | 9,50 | | |
| 99003-0105 | 150 | 10,- | | |



(+) Double tool holder With vertical hook end

| Ø 6 mm | | |
|------------|------------|-------|
| Order no. | Dimensions | Price |
| 99003-0139 | 35 | 8,50 |
| 99003-0140 | 50 | 9,- |
| 99003-0141 | 75 | 9,50 |
| 99003-0142 | 150 | 10 |



Slanted hook For nuts and socket wrench

| Ø 6 mm | | |
|------------|------------|-------|
| Order no. | Dimensions | Price |
| 00003-0138 | 14/40 | 5.50 |



+ Round holder

| Order no. | Dimensions | Price |
|------------|------------|-------|
| 99003-0116 | 65 x 25 | 11.50 |



+ Appliance holder

| Order no. | Dimensions | Price |
|------------|------------|-------|
| 99003-0117 | 40 | 18,50 |
| 99003-0118 | 60 | 20,- |
| 99003-0119 | 80 | 22,50 |



+ Base plate

| Order no. | Version | Price |
|------------|---------|-------|
| 99003-0129 | Small | 3,50 |
| 99003-0130 | Large | 4,50 |



+ Magnetic holder

| Order no. | Dimensions | Price |
|------------|------------|-------|
| 99003-0101 | 40 | 42,50 |



(+) Magnets

| Pack. unit: 10 pc. | | |
|--------------------|------------|-------|
| Order no. | Dimensions | Price |
| 99003-0102 | Ø 25 | 35,50 |



Tool lip, single, small base plate

| Order no. | Dimensions | Price |
|------------|------------|-------|
| 99003-0106 | 6 | 6,50 |
| 99003-0107 | 10 | 7,- |
| 99003-0108 | 13 | 7,- |
| 99003-0109 | 16 | 7,- |
| 99003-0110 | 19 | 7,50 |



Holder for pliers

| Order no. | Dimensions | Price |
|------------|------------|-------|
| 99003-0143 | 20 x 35 | 9,- |
| 99003-0144 | 50 x 40 | 12,- |
| 99003-0145 | 75 x 50 | 13,- |
| 99003-0146 | 20 x 55 | 9,50 |
| 99003-0147 | 20 x 75 | 10,50 |



Saw holder, must be ordered in pairs, packaging unit: 1 pc.

| Order no. | Version | Price |
|------------|-------------|-------|
| 99003-0126 | für 4 Sägen | 20,- |



Tube holder Also for hoses, cables etc.

| Order no. | Dimensions | Price |
|------------|------------|-------|
| 99003-0127 | 62 | 19,50 |
| 99003-0128 | 100 | 20,50 |



Screwdriver holder

Dimensions in mm (WxDxH): 200/390 x 30 x 40

| Order no. | Version | Price |
|------------|--------------|-------|
| 99003-0122 | For 6 parts | 27,50 |
| 99003-0123 | For 12 parts | 40 |



tool clip

| Order no. | Dimensions | Price |
|------------|------------|-------|
| 99003-0111 | 6 | 9,50 |
| 99003-0112 | 10 | 10,- |
| 99003-0113 | 13 | 10,50 |
| 99003-0114 | 16 | 10,50 |
| 99003-0115 | 19 | 11,- |



3-compartment tool holder

| Order no. | Dimensions | Price |
|------------|------------|-------|
| 99003-0120 | 45 x 150 | 18,- |



Wrench holder Horizontal

| roi o wielici | 162 | |
|---------------|-------------------|-------|
| Order no. | Dimensions | Price |
| 99003-0121 | 130/60 x 150 x 50 | 32,- |



Storage tray

| Order no. | Dimensions | Price |
|------------|------------|-------|
| 99003-0148 | 350 x 125 | 37,50 |
| 99003-0149 | 445 x 150 | 52,- |



Drill bit/hexagon socket holder (various dia.)

Dimensions in mm (WxDxH): 200/390x30x35

| Order no. | Version | Price |
|------------|--------------|-------|
| 99003-0124 | For 14 parts | 32,50 |
| 99003-0125 | For 28 parts | 50,- |

Hook assortments as value sets

Practical combinations (for exact combinations, see lists below)

Hook assortment, 10-piece

7 x tool holders with slanted end 2x double tool holder 1xtool clip

| Order no. | Price |
|------------|-------|
| 99003-0131 | 55,- |

Hook assortment, 18-piece

5 x tool holders with slanted end 2xtool holders with vertical end 3 x double tool holders 3 x tool clips 2xholders for pliers 1x drill bit holder 1xwrench holder 1x screwdriver holder

| Order no. | Price |
|------------|-------|
| 99003-0132 | 189,- |

Hook assortment, 28-piece

6xtool holders with slanted end 8 x tool holders with vertical end 6xdouble tool holders 2xholders for pliers 1xappliance holder 1xwrench holder 1x screwdriver holder 1x drill bit holder 2 x saw holders

| Order no. | Price |
|------------|-------|
| 99003-0133 | 284,- |

(+) Hook assortment, 40-piece

9xtool holders with slanted end 12 x tool holders with vertical end 9 x double tool holders 3xholders for pliers 2 x appliance holder 1xwrench holder 1x screwdriver holder 1x drill bit holder 2 x saw holders

| Order no. | Price |
|------------|-------|
| 99003-0134 | 369,- |

Shelf systems







File shelving

The slot-in shelving for the binder archive

- + Fast and easy to assemble boltless system
- + Shelves adjustable in 25 mm
- + Load capacity per shelf: 80 kg
- + Maximum bay load: 600 kg
- + Surfaces: Available zinc-plated or in light gray RAL 7035

Boltless shelving for standard loads

The quick-assembly shelving for standard loads

- + Fast and easy to assemble boltless system
- + Shelves adjustable in 25 mm steps
- + Load capacity per shelf: 100 kg
- + Maximum bay load: 1,100 kg (height: 2,000 mm) 1,650 kg (height: 2,500 mm)
- + Surfaces: Available zinc-plated or in light gray RAL 7035

Boltless shelving for moderately heavy loads

The right shelving for greater demands

- + Fast and easy to assemble boltless system
- + Shelves adjustable in 25 mm steps
- + Load capacity per shelf: 150 kg
- + Maximum bay load:1,100 kg (height: 2,000 mm)1,650 kg (height: 2,500 mm)
- + Surfaces: Available zinc-plated or in light gray RAL 7035



Boltless shelving for heavy loads

The strong shelving for heavy-duty purposes

- + Fast and easy to assemble boltless system
- + Shelves adjustable in 25 mm steps
- + Load capacity per shelf: 230 kg
- + Maximum bay load:1,650 kg (height: 2,000 mm)2,400 kg (height: 2,500 mm)
- + Surfaces: Available zinc-plated or in light gray RAL 7035



Long boltless shelving

The specialists for large and heavy stored goods

- + Fast and easy to assemble boltless system
- + Shelves adjustable in 50 mm steps
- + Load capacity per shelf: 500/400 kg (shelving width: 1,700 & 2,000 mm/2,500 mm)
- + Maximum bay load: 3,000 kg
- + Surfaces: zinc-plated, particle board shelves

Boltless file shelving

Features of boltless file shelving:

- + Boltless shelf system using frames with diagonal braces or longitudinal braces, shelves and assembly hardware
- + Set up very quickly and easily
- + Shelf height adjustable in 25 mm steps
- + High load capacity of 80 kg per shelf with evenly distributed load
- + Bay load: 600 kg
- + Available in light gray RAL 7035, coated or zinc-plated
- + Zinc-plated version: Shelf frames are delivered dismantled
- + Coated version: Shelf frames are delivered preassembled







Shelf bracket

Planning dimensions

Basic shelving: Depth + 36 mm

Width + 56 mm

Add-on shelving: Depth + 36 mm

Width + 6 mm



Order no. 99002-000012 & 99002-000018 (cover shelf)

Single/double basic boltless file shelving

Consisting of 2 side frames, 6 shelves for 6 binder heights, 2 diagonal braces with tightener. The double basic shelving has 2 pair of longitudinal braces.









Height: 2,200 Width: 1,000

| Depth | 300 | 300 | 600 | 600 |
|-----------|--------------|--------------|--------------|--------------|
| Version | Zinc-plated | Coated | Zinc-plated | Coated |
| Capacity | 72 binders | 72 binders | 144 binders | 144 binders |
| Order no. | 99002-000016 | 99002-000012 | 99002-000017 | 99002-000013 |
| Price | 382,- | 436,- | 560,- | 749,- |

Single/double add-on boltless file shelving

Consisting of 1 side frame, 6 shelves for 6 binder heights, 1 diagonal brace with tightener. The double-sided add-on shelving has 2 pair of longitudinal braces.









Height: 2,200 Width: 1,000

| Depth | 300 | 300 | 600 | 600 |
|--------------|----------------|----------------|----------------|----------------|
| Version | Zinc-plated | Coated | Zinc-plated | Coated |
| Capacity | 72 binders | 72 binders | 144 binders | 144 binders |
| Order no. | + 99002-000014 | + 99002-000010 | + 99002-000015 | + 99002-000011 |
| & unit price | + 308,- | + 333,- | + 458,- | + 551,- |



Order no. 99002-000012 & 99002-000010 (add-on shelving) & 2x 99002-000018 (cover shelves)



Order no. 99002-000017 & 99002-000021 (cover shelves)



| + Fastening sets | For wall mounting | For floor attachment |
|--------------------|----------------------|----------------------|
| For basic shelving | | |
| & order no. | + 7830-704 | + 7830-706 |
| & unit price | + 16,- | + 21,- |
| For add-on shelvin | ıg | |
| & order no. | + 7830-705 | + 7830-707 |
| | | |

Safety information:
Shelving must be secured against tipping over if the height of the shelving is more than 5 times its depth.

Top cover shelf For dust protection, incl. shelf support

| Width: 1,000 | For shelf depth | 300 | 600 | 300 | 600 |
|--------------|-----------------|----------------|----------------|----------------|----------------|
| | Version | Zinc-plated | Zinc-plated | Coated | Coated |
| | & order no. | + 99002-000019 | + 99002-000021 | + 99002-000018 | + 99002-000020 |
| | & unit price | + 33.50 | + 43,50 | + 33,- | + 47,- |

788 series

Boltless shelving for standard loads.

Features of the 788 series:

- Attractively priced shelving for standard loads
- Fast, easy and boltless assembly
- High load capacity per shelf: max. 100 kg
- Bay load: max. 1,100 kg (height: 2,000 mm) max. 1,650 kg (height: 2,500 mm)
- Shelf height adjustable in 25 mm steps
- Available surfaces: Zinc-plated or coated in light gray RAL 7035

All load specifications apply for shelving loaded manually with evenly distributed load.







Side braces, zinc-plated

Planning dimensions


Basic shelving:

Depth + 36 mm

Width + 56 mm

Add-on shelving: Depth + 36 mm

Width + 6 mm



Shelf frames are supplied dismantled and can be easily fitted together Example: 2,500 mm

Basic boltless shelving

Consisting of 2 side frames, shelves (for quantity, see below), 2 diagonal braces with tightener for 2,000 heights,

4 diagonal braces with tightener for 2,500 height



Width: 1,000

Zinc-plated

Height Depth

Shelves

Order no.

Price



2000

400

78820-42

2000

500

78820-52



Order no

Price

78820-40

348,-

78820-50 384,-



Consisting of 1 side frame, shelves (for quantity, see above), 1 diagonal brace with tightener for 2,000 height, 2 diagonal braces with tightener for 2,500 height (for all other dimensions, see basic boltless shelving)





Zinc-plated

Height

& order no.

& unit price

& order no.

& unit price

2000

+ 234,-

2000

+ 78820-53

+ 78820-41


+ 78820-43

+ 268,-

+ 78820-51

+ 266,-

+ 300,-



For shelf depth & order no.

& unit price

Coated

400 + 78842-80 + 34,-

500

+ 39,-

+ 78852-80

600 + 78862-80

+ 44,-



Order no. 78825-52 & 78825-53 (add-on shelving)



High load capacity thanks to multiple edgings



Shelf bracket



Floor attachment for shelving with a height/depth ratio of >_ 5:1.

This shelving must be secured against tipping over (wall or foot anchoring).

| + Fastening sets | For wall mounting | For floor attachment | |
|--------------------|-------------------|----------------------|--|
| For basic shelving | | | |
| & order no. | + 7830-704 | + 7830-706 | |
| & unit price | + 16,- | + 21,- | |
| | | | |
| For add-on shelvin | g | | |
| & order no. | + 7830-705 | + 7830-707 | |
| & unit price | + 8,- | + 10,- | |

| 2000 | 2500 | 2500 | 2500 |
|------------|------------|-------------------|------------|
| 600 | 400 | 500 | 600 |
| 5 | 6 | 6 | 6 |
| 78820-62 | 78825-42 | 78825-52 | 78825-62 |
| 367,- | 376,- | 422,- | 461,- |
| 78820-60 | 78825-40 | 78825-50 488,- | 78825-60 |
| | ← F | | |
| 2000 | 2500 | 2500 | 2500 |
| + 78820-63 | + 78825-43 | + 78825-53 | + 78825-63 |
| + 294,- | + 289,- | + 329,- | + 363,- |
| + 78820-61 | + 78825-41 | + 78825-51 | + 78825-61 |
| 1 10020 01 | | | |

(+) Additional shelves, coated

| For shelf depth | 400 | 500 | 600 |
|-----------------|------------|------------|------------|
| & order no. | + 78840-80 | + 78850-80 | + 78860-80 |
| & unit price | + 38,- | + 43,- | + 49,- |

78 series

Boltless shelving for moderately heavy loads.

Features of the 78 series:

- Attractively priced shelving for moderately heavy loads
- Fast, easy and boltless assembly
- High load capacity per shelf: max. 150 kg
- Bay load: max. 1,100 kg (height: 2,000 mm) max. 1,650 kg (height: 2,500 mm)
- Shelf height adjustable in 25 mm steps
- Available surfaces: Zinc-plated or coated in light gray RAL 7035

All load specifications apply for shelving loaded manually with evenly distributed load.



Diagonal brace with tightener



Side braces, zinc-plated






Planning dimensions

Basic shelving: Depth + 36 mm Width + 56 mm

Add-on shelving: Depth + 36 mm Width + 6 mm



Shelf frames are supplied dismantled and can be easily fitted together Example: 2,500 mm

Basic boltless shelving

Consisting of 2 side frames, shelves (for quantity, see below), 2 diagonal braces with tightener for 2,000 height,

4 diagonal braces with tightener for 2,500 height






| wiath: 1,000 | Height |
|------------------------------|-----------|
| | Depth |
| | Shelves |
| and the second second second | Order no. |
| | Price |

Price

2000 400 5 99002-000056 2000 500 99002-000058 377,-



Zinc-plated

Order no. Price

99002-000055 409,-

99002-000057 446,-

Add-on boltless shelving

Consisting of 1 side frame, shelves (for quantity, see above), 1 diagonal brace with tightener for 2,000 height, 2 diagonal braces with tightener for 2,500 height (for all other dimensions, see basic boltless shelving)





| and the second s |
|--|
| |
| |
| Zinc-plated |
| |

Height & order no. & unit price 2000 + 99002-000032 + 279,-

2000 + 99002-000034 + 306,-



& order no. & unit price + 99002-000031 + 326,-

+ 99002-000033 + 359,-

Additional shelves, zinc-plated

For shelf depth 400 500 600 & order no. + 99002-000001 + 99002-000002 + 99002-000003 & unit price + 42,50 + 46,50



Order no. 99002-000058 & 2x 99002-000034 (add-on shelving units)

For shelf depth

& order no.

& unit price

400

+ 48,50


+ 99002-000022



Floor attachment for shelving with a height/ depth ratio of >_ 5:1.

This shelving must be secured against tipping over (wall or foot anchoring).

| +) Fastening sets | For wall mounting | For floor attachment | |
|-------------------|----------------------|-------------------------|--|
| For basic shelvi | ng | | |
| & order no. | + 7830-704 | + 7830-706 | |
| & unit price | + 16,- | + 21,- | |
| For add-on shel | ving | | |
| & order no. | + 7830-705 | + 7830-707 | |
| & unit price | + 8,- | + 10,- | |



500

+ 54,-

+ 99002-000023

+ 60,-

600

+ 99002-000024

7800 series

Boltless shelving for heavy loads.

Features of the 7800 series:

- + Fast, easy and boltless assembly
- + Sturdy T-frames for shelves
- + High load capacity per shelf: max. 230 kg
- + Bay load: max. 1,650 kg (height: 2,000 mm) max. 2,400 kg (height: 2,500 mm)
- + Shelf height adjustable in 25 mm steps
- + Shelves with system perforations in 50 mm steps for retroactive fitting of system accessories (e.g. compartment dividers)
- + Available surfaces: Zinc-plated or coated in light gray RAL 7035

 Planning dimensions

 Basic shelving:
 Depth + 36 mm

 Width + 56 mm

 Add-on shelving:
 Depth + 36 mm

 Width + 6 mm



Order no. 7820-50

All load specifications apply for shelving loaded manually with evenly distributed load.

Basic boltless shelving

Consisting of 2 side frames, 4 shelves,

2 diagonal braces with tightener for 2,000 height,

4 diagonal braces with tightener for 2,500 height






| Width: 1,000 | Height | |
|---------------------------------|-----------|--|
| | Depth | |
| The second second second second | Order no. | |
| | Price | |
| 7inc-plated | | |

| 000 |
|--------|
| -00 |
| 820-42 |
| 12,- |
| |

| 2000 | |
|---------|--|
| 500 | |
| 7820-52 | |
| 445,- | |



| Order no. | | |
|-----------|--|--|
| Price | | |

| 7820-40 | | |
|---------|--|--|
| 463,- | | |

| 7820-50 | |
|---------|--|
| 496 | |

+ Add-on boltless shelving

Consisting of 1 side frame, 4 shelves 1 diagonal brace with tightener for 2,000 height, 2 diagonal braces with tightener for 2,500 height (for all other dimensions, see basic boltless shelving)





| | _ |
|--------------|---|
| | ı |
| | ı |
| Zinc-plated | ı |
| Ziric-plated | ı |

| Height | |
|--------------|--|
| & order no. | |
| & unit price | |

| 2000 | |
|-----------|--|
| + 7820-43 | |
| + 330,- | |

| , | 1 | |
|-------|------|--|
| 2000 | | |
| + 782 | 0-53 | |
| . 242 | | |

| | I |
|--------|---|
| Coated | ı |

| & order no. | |
|--------------|--|
| & unit price | |

| + 7820-41 | |
|-----------|--|
| + 380,- | |

| + 7820-51 | |
|-----------|--|
| - 1020 01 | |
| ± /112 = | |

+) Additional shelves, zinc-plated

| For shelf depth | 400 | 500 | 600 | |
|-----------------|-----------|-----------|-----------|--|
| & order no. | + 7842-80 | + 7852-80 | + 7862-80 | |
| & unit price | + 48,- | + 56,- | + 61,- | |





Diagonal brace with tightener



Shelf bracket



Floor attachment for shelving with a height/depth ratio of >_ 5:1.

This shelving must be secured against tipping over (wall or foot anchoring).



High load capacity thanks to multiple edgings




sets


| For wall |
|----------|
| mounting |

For floor attachment

| For basic shelving | | |
|--------------------|------------|------------|
| & order no. | + 7830-704 | + 7830-706 |
| & unit price | + 16,- | + 21,- |
| | | |

| For add-on shel | ving | |
|-----------------|------------|------------|
| & order no. | + 7830-705 | + 7830-707 |
| & unit price | + 8,- | + 10,- |





+ 463,-

Additional shelves, coated

+ 463,-

+ 496,-


| For shelf depth | 400 | 500 | 600 |
|-----------------|-----------|-----------|-----------|
| & order no. | + 7840-80 | + 7850-80 | + 7860-80 |
| & unit price | + 54,- | + 58,- | + 64,- |

+ 530,-

Long boltless shelving systems For large and heavy loads.

Features of long boltless shelving:

- Fast, easy and boltless assembly
- Complete shelf unit with 4 particle board shelves
- Basic design allows for variable positioning options
- Shelf level height adjustable in 50 mm steps
- Shelf load capacity of shelf widths of 1,700 & 2,000 = up to 500 kg, 2,500 mm = up to 400 kg
- Bay load for shelf widths of 1,700 & 2,000 = up to 3,000 kg, 2,500 mm = up to 2,800 kg
- + Horizontal and vertical stepped beams
- Circumferential edge protection
- 2 binding beams under every shelf
- + Surface of profiles and beams zinc-plated
- Metal insertable foot
- Fastening to the floor possible
- All load specifications apply for shelving loaded manually with an evenly distributed load.



Particle board shelf


Long boltless shelving with particle board shelves

Consisting of 4 support profiles,

- 8 horizontal stepped beams,
- 8 vertical stepped beams,
- 8 A-binding beams, 4 feet,
- 4 shims, 4 19 mm particle boards

| Height: 1,970 | Width | 1700 | 1700 | 1700 | 2000 | 2000 | 2000 | 2500 | 2500 | 2500 |
|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | Depth | 400 | 600 | 800 | 400 | 600 | 800 | 400 | 600 | 800 |
| | Order no. | 781120-40 | 781120-60 | 781120-80 | 781220-40 | 781220-60 | 781220-80 | 781320-40 | 781320-60 | 781320-80 |
| | Price | 687,- | 767,- | 861,- | 748,- | 832,- | 940,- | 852,- | 942,- | 1.083,- |
| Height: 2,470 | Order no. | 781125-40 | 781125-60 | 781125-80 | 781225-40 | 781225-60 | 781225-80 | 781325-40 | 781325-60 | 781325-80 |
| | Price | 728,- | 808,- | 902,- | 790,- | 873,- | 981,- | 893,- | 983,- | 1.122,- |

| Height: 2,970 | Order no. | 781130-40 | 781130-60 | 781130-80 | 781230-40 | 781230-60 | 781230-80 | 781330-40 | 781330-60 | 781330-80 |
|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | Price | 766,- | 847,- | 940,- | 828,- | 912,- | 1.019,- | 932,- | 1.021,- | 1.158,- |



|) | Additional untreated particle boards | |
|---|--------------------------------------|--|
| | | |

| & order no. | + 781140-80 | + 781160-80 | + 781180-80 | + 781240-80 | + 781260-80 | + 781280-80 | + 781340-80 | + 781360-80 | + 781380-80 |
|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| & unit price | + 129,- | + 149,- | + 174,- | + 144,- | + 165,- | + 195,- | + 170,- | + 194,- | + 230,- |



Order no. 781120-40





Office & archive

At C+P, you'll find the right cabinet for every application. Choose from a wide selection of cabinet types ranging from hinged-door, sliding-door and tambour cabinets to glass door cabinets and cabinets with drawers, for filing or for a multi-drawer cabinet.

With a variety of practical interior fittings, your C+P cabinet can be individually designed for new storage and organization needs at any time.

Add to this a competent range of lounge furniture, tables, chairs, storage space near the workstation, caddies and accessories for contemporary office furniture.

Cabinet and filing systems



356

Hinged-door cabinets
Acurado | Asisto | Certos (flame-resistant)





386

Sliding-door cabinets Acurado | Asisto

Office furniture & accessories



440

Counters and lounge furniture



446

Tables



400

Tambour cabinets
Omnispace | Asisto



414

Drawer and filing cabinets Acurado | Asisto | 7000 series



454

Around the desk



460

Chairs and stools



470

Cabinets, pedestals and caddies

Hinged-door cabinets

Sturdy and long-lasting.









Acurado series

The favorably priced cabinets for classic filing


- Sturdy steel construction
 with high-quality enamel coating
- + With sliders for floor protection as standard
- + Shelves, coated light gray
- + Ergo-Lock grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- Doors on bolt hinges, door opening angle of approx. 110°
- + Complete product line (different dimension variants and interior fittings for every requirement)

Asisto series

The attractive steel cabinets and shelving for any office

- Sturdy steel construction
 with high-quality enamel coating
- + Appealing design thanks to narrow edges
- + Sliders for floor protection, as standard with level adjustment, adjustable from inside
- + Metal cabinet handles, matt nickel-plated
- + Shelves, coated black gray
- + 3-bolt safety lock with exchangeable cylinder, 2 keys
- $+ \;$ Hinged doors with approx. 225° door opening angle
- + Doors with wood decor fronts as standard, also available in steel or as glass doors
- + Complete product line (different dimension variants and interior fittings for every requirement)






The double-walled cabinets with protection against fires and attempted burglary

- + Double-walled, sturdy steel construction with special insulating plates between the walls and high-quality enamel coating
- + Protection against minor fires and attempted burglary
- Increased protection against burglary thanks to burglar-proof door design on the side and sturdy door locks
- + With sliders for floor protection as standard
- + Shelves, coated light gray
- + Double-bit safety lock with five-bolt bolt lock system, with 2 keys
- Doors on external sturdy bolt hinges, convenient door opening angle of approx. 180°
- + Optional electronic code lock
- + Complete product line (various heights and dimension variants for every requirement)








The patented Ergo-Lock from C+P



Outstanding operating safety, wear resistance and an attractive appearance characterize the patented "Ergo-Lock" grip lock from C+P. The "simply push shut to close" feature in particular already makes the work of hundreds of thousands of users easier—and soon yours, too!

Features of the Ergo-Lock:

- + **High-quality appearance—current and contemporary**Fits in with any room and gives your cabinet
 a distinctive look.
- + Patented "simply push shut to close" mechanism
 Neatly close a cabinet, even if your hands
 are full—only from C+P.
- Exchangeable cylinder, subsequent replacement, simultaneous locking—it's all possible!
 Remain open to future change and safeguard the security of your investment.
- Suitable locking systems with PIN code or transponder with the same appearance.
 Use a PIN code or transponder instead of a key with the same design if required for security purposes. As a complete, electronic offline lock, the Ergo-Lock offers full state-of-the-art features.









Whether you use it as a key lock or with PIN codes or transponders, the Ergo-Lock product range offers the right system to suit every requirement.



Opt for security and access control to suit your particular needs:



Mechanical locking system

- + 2 keys per lock
- Standard design for all Acurado hinged-door cabinets
- Also easy and convenient to operate with gloves







PIN code lock

- + Motorized locking bolt
- 4 digits
- 4- to 8-digit codes possible
- Optical function feedback (green/red)
- Master key code

- + Usage range: +5 to +40°C
- + Operated with 2 standard AA batteries (alkaline)
- + Batteries last for approx. 30,000 openings or approx. 3 years

Order no. 8900-750 Price 225,-



RFID transponder lock

- + Motorized locking bolt
- + Transponder type: MIFARE® DESFire®
- Can be integrated into existing access control systems
- USB programming interface
- Optical function feedback (green/red)
- + Easy operation with programmable user and master cards, as well as a service card
- + Management software also available as an option
- + Usage range: +5 to +40°C
- Operated with 2 standard AA batteries (alkaline)
- Batteries last for approx. 30,000 openings or approx. 3 years

| Order no. | 8900-740 |
|-----------|------------|
| Price | On request |


Acurado

Hinged-door cabinets.

Features of the hinged-door cabinets:

- Sturdy steel construction with high-quality enamel coating
- Wide range of different dimensions for any application
- With sliders for floor protection as standard
- Shelves, coated light gray
- Improved operating safety, wear resistance and an attractive ergonomic appearance thanks to the Ergo-Lock grip lock (3-bolt latch) in black with 2 keys
- Doors on bolt hinges, door opening angle of approx. 110°
- Door reinforcement for high stability
- Highly flexible interior fitting options thanks to adjustability in 15 mm steps
- Interesting range of counter and top solutions as well as shelving
- High load capacity of 70 kg per shelf, reinforced shelf can bear loads up to 110 kg, for reinforcement see page 365





Improved operating safety, wear resistance and an attractive appearance thanks to the grip lock (3-bolt latch) in black with 2 keys-the door can be closed simply by squeezing the grip lock

To Ergo-Lock \rightarrow p. 358



Order no. 9260-000

Dimensions and version grip lock









| With ${\bf Ergo\text{-}Lock}$ | trip | le- | bol | t | g |
|-------------------------------|------|-----|-----|---|---|
| | | | | | |

| Width |
|-------------------------------|
| Depth |
| Interior dimensions, HxWxD |
| Shelves |
| Order no. |
| Price |

| 500 |
|------------------|
| 400 |
| 1840 x 498 x 353 |
| 4 |
| 9234-000 |
| 124 |

| 500 |
|------------------|
| 500 |
| 1840 x 498 x 453 |
| 4 |
| 9235-000 |
| 501,- |

| 700 | |
|------------------|--|
| 400 | |
| 1840 x 698 x 353 | |
| 4 | |
| 9236-000 | |
| 490,- | |

| 700 |
|------------------|
| 500 |
| 1840 x 698 x 453 |
| 4 |
| 9237-000 |
| 563,- |

Additional shelves

Height: 1,950

Coated steel, light gray, in special color (project specific) on request

| Steel shelves | |
|---------------|--|
| Salar Control | |

| Widthxdepth | | |
|--------------|--|--|
| & order no. | | |
| & unit price | | |

| 497 x 352 | |
|-----------|--|
| + 1034-80 | |
| + 25,- | |

| 497 x 452 | |
|-----------|--|
| + 1035-80 | |
| + 27,- | |

| 697 x 352 |
|-----------|
| + 1036-80 |
| + 29,50 |

| 697×452 |
|-----------|
| + 1037-80 |
| + 31 50 |

Underframes made of square tube, 150 mm high, adjustable level Black gray RAL 7021, other colors on request



| Width x depth |
|---------------|
| & order no. |
| & unit price |

| - | | | |
|---|--|--|--|
| - | | | |
| | | | |

| - | | | |
|---|--|--|--|
| - | | | |

| - | | |
|---|--|---|
| - | | _ |
| | | _ |

| - | | | |
|---|--|--|--|
| - | | | |
| _ | | | |

(o) Body and door color



| 930 | 930 | 930 | 1200 | 1200 | 1200 |
|----------------------------------|-----------------------------------|---------------------------------|-----------------------------------|-----------------------------------|------------------------------------|
| 400 | 500 | 600 | 400 | 500 | 600 |
| 1840 x 928 x 353 | 1840 x 928 x 453 | 1840 x 928 x 553 | 1840 x 1198 x 353 | 1840 x 1198 x 453 | 1840 x 1198 x 5 |
| 4 | 4 | 4 | 4 | 4 | 4 |
| 9260-000 | 9280-000 | 9290-000 | 9460-000 | 9480-000 | 9490-000 |
| | | | | | |
| 544,- | 626,- | 735,- | 680,- | 782,- | 918,- |
| 544,- 925×352 | 626,- 925×452 | 735,- 925 x 552 | 680,- 1195×352 | 782,- 1195×452 | 918,- 1195 x 552 |
| | | | | | |
| 925×352 | 925×452 | 925×552 | 1195 x 352 | 1195 x 452 | 1195 x 552 |
| 925×352 + 1040-80 | 925×452 + 1050-80 | 925×552 + 1051-80 | 1195 x 352 + 9360-80 | 1195 x 452 + 1060-80 | 1195 x 552 + 1061-80 |
| 925×352 + 1040-80 | 925×452 + 1050-80 | 925×552 + 1051-80 | 1195 x 352 + 9360-80 | 1195 x 452 + 1060-80 | 1195 x 552 + 1061-80 |
| 925 x 352 + 1040-80 + 34,- | 925 x 452 + 1050-80 + 36,50 | 925×552 + 1051-80 + 38,50 | 1195 x 352 + 9360-80 + 43,- | 1195 x 452 + 1060-80 + 46,- | 1195 x 552 + 1061-80 + 48,50 |

+ Accessories

Office bookcases.




Order no. 9160-000

| Dimensions ar | nd version | | H | | |
|--|--|------------------|------------------|------------------|------------------|
| Office bookcases are cabinets without doors | s and with shelves | | | | |
| Height: 1,950 | Width | 500 | 500 | 700 | 700 |
| | Depth | 400 | 500 | 400 | 500 |
| | Interior dimensions, | 1840 x 498 x 353 | 1840 x 498 x 453 | 1840 x 698 x 353 | 1840 x 698 x 453 |
| | HxWxD | 4 | 4 | 4 | 4 |
| | Shelves | 9134-000 | 9135-000 | 9136-000 | 9137-000 |
| | Order no. | 349,- | 401,- | 392,- | 451,- |
| | Price | | | | |
| + Additional shelve Coated steel | | 107.050 | 107 150 | 407.050 | 107 |
| Steel shelves | Width x depth | 497 x 352 | 497 x 452 | 697 x 352 | 697 x 452 |
| Salar Sa | & order no. | + 1034-80 | + 1035-80 | + 1036-80 | + 1037-80 |
| | & unit price | + 25,- | + 27,- | + 29,50 | + 31,50 |
| | de of square tube, 150 mm 021, other colors on reques | | | | |
| | 52., 54 55.5.5 5 15 44 .55 | | | | |
| | Widthxdepth | | - | | - |
| | · | - | <u>-</u> | - | |



| 930 | |
|------------------|--|
| 400 | |
| 1840 x 928 x 353 | |
| 4 | |
| 9160-000 | |
| 436,- | |

| 930 | |
|------------------|--|
| 500 | |
| 1840 x 928 x 453 | |
| 4 | |
| 9180-000 | |
| 501 | |



| 1200 |
|-------------------|
| 400 |
| 1840 x 1198 x 353 |
| 4 |
| 9360-000 |
| 544,- |
| |

| 1200 |
|-------------------|
| 500 |
| 1840 x 1198 x 453 |
| 4 |
| 9380-000 |
| 626,- |
| |

| 925 x 352 | 925 x 452 | 925 x 552 | 1195 x 352 | 1195 x 452 | |
|-----------|-----------|-----------|------------|------------|--|
| + 1040-80 | + 1050-80 | + 1051-80 | + 9360-80 | + 1060-80 | |
| + 34,- | + 36,50 | + 38,50 | + 43,- | + 46,- | |

| 930 x 400 | 930 x 500 | 930 x 600 | 1200 x 400 | 1200×500 | |
|-----------|-----------|-----------|------------|-----------|--|
| + 9964-00 | + 9984-00 | + 9994-00 | + 2027-00 | + 2028-00 | |
| + 129,- | + 142,- | + 155,- | + 158,- | + 173,- | |



Hanging frames, binder supports and locks \rightarrow p. 372



+ More file shelving

Selection → p. 372

Hinged-door cabinets.



Order no. 9260-100

Dimensions and version

With different interior fittings With Ergo-Lock triple-bolt grip lock





| Height: 1,950 | Depth | 400 | 500 |
|---------------|--------------------------------------|---|---|
| Width: 930 | Interior dimensions, HxWxD | 1840×928×353 | 1840 x 928 x 453 |
| | Shelves | 3 | 3 |
| | Two-door security compartment, HxWxD | 1 335 x 755 x 335 | 1 335 x 755 x 435 |
| | Description | Security compartment with cylinder lock | Security compartment with cylinder lock |
| | Order no. | 9260-100 | 9280-100 |
| | Price | 746,- | 827,- |

(+) Additional shelves Coated steel (standard)

| Steel shelves | Widthxdepth | 925 x 352 | 925 x 452 | |
|---------------|--------------|-----------|-----------|--|
| | & order no. | + 1040-80 | + 1050-80 | |
| | & unit price | + 34,- | + 36,50 | |

→ Body and door color







Order no. 9280-088




| = | | _ |
|---|--|---|
| | | |



| 400 | |
|--------------|--|
| 1840×375×350 | |
| 4 | |

| - |
|--|
| Storage shelf with coat rack rail (without |



Storage shelf with extendable coat rack rail (without coat hangers) on the left, coat rack section: approx. 550 mm wide

coat hangers) on left, central partition

Full-length storage shelf on the inside with coat rack rail (without coat hangers)

9260-30

9280-088 606,-

675,-

757,-

9280-30

500

4

1840 x 459 x 450

375 x 349

(additional shelf for **right** side for 9260-30)

459 x 449

(additional shelf for \boldsymbol{right} side for 9280-30)

+ 1040-38

+ 21,50

+ 1050-38

+ 25,50

(+) Reinforced shelf

Load capacity per shelf

110 kg

& order no.

+ ...-802

Price

Double the shelf price

(+) Accessories

Hanging frames, binder supports and locks \rightarrow p. 372

Office cabinets and bookcases.



Order no. 9260-410



Order no. 9160-600

Dimensions and version

Office cabinets with suspension bars and compartments with Ergo-Lock triple-bolt grip lock

Height: 1,950

Width: 930

| _ | correct . |
|---|---------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Description Dimensions, HxWxD

Interior dimensions, HxWxD

Order no.

Price

Depth

400

6 suspension bars (for Elba/Leitz)

 $1840\,x\,928\,x\,353$

9260-600

685,-

400

21 compartments 240 x 280 x 352

 $1840\,x\,928\,x\,353$

9260-410

847,-

(
ightarrow) Body and door color



Dimensions and version

Office bookcases with suspension bars and compartments

Office bookcases are cabinets without doors with rear panel and shelves in light gray





| Height: 1,950 | Depth | 400 | 400 |
|---------------|----------------------------|-------------------|------------------|
| Width: 930 | Description | 6 suspension bars | 21 compartments |
| | Interior dimensions, HxWxD | 1840 x 928 x 353 | 1840 x 928 x 353 |
| | Order no. | 9160-600 | 9160-410 |
| | Price | 577 | 739 |



Selection \rightarrow p. 372



Top cabinets and bookcases.



Order no. 9264-000/9464-00

| Top cabinets with Eractriple-bolt grip lock, in mounting to underbe | ncl. accessories for | · _ | | | | | |
|---|---|---|-------------------|----------------------|---------------------|-----------------------------------|------------------|
| | Height | 500 | 500 | 500 | 500 | 500 | 500 |
| | Width | 930 | 930 | 930 | 1200 | 1200 | 1200 |
| | Depth | 400 | 500 | 600 | 400 | 500 | 600 |
| | Shelves | - | | - | _ | _ | - |
| | Binder heights | 1 | 1 | 1 | 1 | 1 | 1 |
| | Interior dimensions, HxWxD | 440 x 928 x 353 | 440×928 ×453 | 440×928 ×553 | 440 x 1198 x 353 | 440 x 1198 x 453 | 440×1198 ×553 |
| | Order no. | 9264-000 | 9284-000 | 9294-000 | 9464-000 | 9484-000 | 9494-000 |
| | Price | 323,- | 371,- | 436,- | 403,- | 464,- | 544,- |
| | & order no. | | 3900-7211 | | | | |
| Dimensions a | & order no. & addtl. charge | + | | | | | |
| Top bookcases incl. | & order no. & addtl. charge and version accessories for mountir | + | 3900-7211 | | | | |
| Top bookcases incl. | & order no. & addtl. charge and version accessories for mountir | + | 3900-7211 25,- | 500 | 500 | 50 | 00 |
| Top bookcases incl. | & order no. & addtl. charge and version accessories for mountinet | + · · · · · · · · · · · · · · · · · · · | 0 | 500 930 | 500 1200 | | |
| Top bookcases incl. | & order no. & addtl. charge and version accessories for mountinet Height | + + + + + + + + + + + + + + + + + + + | 0 0 0 | | | | 00 |
| Top bookcases incl. | & order no. & addtl. charge and version accessories for mountinet Height Width | + + + + + + + + + + + + + + + + + + + | 0 0 0 | 930 | 1200 | 12 | 00 |
| Top bookcases incl. | & order no. & addtl. charge and version accessories for mountinet Height Width Depth | + + + + + + + + + + + + + + + + + + + | 0 0 0 | 930 | 1200 | 12 | 00 |
| Top bookcases incl. | & order no. & addtl. charge and version accessories for mountinet Height Width Depth Shelves | + + + + + + + + + + + + + + + + + + + | 0 0 0 | 930 500 - | 1200 400 - | 12 50 - 1 | 00 |
| Dimensions a Top bookcases incl. to underbench cabine | & order no. & addtl. charge and version accessories for mountinet Height Width Depth Shelves Binder heights | + + + + + + + + + + + + + + + + + + + | 0 0 0 | 930 500 - 1 | 1200 400 - 1 | 12 50 - 1 3×353 44 | 00 |

Oustomer must provide wall mounting for top cabinets and bookcases

Body and door color Color concept → p. 48

+ Accessories



Order no. 9165-000

| 790 | 790 | 790 | 790 | 790 | 790 |
|-----------------------|-----------------|-----------------|---------------------|---------------------|---------------------|
| 930 | 930 | 930 | 1200 | 1200 | 1200 |
| 400 | 500 | 600 | 400 | 500 | 600 |
| 1 | 1 | 1 | 1 | | 1 |
| 2 | 2 | 2 | 2 | 2 | 2 |
| 730 x 928 x 353 | 730×928 ×453 | 730×928 ×553 | 730 x 1198 x 353 | 730 x 1198 x 453 | 730 x 1198 x 553 |
| 9265-000 | 9285-000 | 9295-000 | 9465-000 | 9485-000 | 9495-000 |
| 403,- | 464,- | 544,- | 504,- | 580,- | 680,- |
| • | | | | | |
| + 8900-7211 + 25,- | | | | | |
| + 8900-7211 | | | | | 3 |

Additional shelves

930

400

1

2

730 x 928 x 353

9165-000

323,-

Coated steel (standard), only possible with cabinet/bookcase height of 790 mm

730 x 928 x 453

9185-000

371,-

930

500

1

2

| | For cabinets (WxD) | 930 x 400 | 930 x 500 | 930 x 600 | 1200 x 400 | 1200 x 500 | 1200 x 600 |
|---------------|--------------------|-----------|-----------|-----------|------------|------------|------------|
| Steel shelves | Widthxdepth | 925 x 352 | 925 x 452 | 925 x 552 | 1195 x 352 | 1195 x 452 | 1195 x 552 |
| | & order no. | + 1040-80 | + 1050-80 | + 1051-80 | + 9360-80 | + 1060-80 | + 1061-80 |
| | & unit price | + 34,- | + 36,50 | + 38,50 | + 43,- | + 46,- | + 48,50 |

1200

400

1

2

730 x 1198 x 353

9365-000

403,-

1200

500

1

2

730 x 1198 x 453

9385-000

464,-

Occasional and counter cabinets/shelving.



Order no. 9267-1200



Order no. 9286-1200 & 1125-110 (steel top cover)

Dimensions and version

Occasional and counter cabinets with MCPB top, 25 mm thick, with **Ergo-Lock** triple-bolt grip lock









| Height |
|----------------------------|
| Width |
| Depth |
| Shelves |
| Binder heights |
| Interior dimensions, HxWxD |
| Order no. |
| Price |

| 1000 |
|-----------------|
| 930 |
| 400 |
| 1 |
| 2 |
| 855 x 928 x 353 |
| 9266-1200 |
| 484,- |
| |
| |

| 1000 |
|-----------------|
| 930 |
| 500 |
| 1 |
| 2 |
| 855 x 928 x 453 |
| 9286-1200 |
| 544,- |
| |
| |

| 1000 |
|------------------|
| 1200 |
| 400 |
| 1 |
| 2 |
| 855 x 1198 x 353 |
| 9466-1200 |
| 585,- |
| |

| 1000 |
|------------------|
| 1200 |
| 500 |
| 1 |
| 2 |
| 855 x 1198 x 453 |
| 9486-1200 |
| |

Occasional and counter shelving with MCPB top,



403,-

9166-1200







544,-

660,-

| Order no. | |
|-----------|--|
| Price | |







+ Alternative top covers Instead of MCPB top



| Width |
|-----------------|
| Depth |
| & order no. |
| & addtl. charge |

| (| 930 | |
|---|------------|--|
| - | 400 | |
| - | + 1124-110 | |
| _ | L N = | |

| 930 | |
|------------|--|
| 500 | |
| + 1125-110 | |

+ 0,-

| 1200 |
|------------|
| 400 |
| + 2016-110 |
| + 0 - |

| 1200 |
|------------|
| 500 |
| + 2017-110 |
| + 0,- |


Body and door color

Color concept → p. 48









(+) Under frame 150 mm high, made of square tube, adjustable level. Black gray RAL 7021, other colors on request

Width Depth & order no. & price



| 930 | | |
|-----|--|--|
| 400 | | |
| | | |

| 930 |
|-----------|
| 400 |
| + 9964-00 |
| + 129,- |



| 930 |
|-----------|
| 500 |
| + 9984-00 |
| + 1/12 - |



| 1200 | | |
|-----------|--|--|
| 400 | | |
| + 2027-00 | | |
| + 158,- | | |



| 1200 |
|-----------|
| 500 |
| + 2028-00 |
| + 173 |

(+) Additional accessories

Binder supports and locks \rightarrow p. 372

Accessories for hinged-door cabinets.

Additional shelves

For cabinets







91/9260-410

9260-30

9280-30

Shelf support set Zinc-plated, pack. unit = 20 pc.

Cabinet dimensions, WxD

930 x 400

The vertical partitions of the cabinets are permanently installed. The **horizontal intermediate shelves** are supported on both sides and can only be adjusted vertically together. Additional shelves

930 x 400

Filing section
Shelf for
right side

930 x 500

Filing section
Shelf for
right side

Order no.

are supplied loose.

With front edging

1040-49

1040-38

1050-38 25,50 1118-00-20

20,-

Price

63 -

Reinforced shelf

| Load capacity per shelf | 110 kg | | |
|-------------------------|------------------------|--|--|
| & order no. | +802 | | |
| Price | Double the shelf price | | |

Hanging frame

Fully extendable, on ball bearings, with adjustable dividers, including anti-tilt mechanism, cannot be retrofitted, color: light gray RAL 7035





1200

241,-

| For cabinet width |
|--------------------|
| For cabinet depth |
| Inner useful depth |
| Rows |
| For files |

| 750 |
|----------|
| 400 |
| 328 |
| 2-row |
| DIN A4 |
| 1040-811 |
| 225,- |

| 930 | |
|----------|--|
| 500 | |
| 328 | |
| | |
| DIN A4 | |
| 1050-811 | |
| | |

| 1200 | |
|----------|--|
| 400 | |
| 328 | |
| 3-row | |
| DIN A4 | |
| 9360-811 | |
| 237,- | |

| 500 |
|----------|
| 328 |
| |
| DIN A4 |
| 1060-811 |
| |

Divider

Order no.
Price

Single, for hanging frame



230,-

| Inner useful depth |
|--------------------|
| For files |
| Order no. |
| Price |

| 328 |
|----------|
| DIN A4 |
| 1000-841 |
| 15,- |
| |

| 400 | |
|--------|----|
| EDP | |
| 1000-8 | 42 |
| 15,- | |



Order no. 1050-811

Suspension bars

(Suspension bars from other systems on request)

| System | Elba/Leitz | | | Zippel | | |
|--------------------|------------|---------|---------|---------|---------|---------|
| For cabinet width | 930 | 930 | 1200 | 930 | 930 | 1200 |
| For cabinet depth | 400 | 500 | 500 | 400 | 500 | 500 |
| Inner useful width | 848 | 848 | 1118 | 848 | 848 | 1118 |
| Order no. | 1040-82 | 1050-82 | 1060-82 | 1040-83 | 1050-83 | 1060-83 |
| Price | 51,- | 53,- | 62,- | 51,- | 53,- | 62,- |

200

28,-

100 x 270 4222-25

Binder supports

Height Widthxdepth

Order no. Price

Attachable, with 2-fold edging, suitable for all shelves



| 100 | |
|-----------|--|
| 100 x 230 | |
| 4221-25 | |
| 25 | |





Shelf with coat rack rail

Includes holder below the storage shelf (including storage shelf, possible from 500 mm exterior cabinet depth only), without coat hangers

| Order no. | 88 |
|-----------|------------|
| Price | On request |



Keys and locks: Ergo-Lock



Ergo-Lock with 2 keys

Ergo-Lock with master key system without security certificate

8900-723

25,-

Master key for this

Ergo-Lock with simultaneous locking

Single/ spare key

Additional charge for lock with lock no. upon request (longer delivery times)

Single/ spare key for security compartment

Order no. 8900-721 Price

22,-

8900-7131 18,-

8900-7211 25,-

0004-11 19,-

...-...99 On request

0006-50 19,-

Other additional charges

Asisto

The strength and flexibility of steel in the office.

Asisto from C+P is a leading product in all areas of modern office furniture and also offers added value that is "as strong as steel" and that you can only get from C+P. The Asisto cabinets with the innovative steel body stand out thanks to their technology, design and price-performance ratio. Asisto is the intelligent complete range from the market leader in steel furniture.

Features of Asisto hinged-door cabinets:

- + Sturdy steel construction with high-quality enamel coating
- Appealing design thanks to narrow edges which you can only achieve with intelligently manufactured steel bodies
- + Excellent stability and suitability for moving thanks to Asisto steel body (with useful magnetic surfaces on the side)
- Sliders for floor protection, as standard with level adjustment, adjustable from inside
- Metal cabinet handles, matt nickel-plated
- + Shelves, coated black gray

- + 3-bolt safety lock with exchangeable cylinder, 2 keys
- + Hinged doors with approx. 225° door opening angle
- + Different fronts (steel, wood and clear glass) and tops can be matched to the steel body
- + Highly flexible interior fitting options thanks to adjustability in 15 mm steps
- + High load capacity of 70 kg per shelf
- + MCPB tops, 25 mm thick, for cabinets up to 1,635 mm in height



All units feature the narrow 6 mm edge that is characteristic for the Asisto cabinet system



The standard Asisto handles are matt nickel-plated and continue the elegant style of this product line



The adjustable hinges (opening angle of approx. 225°) are extra flat, thus allowing even better access to the cabinet interior



The Asisto level adjustment can be easily adjusted from the inside with easy access to the adjustment screw through a guide sleeve



Company

Color concept

Changing room & wardrobe

Workshop & factory

Asisto

Hinged-door cabinets.

Features of the hinged-door cabinets:

- For general description, see page 374
- Shelves made of steel in black gray RAL 7021 (standard), for additional or alternative shelves, see page 380
- Glass doors (addtl. charge) without lock



Order no. 141032-000 & 141032-710 (steel doors)

Dimensions and door material

| Hinge | d-door | cabinets |
|-------|---------|-----------|
| אוווח | :u-uooi | Capillets |

Incl. 25 mm-thick MCPB tops for cabinet heights up to 1,635 mm















| Width | 800 | 1000 | 1200 | 800 | 1000 | 1200 |
|-------------------------------|--------------------|--------------------|---------------------|---------------------|---------------------|----------------------|
| Depth | 435 | 435 | 435 | 435 | 435 | 435 |
| Height | 915 | 915 | 915 | 1310 | 1310 | 1310 |
| Interior dimensions, HxWxD | 745 x 795 x 352 | 745 x 995 x 352 | 745 x 1195 x 352 | 1140 x 795 x 352 | 1140 x 995 x 352 | 1140 x 1195 x 352 |
| Shelves | 1 | 1 | 1 | 2 | 2 | 2 |
| Binder heights | 2 | 2 | 2 | 3 | 3 | 3 |
| Order no. | 141053-000 | 141052-000 | 141051-000 | 141033-000 | 141032-000 | 141031-000 |
| Price | 575,- | 665,- | 756,- | 689,- | 798,- | 907,- |





| Optional: |
|-------------|
| & order no. |

& addtl. charge



+ 75,-

+ 141052-710 + 75,-

+ 141051-710 + 75,-

+ 141033-710 + 75,-

+ 141032-710 + 75,-

+ 141031-710 + 75,-

Clear glass doors



Optional:

& order no. + 141053-750 & addtl. charge + 228,-

+ 141052-750 + 228,-

+ 141051-750 + 228,-

+ 141033-750 + 228,-

+ 141032-750 + 228,-

+ 141031-750 + 228,-

MCPB = Melamine coated particle board

Solid-core/HPL or steel \rightarrow p. 380

Alternative top covers

(+) Additional shelves Selection → p. 380

Accessories

Binder supports and hanging frames \rightarrow p. 381

(o) Body and door color

Color concept → p. 48

(
ightarrow) Door decor (possibly top decor) or door color (with steel doors)

Color concept \rightarrow p. 50





MCPB wood decor doors are standard for all Asisto cabinets (19 mm thick)



Steel doors are optional and feature double-wall insulation (19 mm thick)



Glass doors are optional and consist of safety glass (TSG) with a thickness of 6 mm

Order no. 141002-000 & 141002-710 (steel doors)

for more pleasant sound behavior of the cabinet

Sandwich construction

(steel-absorption layer-

steel)

For cabinet height

Per cabinet/shelf

Binder heights

& order no.


& addtl. charge

915

+ 83,-

+ 141050-701

2





1635

+ 118,-

+ 141010-701

4

1310

+ 101,-

+ 141030-701

3

1980

+ 136,-

+ 141000-701

5

Asisto

Office bookcases.

Features of the office bookcases:

- + For general description, see p. 374
- Shelves made of steel as standard in black gray, for additional/alternative shelves, see p. 380



Order no. 140031-000

Dimensions and version

Incl. MCPB tops, 25 mm thick, for shelving up to 1,635 mm in height

| _ | _ | _ |
|---|---|---|
| | | |
| | | |
| | | |
| _ | | |
| | | |
| | | |
| | | |
| _ | | |
| | | |

915

483,-



915







Depth: 435

| Height |
|-----------------|
| Width |
| Shelves |
| Binder heights |
| Interior dimen- |

Order no. Price


| 800 |
|--------------------|
| 1 |
| 2 |
| 745 x 795 x 352 |
| 140053-000 |


| 1000 |
|--------------------|
| 1 |
| 2 |
| 745 x 995 x 352 |
| 140052-000 |
| 559,- |

| 1310 |
|---------------------|
| 800 |
| 2 |
| 3 |
| 1140 x 795 x 352 |
| 140033-000 |
| 579,- |

| 1310 |
|---------------------|
| 1000 |
| 2 |
| 3 |
| 1140 x 995 x 352 |
| 140032-000 |
| |

| 1310 |
|----------------------|
| 1200 |
| 2 |
| 3 |
| 1140 x 1195 x 352 |
| 140031-000 |
| 762,- |






MCPB = Melamine coated particle board



Tops → p. 380



Selection \rightarrow p. 380



Selection \rightarrow p. 377



Asisto

Accessories for hinged-door cabinets and office bookcases.



Steel shelves, black gray, load capacity: 70 kg Order no. ...-80



Glass shelves made of 6 mm-thick safety glass (TSG), load capacity: 40 kg Order no. ...-580

Additional shelves


Coated steel, black gray



| For cabinet width | 800 |
|-------------------|-----------|
| Width x depth | 794 x 352 |
| Order no. | 140003-80 |
| Unit price | 32 |

| 000 | 1200 |
|-----------|------------|
| 994 x 352 | 1194 x 352 |
| 40002-80 | 140001-80 |
| 34,- | 43,- |

Alternative design




| Thickness | 6 |
|------------|------------|
| Order no. | 140003-580 |
| Unit price | 80,- |

| 6 |
|------------|
| 140001-580 |
| 108,- |
| |

Alternative top covers

As solid-core/HPL or steel top, instead of MCPB top



+ Top design

Selection \rightarrow p. 52



Binder support

Attachable, for steel shelves, black gray



| Height |
|-----------|
| Width |
| Depth |
| Order no. |
| Price |

| 200 |
|------------|
| 100 |
| 270 |
| 140000-701 |
| 28 - |



Shelf with coat rack rail

Extendable, below the shelf, without coat hangers



| or cabinet width | 800 |
|-------------------------|----------------|
| Dimensions, HxWxD | 24 x 759 x 352 |
| nterior dimensions, WxD | 759 x 363 |
| Order no. | 140003-88 |
| Price | 64,- |

Hanging frame

Fully extendable, on ball bearings, with 2/4 adjustable vertical fixed links, incl. double anti-tilt mechanism, for DIN A4 files. Cannot be retrofitted







| For cabinet width | 800 | 1000 | 1200 |
|--------------------|------------|------------|------------|
| Inner useful depth | 330 | 330 | 330 |
| Rows | 2-row | 2-row | 3-row |
| Order no. | 140003-811 | 140002-811 | 140001-811 |
| Price | 252,- | | 275,- |

Certos

Flame-resistant cabinets.

Features of the flame-resistant Certos hinged-door cabinets:

- + **Double-walled on all sides** and especially sturdy steel construction with high-quality enamel coating
- 25 mm-thick special insulating plates
 between the walls, category A1, non-flammable according to DIN 4102
- + Protection against minor fires and attempted burglary
- + Increased burglary protection thanks to burglar-proof door design on the side and sturdy door locks which snap into the side walls on the left and right
- + Wide range of different dimensions for any application
- + With sliders for floor protection as standard
- + Shelves, coated light gray
- + 5-bolt lock system (3 on the sides, 1 each at the top/bottom)
- + Double-bit safety lock with 2 keys
- + Optional electronic code lock
- Doors on external sturdy bolt hinges, convenient door opening angle of approx. 180°
- + Highly flexible interior fitting options thanks to adjustability in 15 mm steps
- + High load capacity of 70 kg per shelf



Order no. 1161-000

Dimensions and version

Flame-resistant, incl. 25 mm-thick MCPB tops for cabinet heights up to 1,226 mm









| Depth: | 500 |
|--------|-----|
| | |

| Height | 1226 | 1226 | 1226 | 1950 |
|--|------------------|------------------|-------------------|------------------|
| Width | 650 | 930 | 1200 | 650 |
| Interior dimensions, HxWxD | 1060 x 598 x 429 | 1060 x 878 x 429 | 1060 x 1148 x 429 | 1810 x 598 x 429 |
| Shelves | 2 | 2 | 2 | 4 |
| Weight | Approx. 64 kg | Approx. 84 kg | Approx. 102 kg | Approx. 92 kg |
| Binder heights | 3 | 3 | 3 | 5 |
| Security compartment dimensions, HxWxD | - | - | - | - |
| Order no. | 1160-000 | 1171-00 | 1181-00 | 1161-000 |
| Price | 1.285,- | 1.428,- | 1.784,- | 1.577,- |



Additional shelves Coated steel


| | Width x depth | 597 x 428 | 877 x 428 | 1147 x 428 | 597 x 428 |
|---------------|---------------|-----------|-----------|------------|-----------|
| Steel shelves | Order no. | + 1160-80 | + 1170-80 | + 1180-80 | + 1160-80 |
| | Unit price | + 28,50 | + 33,- | + 42,50 | + 28,50 |

 $\stackrel{\textstyle >}{igorrup}$ Body and door color


Color concept → p. 48







Order no. 1170-100





1950

1200

4

5

1180-00 2.190,-

1810 x 1148 x 429

Approx. 140 kg





| 1950 | |
|------------------|--|
| 930 | |
| 1810 x 878 x 429 | |
| 4 | |
| Approx. 115 kg | |
| 5 | |
| - | |
| 1170-00 | |
| 1.752,- | |
| | |

| 1950 |
|---------------------------------|
| 930 |
| 1810 x 878 x 429 |
| 3 |
| Approx. 120 kg |
| 4 |
| 1 (two-door) 335 x 758 x 400 |
| 1170-100 |
| |

1.953,-

| 1950 | |
|-----------------------------------|---|
| 930 | |
| 1810 x 878 x 429 | |
| 3 | |
| Approx. 123 kg | |
| 4 | |
| 2 (single-door) 335 x 370 x 40 | 0 |
| 1170-200 | |
| 1.953,- | |



Order no. 1160-000

| | 28 |
|-----------|----|
| + 1170-80 | 80 |

| . 33 – | |
|--------|--|
| . ၁၁,- | |
| | |

| 1147 x 428 | 877 x 428 |
|------------|-----------|
| + 1180-80 | + 1170-80 |
| . 12.50 | |

| 877 x 428 |
|-----------|
| + 1170-80 |
| + 33,- |

Accessories

Hanging frames and locks \rightarrow p. 384

Accessories for flame-resistant cabinets

Suspension bars

System

Price

For cabinet width Inner useful width Order no.



| Elba/Leitz | |
|------------|---------|
| 930 | 1200 |
| 825 | 1095 |
| 1170-82 | 1180-82 |
| 51,- | 60,- |



| Zippel | |
|---------|---------|
| 930 | 1200 |
| 825 | 1095 |
| 1170-83 | 1180-83 |
| 51,- | 60,- |



Hanging frame

Fully extendable, on ball bearings, black gray color, with 2 adjustable dividers, includes anti-tilt mechanism, cannot be retrofitted



| For cabinet width | 930 |
|--------------------|-----------|
| For cabinet depth | 500 |
| Inner useful depth | 328 |
| Rows | 2-row |
| For files | DIN A4 |
| Order no. | 1170-8110 |
| Price | 230,- |

| 1200 |
|----------------------------------|
| 500 |
| 328 |
| 2-row and 1 extra compartment |
| DIN A4 |
| 1180-8110 |
| 236 |



Additional accessories







| Version | Electronic lock | | |
|-----------------|--|--|--|
| | In black (instead of double-bit lock) | | |
| Order no. | 1131-02 | | |
| & addtl. charge | 390,- | | |

| Single or spare key | Handle silver anodized | |
|---------------------|------------------------|--|
| | | |
| 1128-3399 | 1170-701 | |
| 93,- | 105,- | |



Company

Color concept

Changing room & wardrobe

Workshop & factory

Sliding-door cabinets

Space-saving and tidy.



Acurado series

The attractively priced and spacing-saving sliding-door cabinets

- + Sturdy steel construction with high-quality enamel coating
- + With sliders for floor protection as standard
- + Shelves, coated light gray
- + Push and turn cylinder lock with2 keys and optional exchangeable cylinder
- + Easy to move sliding doors with long-lasting special casters
- + Complete product line (different dimension variants and interior fittings for every requirement)









The attractive and flexible space savers

- + Sturdy steel construction with high-quality enamel coating
- + Appealing design thanks to narrow edges
- + Sliders for floor protection, as standard with level adjustment, adjustable from inside
- + Metal cabinet handles, matt nickel-plated
- + Shelves, coated black gray
- + Safety lock (push and turn cylinder lock) with exchangeable cylinder, 2 keys
- + Easy to move sliding doors with long-lasting special casters
- + Doors with wood decor fronts as standard, also available in steel (exchangeable door front concept)
- + Complete product line (different dimension variants and interior fittings for every requirement)







Sliding-door cabinets with steel doors.

Features of the Acurado sliding-door cabinets:


- Sturdy steel construction with high-quality enamel coating
- Wide range of different dimensions for any application
- With sliders for floor protection as standard
- Shelves, coated light gray
- Push and turn cylinder lock with 2 keys and optional exchangeable cylinder
- + Easy to move sliding doors with long-lasting special casters
- Highly flexible interior fitting options thanks to adjustability in 15 mm steps
- + Interesting range of counter and top solutions
- High load capacity of 70 kg per shelf, reinforced shelf can bear loads up to 110 kg, for reinforcement see page 394

Sample visualization of the functional floor space required by space-saving cabinet types (The example does not take into account the possibility of overlapping traffic areas according to regulations.)



= User area

= Traffic area





Order no. 2140-00

Dimensions and version

Adjustable shelves












| Height: 1,950 | Width | 1200 | 1200 | 1200 | 1200 | 1200 |
|---------------|--|----------------------|----------------------|-------------------|----------------------|----------------------|
| | Depth | 400 | 500 | 600 | 400 | 500 |
| | Interior dimensions, HxWxD | 1840 x 1197 x 328 | 1840 x 1197 x 428 | 1840×1197 ×528 | 1840 x 1197 x 328 | 1840 x 1197 x 428 |
| | Shelves | 4 | 4 | 4 | 3 | 3 |
| | Center partition | - | - | - | - | _ |
| | Suspension bars | - | - | - | - | - |
| | Security compartments single-door (per side) | - | - | - | 2 400×595×290 | 2 400×595×390 |
| | Order no. | 2040-00 | 2050-00 | 2060-00 | 2040-200 | 2050-200 |
| | Price | 952 | 1.095 | 1.286 | 1.315 | 1.458 |

(o) Body and door color







Order no. for top cabinet above: 2044-00/2144-00 Order no. for basic cabinets below: 2040-00/2140-00















| 1200 |
|----------------------|
| 500 |
| 1840 x 1197 x 428 |
| _ |
| - |
| 6 (Elba/Leitz) |
| - |
| 2050-60 |
| 1.095,- |

| 1600 |
|----------------------|
| 400 |
| 1840 x 1596 x 328 |
| 2x4 |
| 1 |
| - |
| _ |
| 2140-00 |
| 1.231,- |

| | 1600 |
|---|----------------------|
| | 500 |
| _ | 1840 x 1596 x 428 |
| | 2 x 4 |
| - | 1 |
| - | - |
| _ | _ |
| - | 2150-00 |
| - | 1.408,- |
| | |

| 1600 | |
|----------------------|--|
| 600 | |
| 1840 x 1596 x 528 | |
| 2x4 | |
| 1 | |
| - | |
| - | |
| 2160-00 | |
| 1.644,- | |
| | |

| 1600 |
|----------------------|
| 400 |
| 1840 x 1596 x 328 |
| 2x3 |
| 1 |
| - |
| 2 400×795×290 |
| 2140-100 |
| 1.594,- |

| 1600 |
|----------------------|
| 500 |
| 1840 x 1596 x 428 |
| 2x3 |
| 1 |
| - |
| 2 400×795×390 |
| 2150-100 |
| 1.771,- |

| 1600 |
|----------------------|
| 500 |
| 1840 x 1596 x 428 |
| - |
| 1 |
| 2x6 (Elba/Leitz |
| - |
| 2150-60 |
| 1.408,- |

+ Accessories



Ergonomic bow-shaped handles: Made of metal for easy operation.

Top cabinets with steel sliding doors.



Order no. 2044-00 (top cabinet)

Dimensions and version

Incl. accessories for mounting to underbench cabinet, requires tops for use as occasional cabinets

| 500 | 500 |
|---------------------|---------------------|
| 1200 | 1200 |
| 400 | 500 |
| 450 x 1197 x 328 | 450 x 1197 x 428 |
| _ | - |
| 1 | 1 |

2054

649,-

2044-00

565,-

| | 790 |
|------|---------------------|
| | 1200 |
| | 400 |
| 1197 | 740 x 1197 x 328 |
| | 1 |
| | 2 |
| -00 | 2045-00 |
| | 706,- |

| 90 | 1000 |
|------------------|---------------------|
| 200 | 1200 |
| 00 | 400 |
| 10 x 1197 428 | 950 x 1197 x 328 |
| | 2 |
| | 2 + Restfach |
| 055-00 | 2046-00 |

706,-

811,-

| 1000 |
|---------------------|
| 1200 |
| 500 |
| 950 x 1197 x 428 |
| 2 |
| 2 + Restfach |
| 2056-00 |
| 811,- |
| |

Customer must provide wall mounting for top cabinets

Price

Order no.

Height Width Depth Interior dimensions, HxWxD Shelves Binder heights

Top covers made of MCPB, 25 mm thick, for use as occasional cabinet

| | For cabinet width | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 |
|------|-------------------|------------|------------|------------|------------|------------|------------|
| | Depth | 400 | 500 | 400 | 500 | 400 | 500 |
| | & order no. | + 2016-000 | + 2017-000 | + 2016-000 | + 2017-000 | + 2016-000 | + 2017-000 |
| МСРВ | & unit price | + 137,- | + 141,- | + 137,- | + 141,- | + 137,- | + 141,- |



| • | | | | | |
|------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 500 | 500 | 790 | 790 | 1000 | 1000 |
| 1600 | 1600 | 1600 | 1600 | 1600 | 1600 |
| 400 | 500 | 400 | 500 | 400 | 500 |
| 450×1597 ×328 | 450 x 1597 x 428 | 740 x 1597 x 328 | 740 x 1597 x 428 | 950 x 1597 x 328 | 950 x 1597 x 428 |
| - | | 2x1 | 2x1 | 2 | 2 |
| 1 | 1 | 2 | 2 | 2 + Restfach | 2 + Restfach |
| 2144-00 | 2154-00 | 2145-00 | 2155-00 | 2146-00 | 2156-00 |
| 750,- | 855,- | 925,- | 1.056,- | 925,- | 1.056,- |

| 1600 | 1600 | 1600 | 1600 | 1600 | 1600 |
|------------|------------|------------|------------|------------|------------|
| 400 | 500 | 400 | 500 | 400 | 500 |
| + 2018-000 | + 2019-000 | + 2018-000 | + 2019-000 | + 2018-000 | + 2019-000 |
| + 173,- | + 188,- | + 173,- | + 188,- | + 173,- | + 188,- |

+ Rear panel reinforcement For mounting the cabinet on the wall

| & order no. | + 1000-53 | | |
|-----------------|-----------|--|--|
| & addtl. charge | + 62,- | | |

+ Accessories

Occasional cabinets with steel sliding doors.



Order no. 2147-1200



Order no. 2048-1200

Incl. 25 mm-thick MCPB tops









500

1055 x 1197

2057-1200

x 428

973,-

2





Width: 1,200

| Height |
|---------------|
| Depth |
| Shelves |
| Binder height |

Interior dimensions, HxWxD

Order no. Price

| 1000 | |
|------------|--|
| 400 | |
| 2 | |
| 2 1/2 | |
| 955 v 1107 | |

x328 2046-1200

786,-

855 x 1197 x 428

2056-1200 892,-

400 2 3

857,-

1055 x 1197 x328

2047-1200

400

1455 x 1197 x328

2048-1200 998,-

x 428 2058-1200 1.135,-









1600



Width: 1,600

| Height |
|------------------|
| Depth |
| Shelves |
| Center partition |
| |

Binder heights Interior dimensions, HxWxD

Order no. Price

 $2^{1}/_{2}$ 855 x 1596 x328 2146-1200

1.006,-

1000 500

2 x 2 1 $2^{1}/_{2}$ 855 x 1596 x 428 2156-1200

1.137,-

1055 x 1596 x 328 2147-1200 1.093,-

3 1055 x 1596 x 428 2157-1200

1.237,-

1.268,-


1.439,-

Body and door color

Color concept → p. 48

(o) Top decor

Color concept \rightarrow p. 52



Dimensions and version

Desk height, adjustable level, adjustable shelves, 1,200 and 1,600 mm in width, with center partition, with 25 mm-thick MCPB top

| | | | |
|--|---|---|------|
| | | _ | |
| | П | | ı |
| | П | | _ |
| | П | | ı |
| | П | | |








Height: 720 Depth: 400

| Width | 800 | 1000 | 1200 | 1600 |
|-------------------------------|-----------------|-----------------|-----------------|----------------|
| Shelves | 1 | 1 | 2 (1 per side) | 2 (1 per side) |
| Binder heights | 2 | 2 | 2 | 2 |
| Interior dimensions, HxWxD | 675 x 740 x 340 | 675 x 940 x 340 | 675 x 564 x 340 | 675×764×340 |
| Order no. | 5722-00 | 5725-00 | 5723-00 | 5724-00 |
| Price | 536,- | 621,- | 756,- | 925,- |

+ Additional SLIM shelves

| | For cabinet width | 800 | 1000 | 1200 | 1600 |
|---------------|-------------------|-----------|-----------|-----------|-----------|
| | Widthxdepth | 740 x 340 | 940 x 340 | 563×340 | 740 x 340 |
| | Center partition | - | | 1 | 1 |
| | & order no. | + 5722-80 | + 5725-80 | + 5723-80 | + 5724-80 |
| Steel shelves | & unit price | + 52,- | + 56,- | + 48,- | + 52,- |

(+) Underframes made of square tube, 150 mm high, adjustable level, black gray RAL 7021, other colors on request



| For cabinet width | 800 | 1000 | 1200 | 1600 |
|-------------------|-----------|-----------|-----------|-----------|
| & order no. | + 2026-00 | + 2031-00 | + 2027-00 | + 2029-00 |
| & unit price | + 125,- | + 140,- | + 158,- | + 186,- |

+ Accessories

Additional shelves \rightarrow p. 394

MCPB = Melamine coated particle board

Accessories for sliding-door cabinets.

Additional shelves

Coated steel, light gray



| For cabinet dimensions |
|------------------------|
| Widthxdepth |
| Center partition |
| Order no. |
| Unit price |

| 1200 x 400 |
|------------|
| 1196 x 327 |
| - |
| 2040-80 |
| 42,50 |

| 1200×500 |
|------------|
| 1196 x 427 |
| - |
| 2050-80 |
| 45,- |

| 1600 x 400 |
|------------|
| 796 x 327 |
| 1 |
| 2140-80 |
| 31,50 |

| 1600 x 500 |
|------------|
| 796 x 427 |
| 1 |
| 2150-80 |
| 33,- |

Reinforced shelf

| Load capacity per shelf | 110 kg |
|-------------------------|------------------------|
| Order no. | 802 |
| Price | Double the shelf price |

Binder supports

Depth/WidthxDepth

Attachable, with 2-fold edging, suitable for all shelves



100

25,-

Zippel

1200

500

2050-83

100 x 230

4221-25



| 200 | |
|-----------|--|
| 100 x 270 | |
| 4222-25 | |
| 28 - | |



Suspension bars

System

Price

For cabinet width

For cabinet depth

Inner useful width
Order no.



Height

Order no.

Price

| Elba/Leitz | |
|------------|---------|
| 1200 | 1600 |
| 500 | 500 |
| 1111 | 731 |
| 2050-82 | 2150-82 |
| 62,- | 49,- |



1600

500

2150-83

| *** | |
|------|---|
| 主意 | |
| - 40 | - |
| 100 | |

Suspension bars for Elba/Leitz system, (order no. 2050-82, 2150-82)

Underframes

For cabinet width

For cabinet depth

Order no.

Price

150 mm high, square tube, adjustable level. Black gray RAL 7021, other colors on request




400

158,-

2027-00







| 1600 |
|---------|
| 400 |
| 2029-00 |
| 186,- |



| 1600 |
|---------|
| 500 |
| 2030-00 |
| 204 |

Shelf with coat rack rail

Below the shelf, possible from 500 mm exterior cabinet depth only, without coat hangers

| Includes ho | lder | | |
|-------------|------------|--|--|
| Order no. | 88 | | |
| Price | On request | | |



Shelf support set

Zinc-plated, pack. unit: 20 pc



| Order no. | 1118-00-20 |
|-----------|------------|
| Price | 20,- |

Keys and locks

| | Simultaneously locking | Exchangeable cylinder for master key system | Master key for exchangeable cylinder | Removal key for exchangeable cylinder | Single/ spare key for Acurado series | Lock with lock no. upon request (longer delivery times) |
|-----------|---------------------------|---|---|--|--|---|
| Order no. | 2025-021 | 2025-03 | 2025-031 | 2025-026 | 0005-10 | 99 |
| Price | 17,- | 17,- | 18,- | 19,- | 19,- | On request |

Asisto

Sliding-door cabinets.

Features of the sliding-door cabinets:

- Sturdy steel construction with high-quality enamel coating
- Appealing design thanks to narrow edges which you can only achieve with intelligently manufactured steel bodies
- Excellent stability and suitability for moving thanks to the Asisto steel body (with useful magnetic surfaces on the side)
- Sliders for floor protection, as standard with level adjustment, adjustable from inside
- Metal cabinet handles, matt nickel-plated
- Shelves, coated black gray
- Safety lock (push and turn cylinder lock) with exchangeable cylinder, 2 keys
- Easy to move sliding doors with long-lasting special casters
- Different fronts (steel, wood) and tops can be matched to the steel body
- Highly flexible interior fitting options thanks to adjustability in 15 mm steps
- High load capacity of 70 kg per shelf
- MCPB tops, 25 mm thick, for cabinets up to 1,635 mm in height









Order no. 142002-000 & 142002-710 (steel doors)

Dimensions and door material

Incl. 25 mm-thick MCPB tops for cabinet heights up to 1,635 mm, without center partition, adjustable shelves









| Depth: | 435 |
|--------|-----|
|--------|-----|

Wood decor

(standard)

doors

| | _ | |
|----------|---|--|
| | | |
| 1 | | |
| M | | |
| | | |
| | | |

Height

Width

Interior dimensions, HxWxD

Binder heights

Order no.

Price

915

1000

745 x 995 x 352

2

931,-

142052-000

+ 142052-710

915

1200

745 x 1195 x 352

2

1.058,-

142051-000

1310

1000 1140 x 995 x 352

3 142032-000

1.117,-

Steel doors



Optional:

& order no.

& addtl. charge

+ 75,-

+ 142051-710

+ 75,-

+ 142032-710

+ 75,-

+ 142031-710

+ 75,-

1.270,-

Body and door color

Color concept → p. 48

Door decor (possibly top decor) or door color (with steel doors)

Color concept → p. 50







| 1635 |
|------------------|
| 1000 |
| 1465 x 995 x 352 |
| 3 |
| 4 |
| 142012-000 |
| 1.210,- |

| 1635 |
|-------------------|
| 1200 |
| 1465 x 1195 x 352 |
| 3 |
| 4 |
| 142011-000 |
| 1.375,- |

| 1980 | |
|------------------|--|
| 1000 | |
| 1825 x 995 x 352 | |
| 4 | |
| 5 | |
| 142002-000 | |
| 1.257,- | |
| | |
| | |

| 1980 |
|-------------------|
| 1200 |
| 1825 x 1195 x 352 |
| 4 |
| 5 |
| 142001-000 |
| 1.428,- |
| |

| + 142012-710 | |
|--------------|--|
| + 96,- | |

| + 142011-710 |
|--------------|
| + 96 |

| + 142002-710 | |
|--------------|--|
| + 96 - | |

| + 142001-710 | |
|--------------|--|
| . 04 | |

+ Alternative top covers

+ Sound absorption

+ Accessories

Shelves and binder support \rightarrow p. 398

Accessories for sliding-door cabinets.

Additional shelves

Coated steel, black gray (standard), load capacity: 70 kg



| For cabinet width | |
|-------------------|--|
| Width x depth | |
| Order no. | |
| Unit price | |

| 1000 |
|-----------|
| 994 x 352 |
| 140002-80 |
| 34 - |

| 1200 |
|------------|
| 1194 x 352 |
| 140001-80 |
| 43,- |



Binder support


Attachable, for steel shelves, black gray



Order no. Price

140000-701


28,-




In the side walls, for all cabinet widths, for a more pleasant sound behavior of the cabinet











Sandwich construction (steel-absorption layer-steel)

| For cabine | et height |
|------------|-----------|
| Binder hei | ghts |

| Orde | r no. |
|------|-------|
| | |

& addtl. charge



| 915 | |
|------------|--|
| 2 | |
| 141050-701 | |
| 83,- | |

| 1310 |
|------------|
| 3 |
| 141030-701 |
| 101 - |

| 1635 |
|------------|
| 4 |
| 141010-701 |
| 118 |

| 1980 |
|------------|
| 5 |
| 141000-701 |
| 136,- |

Alternative top covers

As solid-core/HPL or steel top, instead of MCPB top



| For cabinet width |
|-------------------|
| Depth |
| Thickness |
| Order no. |
| & addtl. charge |

| | _ | |
|--|---|--|
| | | |
| | _ | |
| | | |
| | | |

| 1000 | |
|------------|--|
| 435 | |
| 13 | |
| 140002-130 | |
| 131,- | |

| 1200 |
|------------|
| 435 |
| 13 |
| 140001-130 |
| 151,- |
| |
| 7 |
| 140001-110 |
| 0,- |



| Thickness |
|-----------------|
| Order no. |
| & addtl. charge |

| 101, | | |
|------------|--|--|
| 7 | | |
| 140002-110 | | |
| 0,- | | |
| | | |



Color concept → p. 48



Tambour cabinets

More room in less space.



Omnispace series

The affordable complete tambour cabinet range

- + Body in sturdy steel construction with high-quality enamel coating
- + Sliders for floor protection, as standard with level adjustment, adjustable from inside
- + Shelves, coated black gray
- + Hook bolt lock with 2 keys
- + Plastic tambour doors made of polypropylene with recessed grip, smooth and quiet functioning
- + Complete product line (different dimension variants and interior fittings for every requirement)







Asisto series

The elegant single-door cabinets: Flexible and especially easy to move

- + Body in sturdy steel construction with high-quality enamel coating
- + Appealing design thanks to narrow edges
- + Sliders for floor protection, as standard with level adjustment, adjustable from inside
- + Shelves, coated black gray
- + Hook bolt lock with exchangeable cylinders, 2 keys
- Plastic tambour doors, hinged on the left, with matt nickel-plated bow-shaped handle, especially smooth and quiet functioning
- + Doors also available with sound-absorbing acoustic tambour
- + Complete product line (different dimension variants and interior fittings for every requirement)







Omnispace series

Tambour cabinets.


The Omnispace series offers:

- + Body in sturdy steel construction with high-quality enamel coating
- Planning dimensions: 600, 800, 1,000 and 1,200 mm
- Sliders for floor protection, as standard with level adjustment, adjustable from inside
- No assembly required—tambour cabinets are delivered fully assembled
- Shelves, coated black gray
- Body and internal walls have the same color
- Hook bolt lock with 2 keys
- Tambour doors consist of full-length, flexible plastic mats (polypropylene) with a practical recessed grip for easy operation
- Tambours move smoothly and quietly
- Highly flexible interior fitting options thanks to adjustability in 15 mm steps
- Load capacity of 50 kg per shelf











Order no. 3203-00

Dimensions and version













| Height: 1,980 |
|---------------|
| Depth: 420 |

| Width |
|----------------|
| Interior dimer |
| Shelves |

Binder heights

Description

Order no

Price

600 1836 x 493

x385 4 5

Tambour door stopping on left 3200-00L

648,-

1836 x 493

x385 4 5

Tambour door stopping on right 3200-00R

648,-

1836 x 493 x385

Stopping on left with extendable coat rack rail 3200-088L

602,-

1836 x 651 x385

4 5

3201-00 724,-

1836 x 851 x385

4 5

3202-00 838,-

3203-00 952,-

(+) Top cabinets

Selection → p. 406



(
ightarrow) Body color

Color concept → p. 48




Tambour fronts

Color concept → p. 406



Extendable coat rack rail → p. 407





Sample visualization of the functional floor space required by space-saving cabinet types (The example does not take into account the possibility of overlapping traffic areas according to regulations)

(←) BACK

Tambour cabinets.

Omnispace series

Dimensions and version







Depth: 420

Width

Height

Interior dimensions, HxWxD

Shelves

Binder heights

Order no.

Price

1030

800

886 x 651 x 385

2 + extra compartment 3241-00

536,-

1030

1000

886 x 851 x 385

2 + extra compartment

3242-00

621,-

1030

1200

886 x 1051 x 385

2 + extra compartment

3243-00

706,-









Depth: 420

Height Width

Interior dimensions, HxWxD

Shelves

Binder heights

Order no.

Price

1345

800

1201x651x385

3

3 + extra compartment

3221-00

644,-

1345

1000

1201 x 851 x 385

3

3 + extra compartment

3222-00

745,-

1345

1200

1201 x 1051 x 385

3 + extra compartment

3223-00

847,-



(+) Top covers 25 mm thick, in MCPB, please specify top decor



MCPB = Melamine coated particle board

For cabinet width

Depth

& order no.

& addtl. charge

800

420

+ 3212-0800

+ 98,-

1000

420

+ 3212-1000 + 112,-

1200

420

+ 3212-1200

+ 126,-



Standard level adjustment:

For Omnispace tambour cabinets, height adjustable up to 10 mm

- + Easy to access
- + Easy to adjust

(
ightarrow) Body color

Color concept → p. 48




(
ightarrow) Top decor

Color concept → p. 52



Tambour fronts


Color concept → p. 406





Order no. 3213-00

| 1660 | 1660 | 1660 |
|------------------|------------------|------|
| 800 | 1000 | 1200 |
| 1516 x 651 x 385 | 1516 x 851 x 385 | 1516 |
| 3 | 3 | 3 |
| 4 | 4 | 4 |
| 3211-00 | 3212-00 | 3213 |
| 697,- | 807,- | 917, |







Order no. 3233-00 & 3212-1200 (top cover)



+ Accessories

Suspension bars \rightarrow p. 407


Omnispace series

Top and occasional cabinets.

Dimensions and version

| Top cabinets | | | | | | |
|--------------|----------------------------|-------------------------------|--------------------------------|--------------------|--------------------|---------------------|
| Height: 450 | Width | 600 | 600 | 800 | 1000 | 1200 |
| Depth: 420 | Interior dimensions, HxWxD | 356 x 493 x 385 | 356 x 493 x 385 | 356 x 651 x 385 | 356 x 851 x 385 | 356 x 1051 x 385 |
| | Description | Tambour door stopping on left | Tambour door stopping on right | - | - | - |
| | Order no. | 3260-00L | 3260-00R | 3261-00 | 3262-00 | 3263-00 |
| | Price | 384,- | 384,- | 429,- | 497,- | 565,- |

(+) Wall mount
Customer must provide wall mount for top cabinets



Available colors and materials

Available **body colors** (please note: additional charge for body in white aluminum, see C+P color concept on Page 48/49)



Light gray



Black gray



White

colors at no additional charge:



The smooth-running plastic tambour mats are made

of polypropylene and are available for all cabinet heights in the following





Top covers

Traffic white

25 mm thick with 3 mm edge band available in 3 decors:



MCPB = Melamine coated particle board Master key system—price on request

Omnispace series

Accessories for tambour cabinets.

Set of casters (4 pc.)


For 720 and 1,030 mm-high cabinets only. 4 casters, both front casters with lock.

| Order no. | 57700-701 |
|-----------|-----------|
| Price | 139 |



Additional shelves

Coated steel, black gray (standard)



Suspension bars

(Suspension bars from other systems on request)





| | Elba/Leitz | | | | Zippel | | | |
|-------------------|------------|---------|---------|---------|---------|---------|---------|---------|
| For cabinet width | 600 | 800 | 1000 | 1200 | 600 | 800 | 1000 | 1200 |
| Order no. | 3200-82 | 3201-82 | 3202-82 | 3203-82 | 3200-83 | 3201-83 | 3202-83 | 3203-83 |
| Price | 39 | 44.50 | 51 | 56 | 39 | 44.50 | 51 | 56 |



Hanging frame

Fully extendable, max. 4 hanging frames per cabinet possible, color black gray RAL 7021







| For DIN A4 suspension files (incl. anti-tilt mechanism, cannot be retrofitted!) | | | | | |
|---|----------|----------|----------|--|--|
| For locker width | 800 | 1000 | 1200 | | |
| Rows | 1-row | 2-row | 3-row | | |
| Order no. | 3201-811 | 3202-811 | 3203-811 | | |
| Price | 214,- | 225,- | 237,- | | |



Shelf with coat rack rail

Extendable, below the shelf, without coat hangers





| For cabinet width | 600 | 800 | |
|-------------------|---------|---------|--|
| Order no. | 3200-88 | 3201-88 | |
| Price | 46,- | 54,- | |



Binder support

Attachable, suitable for all shelves



| Single/ |
|---------|
| spare |
| key |



| LOCK | |
|-------------------------|----|
| Simultaneous le king | ol |



| Order no. | 3200-701 |
|-----------|----------|
| Price | 28,- |

| Order no. | |
|-----------|--|
| Price* | |

| 3200-7027 |
|-----------|
| 19 |

3200-7021 Order no. Price* 17,-

*When ordering for cabinet

Tambour cabinets

Features of Asisto tambour cabinets:

- + Body in sturdy steel construction with high-quality enamel coating
- + Appealing design thanks to narrow edges which you can only achieve with intelligently manufactured steel bodies
- + Excellent stability and suitability for moving thanks to the Asisto steel body (with useful magnetic surfaces on the side)
- + Sliders for floor protection, as standard with level adjustment, adjustable from inside
- + No assembly required—tambour cabinets are delivered fully assembled
- + Shelves, coated black gray
- + Hook bolt lock with exchangeable cylinders, 2 keys
- + Tambour doors consist of full-length, flexible plastic mats (polypropylene) with aluminum locking bar and metal cabinet handle, matt nickel-plated, for easy operation
- + Tambours move especially smoothly and quietly
- + Doors also available with sound-absorbing acoustic tambour
- + Highly flexible interior fitting options thanks to adjustability in 15 mm steps
- + Load capacity of 50 kg per shelf
- + MCPB tops, 25 mm thick, for cabinets up to 1,635 mm in height







Patented acoustic tambour:

Absorb sound, improve acoustics—and look good doing it: The light-running, patented and award-winning special tambour absorbs a majority of the sound occurring in day-to-day work. In some frequency ranges, it "swallows" almost

seven times as much sound as a conventional cabinet.



+) Optional for all cabinets:


Make the office an area of tranquility! "Typical" background noise is part and parcel of the day-to-day routine in open-

parcel of the day-to-day routine in openconcept offices: Talking, clatter and ringing hamper concentration while working. All the better if you can solve this problem by utilizing the office storage you need anyway and create a healthy, pleasant working atmosphere for employees at the same time.


Tambour cabinets for efficient office space utilization

When open, tambour cabinets always provide unobstructed access without the hindrance of doors extending into the room. This allows you to

- + fit more workstations and storage space in the room
- + or achieve a more generous appearance of your furnishings while using the same amount of space,
- + utilizing valuable office space more efficiently!









Order no. 143002-000

Dimensions and tambour material

Adjustable shelves





Height: 1,980 Depth: 435



Width Interior dimensions, HxWxD

Shelves Binder heights

Order no.

Price

800 1865 x 695 x 365

4

143003-000

1.086,-

1000 1865 x 895 x 365

143002-000 1.257,-

1865 x 1095 x 365 4

143001-000

1200

1.428,-

Acoustic tambour



Optional:

& order no.

& addtl. charge

+ 143001-716

+ 1.603,-

+ Accessories

Additional shelves, hanging frames and binder support \rightarrow p. 412

(
ightarrow) Body color

Color concept → p. 48



Tambour fronts

Please choose from white, light gray, black gray and white aluminum (acoustic tambour only available in white and white aluminum)

Color concept → p. 413



Tambour cabinets.



Order no. 143053-000



Order no. 143012-000

Dimensions and tambour material

Incl. MCPB tops, 25 mm thick, adjustable shelf

915



Standard tambour

Height Width Interior dimensions, HxWxD Shelves Binder heights Order no.

800 785 x 695 x 365 2 143053-000 804,-

915 1000 785 x 895 x 365 2 143052-000 931,-

915 1200 785 x 1095 x 365 2 143051-000 1.058,-

Acoustic tambour



Optional:

Price

& order no.

& addtl. charge

+ 143051-716 + 911,-

Tambour fronts


Please choose from white, light gray, black gray and white aluminum (acoustic tambour only available in white and white aluminum)

Color concept \rightarrow p. 413

(
ightarrow) Body color

Color concept → p. 48





MCPB = Melamine coated particle board

+ Accessories

Alternative top covers and additional shelves \rightarrow p. 412

Accessories for tambour cabinets.

Alternative top covers


As solid-core/HPL or steel top,

instead of MCPB top

| Depth: 435 | For cabinet width | 800 | 1000 | 1200 |
|------------------|-------------------|------------|------------|------------|
| | Thickness | 13 | 13 | 13 |
| Solid-core (HPL) | Order no. | 140003-130 | 140002-130 | 140001-130 |
| | & addtl. charge | 114,- | 131,- | 151,- |
| | Thickness | 7 | 7 | 7 |
| Steel | Order no. | 140003-110 | 140002-110 | 140001-110 |
| | & addtl. charge | 0,- | 0,- | 0,- |

Additional shelves

Coated steel, black gray (standard)




Hanging frame

Fully extendable, on ball bearings, with 2/4 adjustable vertical fixed links,

incl. double anti-tilt mechanism, for DIN A4 files.

Cannot be retrofitted





| 1000 | |
|------------|--|
| 330 | |
| 2-row | |
| 143002-811 | |
| 261 | |



| 1200 |
|------------|
| 330 |
| 3-row |
| 143001-811 |
| 275,- |

Binder support

Attachable,

for steel shelves, black gray



| Height | 200 |
|-----------|------------|
| Width | 100 |
| Depth | 270 |
| Order no. | 140000-701 |
| Price | 28 |

Shelf with coat rack rail

Extendable, below the shelf, without coat hangers

| For cabinet width |
|--------------------------|
| Dimensions, HxWxD |
| Interior dimensions, WxD |
| Order no. |
| Price |



| 800 |
|------------|
| 24×695×355 |
| 695 x 365 |
| 143003-88 |
| 64,- |

+ Top design

Selection \rightarrow p. 52



Order no. 143001-000

Available colors for tambour

The smooth-running plastic tambour mats are available for all cabinet heights in the following colors at no additional charge:

Standard tambour:



White

Light gray





Black gray White aluminum

Acoustic tambour:





White White aluminum

Notes on body paint according to the C+P color concept:

Body colors RAL 9016 traffic white, RAL 7035 light gray and RAL 7021 black gray are all in color group 0 and therefore have no surcharge.

The surcharge for body color RAL 9006 white aluminum (color group I) can be found in the C+P color concept on page 48/49.

Drawer and filing cabinets Order across the board.





Acurado series

The cost-effective cabinets for suspension files and index cards

- Sturdy steel construction with high-quality enamel coating
- + With sliders for floor protection as standard
- + Integrated full-width handle bar
- + Central locking system with 2 keys and exchangeable cylinder
- + Drawers are fully extendable, with anti-tilt mechanism
- + Load capacity per drawer: 50 kg
- + For DIN A4 suspension files and DIN A4/A5 index cards
- + Available in light gray RAL 7035, black gray RAL 7021, white aluminum RAL 9006 and traffic white RAL 9016

Asisto series

The convenience range for all filling tasks

- + Sturdy steel construction with body sound absorption and high-quality enamel coating
- + Appealing design thanks to narrow edges
- + Sliders for floor protection, as standard with level adjustment, adjustable from inside
- Elegant and ergonomic bow-shaped handles, matt nickel-plated
- Optional wood decor fronts and tops
- + Central locking system with 2 keys and exchangeable cylinder
- + Drawers are fully extendable, with anti-tilt mechanism
- + Load capacities per drawer:
 50 kg (435 mm deep)
 60 kg (600 mm deep)
 100 kg (600 mm deep with heavy-duty rails)
- + Complete modular system for different filing materials





7000 series

The universal drawer cabinets for everything flat

- Sturdy steel construction with overlay drawer fronts and high-quality enamel coating
- + With sliders for floor protection as standard
- + Elegant and ergonomic bow-shaped handles, matt nickel-plated
- + Central locking system with 2 keys
- + Drawer, fully (DIN A1) or 4/5 (DIN A0) extendable, with anti-tilt mechanism
- + Load capacity per drawer: 40 kg
- + Drawer bottoms are stepped and can be divided, therefore suitable for different applications
- Available in two sizes (DIN A1 and DIN A0) and two cabinet heights with different drawer configurations







Acurado

Suspension file and card-index cabinets.

Features of the Acurado suspension file and index card cabinets:

- Sturdy steel construction with high-quality enamel coating
- Economical solution for "classic" office tasks
- Three heights, three widths
- With sliders for floor protection as standard
- Integrated full-width handle bar
- Central locking system with 2 keys and exchangeable cylinder
- Fully extendable steel drawers on long-lasting telescopic ball-bearing rails, flush folded in, sealed drawer bottom
- Anti-tilt mechanism
- Load capacity per drawer: 50 kg
- Card-index cabinets with 2 card-index dividers per index row

Dimensions and version

Suspension file cabinets

With hanging frame and sealed drawer bottom, for suspension files of size DIN A











| De | nth. | 590 |
|----|------|-----|
| DΕ | pui. | 370 |

| spension files , fully extendable | | | | | | |
|--------------------------------------|-----------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Height | 733 | 1045 | 1357 | 733 | 1045 | 1357 |
| Width | 433 | 433 | 433 | 787 | 787 | 787 |
| Interior dimensions, HxWxD | 250×330 ×528 | 250 x 330 x 528 |
| Drawers | 2 | 3 | 4 | 2 | 3 | 4 |
| Rows | 1-row | 1-row | 1-row | 2-row | 2-row | 2-row |
| Order no. | 12412-311 | 12423-311 | 12434-311 | 12912-312 | 12923-312 | 12934-312 |
| Price | 443,- | 476,- | 547,- | 685,- | 741,- | 852,- |



Our interior dimension specifications generally indicate the usable dimensions (e.g. from the suspension point of the DIN A4 size suspension file to the next lower panel or drawer bottom).

The usable dimensions from the suspension point to the next higher panel are indicated in the drawing above.

Available in the following colors with no surcharge:









Light gray

Black gray

Deep black

Traffic white

Special colors from 10 cabinets per order please ask us.



Dimensions and version

Card-index cabinets for DIN A5 and DIN A4 index cards, drawers fully extendable











| drawers fully ex | xtendable | | | | | | |
|------------------|----------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| Depth: 590 | Height | 1045 | 1357 | 1045 | 1357 | 1357 | 1357 |
| | Width | 433 | 433 | 787 | 787 | 553 | 787 |
| | Interior dimensions, HxWxD | 285 x 300 x 528 | 285×300 ×528 | 285 x 300 x 528 | 285 x 300 x 528 | 185 x 214 x 518 | 185 x 214 x 518 |
| | Drawers | 3 | 4 | 3 | 4 | 6 | 6 |
| | Rows | 1-row | 1-row | 2-row | 2-row | 2-row | 3-row |
| | For index cards | DIN A4 landscape | DIN A4 landscape | DIN A4 landscape | DIN A4 landscape | DIN A5 landscape | DIN A5 landscape |
| | Order no. | 12423-321 | 12434-321 | 12923-322 | 12934-322 | 12736-322 | 12936-323 |
| | Price | 617,- | 728,- | 882,- | 1.033,- | 968,- | 1.250,- |

Based on applicable standards and guidelines (e.g. EN 14073-2),

cabinets must be secured against tipping. There are two

convenient options for this:

1. Version with wall mount* or

2. Version with

additional counterweight



Please use screws and dowels that are suitable for the respective type of wall (not included).

+ Additional counterweight

if wall mounting is not possible—cannot be fitted retroactively

| For cabinet width | 433 | 553 | 787 | |
|--------------------------|-----------|-----------|-----------|--|
| Load capacity per drawer | 35 kg | 40 kg | 50 kg | |
| & order no. | + 6400-01 | + 6700-01 | + 6900-01 | |
| & addtl. charge | + 57,- | + 69,- | + 105,- | |



Order no. 12936-323

^{*}The fastening method depends on the wall material.

Acurado

Accessories for drawer and filing cabinets.

Standard

Self-adhesive

26 x 76 x 4

17 x 67

6103-13

6,-

For supplementation of the

included inscription fields.

Color black, incl. label

and transparent cover

Label holder

Made of plastic, per piece



Version

HxWxD

Window, HxW

Order no.

Price



Transparent, incl. white label (1 pc. per drawer as standard)

Self-adhesive

32 x 100 x 2

26 x 98

6103-10







Comfort

As an alternative to additional drawer labeling. Color black, incl. label and transparent cover

Self-adhesive 39 x 114 x 5

30 x 105 6103-11

15,-

| Magnetic |
|--------------|
| 39 x 114 x 5 |
| 30 x 105 |
| 6103-12 |
| |

15,-

Underframes

150 mm high, square tube, adjustable level. Black gray RAL 7021, other colors on request



433



590

64020-00 112,-



590 67020-00



787 590



Card-index dividers

Individual Version

Panel height Order no.

Unit price

Width

Depth

Price

Order no.



For DIN A4 landscape index cards

6 HU 6494-10



For DIN A5 landscape index cards

4 HU 6495-10

11,-



All cabinets feature sealed drawer bottoms

Exchangeable lock cylinder

With 2 keys, nickel-plated



12,-

Order no. Price





Cylinder lock with exchangeable cylinder:


As central locking system. Compatible with many other C+P furniture items. Also ideal for subsequent organization of locking groups. Flush steel drawers with integrated, fullwidth handle bar

Single/spare key

Per pc.

Order no. Price











Drawer and filing cabinets 435 mm deep.

Features of the Asisto 435 mm-deep drawer and filing cabinets:

- Cabinet depth: 435 mm, with MCPB panels and top covers as standard, can be combined with Asisto hinged-door, slidingdoor and tambour cabinets
- Sturdy steel construction with high-quality enamel coating
- Body with body sound absorption for pleasant sound behavior
- Appealing design thanks to narrow edges
- Sliders for floor protection, as standard with level adjustment, adjustable from inside
- Elegant and ergonomic bow-shaped handles, matt nickel-plated
- Fronts also available in steel
- Central locking system with 2 keys and exchangeable cylinder
- Full extension slides (width: 1,200 mm with parallel control) with selfclosing system, anti-tilt mechanism and soft-close silencers as standard
- Drawers and hanging frames in black gray or graphite black
- Load capacity per drawer: 50 kg
- For DIN A4 suspension files and DIN A4/A5 index cards
- Card-index cabinets with 2 card-index dividers per index row
- High-quality, self-adhesive plastic label holder with inscription field (1 supplied for each drawer)



Order no. 146041-313

Dimensions and panel material of filing cabinets

With closed hanging frame for DIN A4 suspension files, fully extendable, incl. 25 mm-thick MCPB top



1010

800







| Wood | decor pane | el |
|------|------------|----|
| | - | - |

Depth: 435

| Height |
|-------------------------------|
| Width |
| Interior dimensions, HxWxD |
| Hanging frame |
| Drawers |

| Interior dimensions, HxWxD | 240 x 330 x 320 |
|-------------------------------|-----------------|
| Hanging frame | 1 |
| Drawers | 3x6 HU |
| Rows | 2-row |
| Order no. | 146043-312 |
| Price | 1.328,- |
| | |

| | 1310 |
|---|-----------------|
| | 800 |
| _ | 240 x 330 x 320 |
| _ | 1 |
| _ | 4x6 HU |
| _ | 2-row |
| | |

| 1 | 1 |
|---------------|-------|
| 4x6 HU | 3x6 |
| 2-row | 3-ro |
| 146023-412 | 1460 |
| 1.550,- | 1.547 |
| | |

| 1010 | 1310 |
|-----------------|-----------------|
| 1200 | 1200 |
| 240 x 330 x 320 | 240 x 330 x 320 |
| 1 | 1 |
| 3x6 HU | 4x6 HU |
| 3-row | 3-row |
| 146041-313 | 146021-413 |
| 1.547,- | 1.808,- |

| Steel panels |
|--------------|
| |

| Optional: |
|-----------------|
| & order no. |
| & addtl. charge |

| + 6900-401 | _ |
|------------|---|
| + 0900-401 | |
| + 0,- | |

| + 6900-402 | |
|------------|--|
| + 0,- | |

| + 6400-401 | |
|------------|--|
| + 0,- | |

| + 6400-402 |
|------------|
| + 0,- |



Color concept → p. 48





Dimensions and panel material of card-index cabinets

For **DIN A4** and **DIN A5** index cards, drawers fully extendable,

incl. 25 mm-thick MCPB top







Width: 800 Depth: 435

Interior dimensions, HxWxD

Rows

Height

Drawers

For index cards

Order no.

Price

1010

2-row

3x6 HU

DIN A4 landscape

260 x 303 x 320

146043-322

1.554,-

1310

260 x 303 x 320

2-row

4x6 HU

DIN A4 landscape

146023-422

1.840,-

1310

160 x 213 x 320

3-row **6 x 4** HU

DIN A5 landscape

146023-623

2.187,-



Wood decor panel

Optional:

& order no.

& addtl. charge

+ 6900-401

+ 0,-

+ 6900-402

+ 0,-

+ 6900-402

+ 0,-



Our interior dimension specifications generally indicate **the usable dimensions** (e.g. from the suspension point of the DIN A4 size suspension file to the next lower panel or drawer bottom). The usable dimensions from the suspension point to the **next higher** panel are indicated in the drawing above.

Based on applicable standards and guidelines (e.g. EN 14073-2), cabinets must be secured against tipping. There are two convenient options for this:

- Version with wall mount
 (please use screws and dowels
 that are suitable for the respective type of wall)
- 2. Version with an additional counterweight

+ Additional counterweight

if wall mounting is not possible—cannot be fitted retroactively

| Encoder and table | 000 | 1000 | 200 | 1000 |
|--------------------------|-----------|-----------|-----------|-----------|
| For cabinet width | 800 | 1200 | 800 | 1200 |
| For cabinet height | 1010 | 1010 | 1310 | 1310 |
| Load capacity per drawer | 50 kg | 50 kg | 50 kg | 50 kg |
| & order no. | + 6700-01 | + 6700-01 | + 6900-01 | + 6900-01 |
| & addtl. charge | + 69,- | + 69,- | + 105,- | + 105,- |

MCPB = Melamine coated particle board 1 HU = 50 mm (height unit)

Drawer and filing cabinets 600 mm deep.

Features of the drawer and filing cabinets:

- + Cabinet depth of 600 mm, as standard with panels and top covers made of steel
- Sturdy steel construction with high-quality enamel coating
- Body with body sound absorption for pleasant sound behavior
- Appealing design thanks to narrow edges
- Sliders for floor protection, as standard with level adjustment, adjustable from inside
- Elegant and ergonomic bow-shaped handles, matt nickel-plated
- Optional wood decor fronts and tops
- Central locking system with 2 keys and exchangeable cylinder
- Full extension slides on sturdy telescopic rails, with anti-tilt mechanism and self-closing system
- Drawers and hanging frames in black gray or graphite black
- Load capacities per drawer: 60 kg with standard rails 100 kg with heavy-duty rails
- Complete modular system for different filing materials
- Card-index cabinets with 2 card-index dividers per index row
- High-quality, self-adhesive plastic label holder with inscription field (1 supplied for each drawer)



Order no. 146243-312

Dimensions and panel material of filing cabinets

With closed hanging frame

for DIN A4 suspension files, fully extendable, incl. 7 mm-thick steel top cover









Depth: 600

Steel panels

(standard)

| Height | |
|--------|--|

Width Interior dimensions,

Rows

Drawers For suspension files

Order no. Price

698 440

240 x 330 x 498

1-row 2x6 HU

DIN A4

146275-211 726,-

998 440

240 x 330 x 498 1-row

3x6 HU

DIN A4

146245-311 905.-

1298

440 240 x 330 x 498

1-row 4x6 HU

DIN A4

146225-411 1.055,-

1298

345 x 451 x 518

3 x 8 HU DIN A3

146224-301

1.175.-



Optional:

& order no. & addtl. charge

+ 6400-410

+ 6400-411

+ 6400-412

+ 6700-412

Based on applicable standards and guidelines (e.g. EN 14073-2), cabinets must be secured against


tipping. There are two convenient options for this: 1. Version with wall mount*

2. Version with

additional counterweight



*The fastening method depends on the wall material. Please use screws and dowels that are suitable for the respective type of wall (not included).





Panel/top decor (wood decor panels)





Soft-stop and alternative top covers \rightarrow p. 430







| _ | |
|---|--|
| _ | |
| _ | |
| _ | |

| 698 |
|-----------------|
| 800 |
| 240 x 330 x 498 |
| 2-row |
| 2x6 HU |
| DIN A4 |
| 146273-212 |
| 919,- |
| |

| 998 |
|-----------------|
| 800 |
| 240 x 330 x 498 |
| 2-row |
| 3x6 HU |
| DIN A4 |
| 146243-312 |
| 1.153,- |
| |

| 1298 |
|-----------------------------|
| 800 |
| 240 x 330 x 498 |
| 2-row |
| 4x6 HU |
| |
| DIN A4 |
| DIN A4 146223-412 |
| |

Cabinet heights For top covers

in steel (standard)

| 1298 |
|------------------------------------|
| 998 |
| 698 |
| or |
| |
| MCPB (see Page 431) |
| MCPB (see Page 431) 1316 |
| |

MCPB = Melamine coated particle board 1 HU = 50 mm (height unit)

(+) Additional counterweight

+ 6900-410

+ 0,-

if wall mounting is not possible—cannot be fitted retroactively

+ 0,-

+ 6900-411

| For cabinet width | 440 | 562 | 800 | 440 | 800 | 440 | 562 | 800 |
|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| For cabinet height | 698 | 698 | 698 | 998 | 998 | 1298 | 1298 | 1298 |
| Load capacity per drawer | 35 kg | 35 kg | 50 kg | 35 kg | 50 kg | 50 kg | 50 kg | 50 kg |
| & order no. | + 6400-01 | + 6700-01 | + 6900-01 | + 6400-01 | + 6900-01 | + 6400-01 | + 6700-01 | + 6900-01 |
| & addtl. charge | + 57,- | + 69,- | + 105,- | + 57,- | + 105,- | + 57,- | + 69,- | + 105,- |

+ 6900-412

+ 0,-

Drawer cabinets, 600 mm deep.



Order no. 146224-321



Order no. 146243-322 & 69011-000 (MCPB top cover, optional)

Dimensions and panel material of card-index cabinets, 600 mm deep

For **DIN A4** and **DIN A3** index cards, drawers fully extendable, incl. 7 mm-thick steel top cover







| Depth: 600 | Height | 698 | 998 | 1298 |
|-------------------------|----------------------------|------------------|------------------|------------------|
| | Width | 440 | 440 | 440 |
| Steel panels (standard) | Interior dimensions, HxWxD | 285 x 300 x 518 | 285 x 300 x 518 | 285 x 300 x 518 |
| | Rows | 1-row | 1-row | 1-row |
| | Drawers | 2x6 HU | 3x6 HU | 4x6 HU |
| | For index cards | DIN A4 landscape | DIN A4 landscape | DIN A4 landscape |
| | Order no. | 146275-221 | 146245-321 | 146225-421 |
| | Price | 855,- | 1.131,- | 1.345,- |



& order no.

& addtl. charge

+ 6400-410

+ 0,-

+ 0,-

+ 6400-411

+ 0,-

+ 6400-412

Body and panel color (for steel panels)

Panel/top decor (wood decor panels)





698

800

2-row

2x6 HU

285 x 300 x 518



998 2-row

DIN A4 landscape 146273-222

1.048,-



800 285 x 300 x 518

3x6 HU

DIN A4 landscape

146243-322

1.378,-



1298 800

285 x 300 x 518

2-row

4x6 HU

DIN A4 landscape

146223-422

1.636,-

+ 0,-



1298 562

390 x 429 x 518

1-row

3 x 8 HU

DIN A3 landscape

146224-321 1.400,-



1298 562

390 x 214 x 518

2-row

3x8 HU

DIN A4 portrait

146224-322

1.428,-

*Cabinet heights incl. MCPB tops + 18 mm in each case

| + | 6900-410 | |
|---|----------|--|
| | | |

+ 0,-

+ 6900-411

+ 0,-

+ 6900-412

+ 6700-412

+ 0,-

+ 6700-412

+ 0,-

MCPB = Melamine coated particle board







Accessories

Central locking system with exchangeable cylinder \rightarrow p. 430

Compatible with many other C+P furniture items. Also ideal for subsequent organization of locking groups.

Drawer cabinets, 600 mm deep.

Dimensions and panel material

Card-index cabinets, 600 mm deep

For DIN A5 index cards, drawers fully extendable, incl. 7 mm-thick steel top cover









Depth: 600

| Height |
|-------------------------------|
| Width |
| Interior dimensions, HxWxD |
| Rows |
| Drawers |
| For index cords |

698 562 185 x 214 x 518 2-row 3 x 4 HU

1298 562 185 x 214 x 518 2-row **6x4** HU DIN A5 landscape

698 800 185 x 214 x 518 3-row 3x4 HU DIN A5 landscape 146273-323 1.197,-

1298 800 185 x 214 x 518 3-row **6x4** HU DIN A5 landscape



| | | - |
|---|---|---|
| 2 | | - |
| | | - |
| | l | |

| For index cards |
|-----------------|
| Order no. |
| Price |
| |

DIN A5 landscape 146274-322 1.080,-

146224-622 1.791,-

146223-623 1.983,-



| Optional: | |
|----------------|--|
| & order no. | |
| & addtl_charge | |

+ 6700-410 + 0 -

+ 6700-412 + 0,-

+ 6900-410 + 0 -

+ 6900-412 + 0,-

Dimensions and panel material

Card-index cabinets, 600 mm deep

For DIN A6 index cards, drawers fully extendable, also for microfilm jackets/microfiches, incl. 7 mm-thick steel top cover







1298



1.685,-

Depth: 600

| Deptil. 600 | rieigiit |
|--|-------------------------------|
| | Width |
| | Interior dimensions, HxWxD |
| | Rows |
| Steel panels (standard) | Drawers |
| | For index cards |
| A. A | Order no. |
| | |

698 440 130 x 155x518 2-row 4x3 HU

1.315,-

DIN A6 landscape 146275-422

998 440 130 x 155 x 518 2-row 6x3 HU DIN A6 landscape 146245-622

440 130 x 155 x 518 2-row 8x3 HU DIN A6 landscape 146225-822 1.825,-

698 800 130 x 155 x 518 4-row 4x3 HU DIN A6 landscape 146273-424



Optional: & order no.

Price

& addtl. charge

+ 6400-410 + 0,-

+ 6400-411 + 0,-

1.522,-

+ 6400-412 + 0,-

+ 6900-410 + 0,-

^{*}Cabinet heights incl. MCPB tops + 18 mm in each case



Body and panel color (for steel panels)





Order no. 146224-622





| 998 | | |
|-----|--|--|
| | | |

800 130 x 155 x 518

4-row

6 x 3 HU

DIN **A6 landscape** 146243-624

2.515,-

1298

800

130 x 155 x 518

4-row

8x3 HU

DIN **A6 landscape** 146223-824

3.047,-

+ 6900-411

-411 + 6900-412

+ 0,-

+ 0,-

+ Tops covers*







(+) Accessories

Central locking system with exchangeable cylinder \rightarrow p. 430

Compatible with many other C+P furniture items. Also ideal for subsequent organization of locking groups.

Drawer cabinets with special fittings, 600 mm.

Dimensions and panel material

Drawers fully extendable, suitable for CDs/DVDs in W 142 x D 10 x H 125 mm format (jewel case), or W 142xD 5xH 125 mm (slim case), incl. 7 mm-thick steel top cover



698




| Depth: | 600 |
|--------|-----|
| | |

(standard)

| Height |
|-------------------------------|
| Width |
| Interior dimensions, HxWxD |
| Rows |
| Drawers |

800 185 x 154 x 514 4-row

3 x 4 HU





Interior fittings for CDs/DVDs in jewel case

Steel panels

| - | | |
|---|-----|-----------|
| | | Order no. |
| | l . | |

Capacity

360 jewel cases or 720 slim cases

or 1,440 slim cases 146223-624

720 iewel cases



Price

146273-324 1.620,-



6 x 4 HU



Optional:

& order no. & addtl. charge + 6900-410 + 0,-

+ 6900-412

+ 0,-



Please specify your project requirements when inquiring about cabinets with interior fittings for DVDs in the W 135 x D 14 x H 190 mm format!

Dimensions and panel material

Drawers fully extendable, for microfilm roll boxes* of size 16 or 35 mm, incl. 7 mm-thick steel top cover Box capacity per drawer: 16 mm film roll: 108 pc. 35 mm film roll: 60 pc.





1298

Depth: 600

Steel panels

(standard)

| Width |
|---------------------------|
| Interior dimensions, HxWx |
| Rows |
| Drawers |
| Order no. |

Height

Price

998 800 135 x 100 x 485 6-row **6x3** HU 146243-600

135 x 100 x 485 6-row 8x3 HU 146223-800 3.852,-



Tray for microfilm roll boxes

Wood decor panels

Optional:

& order no. & addtl. charge

+ 6900-411 + 0,-

3.159,-

+ 6900-412


+ 0,-

*Drawer cabinets for jackets/microfiches of size DIN A6, see p. 426/427

Body and panel color (for steel panels)

Panel/top decor (wood decor panels)





Our interior dimension specifications generally indicate $\ensuremath{\text{the usable dimensions}}$ (e.g. from the suspension point of the DIN A4 size suspension file to the next lower panel or drawer bottom).

The usable dimensions from the suspension point to the next $\mbox{\bf higher}$ panel are indicated in the drawing on the left.

1 HU = 50 mm MCPB = Melamine coated particle board Cabinet heights incl. MCPB top + 18 mm in each case

(+) Tops covers*

MCPB (wood decor) instead of steel top \rightarrow p. 430



Accessories for drawer and filing cabinets.

For 435 mm-deep cabinets

Card-index dividers. single





| | For DIN A5 landscape index cards |
|--------------|---|
| Panel height | 4 HU |
| Order no. | 146000-750 |
| Price | 11,- |

For DIN A4 landscape index cards 6 HU 146000-740 13,-

Alternative top covers

As solid-core/HPL top, instead of the MCPB top



| or cabinet width | 800 | 1200 |
|------------------|------------|------------|
| Pepth | 435 | 435 |
| hickness | 13 | 13 |
| Order no. | 140003-130 | 140001-130 |
| addtl. charge | 114,- | 151,- |
| | | |

Dividers





| | Vertical fixed link For reducing the track width of the hanging frame |
|------------|---|
| Length | 330 |

| 330 |
|------------|
| 146000-707 |
| 19,- |

Index row plates 1 set (2 pc.), suitable for all models with full

| diawei bottoins | |
|-----------------|--|
| 312 | |
| 146000-706 | |
| 19,- | |

For 435 and 600 mm-deep cabinets

Version HxWxD Window, HxW Order no. Price

Label holder




Made of plastic, per piece





Order no. Price





| | Color black, incl. label and transparent cover |
|---|--|
| | Self-adhesive |
| | 26 x 76 x 4 |
| | 17 x 67 |
| - | 6103-13 |
| | 6,- |

Comfort

As an alternative to additional drawer labeling. Color black, incl. label and transparent cover



| and transparent devel |
|-----------------------|
| Self-adhesive |
| 26x76x4 |
| 17 x 67 |
| 6103-13 |
| 6,- |

| Self-adhesive |
|---------------|
| 39 x 114 x 5 |
| 30 x 105 |
| 6103-11 |
| 15 |

| Magnetic |
|--------------|
| 39 x 114 x 5 |
| 30 x 105 |
| 6103-12 |
| 15 - |



Exchangeable lock cylinder

With 2 keys, nickel-plated

| Order no. | 2025-02 | |
|-----------|---------|--|
| Price | 15,- | |

Single/ spare key

Per pc.

| Order no. | |
|-----------|--|
| Price | |



| 0005-10 |
|---------|
| 19,- |

For 600 mm-deep cabinets

Card-index dividers, single











| Panel height | |
|--------------|--|
| Order no. | |
| Price | |

| For DIN A6 landscape index cards |
|---|
| 3 HU |
| 6496-10 |
| 11,- |

| For DIN A5 landscape index cards |
|---|
| 4 HU |
| 6495-10 |
| 11,- |

| For DIN A4 |
|----------------------|
| landscape index card |
| 6 HU |
| 6494-10 |
| 12,- |

| For DIN A4 portrait index card |
|---------------------------------------|
| 8 HU |
| 6494-20 |
| 14 |

| For DIN A3 landscape index card |
|---------------------------------|
| 8 HU |
| 6493-10 |
| 23,- |

Alternative MCPB tops

Instead of the 7 mm-thick steel top cover

| Width | 440 |
|-----------------|-----------|
| Depth | 600 |
| Thickness | 25 |
| Order no. | 64011-000 |
| & addtl. charge | 79,- |

| 40 | 562 |
|----------|-----------|
| 00 | 600 |
| 5 | 25 |
| 4011-000 | 67011-000 |
|),- | 96,- |
| | |

| 800 |
|-----------|
| 600 |
| 25 |
| 69011-000 |
| 112,- |

Underframes

150 mm high, steel tube, adjustable level. Black gray RAL 7021, other colors on request



|--|



| Height | |
|-----------|--|
| Width | |
| Order no. | |
| Price | |

| 150 | |
|------------|--|
| 440 | |
| 146200-700 | |
| 117,- | |

| 150 |
|------------|
| 562 |
| 146200-701 |
| 131,- |

| 150 |
|------------|
| 800 |
| 146200-702 |
| 150 - |

Soft-stop

For an even softer selfclosing system

| Version | Per drawer |
|-----------------|------------|
| Order no. | 146000-705 |
| & addtl. charge | 27,- |



Dividers ,





23,-

Vertical fixed link For reducing the track width of the hanging frame

Length Order no.

Price

520 146200-710 19,-

Index row plates 1 set (2 pc.),

suitable for all models with full drawer bottoms 527 6492-00

HD rail guide (heavy duty)

For an even higher load capacity

| Version | Per drawer | Per drawer incl. soft-stop |
|-----------------|------------|----------------------------|
| Order no. | 146000-704 | 146000-703 |
| & addtl. charge | 21,- | 48,- |





7100 and 7200 series Multi-drawer cabinets.

Multi-drawer cabinets from C+P know how to inspire They can be used for just about any desired custom solution, not least thanks to their stepped horizontal and vertical dividers. Only available from C+P.

The cabinet with 10 drawers in one and the same body is another specialty from C+P, just like the trouble-free space-saving storage of up to 15 drawers (per cabinet with a height of 760 and 420 mm)—also on base and with MCPB top on request.





For every application.



For watches (with C+P foam rubber mat)



For coins



For sample collections (with C+P dividers)



For office supplies (with C+P dividers)



For miniatures



For screw/mounting accessories



For collections (with C+P aluminum dividers)

7100 and 7200 series


Multi-drawer cabinets.

Features of the multi-drawer cabinets of the 7000 series:

The universal drawer cabinets for everything flat,

e.g. drawings, plans, pictures, prints, graphics, collections, medication, small parts and lots more.

- + Sturdy steel construction with overlay drawer fronts and high-quality enamel coating
- + Many combination options thanks to optional base and top covers
- + With sliders for floor protection as standard
- + Elegant and ergonomic bow-shaped handles, matt nickel-plated
- + Central locking system with 2 keys (cylinder lock with exchangeable cylinder)
- + Drawer with self-closing system, fully (DIN A1) or 4/5 (DIN A0) extendable, with anti-tilt mechanism
- + All drawers with pressure device at the front and with cover strip at the back
- + Load capacity per drawer: 40 kg
- Drawer bottoms are stepped and can be divided, therefore suitable for different applications
- + Available in two sizes (DIN A1 and DIN A0) and two cabinet heights with different drawer configurations
- + Per drawer: 1 transparent label holder with white label as standard



Explanation of the interior dimensions:

Standard version

45 mm = Height of the drawer **pan**

43 mm = Internal height of the drawer **pan**

66/134 mm = Exterior panel height

(regular/double panel height)

55/120 mm = Internal height of the drawer (regular/double panel height)

Version with high drawer pan

and double panel height

(addtl. charge for model 7000-80, see bottom of Page 436)

100 mm = Height of the drawer **pan**

98 mm = Internal height of the drawer **pan**

134 mm = Exterior panel height

120 mm = Internal height of the drawer

C+P multi-drawer cabinets in an archive on a customer's rolling shelving system





Order no. 7100-000 & 7101-000 & 7105-000 (top cover) & 7103-000 (base)



Order no. 7101-000 & 7105-000 (top cover) & 7103-000 (base)

Dimensions and version

7100 series for sizes up to DIN A1, central locking,

with **fully** extendable drawers











Depth: 765

Height

Width Drawer interior dimensions HxWxD

Description

Order no. Price

420

1100

45/55 x 1005 x 710

5 drawers with regular panel height

7100-000

1.459,-

420

1100 45/55/120 x 1005 x 710

3 drawers, 1 with

regular panel height, 2 with double height

7100-100 1.194,-

760 1100

45/55 x 1005 x 710

10 drawers with regular panel height

7101-000 2.418,-

760 1100

45/120 x 1005 x 710

5 drawers with double panel height

7101-100

1.700,-

760

1100 45/55/120 x 1005 x 710

8 drawers, 6 with regular panel height, 2 with double height

7101-200 2.131,-

7200 series for sizes up to DIN A0, central locking, with 4/5 extendable drawers











Width Drawer interior dimensions, HxWxD

Description

Height

Order no. Price

420 1350

45/55 x

1255 x 905

5 drawers with regular panel height

7200-000 1.582,-

420

1350

45/55/120 x 1255 x 905

3 drawers, 1 with regular panel height, 2 with double height

7200-100 1.229,-

760

1350 45/55 x 1255 x 905

10 drawers with regular panel

7201-000

height

2.821,-

760 1350

45/120 x 1255 x 905

5 drawers with double panel height

7201-100 1.864,-

760

1350 45/55/120 x 1255 x 905

8 drawers, 6 with regular panel height, 2 with double height

7201-200 2.438,-



Color concept \rightarrow p. 48



Selection → p. 436

7100 and 7200 series

Accessories for multi-drawer cabinets.

Top covers, bases and underframes

For 7100 series,

DIN A1 drawers







Approx. 25 mm thick (please specify decor, for decor overview, see page 52)

Made of square tube For compartment with drawers, grips into without intermediate shelf, the cabinet bottom please specify color all the way around, recessed approx. 15 mm

Made of square tube

with an intermediate shelf, please specify color

Dimensions, HxWxD

Order no.

Price

25 x 1100 x 765

7105-000

159,-

100 x 1100 x 750 150 x 1100 x 750

7106-000

217,-

445 x 1100 x 750

7104-000

292,-

For 7200 series, DIN A0 drawers





7103-000

125,-



Underframe

Made of square tube

please specify color

without intermediate shelf,



MCPB top

Approx. 25 mm thick (please specify decor, for decor overview. see Page 52)

For compartment with drawers, grips into the cabinet bottom all the way around, recessed approx. 15 mm in front, please specify color

in front, please specify color

274,-

Underframe Made of square tube with an intermediate shelf, please specify color

445 x 1350 x 945

Dimensions, HxWxD

Order no.

Price

25 x 1350 x 960

7205-000

210,-

150 x 1350 x 945

7206-000

7204-000

Compartment dividers

For DIN A1 drawers





100 x 1350 x 945

7203-000

145,



Number of compartments

Maximum compartment dimensions per divider, WxD

Order no

Price



2xDIN A2

620 x 440

0102-00

11,-

4xDIN A3

500 x 340

0104-00

30.-

8xDIN A4

245 x 340

0108-00

48.-

Compartment dividers



Order no. 0108-00



Number of compartments Maximum compartment dimensions per divider, WxD

Order no.

Price



2 x DIN A1

620 x 890

0202-00

15,-

29,-



4×DIN A2 620 x 440

0204-00



8 x DIN A3

305 x 440

0208-00 57,-



305 x 220

16 x DIN A4

0216-00 95.-

Drawer pans


Height of 100 mm* for drawers with double panel height in models 7100/7200-100 and 7101/7201-100/200. Additional charge per drawer (for explanation of the interior dimensions, see page 434)

Order no.

Price

7000-80

36.-



Single, max. fill height up to pressure device: approx. 4 cm



Application

Order no.

Used vertically, without pressure device with pressure device 7000-10

7000-20

Price

2,-

2,-

Used horizontally,


*Longer delivery time possible.

Drawer dividers

Made of sturdy plastic, color gray, with approx. 20 mm steps

Vertical divider

For insertion into horizontal divider



Dimensions, HxWxD

Order no.

Price

40 x 5 x 702

7100-704

16,-

Horizontal divider For insertion into vertical divider



40 x 1003 x 5

7100-705

21,-



Order no. 7100-704 & 7100-705







Order no. 7100-709

Drawer tidies

Plastic boxes for small parts

For mod. 7100/7101

With 7 vertical aluminum rails, 5 transparent horizontal dividers per rail, each row steplessly adjustable, for quick and flexible configuration



For drawer

Description

20 boxes each: 198 x 99 mm

49 x 49 mm

10 boxes: 99 x 49 mm All 40 mm high

7100-5051

Price

Order no.

DIN A1

99 x 99 mm

203,-



7 horizontal rows 6 x 145 mm row width 1x90 mm row width Height: 35 mm

7100-709

470,-

Foam rubber mat

3 mm thick

For drawer





48,-

DIN A1 1005 x 710

7100-706

Dimensions, WxD

Order no.

Price



DIN A0

1255 x 905

7200-706

79,-

Single/ spare key

Order no.

Price

19,-

0005-00

Label holder

Made of plastic, per piece



Label holder

incl. white label (1 pc. per drawer



32x100x2

Window, HxW Order no.

Price

Version

HxWxD

Transparent,

as standard)



Self-adhesive

26 x 98

6103-10 4,-

Standard

For supplementation of the included inscription fields. Color black, incl. label and transparent cover



Self-adhesive

26 x 76 x 4

17 x 67

6103-13 6,-

Comfort

As an alternative to additional drawer labeling. Color black, incl. label and transparent cover



Self-adhesive

39 x 114 x 5 30 x 105

6103-11 15,-



Magnetic 39 x 114 x 5 30 x 105 6103-12

15,-



Office furniture & accessories





Counters and lounge furniture

The right furniture for THE NEW WORLD OF WORKING

The way we work is changing. Coziness and an atmosphere of well-being in the office are playing an increasingly important role. More and more, the office of today is becoming a living room where lounge and meeting furniture are supplementing the classic desk and workstation.

What you'll find in this section:

- + Customized solutions for reception counters
- + Basic standing tables as a "moving" meeting point
- + Asisto lounge furniture as a place to retreat to for concentrated work and informal meetings

Tables

The contemporary work and meeting solutions

Whether it's ergonomic sit/stand workstations or smart solutions for meetings: Contemporary office tables of today have to offer more than function and efficiency. Like tables from C+P, which come in an attractive selection of colors and decors, among other things.

What you'll find in this section:

- + Electric height adjustment Asisto sit/stand tables
- + Asisto occasional tables with fixed or adjustable height
- + Asisto folding tables as a mobile, nestable version
- + Basic cafeteria tables and folding tables







Around the desk

Welcome additions for working better

The difference is in the details! The right parameters in the work environment have a major influence on well-being and motivation—and therefore on the results of work. Whether it's the addition of thinking lighting, the acquisition of privacy sections or optimization of the monitor position: These investments always pay off.

What you'll find in this section:

- + Workstation dividers
- + Asisto light with active brightness control
- + Asisto monitor holders

Chairs and stools

The ergonomic swivel and task chairs

Healthy and pleasant sitting isn't just a decisive factor at the workplace. Chairs which not only look good, but also enable comfortable sitting, are also needed at meetings & seminars, for visits and for meetings at the office counter.

What you'll find in this section:

- + Basic workstation swivel chair
- + Asisto office swivel chair with 3D knitted membrane
- + Basic and Asisto visitor chairs
- + Basic and Asisto stackable chairs
- + Bar stools

Cabinets, pedestals and caddies

The experts for storage space and flexible catering near the workstation

Everything at hand and in the right place in the right pull-out cabinet or pedestal: Naturally, made of steel with long-lasting and convenient pull-outs, nearly unlimited color variety and an impressive appearance and technology. This also applies for C+P fridge caddies, which provide perfect service in the conference area.

What you'll find in this section:

- + Asisto pull-out cabinets at standing and sitting height
- + Asisto mobile pedestals
- + Asisto fridge caddies

Reception counter

Design meets function and expression.

The reception counter is the first piece of furniture at your company that people see. That's why it's all the more important that you design this area in line with your tastes and your company's image. C+P has an extensive portfolio:

- + Reception solutions for every need
- + Stylish business cards for the entrance area of any company
- + Also for clinics, institutes, public facilities and lots more
- + Available in a wide variety of different surfaces, colors and versions
- + Made of sturdy and high-quality materials

Whether it's light or dark, modern or timeless: The choice is yours, and you'll be delighted at how your new counter influences the effect of the space and creates a positive impression.

Ask us about your customized reception counter—we look forward to handling your task!







Basic

Standing tables.

The Basic standing table keeps the body in motion and the thoughts flowing.

Basic-keeps the body in motion and the thoughts flowing. Meetings held standing are generally shorter and thereby promote work efficiency.

For short meetings, an exchange of ideas, brainstorming, collecting information or a coffee break, the Basic standing table makes communication zones possible in large offices.

- Sides and tabletop are always made of sturdy 38 mm-thick panels
- All surfaces are coated with high-quality, durable HPL
- Sides each feature 2 floor-compensating adjustable feet for easy leveling
- Connection between side and tabletop with 5 mm shadow gap in silver
- Delivered disassembled with easy assembly instructions
- The decor of the work top is your choice, and the side & connection crossbar are always diamond white

Dimensions and versions







| Size |
|--|
| Height |
| For no. of people |
| Order no. (for work top decor diamond white) |
| Price |
| Surfaces |

| 1.600 x 800 |
|----------------|
| 1.100 |
| 4 people |
| 99001-0025-183 |
| 2.140,- |
| HPL surface |

| 2.000 x 800 | 2 |
|----------------|----|
| 1.100 | 1. |
| 6 people | 8 |
| 99001-0026-183 | 9 |
| 2.410,- | 2 |
| HPL surface | Н |

| 2.400 x 800 |
|----------------|
| 1.100 |
| 8 people |
| 99001-0027-183 |
| 2.680,- |
| HPL surface |

| Тор | decor | of | work | top |
|-----|-------|----|------|-----|
| | | | | |

| Top decor of work top | | | |
|-----------------------|----------------|--|--|
| | Diamond white | | |
| | Light gray | | |
| 7 | Royal maple | | |
| 10 | Light acacia | | |
| 411 | Basalt oak | | |
| | Light concrete | | |
| | | | |

| Decor no. | |
|-----------|--|
| -183 | |
| -002 | |
| -053 | |
| -062 | |
| -189 | |
| -185 | |

The specified product order no. includes the first work top decor of the decor chart at the end (diamond white, decor no. -183). All other work top decors are available at no additional charge—simply change the decor no. at the end of the product order no.





Asisto

Lounge.

Features of the Asisto lounge sofas:

- + Ideal supplement for the reception, lounge or central zone
- + Currently available as a sofa and highback in 3 widths
- + 5 materials from the FENICE collection can be combined

The way we work is changing. On the one hand, day-to-day work is getting faster all the time and requirements on each individual are increasing. On the other hand, coziness and an atmosphere of well-being play an important role at the office. Relaxation and the ability to retreat are utilized to develop new energies and creativity.

More and more, the office of today is becoming a living room where lounge and meeting furniture are supplementing the classic desk and workstation.

The Asisto lounge offers a visual and acoustic space to retreat to for concentrated work.



Dimensions and versions







| Model | 2-seaters | 2-seaters MAX | 3-seaters |
|----------------------|--|--|--|
| Version | 2-seater sofa with low sides and back | 2-seater sofa WIDE with low sides and back | 3-seater sofa with low sides and back |
| Width | 1410 | 1810 | 2045 |
| Height | 870 | 870 | 870 |
| Upholstered backrest | Freely selectable | and combinable, order no. for upholstered | backrest material color light green: 41 |
| Upholstered seat | Freely selectable and combinable, order no. for upholstered seat material color dark green: -042 | | |
| Order no. | 99001-0141-042 | 99001-0241-042 | 99001-0341-042 |
| Price | 2.450,- | 2.700,- | 3.230,- |

- + All lounge furniture features sturdy powder-coated steel tube framing on round plastic sliders, black
- + Version always features upholstered sides and back panels
- + Material selection from the FENICE collection, as per the EU Ecolabel
- + One loose back cushion for increased sitting comfort per seat, always in the seat upholstery color
- + Internal structure made of reinforced laminated wood
- + Seat height: 460 mm
- + Other shapes, combinations, materials, versions and electrification options on request



Dimensions and versions







| Model | 2-seaters | 2-seaters MAX | 3-seaters |
|----------------------|--|---|---|
| Version | 2-seater sofa with high sides and back | 2-seater sofa WIDE with high sides and back | 3-seater sofa with high sides and back |
| Width | 1410 | 1810 | 2045 |
| Height | 1310 | 1310 | 1310 |
| Upholstered backrest | Freely selectable | and combinable, order no. for upholstere | ed backrest material color sand: 52 |
| Upholstered seat | Freely selectable and combinable, order no. for upholstered seat material color orange: -012 | | |
| Order no. | 99001-0452-012 | 99001-0552-012 | 99001-0652-012 |
| Price | 2 790 - | 3 230 - | 3 460 - |

Colors/Materials (see number code)

| FENICE material | Upholstered backrest | Upholstered seat |
|-----------------|----------------------|------------------|
| Orange | 12 | -012 |
| Light green | 41 | -041 |
| Dark green | 42 | -042 |
| Sand | 52 | -052 |
| Red | 21 | -021 |
| | | |



Number code in example 99001-0421-021 (see figure to left)

Basic number: 99001-0421-021

Upholstered **backrest:** 99001-04**21**-021

Upholstered seat: 99001-0421-**021**

⁽⁺⁾ Other material colors and combinations on request

Asisto

Sit/stand tables.

The affordable sit/stand tables for diverse office tasks

- + T-foot frame made of sturdy steel rectangular tubing
- + Electric height adjustment (40 mm/sec), with enhanced collision protection as per DIN
- + Double telescopic extension with sit/stand height of 625 1,285 mm
- + Table load capacity up to 100 kg
- + Available in 3 attractive frame colors
- + Tabletop in MCPB, optionally with high-quality Synchro surface
- + Delivered fully assembled, frame collapsible for easier transport and storage
- + Economical and ergonomic sit/stand table promotes movement, reduces downtime costs and motivates employees

Dimensions and versions

Rectangular bottom frame, electric height adjustment from 625 - 1,285







2000

| Height: 625 — 1,285 Depth: 800 | Width | 1600 | 1800 |
|-----------------------------------|-------|------|------|

| MCPB top, 25 mm (standard) | Order no. | 540490-1.1 | 540490-1.10 | 540490-1.8 |
|-------------------------------|----------------|--------------|---------------|--------------|
| | Price | 1.159,- | 1.192,- | 1.229,- |
| Syncro decor, | & order no. | + 540708-1.1 | + 540708-1.10 | + 540708-1.8 |
| 25 mm | & addtl_charge | + 70 - | + 70 - | + 70 - |

Frame/runner color

| Traffic white |
|---------------------|
| White aluminum |
| Black gray metallic |

(+) Exclusive height adjustment
With memory control,
height indicator and 2x USB

| & order no. | + 540700-725 |
|-----------------|--------------|
| & addtl. charge | On request |



Cable aperture sockets 80 mm dia., installed in tabletop at factory







| Installation location | Version | White plastic | Black plastic | Metal |
|-----------------------|-----------|---------------|---------------|-------------|
| Left | Order no. | 540700-721L | 540700-722L | 540700-707L |
| | Price | 36,- | 36,- | 50,- |
| Center | Order no. | 540700-721M | 540700-722M | 540700-707M |
| | Price | 36,- | 36,- | 50,- |
| Right | Order no. | 540700-721R | 540700-722R | 540700-707R |
| | Price | 36,- | 36,- | 50,- |



Folds down in front and back, lockable at 2 heights, hole in center for triple socket



| For desk width | |
|----------------|--|
| Order no. | |
| Price | |

| 1600 | |
|-------------|--|
| 540700-7084 | |
| 40 | |

| 1800 |
|------------------|
| 540700-7085 |
| 56. - |

| 2000 |
|-------------|
| 540700-7086 |
| 63,- |





| -0(B) | |
|-------|--|
| | |
| | |



| Version | |
|-----------|--|
| Order no. | |
| Price | |

| Iripie socket strip | |
|---------------------|--|
| 540700-713 | |
| 36 - | |

| GST-18 supply line, 3 m |
|-------------------------|
| 540700-715 |
| 17,- |

GST-18 extension, 3 m 540700-717 25,-

(+) Netboxes with various power, data and communication connections on request









igorealtharpoons Top decor

+ Other accessories on request

Asisto

Occasional tables.

The affordable meeting tables for diverse office tasks:

- + Sturdy foot frame made of thick-walled steel tube
- + Fixed heights of 720 and 1,100 mm
- + Or with height adjustment of 700 1,135 mm, depending on the lifting technology
- + Available in 3 attractive frame colors
- + Tabletops in MCPB
- + Delivered fully assembled

| Tabletop decors | Decor no. | |
|-----------------|-----------|--|
| Diamond white | -183 | |
| Light gray | -002 | |
| Royal maple | -053 | |
| Light acacia | -062 | |
| Basalt oak | -189 | |
| Concrete | -185 | |

The specified product order no. includes the first decor of the decor chart at the end (diamond white, decor no. -183). All other decors are available at no additional charge—simply change the decor no. at the end of the product order no.

Dimensions and version

Meeting table SQUARE


25 mm tabletop Base plate and foot tube Square




| 1 | | |
|---|---|--|
| - | | |
| | 1 | |
| | _ | |



| 4 | | | |
|-------------------------------------|---------------------|----------------|--------------------|
| Height | 720 | 1.100 | 700 - 1.135 |
| Size | 800 x 800 | 800×800 | 800×800 |
| Version | Fixed height | Fixed height | Lifting technology |
| Frame color | White aluminum | | |
| Order no. (for diamond white decor) | 99001-0001-183 | 99001-0004-183 | 99001-0007-183 |
| Price | 660,- | 710,- | 1.160,- |
| Frame color | Traffic white | | |
| Order no. (for diamond white decor) | 99001-0002-183 | 99001-0005-183 | 99001-0008-183 |
| Price | 660,- | 710,- | 1.160,- |
| Frame color | Black gray metallic | | |
| Order no. (for diamond white decor) | 99001-0003-183 | 99001-0006-183 | 99001-0009-183 |
| Price | 660,- | 710,- | 1.160,- |









| Height | 720 | 1.100 | 700 - 1.135 |
|-------------------------------------|---------------------|----------------|--------------------|
| Size | Ø 800 | Ø 800 | Ø 800 |
| Version | Fixed height | Fixed height | Lifting technology |
| Frame color | White aluminum | | |
| Order no. (for diamond white decor) | 99001-0010-183 | 99001-0013-183 | 99001-0016-183 |
| Price | 700,- | 770,- | 1.190,- |
| Frame color | Traffic white | | |
| Order no. (for diamond white decor) | 99001-0011-183 | 99001-0014-183 | 99001-0017-183 |
| Price | 700,- | 770,- | 1.190,- |
| Frame color | Black gray metallic | | |
| Order no. (for diamond white decor) | 99001-0012-183 | 99001-0015-183 | 99001-0018-183 |
| Price | 700,- | 770,- | 1.190,- |

Asisto

Mobile folding table.

The flexible solution for seminars and meetings:

- + Easy to operate folding mechanism with a bar under the front edge of the tabletop for one-handed operation
- Foldable table frame, for space-saving nesting
- Frame color: Silver aluminum
- 2 table top grid sizes in 6 standard decors each
- 720 mm high
- MCPB tabletops, with standard edge band or rounded with rubber edge for better impact resistance
- Delivered fully assembled

Dimensions and version

With edge band

MCPB tabletop, rectangular Table height: 720, on casters, foldable, silver aluminum frame




| | - |
|---|---|
| \ | • |
| 8 | |



| 9 | |
|-----------------------------------|--|
| ght | |
| sion | |
| ole top edge | |
| der no. (for diamond white decor) | |

| _ | - | | |
|---|---|--|--|
| | | | |
| | | | |
| | | | |
| | | | |

| 1400 x 700 |
|-------------------|
| 720 |
| Foldable/Nestable |
| Edge bands |
| 99001-0019-183 |
| 1.080,- |



With rubber edge

Price


MCPB tabletop, rounded Table height: 720 mm, on casters, foldable, silver aluminum frame





| Size |
|-------------------------------------|
| Height |
| Version |
| Table top edge |
| Order no. (for diamond white decor) |
| Drice |

| 1400×700 |
|-------------------|
| 720 |
| Foldable/Nestable |
| With rubber |
| 99001-0021-183 |
| 1.290,- |
| |







Modesty panel, light gray

For easy assembly

| Width | 1400 | 1.600 |
|-------------------------------------|-------------------|-------------------|
| Size | 1040×250 | 1240 x 250 |
| Version | Foldable/Nestable | Foldable/Nestable |
| Order no. (for diamond white decor) | 99001-0023-183 | 99001-0024-183 |
| Price | 180,- | 190,- |

| Tabletop decors | Decor no. | |
|-----------------|-----------|--|
| Diamond white | -183 | |
| Light gray | -002 | |
| Royal maple | -053 | |
| Light acacia | -062 | |
| Basalt oak | -189 | |
| Concrete | -185 | |

The specified product order no. includes the first decor of the decor chart at the end (diamond white, decor no. -183). All other decors are available at no additional charge—simply change the decor no. at the end of the product order no.

Basic

Cafeteria tables.

4-foot tables:

Multi-purpose tables from C+P meet a variety of needs. They can be used as meeting tables, as storage space and as workspace. The steel frame of the multi-purpose tables isn't just very robust, but has a timeless and minimalist effect as well:

- Tabletop: 25 mm thick with 3 mm edge band, light gray decor
- Steel underframe with 30x30 mm square legs, light gray RAL 7035
- Level adjustable by 25 mm
- Load capacity of max. 100 kg with evenly distributed load
- Tables are delivered disassembled, but are easy to assemble!
- Dimensions, (HxWxD): 750 x 1,200 1,800 x 800 mm

Dimensions and version











| Size | |
|---------|--|
| Height | |
| Version | |

| 1.200 x 800 |
|--------------|
| 750 |
| Disassembled |

| 1.600 x 800 |
|--------------|
| 750 |
| Disassembled |

| 1.800 x 800 |
|--------------|
| 750 |
| Disassembled |

| Order no. | | |
|-----------|--|--|
| Price | | |

| 7 | 90 | 7 | 9- | ·U | U | U |
|----|----|---|----|----|---|---|
| 1, | 13 | _ | | | | |

| 9969 | 9-0000 |
|-------|--------|
| 174,- | |

99699-00003 205,-

Folding tables:

- Folding table frame made of chrome-plated round tube with folding mechanism, stackable
- Table height: 750 mm (folded only 125 mm)
- Durable, melamine-coated tabletop (25 mm thick) with edge band

Dimensions and versions

Chrome-plated round-tube frame, 30 mm dia., quick setup thanks to special folding mechanism, stackable for space-saving storage,

height: 750 mm (folded: 125 mm)







| (standard) | |
|------------|---|
| | - |
| | |

| Width | |
|-----------|--|
| Depth | |
| Order no. | |
| Price | |

| 1400 | _ |
|-----------|---|
| 700 | |
| 51022-1.9 | |
| 546,- | _ |

| 1600 |
|-----------|
| 800 |
| 51022-1.1 |
| 560,- |

| 1600/800 |
|------------|
| 800/693 |
| 51022-2.10 |
| 560,- |

Top decor (for folding tables only)

Color concept → p. 52





Workstation dividers

Features of the privacy element:

- + Privacy with improved direct speech acoustics
- + Table-back element, rigid
- + Height: 800 mm, 200 mm projection under top edge of tabletop
- + Planked support panel/honeycomb panel, corner radius: R40, depth: 25 mm
- + Attached with spacing of 10 mm to tabletop
- + Lucia fabric cover (colors as per LUCIA fabric card) featuring quilting seams
- + Wall thickness: approx. 28 mm
- + Incl. holder set for tabletop clamping (for 10 mm spacing)



| Dimensions | and |
|-------------------|-----|
| versions | |







| versions | | | |
|-------------------------------------|---------------------|---------------------|---------------------|
| Width | 1600 | 1800 | 2000 |
| Height | 800 | 800 | 800 |
| Surfaces | LUCIA fabric | LUCIA fabric | LUCIA fabric |
| Holder color | White aluminum | White aluminum | White aluminum |
| Order no. (for fabric color rum) | 99001-0043-086 | 99001-0044-086 | 99001-0045-086 |
| Holder color | Traffic white | Traffic white | Traffic white |
| Order no. (for fabric color rum) | 99001-0046-086 | 99001-0047-086 | 99001-0048-086 |
| Holder color | Black gray metallic | Black gray metallic | Black gray metallic |
| Order no. (for fabric color rum) | 99001-0049-086 | 99001-0050-086 | 99001-0051-086 |
| Price | 500,- | 530,- | 550 |



The stand-up wall system offers ideal privacy and fits into a harmonious overall picture thanks to its lightness. With its rounded corners the standup wall exhibits modern zeitgeist. It's available as a table back element, where the cable duct and cable channel are covered by the projection. A host of color variants are available for selection.

(+) Additional versions, surfaces and dimensions on request

| LUCIA fabric colors | Fabric no. | |
|-----------------------|------------|--|
| Rum (light gray) | -086 | |
| Havana (black) | -009 | |
| Paseo (dark gray) | -019 | |
| Sombrero (dark olive) | -046 | |
| Solano (yellow) | -088 | |
| Apple (light green) | -096 | |
| Madura (bright green) | -056 | |
| Marianna (light blue) | -057 | |

Composition of LUCIA fabric: 100% recycled polyester Dyes do not contain heavy metals Environmentally friendly In accordance with EU Ecolabel certificate In accordance with OEKO-TEX ® Standard 100 certificate Made of 100% recycled polyester


The specified product order no. contains the first color of the fabric chart (rum, fabric no. -086) at the end. All other colors are available at no additional charge—simply change the fabric no. at the end of the product order no.

Light.

Asisto

Features of ASISTO floor lamp SOLO:

- + LED floor lamp, single illumination, direct/indirect
- With LRC (Luminosity Range Control, see description below)
- Presence detector for maximum energy efficiency
- Color temperature: 4,000 kelvin neutral white (daylight)
- Protection type IP20
- Lamp head rotatable 90° and telescopic
- 24 volts (with 230-volt connection cable)/55 watts, standby: 0.5 watts
- 3 colors



1.900,-

The smart lamp system of the Asisto series complements the ergonomic workstation.

1.900,-

Newly developed active Luminosity Range Control ensures that the illumination angle and the illumination values are automatically adapted to the working height of sit/stand tables. Customized light scenes set by the user are retained at each table height.

LEDs of the lamp head are dimmed depending on the table height. This means that your eyes don't have to adjust to changing lighting conditions, but rather that the lighting conditions adjust to your eyes.

The light shines both up (indirect) and down. Dimmable adjustment is made using the display

A spotlight function for continuous constant light is integrated and can be selected using the operating panel

Price

1.900,-



Company

Color concept

Changing room & wardrobe

Workshop & factory

Asisto

Monitor holders.

Features of the Asisto monitor arm:

- + Single- or double-screen solution
- + Up to 27" in size and 7 kg in weight
- + Attachment standard VESA 75/100, incl. quick release
- + With gas lift and horizontal arm element
- + Toolless monitor changing
- + Sturdy, yet flat, pivot joint for nearly unlimited freedom of movement
- + Flexible attachment options thanks to 3-in-1 table attachment
- + Color: white, silver or black
- + Delivered disassembled for easy assembly





Dimensions and versions

| Туре |
|-------------------|
| Max. monitor size |
| Range in mm |
| Color |
| Order no. |
| Price |

| SINGLE |
|----------------|
| 27" / 7 kg |
| 457 |
| White |
| 99001-0041-023 |
| 450 - |

| SINGLE |
|----------------|
| 27" / 7 kg |
| 457 |
| Silver |
| 99001-0041-025 |
| 450,- |

| SINGLE |
|----------------|
| 27" / 7 kg |
| 457 |
| Black |
| 99001-0041-026 |
| 450 |



| Туре | |
|-------------------|--|
| Max. monitor size | |
| Range in mm | |
| Color | |
| Order no. | |
| Price | |

| DUO |
|----------------|
| 2x27" / 7 kg |
| 333 |
| White |
| 99001-0042-023 |
| 810,- |
| |

| DUO |
|----------------|
| 2 x 27" / 7 kg |
| 333 |
| Silver |
| 99001-0042-025 |
| 810,- |
| |

| DUO |
|----------------|
| 2x27" / 7 kg |
| 333 |
| Black |
| 99001-0042-026 |
| 810,- |
| |





Smart cable duct

All connecting cables are routed neatly and protected under the unobtrusive cover. The powerful gas lift element for top-notch ease of operation is also found here.



Quick release

Monitors can easily be inserted or changed by one person by hand without any tools at all. The holder fits all common monitors with the 75×75 and 100×100 attachment standard.



Sturdy joint technology

The high-quality pivot joint is considerably flatter than a conventional ball joint, so it offers nearly unlimited freedom of movement in every turn and tilt direction. Large monitors can also be effortlessly handled and remain securely in the set position.



3-in-1 table attachment

The standard attachment element can be conveniently secured from above and covers three mounting types in one: clamp, cable opening and drill hole attachment. It offers optimal flexibility should the attachment type be changed.

Basic

Workstation swivel chair.

Features of the Basic office workstation chair:

- + Office swivel chair with load-dependent braked casters
- + Attractively shaped plastic base in black
- + Integrated synchronous mechanism for seat and backrest, 4 locking positions
- + Body weight adjustment in the mechanism between 45 and 120 kg
- + Functional seat depth adjustment (adjustment range: 50 mm)
- + Backrest with net fabric
- + Armrest height and depth adjustable in 3D
- + Height-adjustable lumbar support



Dimensions and versions

| | Fabric | Xtreme black | |
|-------------------|-----------------------------|-----------------|--|
| | Model | With 3D armrest | |
| | Chair base | Black | |
| | Height | 1025–1155 | |
| | Seat height | 418-539 | |
| | Width without/with armrests | 480/635 | |
| | Depth | 475 | |
| With soft casters | Order no. | 99001-0030-002 | |
| | Price | 660,- | |
| With hard casters | Order no. | 99001-0030-001 | |
| | Price | 660,- | |

Xtreme is a modern fabric made of up to 100% recycled polyester. This prevents waste and conserves raw materials. Thanks to its stretch characteristics, flameresistance, long service life and anti-pilling properties, Xtreme is ideal for use on chairs.

Composition

100% recycled flame-resistant polyester Dyes do not contain heavy metals Environmentally friendly Made of 100% recycled polyester In accordance with EU Ecolabel certificate







3D armrest Polyamide armrests with fiberglass and SoftTouch PU coating. Vertically adjustable, with depth-adjustable and swiveling support



Lumbar Vertically adjustable lumbar support with flexible slats



Soft casters (for hard floors)



Hard casters (for soft floors)

Asisto Office swivel chair.

Features of the Asisto office swivel chair:

- + Dynamic synchronous mechanism
- + 5 plastic colors for back, mechanism cladding, armrests and base
- + Colorful overall design available in 5 colors
- + Seat always made of special molded PU foam with opaque knit fabric in 5 colors
- + 2D armrests, black
- 2 back variants:
 3D knit back, transparent in 5 colors (net)
 3D knit back, opaque in 5 colors (comfort)
- + Version always features integrated lumbar support
- + 100 % recyclable due to modular principle
- + Made in Germany
- + Certified with the highest European sustainability certification level 3







Dimensions and versions

| | Color | LIGHT GRAY | Black gray |
|-------------------|-------------------------|---------------------|---------------------|
| | Model | Office swivel chair | Office swivel chair |
| | Armrest | 2D PP | 2D PP |
| | Frame color/5-star base | 3008 light gray | 3004 black gray |
| With seat cover | Order no. | 99001-3108-N03 | 99001-3104-N02 |
| & 3D net back | Price | 810,- | 810,- |
| With seat cover | Order no. | 99001-3108-K03 | 99001-3104-K02 |
| & 3D comfort back | Price | 830,- | 830,- |

The 3D knit membrane

This is precisely fit to the backrest and seat. It's various back zones are designed in such a way that the flexible functions of the backrest are optimally supported. In the lumbar area, it features greater tension than in the shoulder area, forming a perfect symbiosis together with the back design for comfortable sitting. The 3D knit membrane also contributes to sustainability.











| DARK RED | DARK GREEN | BLACK | |
|---------------------|---------------------|---------------------|--|
| Office swivel chair | Office swivel chair | Office swivel chair | |
| 2D PP | 2D PP | 2D PP | |
| 3021 dark red | 3022 dark green | 3005 black | |
| | | | |
| 99001-3121-N05 | 99001-3122-N04 | 99001-3105-N01 | |
| 810,- | 810,- | 810,- | |
| | | | |
| 99001-3121-K05 | 99001-3122-K04 | 99001-3105-K01 | |
| 830,- | 830,- | 830,- | |
| | | | |

All chairs are outfitted with soft casters for hard floors as standard, indicated by the -31 in the order number. If you change this number to -32, we will supply hard rollers for carpet at no additional charge.

Visitor chairs



Basic visitor chairs:

- + Cantilever chair with armrest, stackable
- + Steel tube frame, 25 mm dia., chrome-plated
- + Perforated backrest made of plastic in 2 colors
- + Upholstered seat with Xtreme fabric

| Model | Basic (visitor chair) | | |
|---|--|----------------|--|
| Upholstered seat fabric | Xtreme | | |
| Version | Cantilever chair with armrest, stackable | | |
| Frame | Steel tube, chrome-plated | | |
| Back | Black | Silver gray | |
| | | | |
| Order no. (for Havana fabric, black) | 99001-0032-240 | 99001-0033-240 | |
| Price | 440,- | 440,- | |
| | | | |

| Xtreme fabric colors | Fabric no. |
|----------------------|------------|
| Havana, black | -240 |
| Ocean, blue | -210 |
| Blizzard, gray | -220 |
| Scuba, navy blue | -226 |
| Costa, dark blue | -230 |
| Panama, red | -260 |
| Padang, black gray | -270 |



The specified product order no. contains the first color of the fabric chart (Havana, black, fabric no. -240) at the end. All other colors are available at no additional charge—simply change the fabric no. at the end of the product order no.





Asisto visitor chairs:

- Cantilever chair with armrest, stackable
- Steel tube frame, powder-coated in 5 colors
- Attractively shaped perforated backrest made of plastic in 5 colors
- Upholstered seat with Asisto fabric same as frame color

| Model | Asisto (visitor chair) | | | | |
|------------------------|--|----------------|----------------|----------------|----------------|
| Fabric seat upholstery | Asisto fabric | | | | |
| Version | Cantilever chair with armrest, stackable | | | | |
| Frame | Steel, powder-coated | | | | |
| Back | Light gray | Black gray | Red | Green | Black |
| Order no. | 99001-3505-N03 | 99001-3505-N02 | 99001-3505-N05 | 99001-3505-N04 | 99001-3505-N01 |
| Price | 520,- | 520,- | 520,- | 520,- | 520,- |



Asisto colors

| 19503 light gray | -N03 |
|------------------|------|
| 19502 black gray | -N02 |
| 19505 red | -N05 |
| 19504 green | -N04 |
| 19501 black | -N01 |

These colors are already encoded in the specified product order numbers.

Stackable chairs

When chairs need to be set up and put away again quickly and with space in mind, stackable chairs are the right choice:

The all-plastic **Basic** model is the right alternative for anyone with high aesthetic demands and a limited budget.

Should you prefer an appealing steel frame and optional seat upholstery, **Asisto** is the right address.







| Model | |
|--|--|
| Seat | |
| Version | |
| Frame | |
| Seat shell | |
| Upholstered seat | |
| Seat height | |
| Total height | |
| Seat width | |
| Total width | |
| Total depth | |
| Order no. (for 1st color in color chart) | |
| Price | |

| Basic |
|-----------------|
| PP |
| Stackable chair |
| Plastic, black |
| Plastic |
| - |
| 461 |
| 941 |
| 526 |
| 526 |
| 539 |
| 99001-0031-803 |
| 210,- |
| |

| Asisto |
|----------------------|
| Anti-UV PP |
| Multi-purpose chair |
| Steel, chrome-plated |
| Plastic |
| - |
| 440 |
| 815 |
| 450 |
| 540 |
| 580 |
| 99001-0034-057 |
| 210,- |
| |

Colors

| Basic seat shell | Color no. |
|------------------|-----------|
| Olive | -803 |
| White | -800 |
| Ocher | -801 |
| Light gray | -802 |
| Light blue | -804 |
| Pink | -805 |
| Dark gray | -806 |
| Terracotta | -807 |

| Asisto seat shell | Color no. |
|-------------------|-----------|
| White | -057 |
| Red | -051 |
| Black | -056 |
| Gray | -054 |

The specified product order nos. contain the first color of the respective color chart at the end. All other colors are available at no additional charge—simply change the color no. at the end of the product order no.









| ASISTO faux leather |
|-----------------------|
| Anti-UV PP |
| Multi-purpose chair |
| Steel, chrome-plated |
| Black PP |
| EcoPELLE faux leather |
| 440 |
| 815 |
| 450 |
| 540 |
| 580 |
| 99001-0034-820 |
| 290,- |

| ASISTO fabric |
|--|
| Anti-UV PP, seat with cover |
| Multi-purpose chair |
| Steel, chrome-plated |
| Black PP |
| Xtreme fabric (description on Seite 469) |
| 440 |
| 815 |
| 450 |
| 540 |
| 580 |
| 99001-0035-240 |
| 290,- |
| |

| ASISTO fabric |
|--|
| Anti-UV PP, seat with cover |
| Multi-purpose chair |
| Steel, chrome-plated |
| White PP |
| Xtreme fabric (description on Seite 469) |
| 440 |
| 815 |
| 450 |
| 540 |
| 580 |
| 99001-0036-240 |
| 290,- |

| Asisto | seat up | holstery | (faux | leather) |
|--------|---------|----------|-------|----------|
| | | | | |

| Black | -820 |
|-------|------|

| Asisto seat upholstery (fabric) | Fabric no. | |
|---------------------------------|------------|--|
| Havana, black | -240 | |
| Ocean, blue | -210 | |
| Blizzard, gray | -220 | |
| Scuba, navy blue | -226 | |
| Costa, dark blue | -230 | |
| Panama, red | -260 | |
| Padang, black gray | -270 | |

The specified product order nos. contain the first color of the fabric chart at the end. All other colors are available at no additional charge—simply change the fabric no. at the end of the product order no.

Bar stools

In different frame colors, with 4-foot or skid frame, optionally with seat upholstery







| Model | Basic 4 |
|------------------|----------|
| Seat | Beech, |
| Frame | Steel, o |
| Seat shell | Beech, |
| Upholstered seat | - |
| Order no. | 99001- |

Price

| Dasic 4 Dai |
|---------------------------------|
| Beech, laminated |
| Steel, chrome-plated, stackable |
| Beech, white |
| - |
| 99001-0039-000 |
| 280,- |
| |

| Basic 4 Bar |
|---------------------------------|
| Beech, laminated |
| Steel, chrome-plated, stackable |
| Beech, natural |
| - |
| 99001-0039-001 |
| 270,- |
| |

| Basic Bar |
|----------------|
| Oak, laminated |
| Steel, black |
| Oak, veneered |
| - |
| 99001-0037-000 |
| 400,- |









| Basic Bar |
|----------------|
| Oak, laminated |
| Steel, white |
| Oak, veneered |
| - |
| 99001-0038-001 |
| 400,- |

| Basic Bar |
|-------------------------------------|
| Oak, laminated with seat upholstery |
| Steel, black |
| Oak, veneered |
| Xtreme fabric |
| 99001-0037-240 (Havana, black) |
| 490,- |

| Basic Bar |
|-------------------------------------|
| Oak, laminated with seat upholstery |
| Steel, white |
| Oak, veneered |
| Xtreme fabric |
| 99001-0038-260 (Panama, red) |
| 490,- |

Seat upholstery fabric colors

| Ьa | bric | no. | |
|----|------|-----|--|
| | | | |

| Havana, black | -240 | |
|--------------------|------|--|
| Ocean, blue | -210 | |
| Blizzard, gray | -220 | |
| Scuba, navy blue | -226 | |
| Costa, dark blue | -230 | |
| Panama, red | -260 | |
| Padang, black gray | -270 | |

The specified product order nos. contain the specified color of the fabric chart at the end. All other colors are available at no additional charge-simply change the fabric no. at the end of the product order no.

Xtreme is a modern fabric made of up to 100% recycled polyester. This prevents waste and conserves raw materials. Thanks to its stretch characteristics, flameresistance, long service life and anti-pilling properties, Xtreme is ideal for use on chairs.

Composition

100% recycled flame-resistant polyester Dyes do not contain heavy metals Environmentally friendly Made of 100% recycled polyester In accordance with EU Ecolabel certificate

Asisto

Pull-out cabinets.

Features of the pull-out cabinets:

- Body in sturdy steel construction with high-quality enamel coating, fronts made of MCPB (melamine coated particle board) as standard, available in steel (double-walled and insulated)
- Standard top cover made of MCPB (melamine coated particle board)
- Slotted shelves in black gray on the inside
 1 slot-in binder support in black gray per shelf
- Cabinet floor also slotted with
 1 slot-in binder support
- + 1 open compartment with felt mat above
- High load capacity of each shelf of 50 kg, adjustable shelves

- Allows for quick access to personal files when pulled out, standing height cabinet provides visual and acoustic screening and acts as a central contact area for visitors
- + Metal cabinet handle, matt nickel-plated
- + Safety lock with exchangeable cylinder and 2 keys
- + Appealing design and narrow edges
- Level adjustment as standard, incl. wide front support roll for optimal floor protection
- + Pleasant sound levels thanks to body sound absorption
- + High-quality drawer guide with soft-close



On left Table on right



Order no. 148466-00L & 148436-704

Pull-out cabinet

Width: 430 | Depth: 800 incl. MCPB top, 25 mm thick, for use on left or right next to the desk

Standing height

On left or right, steel body with MCPB front wood decor

Sitting height

On left or right, steel body with MCPB front wood decor

| Height | 1259 | 740 | |
|---|--|--|--|
| Interior fittings | Basic version with top open compartment with felt mat, 2 adjustable shelves for 3 binder heights, with 1 slot-in binder support each | Basic version with top open compartment with felt mat, 1 adjustable shelf for 1 binder height & extra compartment with 1 slot-in binder support each | |
| Order no. for left | 148436-00L | 148466-00L | |
| Order no. for right | 148436-00R | 148466-00R | |
| Price | 1.713,- | 1.411,- | |
| & optional steel front | | | |
| Order no. | + 148436-710 | + 148466-710 | |
| & addtl. charge | + 71,- | + 57,- | |
| & alternative top cover as solid-core/HPL top | | | |
| Order no. | + 148436-130 | + 148436-130 | |
| & addtl. charge | + 120,- | + 120,- | |









Security compartment

| Interior dimensions, (HxWxD) | 57 x 385 x 307/292 | |
|---------------------------------|--------------------|--|
| Order no. | 148436-704 | |
| Price | 126,- | |



Small part trays

| Made of plastic, to be placed on the felt mat | Mini-version fits on the smaller surface next to the security compartment | Large version also fits in the security compartment | |
|---|---|---|--|
| Order no. | 148436-708 | 148436-709 | |
| Price | 1/1 - | 17_ | |



Additional binder supports

For insertion into the slotting of the cabinet floor and the shelves

| Height x depth | 185 x 340 |
|----------------|------------|
| Order no. | 148436-701 |
| Price | 15 - |

Asisto

Mobile pedestals.

Features of the mobile pedestals:

- + Mobile pedestal with 4 casters, front casters with lock
- + Body and drawers made of steel
- + Central locking system with 2 flap keys and exchangeable cylinder
- + Drawers and interior fittings in black
- + User-friendly, full-width handle bar on the side
- Optimum tilt resistance thanks to counterweight and drawer with anti-tilt mechanism
- + Long-lasting and durable steel drawers:
 - 3 HU on roller guide, with 4/5 pull-out
 - 6 HU on telescopic guide, with full extension slide
- + Horizontal partitions in the middle drawers



Order no. 054530-000



Order no. 054510-000



Order no. 054230-000



Order no. 054210-000

Dimensions and version

Width: 430 Height: 570

M = Material drawer HU = Height units (1 HU = 50 mm) Drawer 6 HU incl. add-on hanging frame









| Depth | 581 | 581 | 781 | 781 |
|-----------|------------|------------|------------|------------|
| Drawers | M 3/6 | M 3/3/3 | M 3/6 | M 3/3/3 |
| Order no. | 054530-000 | 054510-000 | 054230-000 | 054210-000 |
| Price | 866,- | 866,- | 941,- | 941,- |

Only available in the following colors:





RAL 9010

Deep black RAL 9005

Special colors from 10 pieces per order please ask us.



Asisto

Fridge caddies and caddies with trash can.

The fridge caddies offer:

- + Excellent mobility thanks to 4 large casters (front casters with lock)
- Steel body, double-walled, with body sound absorption for pleasant sound behavior
- Drawers with load-bearing precision rails, all drawers fully extendable, with self-closing system and soft-stop for gentle closure
- Drawers with versatile interior fittings
- With cable flap above, 2 x power* connections (up to 230 V/50 Hz), e.g. for coffee maker etc., incl. 3 meter supply line
- Refrigerator with lock (2 keys), 62 liter volume and 3 adjustable intermediate shelves (grates)

Models 54780-000 and 54780-150:


- Drawer with cutlery compartment and small part drawer made of stainless steel
- Drawer(s) with versatile configuration for cups and glasses
- Drawer for storing plates and saucers





Dimensions and versions

Incl. HPL top and intermediate shelf, 13 mm thick





Drawers Version

Order no.

2, 2, 23/4 HU

With refrigerator and 3 drawers incl. interior fittings for cutlery and dishes

Price

54780-000

2.781,-

63/4 HU

With refrigerator and trash can 1x18 L, 2x8 L

54780-010

2.781,-

2, 3, 4, 4, 63/4 HU

Top drawer empty as standard, with trash can size 1x18 L, 2x8 L and drawers for dishes (interior fittings optional)

54780-150

2.982,-

*For socket strips to be used outside of Germany, please indicate the country of use (e.g. CH/Switzerland)

HPL top, large

For the use of larger coffee makers, also with integrated cable flap above, 2x power connections (230 V)

| Width | 502/666 |
|-----------------|------------|
| Depth | 499/689 |
| & order no. | + 5413-780 |
| & addtl. charge | + 85,- |





Automatic opening with motion sensor

For caddy trash can, for hands-free opening, easy with a movement of the foot

For width 500 & order no. + 5400-760 & addtl. charge + 310,-



(o) Body color, panel/top decor and panel color

Color concept → p. 50







Order no. 54780-150



All caddies with integrated HPL cable flap above, connection: 2x power (230 V)



Drawer with cutlery compartment and small part drawer made of stainless steel



Drawer(s) with versatile configuration for cups and glasses



Drawer for storing plates and saucers





Notes










Notes





Notes





| Order no. | Weight | Page |
|-------------------------|--------|----------------------------|
| | | 0- |
| 0 | | |
| 00002-010R | | 161 |
| 00002-14 | | 161, 201, 213 |
| 00006-00 | | 160 |
| 00006-21 | | 160 |
| 00008-70099R | | 160 |
| 00008-700R | | 160 |
| 00008-704R | | 160 |
| 00008-7099R | | 160 |
| 00008-70R 00008-72R | | 160 |
| 00010-01099R | | 160 |
| 00010-01077K | | 160 |
| 00010-012R | | 160 |
| 00010-1099R | | 160 |
| 00010-10R | | 160 |
| 00010-11 | | 160 |
| 00010-12R | | 160 |
| 00011-00 | | 160 |
| 00012-00 | | 160 |
| 00014-00 | | 161 |
| 00018-00 | 0,080 | 95, 155, 185 |
| 00019-00 | 0,181 | 95, 155, 185 |
| 0002-10 | 0,195 | 161, 201, 213 |
| 0002-11 | 0,100 | 161, 201, 213 |
| 0003-00 | 0,100 | 201, 213, 240 |
| 0004-11 | | 273, 283, 373 |
| 0005-00 | | 437 |
| 0005-10 | | 273, 283, 395, 418, 430 |
| 0004 00 | | |
| 0006-00 0006-21 | | 213, 240 |
| 0006-50 | | 273, 373 |
| 0010-11 | | 213, 240 |
| 0011-00 | | 201, 213, 240 |
| 0012-00 | | 201, 213, 240 |
| 0102-00 | 0,040 | 436 |
| 0104-00 | 0,120 | 436 |
| 0108-00 | 0,200 | 436 |
| 0202-00 | 0,060 | 436 |
| 0204-00 | 0,140 | 436 |
| 0208-00 | 0,260 | 436 |
| 0216-00 | 0,420 | 436 |
| 04900-131 | | 155 |
| 04900-132 | | 155 |
| 04900-133 | | 155 |
| 04900-134 | | 155 |
| 04900-141 | | 155 |
| 04900-142 | | 155 |
| 04900-4920 | | 156 |
| 04900-705 04900-7061 | | 95, 155 156 |
| 04900-7061 | | 156 |
| 04900-713 | | 97, 157 |
| 04900-744 | | 97, 157 |
| 04900-770 | | 95, 156 |
| 04900-7703 | | 156 |
| 04900-772 | | 95, 156 |
| 04900-7723 | | 156 |
| 04900-7733 | | 156 |
| 049000-10 | 21,90 | 100 |
| 049000-103 | 23,50 | 134 |
| 049000-104 | 23,90 | 136 |
| 049000-105 | 25,20 | 140 |
| | | |

| Order no. | _Weight_ | Page |
|--------------------------|-----------------|------------|
| 049000-106 | 25,20 | 142 |
| 049000-12 | 24,80 | 101 |
| 049000-123 | 26,90 | 135 |
| 049000-124 | 26,90 | 137 |
| 049000-125 | 28,30 | 141 |
| 049000-126 | 28,30 | 143 |
| 049000-20 049000-203 | 36,90 | 100 |
| 049000-203 | <u>40,30</u> | 136 |
| 049000-205 | 43,60 | 140 |
| 049000-206 | 43,60 | 142 |
| 049000-20B | 43,00 | 125 |
| 049000-22 | 43,30 | 101 |
| 049000-223 | 47,80 | 135 |
| 049000-224 | 47,60 | 137 |
| 049000-225 | 50,50 | 141 |
| 049000-226 | 50,50 | 143 |
| 049000-22B | 49,50 | 125 |
| 049000-30 | 52,50 | 100 |
| 049000-303 | 62,20 | 134 |
| 049000-304 | 58,50 | 136 |
| 049000-305 | 62,60 | 140 |
| 049000-306 | 62,60 | 142 |
| 049000-32 | 62,20 | 101 |
| 049000-323 | 68,90 | 135 |
| 049000-324 | 68,60 | 137 |
| 049000-325 | 73,00 | 141 |
| 049000-326 | 73,00 | 143 |
| 049000-40 | 68,20 | 101 |
| 049000-403 049000-404 | 75,00 — 76,10 — | 135 |
| 049000-405 | 81,70 | 141 |
| 049000-406 | 81,70 | 143 |
| 0490005-10 | 96,90 | 204 |
| 0490005-20 | 104.30 | 204 |
| 0490005-30 | 111,70 | 204 |
| 0490005-40 | 119,10 | 204 |
| 049002-20 | 33,20 | 114 |
| 049002-20B | 40,00 | 125 |
| 049002-22 | 37,70 | 114 |
| 049002-22B | 44,30 | 125 |
| 049002-40 | 60,70 | 114 |
| 049003-102 | 97,30 | 146 |
| 049003-122 | 99,30 | 147 |
| 049003-204 | 105,10 | 146 |
| 049003-224 | 109,00 | 147 |
| 049003-306 | 113,00 | 146 |
| 049003-326 | 118,80 | 147 |
| 049003-408 | 120,80 | 147 |
| 04901-0601 04901-0611 | | 157 |
| 04901-303 | | 157 154 |
| 04901-303D | | 154 |
| 04901-306 | | 155 |
| 04901-308 | | 154 |
| 04901-308D | | 154 |
| 049010-10 | 22,50 | 100 |
| 049010-103 | 24,10 | 134 |
| 049010-104 | 24,50 | 136 |
| 049010-105 | 25,80 | 140 |
| 049010-106 | 25,80 | 142 |
| 049010-12 | 25,40 | 101 |
| 049010-123 | 27,60 | 135 |
| 049010-124 | 27,50 | 137 |
| 049010-125 | 28,90 | 141 |

| Order no. | Weight | Page |
|--------------------------|----------------------|------------|
| 049010-126 | 28,90 | 143 |
| 049010-20 049010-203 | <u>37,50</u> — | 100 |
| 049010-204 | 41,50 | 136 |
| 049010-205 | 44,20 | 140 |
| 049010-206 | 44,20 | 142 |
| 049010-20B | 43,60 | 125 |
| 049010-22 | 43,90 | 101 |
| 049010-223 | 48,40 | 135 |
| 049010-224 | 48,20 | 137 |
| 049010-225 | 51,20 | 141 |
| 049010-226 049010-22B | <u>51,20</u> | 143 |
| 049010-30 | 53,10 | 100 |
| 049010-303 | 62,80 | 134 |
| 049010-304 | 59,10 | 136 |
| 049010-305 | 63,30 | 140 |
| 049010-306 | 63,30 | 142 |
| 049010-32 | 62,80 | 101 |
| 049010-323 | 69,50 | 135 |
| 049010-324 | 69,20 | 137 |
| 049010-325 | 73,60 | 141 |
| 049010-326 | 73,60 | 143 |
| 049010-40 | 68,80 | 101 |
| 049010-403 | 75,60 | 135 |
| 049010-404 049010-405 | 76,70 <u>82,30</u> — | 137 |
| 049010-405 | 82,30 | 143 |
| 0490105-10 | 97,50 | 204 |
| 0490105-20 | 104,90 | 204 |
| 0490105-30 | 112,40 | 204 |
| 0490105-40 | 119,80 | 204 |
| 049012-20 | 33,70 | 114 |
| 049012-20B | 40,60 | 125 |
| 049012-22 | 38,30 | 114 |
| 049012-22B | 44,90 | 125 |
| 049012-40 | 61,30 | 114 |
| 049013-102 049013-122 | 97,90 — 99,90 — | 146 |
| 049013-204 | 105,80 | 146 |
| 049013-224 | 109,60 | 147 |
| 049013-306 | 113,60 | 146 |
| 049013-326 | 119,40 | 147 |
| 049013-408 | 121,40 | 147 |
| 04902-0601 | | 157 |
| 04902-0611 | | 157 |
| 049020-10 | 21,40 | 100 |
| 049020-103 | 23,90 | 134 |
| 049020-104 | 24,30 | 136 |
| 049020-105 | 25,60 | 140 |
| 049020-106 049020-12 | 25,60 25,40 | 142 |
| 049020-123 | 27,50 | 135 |
| 049020-124 | 27,50 | 137 |
| 049020-125 | 28,90 | 141 |
| 049020-126 | 28,90 | 143 |
| 049020-20 | 37,90 | 100 |
| 049020-203 | 41,30 | 134 |
| 049020-204 | 41,80 | 136 |
| 049020-205 | 44,60 | 140 |
| 049020-206 | 44,60 | 142 |
| 049020-20B | 44,00 | 125 |
| 049020-22 049020-223 | 44,60 49,10 | 101 135 |
| U47ULU-LLJ | 47,10 | 133 |

| Order no. | Weight | Page | Order no. | Weight | Page | Order no. | Weight | Page |
|-----------------------|----------------------------|------|-------------------------|---------|------|-------------------------|-------------|---------------------------------|
| 049020-225 | 51,80 | 141 | 0490407-10 | 28,70 | 102 | 0490507-22 | 49,30 | 103 |
| 049020-226 | 51,80 | 143 | 0490407-10 + 08510 | 28,70 _ | 104 | 0490507-22 + 08522 | 49,30 | 105 |
| 049020-22B | 50,80 | 125 | 0490407-10 + 08510-004 | 28,70 | 106 | 0490507-22 + 08522-004 | 49,30 | 107 |
| 049020-30 | _ 54,10 | 100 | 0490407-12 | 29,90 _ | 103 | 0490507-30 | 61,80 | 102 |
| 049020-303 | 63,70 | 134 | 0490407-12 + 08512 | 29,90 | 105 | 0490507-30 + 08530 | 61,80 | 104 |
| 049020-304 | 60,00 | 136 | 0490407-12 + 08512-004 | 29,90 | 107 | 0490507-30 + 08530-004 | 61,80 | 106 |
| 049020-305 | 64,20 | 140 | 0490407-20 | 44,30 _ | 102 | 0490507-32 | 70,40 | 103 |
| 049020-306 | 64,20 | 142 | 0490407-20 + 08520 | 44,30 _ | 104 | 0490507-32 + 08532 | 70,40 | 105 |
| 049020-32 | 64,40 | 101 | 0490407-20 + 08520-004 | 44,30 | 106 | 0490507-32 + 08532-004 | 70,40 | 107 |
| 049020-323 | 71,10 | 135 | 0490407-22 | 50,00 | 103 | 0490507-40 | 79,30 | 103 |
| 049020-324 | 70,80 | 137 | 0490407-22 + 08522 | 50,00 | 105 | 0490507-40 + 08540 | 79,30 | 105 |
| 049020-325 | 75,20 | 141 | 0490407-22 + 08522-004 | 50,00 | 107 | 0490507-40 + 08540-004 | 79,30 | 107 |
| 049020-326 | 75,20 | 143 | 0490407-30 | 60,80 | 102 | 0490527-20 | 48,00 | 116 |
| 049020-40 | 70,30 | 101 | 0490407-30 + 08530 | 60,80 | 104 | 0490527-20 + 08520 | 48,00 | 118 |
| 049020-403 | 77,10 | 135 | 0490407-30 + 08530-004 | 60,80 | 106 | 0490527-20 + 08520-004 | 48,00 | 120 |
| 049020-404 | 78,30 | 137 | 0490407-32 | 68,00 | 103 | 0490527-22 | 50,60 | 116 |
| 049020-405 | 83,80 | 141 | 0490407-32 + 08532 | 68,00 | 105 | 0490527-22 + 08522 | 50,60 | 118 |
| 049020-406 | 83,80 | 143 | 0490407-32 + 08532-004 | 68,00 | 107 | 0490527-22 + 08522-004 | 50,60 | 120 |
| 0490205-10 | 97,30 | 204 | 0490407-40 | 77,00 | 103 | 0490527-40 | 86,40 | 116 |
| 0490205-20 | 105,30 | 204 | 0490407-40 + 08540 | 77,00 | 105 | 0490527-40 + 08540 | 86,40 | 118 |
| 0490205-30 | 113,30 | 204 | 0490407-40 + 08540-004 | 77,00 | 107 | 0490527-40 + 08540-004 | 86,40 | 120 |
| 0490205-40 | 121,30 | 204 | 049042-20 | 48,00 | 122 | 0490537-102 | 102,20 | 148 |
| 049022-20 | 34,10 | 114 | 049042-20 + 08520-004 | 48,00 | 123 | 0490537-102 + 08510 | 102,20 | 150 |
| 049022-20B | 41,00 | 125 | 049042-22 | 50,60 | 122 | 0490537-102 + 08510-004 | 102,20 | 152 |
| 049022-22 | 39,00 | 114 | 049042-22 + 08522-004 | 50,60 | 123 | 0490537-122 | 105,70 | 149 |
| 049022-22B | 45,60 | 125 | 049042-40 | 86,40 | 122 | 0490537-122 + 08512 | 105,70 | 151 |
| 049022-40 | 62,80 | 114 | 049042-40 + 08540-004 | 86,40 | 123 | 0490537-122 + 08512-004 | 105,70 | 153 |
| 049023-102 | 97,70 | 146 | 0490427-20 | 47,80 | 116 | 0490537-204 | 111,10 | 148 |
| 049023-122 | 99,90 | 147 | 0490427-20 + 08520 | 47,80 | 118 | 0490537-204 + 08520 | 111,10 | 150 |
| 049023-204 | 106,10 | 146 | 0490427-20 + 08520-004 | 47,80 | 120 | 0490537-204 + 08520-004 | 111,10 | 152 |
| 049023-224 | 110,30 | 147 | 0490427-22 | 51,20 | 116 | 0490537-224 | 115,40 | 149 |
| 049023-306 | 114,60 | 146 | 0490427-22 + 08522 | 51,20 | 118 | 0490537-224 + 08522 | 115,40 | 151 |
| 049023-326 | 120,90 | 147 | 0490427-22 + 08522-004 | 51,20 | 120 | 0490537-224 + 08522-004 | 115,40 | 153 |
| 049023-408 | 123,00 | 147 | 0490427-40 | 84,10 | 116 | 0490537-306 | 119,70 | 148 |
| 0490307-10 | 25,50 | 102 | 0490427-40 + 08540 | 84,10 | 118 | 0490537-306 + 08530 | 119,70 | 150 |
| 0490307-12 | 27,70 | 103 | 0490427-40 + 08540-004 | 84,10 | 120 | 0490537-306 + 08530-004 | 119,70 | 152 |
| 0490307-20 | 42,90 | 102 | 0490437-102 | 103,50 | 148 | 0490537-326 | 127,20 | 149 |
| 0490307-22 | 47,10 | 103 | 0490437-102 + 08510 | 103,50 | 150 | 0490537-326 + 08532 | 127,20 | 151 |
| 0490307-30 | 57,60 | 102 | 0490437-102 + 08510-004 | 103,50 | 152 | 0490537-326 + 08532-004 | 127,20 | 153 |
| 0490307-32 | 65,00 | 103 | 0490437-122 | 104,80 | 149 | 0490537-408 | 83,70 | 149 |
| 0490307-40 | 73,90 | 103 | 0490437-122 + 08512 | 104,80 | 151 | 0490537-408 + 08540 | 83,70 | 151 |
| 0490327-20 | 46,40 | 116 | 0490437-122 + 08512-004 | 104,80 | 153 | 0490537-408 + 08540-004 | 83,70 | 153 |
| 0490327-22 | 48,30 | 116 | 0490437-204 | 111,00 | 148 | 049090-10 | 59,34 | 144 |
| 0490327-40 | 81,10 | 116 | 0490437-204 + 08520 | 111,00 | 150 | 049090-12 | 59,34 | 145 |
| 0490337-102 | 100,40 | 148 | 0490437-204 + 08520-004 | 111,00 | 152 | 049090-20 | 59,34 | 144 |
| 0490337-122 | 102,50 | 149 | 0490437-224 | 116,00 | 149 | 049090-22 | 59,34 | 145 |
| 0490337-204 | 109,60 | 148 | 0490437-224 + 08522 | 116,00 | 151 | 049090-30 | 59,34 | 144 |
| 0490337-224 | 113,10 | 149 | 0490437-224 + 08522-004 | 116,00 | 153 | 049090-32 | 59,34 | 145 |
| 0490337-306 | 115,50 | 148 | 0490437-306 | 118,60 | 148 | 049090-40 | 59,34 | 145 |
| 0490337-326 | 121,90 | 149 | 0490437-306 + 08530 | 118,60 | 150 | 0490910-730 | | 144 |
| 0490337-408 | 78,30 | 149 | 0490437-306 + 08530-004 | 118,60 | 152 | 0490912-730 | | 145 |
| 049040-10 | - 10,00 - | 108 | 0490437-326 | 124,90 | 149 | 049092-20 | 59,34 | 144 |
| 049040-10 + 08510-004 | 27,40 | 110 | 0490437-326 + 08532 | 124,90 | 151 | 049092-22 | 59,34 | 144 |
| 049040-12 | 30,90 | 109 | 0490437-408 | 81,40 | 149 | 049092-40 | 59,34 | 144 |
| 049040-12 + 08512-004 | - 30,70 - | 111 | 0490437-408 + 08540 | 81,40 | 151 | 0490920-730 | 07,04 | 144 |
| 049040-20 | $-\frac{30,70}{44,40}$ | 108 | 0490437-408 + 08540-004 | 81,40 | 153 | 0490922-730 | | 144, 145 |
| 049040-20 + 08520-004 | $-\frac{44,40}{44,40}$ — | 110 | 0490507-10 | 27,40 | 102 | 0490930-730 | | 144, 143 |
| 049040-22 | - 44,40 — 49,30 | 109 | 0490507-10 + 08510 | 27,40 | 104 | 0490932-730 | | 145 |
| 049040-22 + 08522-004 | - 49,30 - 49,30 | 111 | 0490507-10 + 08510-004 | 27,40 _ | 104 | 0490940-730 | | 144, 145 |
| | | | | | | | 22 10 | |
| 049040-30 | - 61,80 <u>- 61,80</u> | 108 | 0490507-12 | 30,90 | 103 | 049100-00 | 33,10 | 124 |
| 049040-30 + 08530-004 | <u>61,80</u> _ | 110 | 0490507-12 + 08512 | 30,90 | 105 | 049100-02 | 37,80 | 124 |
| 049040-32 | - 70,40 - | 109 | 0490507-12 + 08512-004 | 30,90 | 107 | 049110-00 | 33,70 | 124 |
| 049040-32 + 08532-004 | _ 70,40 _ | 111 | 0490507-20 | 44,40 | 102 | 049110-02 | 38,40 | 124 |
| 049040-40 | 79,30 _ | 109 | 0490507-20 + 08520 | 44,40 | 104 | 049110-730 | | 100, 102, 104, 106, 108, 110 |
| 049040-40 + 08540-004 | 79,30 | 111 | 0490507-20 + 08520-004 | 44,40 | 106 | | | 100, 100, 110 |

| Order no. | Weight | Page |
|-------------|--------|----------------------------------|
| 049110-750 | | 100, 102, 104, 106, 108, 110 |
| 049112-730 | | 101, 103, 105, 107, 109, 111 |
| 049112-750 | | 101, 103, 105, 107, 109, 111 |
| 049120-00 | 34,10 | 124 |
| 049120-02 | 39,10 | 124 |
| 049120-730 | | 100, 102, 104, |
| | | 106, 108, 110, |
| | | 114, 116, 118, 120, 122, 123, |
| | | 124, 125 |
| 049120-750 | | 100, 102, 104, |
| | | 106, 108, 110, |
| | | 114, 116, 118, 120, 122, 123, |
| | | 124, 125 |
| 049122-730 | | 101, 103, 105, 107, 109, 111, |
| | | 114, 116, 118, |
| | | 120, 122, 123, |
| | | 124, 125 |
| 049122-750 | | 101, 103, 105, 107, 109, 111, |
| | | 114, 116, 118, |
| | | 120, 122, 123, |
| | | 124, 125 |
| 049130-730 | | 100, 102, 104, 106, 108, 110 |
| 049130-750 | | 100, 102, 104, |
| | | 106, 108, 110 |
| 049132-730 | | 101, 103, 105, 107, 109, 111 |
| 049132-750 | | 101, 103, 105, 107, 109, 111 |
| 049140-730 | | 101, 103, 105, |
| | | 107, 109, 111, 114, 116, 118, |
| | | 120, 122, 123 |
| 049140-750 | | 101, 103, 105, |
| | | 107, 109, 111, 114, 116, 118, |
| | | 120, 122, 123 |
| 049210-730 | | 126, 128, 130, |
| | | 132, 146, 148, 150, 152 |
| 049210-750 | | 126, 128, 130, 132 |
| 049212-730 | | 126, 128, 130, |
| 047212-130 | | 132, 147, 149, 151, 153 |
| 049212-750 | | 126, 128, 130, |
| 0.40000 700 | | 132 |
| 049220-730 | | 126, 128, 130, 132, 146, 148, |
| | | 150, 152 |
| 049220-750 | | 126, 128, 130, 132 |
| 049222-730 | | 126, 128, 130, |
| | | 132, 147, 149, 151, 153 |
| 049222-750 | | 126, 128, 130, |
| | | 132 |
| | | |

| Outro | 107 . * l. 4 | D |
|------------------------|--------------|----------------------------------|
| Order no. | Weight | Page |
| 049230-730 | | 126, 128, 130, 132, 146, 148, |
| | | 150, 152 |
| 040000 750 | | |
| 049230-750 | | 126, 128, 130, 132 |
| 040222 720 | | |
| 049232-730 | | 126, 128, 130, 132, 147, 149, |
| | | 151, 153 |
| 049232-750 | | 126, 128, 130, |
| 047232-130 | | 132 |
| 049240-730 | | 126, 128, 130, |
| 047240-130 | | 132, 147, 149, |
| | | 151, 153 |
| 049240-750 | | 126, 128, 130, |
| 047240 130 | | 132 |
| 049300-10 | 18,60 | 126 |
| 049300-12 | 24,00 | 126 |
| 049300-20 | 30,40 | 126 |
| 049300-22 | 41,80 | 126 |
| 049300-22 | | 126 |
| 049300-30 | 42,80 | |
| 049300-32 | 59,90 | 126 |
| | 55,20 | |
| 0493005-10 | 95,10 | 205 |
| 0493005-20 | 100,80 | 205 |
| 0493005-30 | 106,40 | 205 |
| 0493005-40 | 112,10 | 205 |
| 049310-10 | 19,30 | 126 |
| 049310-12 | 24,60 | 126 |
| 049310-20 | 31,00 | 126 |
| 049310-22 | 42,40 | 126 |
| 049310-30 | 43,40 | 126 |
| 049310-32 | 60,50 | 126 |
| 049310-730 | 05.00 | 134 |
| 0493105-10 | 95,80 | 205 |
| 0493105-20 | 101,40 | 205 |
| 0493105-30 | 107,00 | 205 |
| 0493105-40 | 112,70 | 205 |
| 049312-730 | 10.40 | 135 |
| 049320-10 | 18,40 | 126 |
| 049320-12 | 24,50 | 126 |
| 049320-20 | 31,30 | 126 |
| 049320-22 | 43,10 | 126 |
| 049320-30 | 44,30 | 126 |
| 049320-32 | 61,90 | 126 |
| 049320-40 | 54,40 | 126 |
| 049320-730 | 05.50 | 134 |
| 0493205-10 | 95,50 | 205 |
| 0493205-20 | 101,80 | 205 |
| 0493205-30 | 108,00 | 205 |
| 0493205-40 | 114,20 | 205 |
| 049322-730 | | 135 |
| 049330-730 | 100.00 | 134 |
| 0493307-10 | 100,80 | 128 |
| 0493307-12 | 29,70 | 128 |
| 0493307-20 | 47,70 | 128 |
| 0493307-22 | 50,20 | 128 |
| 0493307-30 | 64,80 | 128 |
| 0493307-32 | 69,70 | 128 |
| 0493307-40 | 83,50 | 128 |
| 049332-730 | | 135 |
| 049340-730 | 10100 | 135 |
| 0493407-10 | 104,00 | 128 |
| 0493407-10 + 08510 | | 130 |
| 0493407-10 + 08510-004 | | 132 |
| 0493407-12 | 31,90 | 128 |

| Order no. | Weight | Page |
|--------------------------------------|-----------------------|------------|
| 0493407-12 + 08512 | | 130 |
| 0493407-12 + 08512-004 | 4040 | 132 |
| 0493407-20 0493407-20 + 08520 | 49,10 | 128 |
| 0493407-20 + 08520-004 | | 132 |
| 0493407-22 | 53,10 | 128 |
| 0493407-22 + 08522 | | 130 |
| 0493407-22 + 08522-004 | | 132 |
| 0493407-30 | 68,00 | 128 |
| 0493407-30 + 08530 | | 130 |
| 0493407-30 + 08530-004 | | 132 |
| 0493407-32 | 72,70 | 128 |
| 0493407-32 + 08532 | | 130 |
| 0493407-32 + 08532-004 0493407-40 | 94.40 | 132 128 |
| 0493407-40 + 08540 | 86,60 | 130 |
| 0493407-40 + 08540-004 | | 132 |
| 0493507-10 | 102,70 | 128 |
| 0493507-10 + 08510 | | 130 |
| 0493507-10 + 08510-004 | | 132 |
| 0493507-12 | 32,80 | 128 |
| 0493507-12 + 08512 | | 130 |
| 0493507-12 + 08512-004 | | 132 |
| 0493507-20 | 49,20 | 128 |
| 0493507-20 + 08520 | | 130 |
| 0493507-20 + 08520-004 | | 132 |
| 0493507-22 | 52,50 | 128 |
| 0493507-22 + 08522 | - — — | 130 |
| 0493507-22 + 08522-004 0493507-30 | 69,00 | 132 |
| 0493507-30 + 08530 | - 07,00 | 130 |
| 0493507-30 + 08530-004 | - — — | 132 |
| 0493507-32 | 75,10 | 128 |
| 0493507-32 + 08532 | - = | 130 |
| 0493507-32 + 08532-004 | | 132 |
| 0493507-40 | 88,90 | 128 |
| 0493507-40 + 08540 | | 130 |
| 0493507-40 + 08540-004 | | 132 |
| 049410-730 | | 136 |
| 049412-730 | - — — | 137 |
| 049420-730 049422-730 | | 136 |
| 049430-730 | | 136 |
| 049432-730 | | 137 |
| 049440-730 | | 137 |
| 049510-730 | | 140 |
| 049512-730 | | 141 |
| 049520-730 | | 140 |
| 049522-730 | | 141 |
| 049530-730 | | 140 |
| 049532-730 | | 141 |
| 049540-730 | | 141 |
| 049600-20 | $\frac{36,20}{40,40}$ | 124 |
| 049600-22 049610-20 | 40,60 | 124 124 |
| 049610-20 | 41,20 | 124 |
| 049610-730 | - - 1,20 — | 142 |
| 049612-730 | | 143 |
| 049620-20 | 37,10 | 124 |
| 049620-22 | 41,90 | 124 |
| 049620-730 | | 142 |
| 049622-730 | | 143 |
| 049630-730 | | 142 |
| 049632-730 | | 143 |

049640-730

| Order no. | Weight | Page | Order no. | Weight | Page | Order no. | Weight | Page |
|-------------|----------------------------|---------|------------|--------|------|--------------------------|----------|---------|
| 054230-000 | 44,55 | 472 | 080002-20 | 34,80 | 70 | 08002-80 | 1,91 | 96, 156 |
| 054510-000 | 35,39 | 472 | 080002-20B | 34,80 | 75 | 08002-80200 | | 156 |
| 054530-000 | - 30,07 - 41,53 | 472 | 080002-22 | 40,60 | 70 | 08002-80250 | | 96, 156 |
| 08000-061 | | 95, 155 | 080002-22B | 40,60 | 75 | 08002-80300 | | 156 |
| 08000-201 | | 94, 154 | 080002-40 | 61,50 | 70 | 08002-80350 | | 156 |
| 08000-202 | | 94, 154 | 080003-102 | 21,90 | 88 | 080020-10 | 21,90 | 62 |
| 08000-203 | | 94, 154 | 080003-122 | 25,30 | 89 | 080020-103 | 24,40 | 80 |
| 08000-204 | | 94, 154 | 080003-204 | 36,60 | 88 | 080020-104 | 25,40 | 82 |
| 08000-211 | | 94, 154 | 080003-224 | 42,80 | 89 | 080020-105 | 26,70 | 84 |
| 08000-212 | | 94, 154 | 080003-306 | 50,90 | 88 | 080020-12 | 25,30 | 63 |
| 08000-213 | | 94, 154 | 080003-326 | 62,10 | 89 | 080020-123 | 27,30 | 81 |
| 08000-214 | | 94, 154 | 080003-408 | 66,70 | 89 | 080020 123 | <u> </u> | 83 |
| 08000-26 | | 96 | 08001-303 | | 94 | 080020-125 | 30,80 | 85 |
| 08000-261 | | 96 | 08001-303D | | 94 | 080020-125 080020-12F | 25,30 | 64 |
| 08000-34030 | | 94, 154 | 08001-3032 | | 94 | 080020-121 | 21,90 | 256 |
| 08000-34040 | | 94, 154 | 08001-308D | | 94 | 080020-17 | 36,60 | 62 |
| - | | | 080010-10 | 21,60 | 62 | 080020-20 | 40,00 | 80 |
| 08000-34060 | | 94, 154 | - | | | | | |
| 08000-34080 | | 94, 154 | 080010-103 | 23,90 | 80 | 080020-204 | 42,00 | 82 |
| 08000-34090 | | 94, 154 | 080010-104 | 24,90 | 82 | 080020-205 | 42,50 | 84 |
| 08000-34120 | | 94, 154 | 080010-105 | 26,10 | 84 | 080020-20B | 44,30 | 75 |
| 08000-7072 | $-\frac{0,228}{0.000}$ | 96, 156 | 080010-12 | 24,60 | 63 | 080020-22 | 42,80 | 63 |
| 08000-7073 | _ 0,288 | 96, 156 | 080010-123 | 27,40 | 81 | 080020-223 | 46,80 | 81 |
| 08000-80 | 1,45 | 96, 156 | 080010-124 | 29,20 | 83 | 080020-224 | 50,30 | 83 |
| 08000-8020 | | 96 | 080010-125 | 30,40 | 85 | 080020-225 | 52,60 | 85 |
| 08000-80200 | | 156 | 080010-12F | 24,60 | 64 | 080020-22B | 51,80 | 75 |
| 08000-80250 | | 96, 156 | 080010-19 | 21,60 | 256 | 080020-22F | 42,80 | 64 |
| 08000-80300 | | 156 | 080010-20 | 35,40 | 62 | 080020-29 | 36,60 | 256 |
| 08000-80350 | | 156 | 080010-203 | 39,90 | 80 | 080020-30 | 50,90 | 62 |
| 080000-10 | _ 21,60 _ | 62 | 080010-204 | 41,80 | 82 | 080020-303 | 56,30 | 80 |
| 080000-103 | _ 23,90 _ | 80 | 080010-205 | 44,20 | 84 | 080020-304 | 60,00 | 82 |
| 080000-104 | _ 24,90 _ | 82 | 080010-20B | 43,10 | 75 | 080020-305 | 63,50 | 84 |
| 080000-105 | 26,10 | 84 | 080010-22 | 41,20 | 63 | 080020-32 | 62,10 | 63 |
| 080000-12 | 24,60 | 62 | 080010-223 | 45,70 | 81 | 080020-323 | 67,00 | 81 |
| 080000-123 | 27,40 | 81 | 080010-224 | 49,20 | 83 | 080020-324 | 72,20 | 83 |
| 080000-124 | 29,20 | 83 | 080010-225 | 49,10 | 85 | 080020-325 | 75,70 | 85 |
| 080000-125 | 30,40 | 85 | 080010-22B | 50,40 | 75 | 080020-32F | 62,10 | 64 |
| 080000-12F | 24,60 | 64 | 080010-22F | 41,20 | 64 | 080020-39 | 50,90 | 256 |
| 080000-19 | 21,60 | 256 | 080010-29 | 36,60 | 256 | 080020-40 | 66,70 | 63 |
| 080000-20 | 35,40 | 62 | 080010-30 | 49,20 | 62 | 080020-403 | 69,70 | 81 |
| 080000-203 | 39,90 | 80 | 080010-303 | 55,70 | 80 | 080020-404 | 77,30 | 83 |
| 080000-204 | 41,80 | 82 | 080010-304 | 58,60 | 82 | 080020-405 | 81,90 | 85 |
| 080000-205 | 44,20 | 84 | 080010-305 | 62,10 | 84 | 080020-49 | 66,70 | 256 |
| 080000-20B | 35,40 | 75 | 080010-32 | 57,20 | 63 | 080022-20 | 35,80 | 70 |
| 080000-22 | 41,20 | 62 | 080010-323 | 65,20 | 81 | 080022-20B | 44,00 | 75 |
| 080000-223 | 45,70 | 81 | 080010-324 | 70,40 | 83 | 080022-22 | 41,70 | 70 |
| 080000-224 | 49,20 | 83 | 080010-325 | 73,90 | 85 | 080022-22B | 51,50 | 75 |
| 080000-225 | 49,10 | 85 | 080010-32F | 57,20 | 64 | 080022-40 | 63,70 | 70 |
| 080000-22B | 41,20 | 75 | 080010-39 | 54,50 | 256 | 080023-102 | 21,90 | 88 |
| 080000-22F | 41,20 | 64 | 080010-40 | 63,50 | 63 | 080023-122 | 25,30 | 89 |
| 080000-29 | 35,40 | 256 | 080010-403 | 71,50 | 81 | 080023-204 | 36,60 | 88 |
| 080000-30 | 49,20 | 62 | 080010-404 | 75,30 | 83 | 080023-224 | 42,80 | 89 |
| 080000-303 | 55,70 | 80 | 080010-405 | 79,90 | 85 | 080023-306 | 50,90 | 88 |
| 080000-304 | 58,60 | 82 | 080010-49 | 72,20 | 256 | 080023-326 | 62,10 | 89 |
| 080000-305 | 62,10 | 84 | 080012-20 | 34,80 | 70 | 080023-408 | 66,70 | 89 |
| 080000-32 | 57,20 | 62 | 080012-20B | 42,60 | 75 | 0800307-10 | 26,20 | 66 |
| 080000-323 | 65,20 | 81 | 080012-22 | 40,60 | 70 | 0800307-12 | 29,80 | 67 |
| 080000-324 | 70,40 | 83 | 080012-22B | 50,10 | 75 | 0800307-20 | 41,10 | 66 |
| 080000-325 | 73,90 | 85 | 080012-40 | 61,50 | 70 | 0800307-22 | 47,80 | 67 |
| 080000-32F | - 57,20 - | 64 | 080013-102 | 21,90 | 88 | 0800307-30 | 57,20 | 66 |
| 080000-39 | - 49,20 - | 256 | 080013-122 | 25,30 | 89 | 0800307-32 | 67,80 | 67 |
| 080000-40 | 63,50 | 62 | 080013-204 | 36,60 | 88 | 0800307-40 | 72,00 | 67 |
| 080000-403 | | 81 | 080013-224 | 42,80 | 89 | 0800327-20 | 40,50 | 70 |
| 080000-403 | 75,30 – | 83 | 080013-224 | 50,90 | 88 | 0800327-20 | 48,00 | 70 |
| 080000-404 | | 85 | 080013-306 | 62,10 | 89 | 0800327-22 | 72,10 | 70 |
| 080000-405 | $-\frac{79,90}{63,50}$ | 256 | 080013-326 | 66,70 | 89 | 0800327-40 | 26,20 | 90 |
| 000000-47 | 03,00 | 200 | 000013-400 | 00,70 | 07 | 0000001-102 | 20,20 | |

| Order no. | Weight | Page |
|------------------------------------|--------------------------|----------|
| 0800337-122 | 29,80 | 91 |
| 0800337-204 | 40,50 | 90 |
| 0800337-224 | 48,00 | 91 |
| 0800337-306 | 57,20 | 90 |
| 0800337-326 | 67,80 | 91 |
| 0800337-408 | 72,10 | 91 |
| 0800407-10 | 26,20 | 66 |
| 0800407-10 + 08510 | 26,20 | 68 |
| 0800407-12 | 29,80 | 67 |
| 0800407-12 + 08512 | 29,80 | 69 |
| 0800407-20 | 41,10 | 66 |
| 0800407-20 + 08520 | 41,10 | 68 |
| 0800407-22 | 47,80 | 67 |
| 0800407-22 + 08522 | 47,80 | 69 |
| 0800407-30 | 57,20 | 66 |
| 0800407-30 + 08530 | 57,20 | 68 |
| 0800407-32 | 67,80 | 67 |
| 0800407-32 + 08532 | 67,80 | 69 |
| 0800407-40 | 72,00 | 67 |
| 0800407-40 + 08540 | 72,00 | 69 |
| 0800427-20 | 40,50 | 71 |
| 0800427-20 + 08520 | 40,50 | 72 |
| 0800427-22 | 48,00 | 71 |
| 0800427-22 + 08522 | 48,00 | 72 |
| 0800427-40 | 72,10 | 71 |
| 0800427-40 + 08540 | 72,10 | 72 |
| 0800437-102 | $-\frac{26,20}{26,20}$ — | 90 |
| 0800437-102 + 08510 | $-\frac{26,20}{20,00}$ — | 92 |
| 0800437-122 | $-\frac{29,80}{20,00}$ — | 91 |
| 0800437-122 + 08512 | $-\frac{29,80}{40.50}$ — | 93 |
| 0800437-204 0800437-204 + 08520 | $-\frac{40,50}{40,50}$ — | 90 92 |
| 0800437-204 + 08320 | 40,50 48,00 | 91 |
| 0800437-224 + 08522 | 48,00 | 93 |
| 0800437-224 + 08322 | 57,20 | 90 |
| 0800437-306 + 08530 | | 92 |
| 0800437-326 | - 67,20 | 91 |
| 0800437-326 + 08532 | - 67,80 | 93 |
| 0800437-408 | - 72,10 - | 91 |
| 0800437-408 + 08540 | 72,10 | 93 |
| 0800507-10 | 26,20 | 66 |
| 0800507-10 + 08510 | 26,20 | 68 |
| 0800507-12 | 29,80 | 67 |
| 0800507-12 + 08512 | 29,80 | 69 |
| 0800507-12F | 29,80 | 65 |
| 0800507-20 | 41,10 | 66 |
| 0800507-20 + 08520 | 41,10 | 68 |
| 0800507-22 | 47,80 | 67 |
| 0800507-22 + 08522 | 47,80 | 69 |
| 0800507-22F | 47,80 | 65 |
| 0800507-30 | 57,20 | 66 |
| 0800507-30 + 08530 | 57,20 | 68 |
| 0800507-32 | 67,80 | 67 |
| 0800507-32 + 08532 | 67,80 | 69 |
| 0800507-32F | 67,80 | 65 |
| 0800507-40 | | 67 |
| 0800507-40 + 08540 | 72,00 | 69 |
| 0800527-20 | 40,50 | 71 |
| 0800527-20 + 08520 | 40,50 | 72 |
| 0800527-22 | 48,00 | 71 |
| 0800527-22 + 08522 | 48,00 | 72 |
| 0800527-40 | | 71 |
| 0800527-40 + 08540 | $-\frac{72,10}{24,00}$ | 72 |
| 0800537-102 | $-\frac{26,20}{26,00}$ — | 90 |
| 0800537-102 + 08510 | 26,20 | 92 |

| Order no. | Weight | Page |
|------------------------|--------------------------|-----------|
| 0800537-122 | 29,80 | 91 |
| 0800537-122 + 08512 | 29,80 | 93 |
| 0800537-204 | 40,50 | 90 |
| 0800537-204 + 08520 | 40,50 | 92 |
| 0800537-224 | 48,00 | 91 |
| 0800537-224 + 08522 | 48,00 | 93 |
| 0800537-306 | 57,20 | 90 |
| 0800537-306 + 08530 | 57,20 | 92 |
| 0800537-326 | 67,80 | 91 |
| 0800537-326 + 08532 | 67,80 | 93 |
| 0800537-408 | 72,10 | 91 |
| 0800537-408 + 08540 | 72,10 | 93 |
| 080090-10 | 59,46 | 86 |
| 080090-12 | 59,46 | 87 |
| 080090-20 | 88,87 | 86 |
| 080090-22 | 59,58 | 87 |
| 080090-30 | _ 59,70 _ | 86 |
| 080090-32 | 91,24 | 87 |
| 080090-40 | $-\frac{59,82}{59,46}$ | 87 |
| 080092-20 | $-\frac{59,46}{59,46}$ — | 86 |
| 080092-22 | $-\frac{59,46}{24.57}$ | 86 |
| 080092-40 | $-\frac{91,57}{27,00}$ | 86 |
| 080100-00 | $=\frac{37,80}{42,40}=$ | 74 |
| 080100-02 | 43,40 | 74 |
| 080110-00 | $-\frac{37,80}{42,40}$ | 74 |
| 080110-02 | $-\frac{43,40}{2770}$ | 74 |
| 080120-00 | $-\frac{37,70}{44,60}$ | 74 |
| 080120-02 | $-\frac{44,60}{22,20}$ | 74 |
| 080300-10 | $-\frac{22,20}{25,40}$ — | 76 |
| 080300-12 | $-\frac{25,40}{22,20}$ - | 76 |
| 080300-19 080300-20 | $-\frac{22,20}{36,60}$ — | 257 76 |
| 080300-20 | 36,60 41,90 | 76 |
| 080300-22 | 36,60 | 257 |
| 080300-27 | 50,50 | 76 |
| 080300-30 | 50,30 | 76 |
| 080300-39 | 50,70 | 257 |
| 080300-40 | - 64,70 - | 76 |
| 080300-49 | $-\frac{64,70}{64,70}$ | 257 |
| 080310-10 | $-\frac{31,10}{22,20}$ | 76 |
| 080310-12 | 25,40 | 76 |
| 080310-19 | 22,20 | 257 |
| 080310-20 | 36,60 | 76 |
| 080310-22 | 41,90 | 76 |
| 080310-29 | 36,60 | 257 |
| 080310-30 | 50,50 | 76 |
| 080310-32 | 59,70 | 76 |
| 080310-39 | 50,50 | 257 |
| 080310-40 | 64,70 | 76, 126 |
| 080310-49 | 64,70 | 257 |
| 080320-10 | 22,40 | 76 |
| 080320-12 | 25,70 | 76 |
| 080320-19 | 22,40 | 257 |
| 080320-20 | 37,30 | 76 |
| 080320-22 | 42,90 | 76 |
| 080320-29 | 37,30 | 257 |
| 080320-30 | 51,80 | 76 |
| 080320-32 | 61,50 | 76 |
| 080320-39 | 51,80 | 257 |
| 080320-40 | 68,00 | 76 |
| 080320-49 | 68,00 | 257 |
| 0803307-10 | 26,70 | 77 |
| 0803307-12 | 30,50 | 77 |
| 0803307-20 | 42,90 | 77 |
| 0803307-22 | 49,30 | 77 |

| Order no. | Weight | Page |
|--------------------|------------------------|--|
| 0803307-30 | 58,10 | 77 |
| 0803307-32 | 70,30 | 77 |
| 0803307-40 | 73,40 | 77 |
| 0803407-10 | 26,70 | 77 |
| 0803407-10 + 08510 | 26,70 | 78 |
| 0803407-12 | 30,50 | 77 |
| 0803407-12 + 08512 | 30,50 | 78 |
| 0803407-20 | 42,90 | 77 |
| 0803407-20 + 08520 | 42,90 | 78 |
| 0803407-22 | 49,30 | 77 |
| 0803407-22 + 08522 | 49,30 | 78 |
| 0803407-30 | 58,10 | 77 |
| 0803407-30 + 08530 | 58,10 | 78 |
| 0803407-32 | 70,30 | 77 |
| 0803407-32 + 08532 | 70,30 | 78 |
| 0803407-40 | 73,40 | 77 |
| 0803407-40 + 08540 | 73,40 | 78 |
| 0803507-10 | 26,70 | 77 |
| 0803507-10 + 08510 | 26,70 | 78 |
| 0803507-12 | 30,50 | 77 |
| 0803507-12 + 08512 | 30,50 | 78 |
| 0803507-20 | 42,90 | 77 |
| 0803507-20 + 08520 | 42,90 | 78 |
| | 49,30 | 77 |
| 0803507-22 | | 78 |
| 0803507-22 + 08522 | <u>49,30</u> | |
| 0803507-30 | 58,10 | 77 |
| 0803507-30 + 08530 | 58,10 | 78 |
| 0803507-32 | 70,30 | 77 |
| 0803507-32 + 08532 | 70,30 | 78 |
| 0803507-40 | $-\frac{73,40}{73,40}$ | 77 |
| 0803507-40 + 08540 | 73,40 | 78 |
| 08050-70110 | 1,14 | 66, 68, 77, 78, 90, 92, 102, 104, 106, 128, 130, 132, 148, 150, 152 |
| 08050-70112 | 1,36 | 67, 69, 77, 78, 91, 93, 103, 105, 107, 128, 130, 132, 149, 151, 153 |
| 08050-70120 | 1,81 | 66, 68, 70, 71, 72, 77, 78, 90, 92, 102, 104, 106, 118, 120, 128, 130, 132, 148, 150, 152 |
| 08050-70122 | 14,25 | 67, 69, 70, 71, 72, 77, 78, 91, 93, 103, 105, 107, 118, 120, 128, 130, 132, 149, 151, 153 |
| 08050-70130 | 2,49 | 66, 68, 77, 78, 90, 92, 102, 104, 106, 128, 130, 132, 148, 150, 152 |
| 08050-70132 | 15,15 | 67, 69, 77, 78, 91, 93, 103, 105, 107, 128, 130, 132, 149, 151, 153 |
| 08050-70140 | 15,15 | 67, 69, 70, 71, 72, 77, 78, 91, 93, 103, 105, 107, 118, 120, 128, 130, 132, 149, 151, 153 |

| Order no. | Weight | Page | Order no. | Weight | | Order no. | Weight | |
|-------------|-----------------------|-----------------------|---------------------|--------|----------------------------|------------|--------|---------------|
| 080600-20 | 37,80 | 74 | 1040-83 | 2,28 | 373 | 133144-22 | 91,16 | 308 |
| 080600-22 | 44,40 | 74 | 1050-38 | 1,86 | 365, 372 | 133144-23 | 99,71 | 309 |
| 080610-20 | 37,80 | 74 | 1050-80 | 3,47 | 279, 361, 363, 364, 369 | 133144-24 | 103,17 | 309 |
| 080610-22 | 44,40 | 74 | 1050 044 | | . _ | 133144-25 | 98,01 | 309 |
| 080620-20 | 38,70 | 74 | 1050-811 1050-82 | 10,48 | 372 | 133144-27 | 100,69 | 309 |
| 080620-22 | 45,60 | 74 | | 2,55 | 373 | 133144-28 | 114,93 | 309 |
| 08078-715 | | 95, 155 | 1050-83 | 2,47 | 373 | 133144-29 | 112,31 | 309 |
| 08078-716 | | 95, 155 | 1051-80 | 4,16 | 361, 363, 369 | 133413-20 | 42,23 | 307 |
| 08500-15 | 0,010 _ | 95 | 1060-80 | 5,21 | 361, 363, 369 | 133413-210 | 100,62 | 307 |
| 08500-718R | | 161 | 1060-811 | 9,42 | 372 | 133413-22 | 59,31 | 306 |
| 08500-719R | 0,101 | 161 | 1060-82 | 2,96 | 373 | 133413-23 | 61,81 | 306 |
| 08500-731R | | 164 | 1060-83 | 2,99 | 373 | 133413-24 | 105,77 | 306 |
| 08500-738 | | 162 | 1061-80 | 6,18 | 361, 369 | 133413-25 | 65,55 | 307 |
| 08500-741 | | 162 | 1118-00-20 | 0,100 | 372, 395 | 133413-27 | 82,78 | 306 |
| 08500-7450 | | 165 | 1124-110 | 5,28 | 370 | 133413-28 | 59,31 | 306 |
| 08500-745R | | 165 | 1125-110 | 6,24 | 370 | 133413-29 | 67,84 | 307 |
| 08500-764SR | | 162 | 1128-3399 | 0,001 | 384 | 133944-21 | 36,35 | 306 |
| 08500-765SR | | 162 | 1131-02 | 0,730 | 384 | 133944-22 | 52,66 | 306 |
| 08500-767R | | 162 | 1160-000 | 69,70 | 382 | 133944-23 | 54,18 | 306 |
| 08500-768R | | 162 | 1160-80 | 2,66 | 382 | 133944-24 | 58,26 | 306 |
| 08500-7721R | | 163 | 1161-000 | 94,89 | 382 | 133944-25 | 59,54 | 306 |
| 08500-7722R | | 163 | 1170-00 | 113,51 | 383 | 133944-701 | 1,50 | 307 |
| 08500-774 | | 163 | 1170-100 | 120,07 | 383 | 134013-02 | 17,18 | 274 |
| 08500-7821R | | 163 | 1170-200 | 122,44 | 383 | 134013-20 | 27,37 | 305 |
| 08500-784 | | 163 | 1170-701 | 0,340 | 384 | 134013-21 | 32,39 | 305 |
| 08500-7871R | | 162 | 1170-80 | 3,12 | 382, 383 | 134013-22 | 22,65 | 274, 305 |
| 08500-7930R | | 162 | 1170-8110 | 4,64 | 384 | 134013-23 | 27,81 | 305 |
| 08500-7931R | | 162 | 1170-82 | 2,55 | 384 | 134013-24 | 31,14 | 305 |
| 08500-797R | | 162 | 1170-83 | 2,57 | 384 | 134013-701 | 1,75 | 307 |
| 08500-798R | | 162 | 1171-00 | 88,22 | 382 | 140000-701 | 1,20 | 381, 398, 412 |
| 08501-06 | | 97, 157 | 1180-00 | 138,54 | 383 | 140001-000 | 62,28 | 379 |
| 08501-0611 | | 97 | 1180-80 | 4,01 | 382, 383 | 140001-110 | | 380, 398, 412 |
| 08501-071 | | 95, 155 | 1180-8110 | 5,03 | 384 | 140001-130 | 11,70 | 380, 398, |
| 08501-40R | | 164 | 1180-82 | 2,88 | 384 | | | 412, 430 |
| 08501-4101 | | 164 | 1180-83 | 2,76 | 384 | 140001-580 | 6,68 | 380 |
| 08501-4102 | | 164 | 1181-00 | 105,36 | 382 | 140001-80 | 2,92 | 380, 398 |
| 08501-430 | | 164 | 12412-311 | 30,01 | 416 | 140001-811 | 3,29 | 381 |
| 08501-55 | | 164 | 12423-311 | 40,07 | 416 | 140002-000 | 58,32 | 379 |
| 08502-0611 | | 97 | 12423-321 | 45,76 | 417 | 140002-110 | | 380, 398, 412 |
| 08504-10 | 2,70 | 94, 154 | 12434-311 | 50,31 | 416 | 140002-130 | 11,25 | 380, 398, |
| 08504-12 | 3,00 | 94, 154 | 12434-321 | 57,90 | 417 | | | 412 |
| 08504-20 | 3,60 | 94, 154 | 12736-322 | 88,99 | 417 | 140002-580 | 5,58 | 380 |
| 08504-22 | 4,10 | 94, 154 | 12912-312 | 44,71 | 416 | 140002-80 | 4,77 | 380, 398 |
| 08504-30 | 4,80 | 94, 154 | 12923-312 | 59,58 | 416 | 140002-811 | 2,92 | 381 |
| 08504-32 | 6,60 | 94, 154 | 12923-322 | 70,27 | 417 | 140003-000 | 51,57 | 379 |
| 08504-40 | 6,60 | 94, 154 | 12934-312 | 74,73 | 416 | 140003-110 | | 380, 412 |
| 08505-02 | | 95 | 12934-322 | 88,98 | 417 | 140003-130 | 7,28 | 380, 412, 430 |
| 08511-00 | | 164 | 12936-323 | 114,59 | 417 | 140003-580 | 4,39 | 380 |
| 08511-20 | | 165 | 130013-81 | 1,57 | 307 | 140003-80 | 2,54 | 380 |
| 08511-21 | | 165 | 130044-81 | 3,52 | 307 | 140003-811 | 2,73 | 381 |
| 08511-22 | | 165 | 130076-5713 | 2,80 | 310 | 140003-88 | 3,22 | 381 |
| 00011 22 | 1 | 100 | 130276-61 | 198,85 | 310 | 140011-000 | 61,35 | 379 |
| 1000-53 | 0,283 | 391 | 130276-613 | 97,06 | 311 | 140012-000 | 52,12 | 379 |
| 1000-841 | 0,131 | 372 | 130276-62 | 197,10 | 310 | 140013-000 | 43,92 | 379 |
| 1000-842 | 0,190 | 372 | 130276-63 | 231,15 | 310 | 140031-000 | 52,01 | 378 |
| 1034-80 | 1,98 | 360, 362 | 130276-64 | 235,87 | 310 | 140032-000 | 47,96 | 378 |
| 1035-80 | 2,29 | 360, 362 | 130276-65 | 173,49 | 310 | 140032-000 | 40,05 | 378 |
| 1036-80 | | 360, 362 | 130276-66 | 180,92 | 310 | 140052-000 | 37,75 | 378 |
| 1037-80 | $\frac{2,54}{3,12}$ - | | | | | | | 378 |
| | 3,12 | 360, 362 | 130276-67 | 194,96 | 310 | 140053-000 | 31,76 | |
| 1040-38 | 1,48 | 365, 372 | 130276-68 | 196,61 | 310 | 141001-701 | 7,42 | 377, 398 |
| 1040-49 | 3,13 | 372 | 133113-20 | 51,51 | 308 | 141001-000 | 100,98 | 376 |
| 1040-80 | 2,93 | 361, 363, 364, 369 | 133113-21 | 69,49 | 308 | 141001-710 | | 376 |
| 10.10.00 | | | 133113-22 | 75,52 | 308 | 141001-750 | | 376 |
| 1040-811 | 9,59 | 372 | 133113-23 | 79,27 | 308 | 141002-000 | 91,41 | 376 |
| 1040-82 | 2,36 | 373 | 133144-20 | 62,01 | 309 | 141002-710 | | 376 |

| Order no. | Weight | Page |
|--------------------------|-----------------------|-----------------|
| 141002-750 | | 376 |
| 141003-000 | 79,05 | 376 |
| 141003-710 | | 376 |
| 141003-750 | | 376 |
| 141010-701 | 6,83 | 377, 398 |
| 141011-000 | 91,66 | 376 |
| 141011-710 | | 376 |
| 141011-750 | | 376 |
| 141012-000 | 55,83 | 376 |
| 141012-710 | | 376 |
| 141012-750 | | 376 |
| 141013-000 | 50,55 | 376 |
| 141013-710 | | 376 |
| 141013-750 | | 376 |
| 141030-701 | 5,28 | 377, 398 |
| 141031-000 | 55,29 | 376 |
| 141031-710 | | 376 |
| 141031-750 | | 376 |
| 141032-000 | 51,24 | 376 |
| 141032-710 | | 376 |
| 141032-750 | | 376 |
| 141033-000 | 43,32 | 376 |
| 141033-710 141033-750 | | 376 |
| | | 376 |
| 141050-701 141051-000 | 3,55 | 377, 398 376 |
| 141051-710 | 60,87 | 376 |
| 141051-710 | | 376 |
| 141052-000 | 40,71 | 376 |
| 141052-710 | | 376 |
| 141052-750 | | 376 |
| 141053-000 | 35,11 | 376 |
| 141053-710 | | 376 |
| 141053-750 | | 376 |
| 142001-000 | 101,46 | 397 |
| 142001-710 | | 397 |
| 142002-000 | 91,02 | 397 |
| 142002-710 | | 397 |
| 142011-000 | 65,49 | 397 |
| 142011-710 | | 397 |
| 142012-000 | 56,11 | 397 |
| 142012-710 | | 397 |
| 142031-000 | 56,13 | 396 |
| 142031-710 | | 396 |
| 142032-000 | 69,03 | 396 |
| 142032-710 | | 396 |
| 142051-000 | 62,65 | 396 |
| 142051-710 | | 396 |
| 142052-000 | 44,58 | 396 |
| 142052-710 | 77.40 | 396 |
| 143001-000 | 77,49 | 409 |
| 143001-716 | | 409 |
| 143001-80 143001-811 | 4,18 | 412 |
| | | |
| 143002-000 143002-80 | <u>55,70</u> | 409 |
| 143002-80 | <u> </u> | 412 |
| 143002-011 | $-\frac{2,72}{61,94}$ | 409 |
| 143003-80 | <u> </u> | 412 |
| 143003-801 | <u> 2,77</u> – 2,41 | 412 |
| 143003-88 | 3,09 | 412 |
| 143011-000 | | 411 |
| 143011-716 | | 411 |
| 143012-000 | 50,85 | 411 |
| 143013-000 | 69,82 | 411 |
| | , | |

| Order no. | Weight | Page |
|--------------------------|---------------|------------|
| 143031-000 | 61,80 | 411 |
| 143031-716 | | 411 |
| 143032-000 | 58,23 | 411 |
| 143033-000 | 63,74 | 411 |
| 143051-000 | 51,88 | 410 |
| 143051-716 | | 410 |
| 143052-000 | 51,31 | 410 |
| 143053-000 | 47,51 | 410 |
| 146000-703 | | 431 |
| 146000-704 146000-705 | | 431 |
| 146000-705 | 1,35 | 430 |
| 146000-707 | 0,130 | 430 |
| 146000-740 | 0,500 | 430 |
| 146000-750 | 0,500 | 430 |
| 146021-413 | 130,93 | 420 |
| 146023-412 | 99,46 | 420 |
| 146023-422 | 111,28 | 421 |
| 146023-623 | 150,80 | 421 |
| 146041-313 | 104,39 | 420 |
| 146043-312 | 83,70 | 420 |
| 146043-322 | 92,67 | 421 |
| 146200-700 | 3,18 | 431 |
| 146200-701 | 3,57 | 431 |
| 146200-702 | 4,22 | 431 |
| 146200-710 | 0,101 | 431 |
| 146223-412 | 100,79 | 423 |
| 146223-422 | 117,00 | 425 |
| 146223-623 | 146,49 | 426 |
| 146223-624 | 154,57 | 428 |
| 146223-800 | 197,69 | 428 |
| 146223-824 | <u>179,66</u> | 427 |
| 146224-301 | 79,13 | 422 |
| 146224-321 | 99,85 | 425 |
| 146224-322 146224-622 | 99,45 | 425 426 |
| 146225-411 | <u>123,31</u> | 420 |
| 146225-421 | 79,02 | 424 |
| 146225-822 | 127,30 | 426 |
| 146243-312 | 88,90 | 423 |
| 146243-322 | 101,06 | 425 |
| 146243-600 | 161,64 | 428 |
| 146243-624 | 148,11 | 427 |
| 146245-311 | 61,96 | 422 |
| 146245-321 | 66,49 | 424 |
| 146245-622 | 103,16 | 426 |
| 146273-212 | 61,74 | 423 |
| 146273-222 | 69,78 | 425 |
| 146273-323 | 83,88 | 426 |
| 146273-324 | 88,69 | 428 |
| 146273-424 | 101,23 | 426 |
| 146274-322 | 70,72 | 426 |
| 146275-211 | 43,56 | 422 |
| 146275-221 | 46,59 | 424 |
| 146275-422 | 71,64 | 426 |
| 148436-00L | 121,14 | 470 |
| 148436-00R | 121,14 | 470 |
| 148436-130 | 0.250 | 470 |
| 148436-701 148436-704 | <u>0,258</u> | 471 471 |
| 148436-708 | 0,300 | 471 |
| 148436-709 | 0,300 | 471 |
| 148436-710 | | 470 |
| 148466-00L | 94,11 | 470 |
| 148466-00R | 94,11 | 470 |
| | , | |

| Order no. | | Weight | Page |
|---------------------|---|----------------|----------------------------|
| 148466-710 | 2 | | 470 |
| 2016-000 | ۷ | 9,94 | 317, 390 |
| 2016-110 | | 5,74 | 370 |
| 2017-000 | | 12,42 | 317, 390 |
| 2017-110 | | 6,49 | 370 |
| 2018-000 | | 13,25 | 317, 391 |
| 2019-000 | | 16,56 | 317, 391 |
| 2025-02 | | 0,028 | 418, 430 |
| 2025-021 | | 0,028 | 395 |
| 2025-026 | | 0,001 | 395 |
| 2025-03 | | 0,028 | 395 |
| 2025-031 | | 0,001 | 395 |
| 2026-00 | | 3,83 | 393 |
| 2027-00 | | 4,81 | 267, 363, 371, 393, 395 |
| 2028-00 | | 5,07 | 267, 363, 371, 395 |
| 2029-00 | | 6,04 | 393, 395 |
| 2030-00 | | 6,30 | 395 |
| 2031-00 | | 5,07 | 393 |
| 2032-00 | | 5,00 | 267 |
| 2033-00 | | 11,55 | 267 |
| 2034-00 | | 5,72 | 267 |
| 2040-00 | | 73,49 | 388 |
| 2040-200 | | 82,50 | 388 |
| 2040-80 | | 3,61 | 394 |
| 2044-00 | | 17,39 | 316, 390 |
| 2045-00 | | 26,42 | 390 |
| 2045-09 | | 26,97 | 316 |
| 2046-00 | | 47,63 | 390 |
| 2046-055 | | 42,92 | 322 |
| 2046-09 | | 46,07 | 318 |
| 2046-1200 | | 47,63 | 392 |
| 2047-055 | | 50,20 | 323 |
| 2047-09 | | 50,13 | 319 |
| 2047-1200 | | 57,48 | 392 |
| 2048-1200 | | 71,45 | 392 |
| 2049-00 | | 75,81 | 314 |
| 2049-055 | | 91,58 | 320 |
| 2049-80 | | 4,15 | 314, 318, 320, 322 |
| 2050 00 | | 02.02 | |
| 2050-00 | | 83,02 | 388 |
| 2050-200 2050-60 | | 92,38 82,73 | 388 |
| 2050-80 | | 4,39 | 394 |
| 2050-82 | | 2,88 | 394 |
| 2050-83 | | 2,90 | 394 |
| 2054-00 | | 30,66 | 316, 390 |
| 2055-00 | | 44,47 | 390 |
| 2055-09 | | 45,07 | 317 |
| 2056-00 | | 52,35 | 390 |
| 2056-055 | | 47,33 | 322 |
| 2056-09 | | 50,48 | 318 |
| 2056-092 | | 51,03 | 325 |
| 2056-1200 | | 52,35 | 392 |
| 2057-055 | | 55,61 | 323 |
| 2057-09 | | 54,10 | 319 |
| 2057-092 | | 55,15 | 325 |
| 2057-1200 | | 63,41 | 392 |
| 2058-1200 | | 72,16 | 392 |
| 2059-00 | | 84,46 | 314 |
| 2059-002 | | 86 50 | 324 |

2059-002

2059-055

86,50

100,23

324

320

| Order no. | Weight | Page | Order no. | Weight | Page | Order no. | Weight | Page |
|---------------------|-----------------------|-----------------------|----------------------|-----------------------|----------------|----------------------|----------------|----------------------|
| 2059-80 | 4,97 | 314, 318, | | | v | 4500-766 | 1,78 | 184 |
| | | 320, 322 | | 3 | | 4500-7703R | 0,114 | 185 |
| 2059-802 | 5,47 | 324 | 3200-00L | 56,30 | 402 | 4500-770R | 0,114 | 185 |
| 2060-00 | 99,48 | 388 | 3200-00R | 55,43 | 402 | 4500-7713R | 0,114 | 185 |
| 2066-055 | 50,98 | 322 | 3200-088L | | 402 | 4500-771R | 0,114 | 185 |
| 2066-09 | 56,63 | 318 | 3200-701 | 1,05 | 407 | 4500-7733 | 0,114 | 185 |
| 2067-055 | 61,99 | 323 | 3200-7021 | 0,003 | 407 | 4500-773R | 0,114 | 185 |
| 2067-09 | 62,98 | 319 | 3200-7027 | 0,001 | 407 | 4500-775 | 0,115 | 185 |
| 2069-00 2069-055 | 99,56 | 314 | 3200-80 3200-82 | 1,98 | 407 | 4500-776 4500-777 | 0,115 | 185 185 |
| 2069-80 | <u>115,33</u> 5,97 | 314, 318, | 3200-83 | 1,61 | 407 | 4500-777 | <u>0,115</u> _ | 185 |
| 2007-00 | 3,71 | 320, 322 | 3200-88 | 2,31 | 407 | 4501-010 | 36,90 | 328 |
| 2140-00 | 95,10 | 389 | 3201-00 | 66,41 | 402 | 4501-020 | 70,91 | 328 |
| 2140-100 | 97,49 | 389 | 3201-80 | 2,62 | 407 | 4501-140 | 55,90 | 328 |
| 2140-80 | 2,28 | 394 | 3201-811 | 7,57 | 407 | 4502-010 | 47,55 | 328 |
| 2144-00 | 36,93 | 317, 391 | 3201-82 | 1,84 | 407 | 4502-020 | 81,66 | 328 |
| 2145-00 | 58,07 | 391 | 3201-83 | 1,86 | 407 | 4502-070 | 21,24 | 329 |
| 2145-09 | 58,34 | 317 | 3201-88 | 2,95 | 407 | 4502-100 | 82,87 | 329 |
| 2146-00 | 65,75 | 391 | 3202-00 | 75,03 | 402 | 4502-130 | 162,80 | 329 |
| 2146-055 | 64,54 | 322 | 3202-80 | 3,22 | 407 | 4502-140 | 66,55 | 328 |
| 2146-09 | 63,46 | 318 | 3202-811 | 8,18 | 407 | 4503-010 | 59,40 | 328 |
| 2146-1200 | 65,75 | 392 | 3202-82 | 2,13 | 407 | 4503-020 | 93,51 | 328 |
| 2147-055 | 71,31 | 323 | 3202-83 | 2,15 | 407 | 4503-070 | 133,09 | 329 |
| 2147-09 | 67,94 | 319 | 3203-00 | 83,60 | 402 | 4503-100 | 99,07 | 329 |
| 2147-1200 | 78,68 | 392 | 3203-80 | 3,94 | 407 | 4503-130 | 174,65 | 329 |
| 2148-1200 | 101,12 | 392 | 3203-811 | 9,11 | 407 | 4503-140 | 78,40 | 328 |
| 2149-00 | 96,10 | 315 | 3203-82 | 2,42 | 407 | 45100-10 | 32,35 | 172 |
| 2149-055 | 109,04 | 321 | 3203-83 | 2,45 | 407 | 45100-12 | 35,78 | 172 192 |
| 2149-80 | 2,40 | 315, 318, 321, 322 | 3211-00 3212-00 | 55,15 62,54 | 405 405 | 45100-20 45100-22 | <u>54,85</u> _ | 172, 183 172, 183 |
| | | | 3212-0800 | 7,09 | 404 | 45100-22 | 75,14 | 172, 163 |
| 2150-00 | 110,04 | 389 | 3212-1000 | 9,45 | 404 | 45100-32 | 85,36 | 173 |
| 2150-100 | 109,73 | 389 | 3212-1200 | 11,34 | 404 | 45100-40 | 98,20 | 173 |
| 2150-60 | 110,77 | 389 | 3213-00 | 69,05 | 405 | 45101-10 | 34,21 | 174 |
| 2150-80 | 3,38 | 394 | 3221-00 | 49,86 | 404 | 45101-12 | 40,64 | 174 |
| 2150-82 | 2,35 | 394 | 3222-00 | 55,70 | 404 | 45101-20 | 58,56 | 174 |
| 2150-83 | 2,27 | 394 | 3223-00 | 62,93 | 404 | 45101-22 | 69,16 | 174 |
| 2154-00 | 39,78 | 317, 391 | 3231-00 | 44,49 | 405 | 45101-30 | 80,71 | 175 |
| 2155-00 | 68,73 | 391 | 3232-00 | 50,43 | 405 | 45101-32 | 99,94 | 175 |
| 2155-09 | 67,94 | 317 | 3233-00 | 56,23 | 405 | 45101-40 | 105,64 | 175 |
| 2156-00 | 75,35 | 391 | 3241-00 | 40,81 | 404 | 45102-10 | 38,66 | 176 |
| 2156-055 | 71,48 | 322 | 3242-00 | 45,67 | 404 | 45102-12 | 40,53 | 176 |
| 2156-09 | 70,40 | 318 | 3243-00 | 51,48 | 404 | 45102-20 | 66,44 | 176 |
| 2156-092 | 72,94 | 325 | 3251-00 | 36,52 | 406 | 45102-22 | 66,38 | 176 |
| 2156-1200 | 75,35 | 392 | 3252-00 | 42,75 | 406 | 45102-30 | 92,52 | 177 |
| 2157-055 | 77,35 | 323 | 3253-00 | 48,08 | 406 | 45102-32 | 95,77 | 177 |
| 2157-09 2157-092 | 73,98 | 319 | 3260-00L 3260-00R | <u>17,55</u> 17,55 | 406 | 45102-40 45103-10 | <u>121,39</u> | 177 176 |
| 2157-1200 | 89,54 | 392 | 3261-00 | 20,45 | 406 | 45103-10 | 42,61 | 176 |
| 2158-1200 | 106,71 | 392 | 3262-00 | 23,52 | 406 | 45103-12 | 66,83 | 176 |
| 2159-00 | 108,08 | 315 | 3263-00 | 26,01 | 406 | 45103-22 | 73,12 | 176 |
| 2159-002 | 118,07 | 324 | 0200 00 | 4 | 100 | 45103-30 | 93,12 | 177 |
| 2159-055 | 121,02 | 321 | 4221-25 | 0,533 | 373, 394 | 45103-32 | 105,87 | 177 |
| 2159-80 | 2,97 | 315, 318, 321, | 4222-25 | 1,20 | 373, 394 | 45103-40 | 122,19 | 177 |
| | , | 322 | 4400-7002 | 0,200 | 183 | 45104-10 | 41,48 | 178 |
| 2159-802 | 4,22 | 324 | 4400-7006 | 0,200 | 183 | 45104-12 | 46,96 | 178 |
| 2160-00 | 126,66 | 389 | 4500-10 | 4,15 | 184 | 45104-20 | 70,10 | 178 |
| 2166-055 | 79,26 | 322 | 4500-11 | | 184 | 45104-22 | 79,86 | 178 |
| 2166-09 | 78,18 | 318 | 4500-700 | | 173, 175, 177, | 45104-30 | 97,58 | 179 |
| 2167-055 | 86,52 | 323 | | | 179, 183 | 45104-32 | 112,77 | 179 |
| 2167-09 | 83,14 | 319 | 4500-705 | 1,66 | 184 | 45104-40 | 128,05 | 179 |
| 2169-00 | 122,78 | 315 | 4500-707 | 0,450 | 184 | 45105-10 | 44,17 | 178 |
| 2169-055 | 135,72 | 321 | 4500-715 | 0,041 | 97, 157, 184 | 45105-12 | 47,60 | 178 |
| 2169-80 | 3,55 | 315, 318, 321, 322 | 4500-760 | 0,100 | 184 | 45105-20 | 71,88 | 178 |
| - | | 322 | 4500-765 | 1,41 | 184 | 45105-22 | 83,13 | 178 |

| Order no. | Weight | Page |
|------------------------|------------------------|------------|
| 45105-30 | 98,39 | 179 |
| 45105-32 | - 70,67 — | 179 |
| 45105-40 | 127,69 | 179 |
| 45107-20 | | 183 |
| 45107-22 | | 183 |
| 45110-710 | | 172 |
| 45110-730 | | 172 |
| 45112-710 | | 172 |
| 45112-730 | | 172 |
| 45120-710 | | 172 |
| 45120-730 | | 172 |
| 45122-710 | | 172 |
| 45122-730 | | 172 |
| 45130-710 | | 173 |
| 45130-730 | | 173 |
| 45132-710 | | 173 |
| 45132-730 | | 173 |
| 45140-710 | | 173 |
| 45140-730 | | 173 |
| 45180-122 | 57,81 | 180 |
| 45180-132 | 51,48 | 180 |
| 45180-224 | 99,71 | 180 |
| 45180-234 | 90,30 | 180 |
| 45180-326 | 145,76 | 181 |
| 45180-336 | 126,85 | 181 |
| 45180-438 | 166,18 | 181 |
| 45181-326 | 140,16 | 180 |
| 45181-336 | 118,51 | 180 |
| 45210-710 | | 174 |
| 45210-730 | | 174 |
| 45212-710 | | 174 |
| 45212-730 | | 174 |
| 45220-710 | | 174 |
| 45220-730 | | 174 |
| 45222-710 | | 174 |
| 45222-730 | | 174 |
| 45230-710 | | 175 |
| 45230-730 | | 175 |
| 45232-710 | | 175 |
| 45232-730 | | 175 |
| 45240-710 45240-730 | | 175 175 |
| | | |
| 4531-70 | - 4,64 - | 183 |
| 4532-70 4533-70 | - 3,94 5,17 | 183 183 |
| 4534-70 | 6,39 | 183 |
| 4541-70 | 3,50 | 183 |
| 45410-710 | | 176 |
| 45410-730 | | 176 |
| 45412-710 | | 176 |
| 45412-730 | | 176 |
| 4542-70 | 7,98 | 183 |
| 45420-710 | | 176 |
| 45420-730 | | 176 |
| 45422-710 | | 176 |
| 45422-730 | | 176 |
| 4543-70 | 6,39 | 183 |
| 45430-710 | | 177 |
| 45430-730 | | 177 |
| 45432-710 | | 177 |
| 45432-730 | | 177 |
| 45440-710 | | 177 |
| 45440-730 | | 177 |
| 45610-710 | | 178 |
| 45610-730 | | 178 |
| | | |

| Order no. | Weight | Page |
|-------------------------|-----------------------|------------|
| 45612-710 | | 178 |
| 45612-730 | | 178 |
| 45620-710 | | 178 |
| 45620-730 45622-710 | | 178 178 |
| 45622-730 | | 178 |
| 45630-710 | | 179 |
| 45630-730 | | 179 |
| 45632-710 | | 179 |
| 45632-730 | | 179 |
| 45640-710 | | 179 |
| 45640-730 | | 179 |
| 46112-21181 | 143,95 | 191 |
| 46113-2118 | 144,95 | 191 |
| 46121-730 | | 191 |
| 4800-1210 | | 251 |
| 4800-2210 | | 251 |
| 4800-7871 | 0,400 | 252 |
| 48010-1210 | 45,76 | 251 |
| 48010-2210 | 80,54 | 251 |
| 480103-10 | 20,54 | 202 |
| 480103-20 480103-30 | 27,97 38,44 | 202 |
| 480103-40 | 50,79 | 202 |
| 48020-1204EB | 39,13 | 252 |
| 48020-1210 | 49,04 | 251 |
| 48020-220404EB | 68,94 | 252 |
| 48020-2210 | 87,87 | 251 |
| 480203-10 | 20,00 | 202, 203 |
| 480203-20 | 28,09 | 202 |
| 480203-30 | 39,46 | 202 |
| 480203-40 | 52,14 | 202 |
| 48060-105 | 40,81 | 250 |
| 48060-110 | 50,73 | 250 |
| 48060-205 | 67,60 | 250 |
| 48060-210 | 87,59 | 250 |
| 48070-210 | 40,47 | 250 |
| 48160-105 | 42,96 | 250 |
| 48160-110 | 52,88 | 250 |
| 48160-205 | 69,66 | 250 |
| 48160-210 | 89,65 | 250 |
| 48170-210 | 41,28 | 250 |
| 48270-7015 483103-10 | <u>0,500</u> 21,44 | 250 203 |
| 483103-20 | 29,49 | 203 |
| 483103-30 | 39,57 | 203 |
| 483103-40 | 52,02 | 203 |
| 483203-20 | 29,80 | 203 |
| 483203-30 | 41,60 | 203 |
| 483203-40 | 54,46 | 203 |
| 4901-0601 | 0,048 | 201, 213 |
| 4901-0611 | 0,032 | 201, 213 |
| 4902-0601 | 0,003 | 201, 213 |
| 4902-0611 | 0,002 | 201, 213 |
| 5 | 05.50 | |
| 51022-1.1 51022-1.9 | 35,59 28,91 | 452 452 |
| 51022-2.10 | 20,71 | 452 |
| 5400-760 | | 474 |
| 540490-1.1 | 62,04 | 446 |
| 540490-1.10 | 64,44 | 446 |
| 540490-1.8 | 69,78 | 446 |
| 540700-707L | 0,500 | 446 |
| 540700-707M | 0,500 | 446 |
| 540700-707R | 0.500 | 446 |

| Order no. | _Weight | Page |
|--|--|--|
| 540700-7084 | 2,00 | 447 |
| 540700-7085 | 2,00 | 447 |
| 540700-7086 | 3,00 | 447 |
| 540700-713 | 0,248 | 447 |
| 540700-715 | 0,374 | 447 |
| 540700-717 | 0,334 | 447 |
| 540700-721L | 0,250 | 446 |
| 540700-721M | 0,250 | 446 |
| 540700-721R | 0,250 | 446 |
| 540700-722L | 0,250 | 446 |
| 540700-722M | 0,250 | 446 |
| 540700-722R | 0,250 | 446 |
| 540708-1.1 | | 446 |
| 540708-1.10 | | 446 |
| 540708-1.8 | | 446 |
| 5413-780 | | 474 |
| 54780-000 | 102,66 | 474 |
| 54780-010 | 79,05 | 474 |
| 54780-150 | 116,51 | 474 |
| 5722-00 | 24,47 | 393 |
| 5722-80 | 2,57 | 393 |
| 5723-00 | 38,90 | 393 |
| 5723-80 | 0,013 | 393 |
| 5724-00 | 53,90 | 393 |
| 5724-80 | 2,57 | 393 |
| 5725-00 | 32,04 | 393 |
| 5725-80 | | 393 |
| 57700-701 | | 407 |
| 01100 101 | 2,26 | 407 |
| 07700 701 | 2,26 6 | 407 |
| 6103-10 | | 418, 437 |
| | 6 | |
| 6103-10 | 6 | 418, 437 418, 430, 437 418, 430, 437 |
| 6103-10 6103-11 | 6 0,001 0,001 | 418, 437 |
| 6103-10 6103-11 6103-12 | 6 0,001 0,001 0,001 | 418, 437 418, 430, 437 418, 430, 437 |
| 6103-10 6103-11 6103-12 6103-13 | 6 0,001 0,001 0,001 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 | 6 0,001 0,001 0,001 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 | 6 0,001 0,001 0,001 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 | 6 0,001 0,001 0,001 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 | 6 0,001 0,001 0,001 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 | 6 0,001 0,001 0,001 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 | 6 0,001 0,001 0,001 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 422, 424, 426 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 6401-000 | 6 0,001 0,001 0,001 0,010 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 422, 424, 426 431 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 | 6 0,001 0,001 0,001 0,010 3,27 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 422, 424, 426 431 418 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 | 6 0,001 0,001 0,001 0,010 3,27 1,03 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 422, 424, 426 431 418 431 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6493-10 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 422, 424, 426 431 418 431 431 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6493-10 6494-10 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 422, 424, 426 431 418 431 431 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6494-10 6494-20 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 0,741 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 431 418 431 418, 431 431 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6494-10 6494-20 6495-10 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 431 418 431 418, 431 418, 431 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6493-10 6494-20 6495-10 6496-10 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 431 418 431 418, 431 418, 431 431 4418, 431 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6493-10 6494-20 6495-10 6496-10 6700-01 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 431 418 431 418, 431 418, 431 418, 431 417, 421, 423 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6494-10 6494-10 6496-10 6700-01 6700-410 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 421 431 418, 431 418, 431 418, 431 418, 431 417, 421, 423 426 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 6492-00 6492-00 6494-10 6494-10 6496-10 6700-01 6700-412 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 431 418, 431 418, 431 418, 431 418, 431 417, 421, 423 426 422, 425, 426 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 6492-00 6492-00 6494-10 6494-10 6496-10 6700-01 6700-412 67011-000 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305 0,176 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 418, 431 418, 431 418, 431 417, 421, 423 426 422, 425, 426 431 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 6492-00 6493-10 6494-10 6494-10 6700-01 6700-412 67011-000 67020-00 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305 0,176 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 418, 431 418, 431 417, 421, 423 426 421, 425, 426 431 418 417, 421, 423 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 6401-000 6492-00 6493-10 6494-10 6494-10 6700-01 6700-410 6700-412 67011-000 67020-00 6990-01 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305 0,176 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 418, 431 418, 431 417, 421, 423 426 422, 425, 426 431 418, 431 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 6492-00 6493-10 6494-10 6494-20 6496-10 6700-01 6700-412 67011-000 67020-00 6900-01 6900-01 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305 0,176 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 418, 431 418, 431 417, 421, 423 426 421, 425, 426 431 418 417, 421, 423 420, 421 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 6401-000 6492-00 6493-10 6494-10 6494-10 6700-01 6700-410 6700-412 67011-000 6900-01 6900-401 6900-402 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305 0,176 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 418, 431 418, 431 417, 421, 423 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6493-10 6494-10 6494-10 6700-01 6700-410 6700-412 67011-000 67020-00 6900-401 6900-401 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305 0,176 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 418, 431 418, 431 417, 421, 423 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 423, 425, 426 |
| 6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6493-10 6494-10 6494-20 6495-10 6700-01 6700-412 67011-000 67020-00 6900-401 6900-401 | 6 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305 0,176 | 418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 418, 431 418, 431 417, 421, 423 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 |

0,010

436

7000-10

| Order no. | Weight | Page | Order no. | Weight | Page | Order no. | Weight | Page |
|-----------|------------------------|----------|-----------|----------------------------|-----------------------|-----------|-------------------------------|------|
| 7000-20 | 0,010 | 436 | 7825-40 | 35,07 | 349 | 8000-9010 | | 225 |
| 7000-80 | | 436 | 7825-41 | 24,50 | 349 | 8050-000 | 10,29 | 224 |
| 7100-000 | 96,39 | 435 | 7825-42 | 34,46 | 349 | 8050-010 | 12,98 | 224 |
| 7100-100 | 74,67 | 435 | 7825-43 | 24,05 | 349 | 8050-100 | 22,97 | 226 |
| 7100-5051 | 3,10 | 437 | 7825-50 | 38,51 | 349 | 8050-110 | 24,05 | 226 |
| 7100-704 | 0,114 | 437 | 7825-51 | 27,38 | 349 | 8050-200 | 35,51 | 227 |
| 7100-705 | 0,161 | 437 | 7825-52 | 37,84 | 349 | 8050-210 | 40,89 | 227 |
| 7100-706 | 0,280 | 437 | 7825-53 | 26,87 | 349 | 8050-7100 | 2,69 | 225 |
| 7100-709 | 3,01 | 437 | 7825-60 | 41,96 | 349 | 8051-000 | 13,70 | 224 |
| 7101-000 | 171,71 | 435 | 7825-61 | 30,26 | 349 | 8051-010 | 17,62 | 224 |
| 7101-100 | 112,48 | 435 | 7825-62 | 41,23 | 349 | 8051-100 | 26,10 | 226 |
| 7101-200 | 147,99 | 435 | 7825-63 | - 11,23 - 29,71 | 349 | 8051-110 | 30,02 | 226 |
| 7103-000 | 7,15 | 436 | 7830-704 | $-\frac{27,11}{0,052}$ | 343, 345, | 8051-200 | 44,99 | 227 |
| 7104-000 | 16,46 | 436 | 1000 104 | 0,002 | 347, 349 | 8051-210 | 52,83 | 227 |
| 7105-000 | 17,49 | 436 | 7830-705 | 0,052 | 343, 345, | 8051-7100 | 3,92 | 225 |
| 7106-000 | 6,00 | 436 | 1000 100 | 0,002 | 347, 349 | 8052-000 | 15,40 | 224 |
| 7200-000 | 125,62 | 435 | 7830-706 | 0,052 | 343, 345, | 8052-010 | 24,40 | 224 |
| 7200-000 | 94,84 | 435 | 1630-100 | 0,052 | 343, 343, | 8052-010 | 37,42 | 226 |
| 7200-706 | | | 7830-707 | 0,052 | 343, 345, | 8052-110 | | 226 |
| 7201-000 | <u>0,445</u> 221,93 | 437 | 1030-101 | 0,052 | 343, 345, 347, 349 | 8052-200 | 42,80 | 227 |
| 7201-100 | 144,98 | 435 | 7840-80 | | 349 | 8052-210 | <u> 63,92</u> <u> 74,68</u> — | 227 |
| | · | 435 | | $-\frac{3,43}{2,41}$ | | | | |
| 7201-200 | 191,15 | 435 | 7842-80 | $-\frac{3,41}{4.01}$ | 348 | 8052-7100 | 5,38 | 225 |
| 7203-000 | 8,86 | 436 | 7850-80 | $-\frac{4,01}{2,00}$ | 349 | 8060-000 | 12,80 | 228 |
| 7204-000 | 22,14 | 436 | 7852-80 | 3,98 | 348 | 8060-010 | 15,50 | 228 |
| 7205-000 | 26,90 | 436 | 7860-80 | 4,59 | 349 | 8060-100 | 26,24 | 230 |
| 7206-000 | 7,00 | 436 | 7862-80 | 4,55 | 348 | 8060-110 | 28,93 | 230 |
| 781120-40 | 76,02 | 350 | 78820-40 | _ 27,56 | 344 | 8060-200 | 45,28 | 230 |
| 781120-60 | 98,49 | 350 | 78820-41 | _ 21,25 | 344 | 8060-210 | 50,67 | 230 |
| 781120-80 | 98,15 | 350 | 78820-42 | _ 26,78 | 344 | 8060-300 | 23,87 | 228 |
| 781130-40 | 82,05 | 350 | 78820-43 | 20,53 | 344 | 8060-310 | 26,56 | 228 |
| 781130-60 | 104,52 | 350 | 78820-50 | 31,22 | 344 | 8060-400 | 40,54 | 229 |
| 781130-80 | 104,52 | 350 | 78820-51 | _ 24,53 | 344 | 8060-410 | 45,93 | 229 |
| 781140-80 | 15,87 | 350 | 78820-52 | 30,31 | 344 | 8060-7100 | 2,69 | 231 |
| 781160-80 | 21,49 | 350 | 78820-53 | 23,68 | 344 | 8061-000 | 18,19 | 228 |
| 781180-80 | 16,48 | 350 | 78820-60 | 34,87 | 345 | 8061-010 | 22,11 | 228 |
| 781220-40 | 85,99 | 350 | 78820-61 | _ 27,81 | 345 | 8061-100 | 38,37 | 230 |
| 781220-60 | 111,65 | 350 | 78820-62 | _ 33,83 | 345 | 8061-110 | 42,29 | 230 |
| 781220-80 | 137,30 | 350 | 78820-63 | _ 26,83 | 345 | 8061-200 | 65,93 | 230 |
| 781230-40 | 92,02 | 350 | 78825-40 | _ 34,80 | 345 | 8061-210 | 73,77 | 230 |
| 781230-60 | 117,68 | 350 | 78825-41 | 26,36 | 345 | 8061-300 | 34,92 | 228 |
| 781230-80 | 143,33 | 350 | 78825-42 | 33,85 | 345 | 8061-310 | 38,84 | 228 |
| 781240-80 | 18,37 | 350 | 78825-43 | 25,49 | 345 | 8061-400 | 58,81 | 229 |
| 781260-80 | 24,78 | 350 | 78825-50 | 39,41 | 345 | 8061-410 | 66,66 | 229 |
| 781280-80 | 31,19 | 350 | 78825-51 | 30,41 | 345 | 8061-7100 | 3,92 | 231 |
| 781320-40 | 102,58 | 350 | 78825-52 | 38,30 | 345 | 8062-000 | 24,07 | 228 |
| 781320-60 | 133,56 | 350 | 78825-53 | 29,38 | 345 | 8062-010 | 26,76 | 228 |
| 781320-80 | 164,52 | 350 | 78825-60 | 44,02 | 345 | 8062-100 | 47,17 | 230 |
| 781330-40 | 108,60 | 350 | 78825-61 | 34,46 | 345 | 8062-110 | 49,87 | 230 |
| 781330-60 | 139,58 | 350 | 78825-62 | 42,75 | 345 | 8062-200 | 83,42 | 230 |
| 781330-80 | 170,55 | 350 | 78825-63 | 33,28 | 345 | 8062-210 | 88,81 | 230 |
| 781340-80 | 22,51 | 350 | 78840-80 | 2,98 | 345 | 8062-300 | 42,92 | 228 |
| 781360-80 | 30,26 | 350 | 78842-80 | 2,83 | 344 | 8062-310 | 45,62 | 228 |
| 781380-80 | 38,00 | 350 | 78850-80 | 3,43 | 345 | 8062-400 | 74,07 | 229 |
| 7820-40 | 29,77 | 348 | 78852-80 | 3,38 | 344 | 8062-410 | 79,46 | 229 |
| 7820-41 | 21,75 | 348 | 78860-80 | 3,99 | 345 | 8062-7100 | 2,70 | 231 |
| 7820-42 | 29,44 | 348 | 78862-80 | 3,93 | 344 | 8070-01 | 13,41 | 238 |
| 7820-43 | 21,54 | 348 | 8 | | | 8070-02 | 9,50 | 238 |
| 7820-50 | 32,84 | 348 | 8000-001 | 0,100 | 201, 240 | 8070-3720 | 86,32 | 210 |
| 7820-51 | 24,44 | 348 | 8000-01 | 0,054 | 201, 240 | 8070-3721 | 96,50 | 210 |
| 7820-52 | 32,45 | 348 | 8000-061 | 0,127 | 238 | 8070-3722 | 93,81 | 210 |
| 7820-53 | 24,18 | 348 | 8000-063 | $-\frac{0,127}{0,400}$ | 238 | 8070-3723 | 96,77 | 210 |
| 7820-60 | 35,91 | 349 | 8000-25 | | 238 | 8070-3730 | 113,34 | 210 |
| 7820-61 | 27,13 | 349 | 8000-7021 | | 225 | 8070-3731 | 127,04 | 210 |
| 7820-62 | 35,47 | 349 | 8000-7035 | | 225 | 8070-3732 | 115,95 | 210 |
| 7820-63 | 26,83 | 349 | 8000-7033 | 0,121 | 201 | 8070-3733 | 119,78 | 210 |
| 1020 00 | 20,00 | <u> </u> | 0000 110 | 0,141 | | 3010 0100 | 117,10 | |

| Order no. | Weight | Page |
|----------------------|----------------------------|------------|
| 80700-00 | 49,94 | 236 |
| 80700-10 | 27,54 | 239 |
| 80700-20 | 46,79 | 239 |
| 80700-201 | 41,35 | 254 |
| 80700-203 | 35,39 | 254 |
| 80700-221 | 26,76 | 254 |
| 80700-223 | 23,18 | 254 |
| 80700-231 | 19,46 | 254 |
| 80700-233 | 15,24 | 254 |
| 80700-30 | 67,58 | 239 |
| 80700-40 | 85,83 | 239 |
| 8071-01 | 19,22 | 238 |
| 8071-02 | 16,28 | 238 |
| 8071-03 | 53,56 | 237 |
| 80710-00 | 74,24 | 236 |
| 80720-00 | 74,98 | 237 |
| 8073-01 | 19,12 | 238 |
| 8073-02 | 16,28 | 238 |
| 80730-00 | 93,35 | 237 |
| 80730-20 | 140,12 | 237 |
| 8074-00 | 0,001 | 238 |
| 8077-30 | 0,100 | 201, 240 |
| 8077-300 | 0,100 | 240 |
| 8078-2101 | 1,30 | 225 |
| 8078-2111 | - 1,77 - | 225 |
| 8078-4101 | 2,29 - | 231 |
| 8078-4111 | $-\frac{3,44}{40.04}$ | 231 |
| 8170-111 | $-\frac{40,04}{52.07}$ - | 255 |
| 8170-201 | $-\frac{53,87}{72,24}$ - | 194 |
| 8170-211 | $-\frac{73,34}{70.37}$ - | 255 194 |
| 8170-301 8170-311 | $-\frac{79,37}{108,42}$ - | 255 |
| 8170-401 | 99,59 | 194 |
| 8270-172 | 36,80 | 210 |
| 8270-173 | 50,44 | 210 |
| 8270-201 | 53,42 | 194 |
| 8270-202 | 66,86 | 196 |
| 8270-203 | 75,12 | 196 |
| 8270-272 | 64,22 | 210 |
| 8270-273 | 74,86 | 210 |
| 8270-301 | 79,26 | 194 |
| 8270-302 | 93,71 | 196 |
| 8270-303 | 102,81 | 196 |
| 8270-372 | 90,49 | 211 |
| 8270-373 | 99,51 | 211 |
| 8270-401 | 99,42 | 194 |
| 82700-00 | 60,55 | 236 |
| 82700-10 | 38,18 | 239 |
| 82700-20 | 68,40 | 239 |
| 8271-272 | 41,33 | 206 |
| 8271-273 | 57,58 | 206 |
| 8271-372 | 57,22 | 206 |
| 8271-373 | 63,62 | 206 |
| 82710-00 | 95,45 | 236 |
| 8370-201 | - 54,94 - | 194 |
| 8370-202 | - 68,77 - | 197 |
| 8370-203 | 75,93 - | 197 |
| 8370-301 | - 81,55 - | 194 |
| 8370-302 | $-\frac{93,87}{107,40}$ | 197 |
| 8370-303 | 107,42 | 197 |
| 8370-401 | 102,38 | 194 |
| 8370A202 | $-\frac{44,90}{75,72}$ | 198 |
| 8370A302 8470-172 | $\frac{75,72}{40,22}$ | 198 208 |
| | - 40,22 - 52,14 | 208 |
| 8470-173 | JZ,14 | 208 |

| Order no. | Weight | Page |
|----------------------|--------|---------------|
| 8470-201 | 62,97 | 194 |
| 8470-202 | 72,46 | 196 |
| 8470-203 | 80,50 | 196 |
| 8470-272 | 70,30 | 208 |
| 8470-273 | 85,52 | 208 |
| 8470-301 | 92,43 | 194 |
| 8470-302 | 102,66 | 196 |
| 8470-303 | 114,28 | 196 |
| 8470-372 | 98,72 | 209 |
| 8470-373 | 120,00 | 209 |
| 8470-401 | 115,40 | 194 |
| 8470A202 | 46,02 | 198 |
| 8470A302 | 80,83 | 198 |
| 8472-272 | 44,38 | 207 |
| 8472-273 | 59,79 | 207 |
| 8472-372 | 69,80 | 207 |
| 8472-373 | 66,20 | 207 |
| 8500-718 | 0,062 | 213 |
| 8501-04 | 0,010 | 184 |
| 8501-04251 | 0,400 | 184 |
| 8501-0551 | 0,001 | 201, 213, 240 |
| 8501-06 | 0,017 | 201, 213 |
| 8501-4651 | 0,001 | 165 |
| 8504-172 | 4,27 | 212 |
| 8504-173 | 4,98 | 212 |
| 8504-201 | 5,51 | 195 |
| 8504-272 | 4,82 | 212 |
| 8504-273 | 7,92 | 212 |
| 8504-301 | 4,95 | 195 |
| 8504-372 | 6,38 | 212 |
| 8504-373 | 7,94 | 212 |
| 8504-401 | 8,17 | 195 |
| 8505-02 | 0,084 | 203 |
| 8520-000 | 42,91 | 275 |
| 8521-000 | 49,30 | 275 |
| 8521-052 | 48,96 | 289 |
| 8521-055 | 51,50 | 285 |
| 8521-0552 | 54,62 | 294 |
| 8530-000 | 58,08 | 275 |
| 8531-000 | 60,76 | 275 |
| 8531-052 | 59,90 | 289 |
| 8531-055 | 60,14 | 285 |
| 8531-0552 | 66,94 | 294 |
| 8550-000 | 9,63 | 222 |
| 8551-000 | 13,23 | 222 |
| 8552-000 | 16,80 | 222 |
| 8570-172 | 39,42 | 208 |
| 8570-173 | 11,17 | 208 |
| 8570-201 | 65,14 | 194 |
| 8570-202 | 80,42 | 197 |
| 8570-203 | 88,21 | 197 |
| 8570-272 | 72,89 | 208 |
| 8570-273 | 22,20 | 208 |
| 8570-301 | 96,88 | 194 |
| 8570-302 | 113,64 | 197 |
| 8570-303 | 126,67 | 197 |
| 8570-372 | 98,62 | 209 |
| 8570-373 | 33,22 | 209 |
| 8570-401 | 120,76 | 194 |
| 8570-70 | 0,100 | 213 |
| | 0,101 | 213 |
| 8570-710 | | |
| 8570-710 8570-711 | | 213 |
| 8570-711 | | 213 |
| | 48,25 | |

| Order no. | Weight | Page |
|-----------------------|-----------------------|----------------------|
| 8573-301 | 74,03 | 200 |
| 8573-372 | 76,92 | 207 |
| 8573-373 8573-7201 | 94,20 | 207 |
| 8573-7272 | | 212 |
| 8573-7273 | | 212 |
| 8573-7301 | | 200 |
| 8573-7372 | | 212 |
| 8573-7373 | | 212 |
| 8670-201 | 65,04 | 194 |
| 8670-301 | 100,08 | 194 |
| 8670-401 8721-315 | 126,10 | <u>194</u> 301 |
| 8721-316 | 31,07 30,28 | 301 |
| 8721-7010 | 0,878 | 277 |
| 8721-713 | 2,38 | 277 |
| 8721-71656 | 6,80 | 277 |
| 8721-80 | 2,78 | 276 |
| 87210-00 | 30,35 | 276 |
| 8750-00 | 0,780 | 277 |
| 8751-00 | 1,00 | 301 |
| 8820-000 | 37,73 | 275 |
| 8821-000 | 39,99 | 275 |
| 8821-052 | 40,79 | 289 |
| 8821-055 8821-0552 | 43,84 44,89 | 285 294 |
| 8821-315 | 47,53 | 301 |
| 8821-316 | 46,16 | 301 |
| 8821-5035 | 72,12 | 282 |
| 8821-5235 | 83,94 | 290 |
| 8821-713 | 4,75 | 277 |
| 88210-00 | 51,03 | 276 |
| 88210-80 | 4,78 | 276 |
| 8830-000 | 45,12 | 275 |
| 8830-5035 8831-000 | 79,54 | 282 275 |
| 8831-052 | <u>51,65</u> 48,76 | 289 |
| 8831-055 | 53,37 | 285 |
| 8831-0552 | 55,31 | 294 |
| 8831-5035 | 86,59 | 282 |
| 8831-5235 | 99,29 | 290 |
| 88500-00 | 1,75 | 277 |
| 8851-00 | 1,50 | 301 |
| 8900-00 | 41,60 | 266 |
| 8900-02 | 33,48 | 268 |
| 8900-052 | 44,80 | 288 |
| 8900-055 8900-7131 | 44,68 0,001 | 284 273, 283, 373 |
| 8900-7131 | 0,050 | 273, 283, 373 |
| 8900-7211 | 0,050 | 273, 275, 283. |
| | | 368, 373 |
| 8900-723 | 0,078 | 273, 283, 373 |
| 8900-740 | 0,071 | 265 |
| 8900-750 | 0,071 | 265 |
| 8900-80 | 2,49 | 266, 268, 284 |
| 8900-802 | 3,64 | 288 |
| 8901-00 | 46,02 | 266 |
| 8901-02 | 37,91 | 268 |
| 8901-052 | <u>52,05</u> 48,34 | 288 |
| 8901-055 8901-315 | 48,34 | 284 300 |
| 8901-316 | 49,73 | 300 |
| 8901-3725 | 3,37 | 300 |
| 8901-3726 | 4,23 | 300 |
| 8901-80 | 2 /10 | 266 268 284 |

8901-80

266, 268, 284

| | Order no. | Weight | Page | Order no. | Weight | Page | Order no. | Weight | Page |
|---|------------|--------|-----------|------------|---------|---------------|-----------|--------|-----------------------|
| 9910-00 | 8901-802 | 4.49 | | 8921-055E1 | | | 8924-0552 | | 292 |
| 9910-02 37.9 298 982-061 70.6 298 992-800 5.33 9910-03 52.4 284 982-061 70.6 298 992-800 5.33 9910-03 2.53 264 288, 284 982-301 390.4 272 8930-05 72.2 54.98 9910-03 55.73 264 892-303 184.08 2.73 8930-05 72.2 2 9910-12 4.4.4 2 298 982-303 184.08 2.73 8930-05 2 9910-05 56.73 2.64 892-303 184.08 2.73 8930-05 2 9910-05 56.73 2.64 892-305 186.07 270 8930-0552 8.4.65 9910-05 57.57 2.66 892-305 18.6.07 270 8930-0552 8.4.65 9910-05 57.57 2.66 892-305 18.6.07 270 8930-0552 8.4.65 9920-02 45.54 2.68 892-305 18.6.07 271 8930-0552 8.4.65 9920-02 58.20 288 892-305 18.6.07 271 8930-0552 8.4.65 9920-02 58.20 288 892-305 18.6.07 271 8930-0503 75.64 9920-052 58.20 288 892-305 17.2.15 278 8930-05 18.6.07 271 8930-0513 9920-052 56.07 228 892-315 72.55 20 9920-052 56.20 28 892-315 72.55 20 9920-052 56.20 28 892-315 72.55 20 9920-052 56.20 28 892-315 72.55 20 9920-052 56.20 28 892-315 72.55 20 9920-052 56.20 28 892-315 72.55 20 9920-052 56.20 28 892-315 72.55 20 9920-052 56.20 2 9920- | 8910-00 | | | 8921-055E3 | | | 8924-80 | | 267, 269, 285 |
| \$900.065 \$5.74 | | | | | | | | | 289 |
| \$900-80 | | | | | | | | | 267 |
| 9911-00 | | | | | | | | | 269 |
| 991-02 | | | | | | | | | 289 |
| \$991-055 | | | | - | | | | | 285 |
| \$991-80 | | | | | | | - | | |
| 9920-00 | | | | | | | | | 293 |
| 8920-02 43,54 288 8921-306 21,19 272 8930-573 2,50 2 8920-055 52,8 288 921-311 72,66 278 8930-701 0,130 2 8920-055 64,75 284 8921-313 73,52 278 8930-701 0,130 2 8920-313 65,36 278 8921-316 75,97 300 900-80 4,73 8920-314 66,06 278 8921-3707 1,86 270, 272 8931-00 818,6 8920-3107 1,44 279 1,920 8931-00 818,6 8920-59101 0,240 304 8921-3713 1,0 271,279 8931-02 65,0 8920-59104 304 8921-3713 1,0 271,272 8931-02 65,0 8920-59105 3,0 304 8921-372 18,0 270,272 8931-055 22,73 8920-59105 3,5 30,0 304 8921-3725 5,41 300 < | | | | | | | | | 280 |
| 5920-062 | | | | | | | | | 281 |
| \$\frac{9920-0555}{8} | | | | | | | | | 283, 295 |
| \$920-0552 | | | | | | | | | 283, 295 |
| \$920-313 | | | | | | 278 | | | 283, 295 |
| \$\begin{align*} \begin{align*} ali | 8920-0552 | | | | | 300 | 8930-80 | 4,23 | 267, 269, 279, |
| \$\begin{array}{c c c c c c c c c c c c c c c c c c c | 8920-313 | 65,36 | 278 | 8921-316 | 75,97 | 300 | | | 280, 281, 285 |
| 8720-59101 0,240 304 8921-3713 1,10 271,272 8931-02 65.06 8720-59104 304 8921-3716 2,28 271,272 8931-05 92,73 8720-59105 0,005 304 8921-3722 18,00 270,272 8931-055 92,73 8720-59105 35.40 304 8921-3725 1,41 300 8931-301 163,42 8720-59105 0,456 304 8921-3725 5,41 300 8931-301 163,42 8720-59201 0,456 304 8921-3726 7,27 300 8931-302 218,01 8720-59204 0,010 304 8921-5030 95,65 280 8931-303 213,83 8720-59205 0,010 304 8921-5030 91,60 281 8931-304 118,03 8720-59204 0,010 304 8921-5030 91,60 281 8931-304 118,03 8720-59205 0,010 304 8921-5030 10,27 291 8931-3042 112,30 8720-59205 0,010 304 8921-5030 10,27 291 8931-305 136,41 8720-59205 0,001 0,957 304 8921-5530 10,27 291 8931-305 136,41 8720-59304 0,050 304 8921-5530 18,55 292 8931-307 2,36 2 8720-59305 0,001 304 8921-5530 11,55 292 8931-307 2,36 2 8720-59355 6,20 304 8921-5530 11,55 292 8931-3713 1,60 2 8720-59365 0,010 304 8921-5532 119,08 293 8720-59355 6,20 304 8921-5532 119,08 293 8720-59355 6,20 304 8921-5532 119,08 293 8720-59355 6,20 304 8921-5532 119,08 293 8720-59360 0,010 304 8921-5532 119,08 293 8720-59360 0,010 304 8921-5532 119,08 293 8720-59365 0,010 304 8921-5718 4,78 283, 291, 8931-3715 2,60 2,85 2,85 2,85 2,85 2,85 2,85 2,85 2,85 | 8920-314 | 68,05 | 278 | 8921-3707 | 1,86 | | 8930-802 | 4,73 | 289 |
| \$820-59104 \$821-3716 \$2,28 | 8920-3707 | 1,44 | 279 | | | 278, 279 | 8931-00 | 81,86 | 267 |
| \$\begin{array}{c c c c c c c c c c c c c c c c c c c | 8920-59101 | 0,240 | 304 | 8921-3713 | 1,10 | 271, 272 | 8931-02 | 65,06 | 269 |
| \$\begin{array}{c c c c c c c c c c c c c c c c c c c | 8920-59104 | | 304 | 8921-3716 | 2,28 | 271, 272 | 8931-052 | 82,40 | 289 |
| \$920-59153 35,40 304 \$921-3725 5,41 300 \$931-301 163,42 \$972-59701 0,456 304 \$971-3726 7,27 300 \$9931-301 163,42 \$9820-59204 0,010 304 \$921-3726 7,27 300 \$9931-303 213,83 \$9820-59205 0,010 304 \$921-503 91,60 281 \$931-3041 118,03 \$9820-59205 0,010 304 \$921-523 110,80 290 \$931-3042 112,30 \$9820-59205 4,80 304 \$921-523 110,80 290 \$931-3042 112,30 \$9820-59205 4,80 304 \$921-523 10,60 27 291 \$931-3042 112,30 \$9820-59205 4,80 304 \$921-523 10,60 27 291 \$931-305 136,41 \$9820-59301 0,957 304 \$921-530 0,62,7 291 \$931-305 136,41 \$9820-59305 0,000 304 \$921-530 0,62,7 291 \$931-305 136,41 \$9820-59305 0,000 304 \$921-5530 14,55 292 \$931-371 2,36 2 \$9820-59305 0,000 304 \$921-5532 119,08 293 \$9820-59305 0,000 304 \$921-5532 119,08 293 \$9820-59305 0,000 304 \$921-5532 119,08 293 \$9820-59305 0,000 304 \$921-5713 2,30 283,291 8931-3713 1,60 2,20 \$9820-59402 0,010 304 8921-5718 2,30 283,291 8931-3716 2,85 2,85 \$9820-59402 0,010 304 8921-5718 4,78 283,391 8931-372 2,087 2,25 \$9820-59405 0,016 304 8921-5718 4,78 283,391 8931-503 13,66 \$9820-59405 0,000 304 8921-5718 4,78 283,391 8931-503 13,66 \$9820-59405 0,000 304 8921-701 1,00 283,290 8931-503 13,66 \$9820-59506 0,000 304 8921-805 1,00 299 8931-503 13,66 \$9820-59506 0,000 304 8921-805 3,55 298 8931-503 13,66 \$9820-59506 0,000 304 8921-805 3,55 298 8931-503 13,66 \$9820-59506 0,000 304 8921-805 3,55 298 8931-503 13,66 \$9820-59506 0,000 304 8921-805 3,55 298 8931-503 13,66 \$9820-59506 0,000 304 8922-055 3,55 298 8931-503 13,66 \$9820-59506 0,000 304 8922-055 3,55 298 8931-503 13,66 \$9820-59506 0,000 304 892 | 8920-59105 | 0,005 | 304 | 8921-3722 | | 270, 272 | 8931-055 | 92,73 | 285 |
| \$20-59201 \$35.40 \$30.4 \$8921-3725 \$5.41 \$30.0 \$8931-301 \$163.42 \$280-59204 \$0.010 \$30.4 \$8921-503 \$75.55 \$280 \$8931-302 \$218.01 \$18.32 \$280-59205 \$0.010 \$30.4 \$8921-5030 \$91.60 \$281 \$8931-304 \$118.03 \$8920-59253 \$4.80 \$30.4 \$8921-523 \$110.80 \$290 \$8931-305 \$136.41 \$18.03 \$8920-59255 \$4.80 \$30.4 \$8921-523 \$110.80 \$290 \$8931-305 \$136.41 \$8920-59301 \$0.957 \$30.4 \$8921-533 \$106.27 \$291 \$8931-305 \$136.41 \$8920-59304 \$0.050 \$30.4 \$8921-5330 \$106.27 \$291 \$8931-306 \$140.91 \$8920-59304 \$0.050 \$30.4 \$8921-5330 \$106.57 \$291 \$8931-305 \$136.41 \$820-59304 \$0.050 \$30.4 \$8921-5530 \$114.55 \$292 \$8931-3707 \$2.36 \$280-59353 \$6.20 \$30.4 \$8921-55302 \$114.55 \$292 \$8931-3707 \$2.36 \$280-59353 \$6.20 \$30.4 \$8921-5532 \$119.08 \$293 \$8920-59355 \$6.20 \$30.4 \$8921-5702 \$319.79 \$299 \$8931-3713 \$1.60 \$28020-59401 \$2.04 \$30.4 \$8921-5713 \$2.80 \$283.291 \$8931-3723 \$15.24 \$280.5 \$280-59402 \$0.010 \$30.4 \$8921-5718 \$4.78 \$283.291 \$8931-3722 \$20.87 \$20.87 \$20.59402 \$20.87 \$20.59405 \$20.98 \$20.595405 \$0.018 \$30.4 \$8921-5718 \$4.78 \$283.291 \$8931-3723 \$15.24 \$20.87 \$20.595605 \$0.018 \$30.4 \$8921-700 \$0.083 \$21.7273 \$8931-503 \$113.66 \$8920-59601 \$2.04 \$30.4 \$8921-701 \$1.00 \$283.290 \$8931-503 \$113.66 \$8920-59601 \$2.04 \$30.4 \$8921-800 \$4.07 \$267.289, \$279 \$8931-503 \$113.66 \$8920-59601 \$2.04 \$30.4 \$8921-800 \$4.07 \$267.289, \$279 \$8931-503 \$113.66 \$8920-59601 \$2.04 \$30.4 \$8921-800 \$4.07 \$267.289, \$279 \$8931-503 \$113.66 \$8920-59601 \$2.04 \$30.4 \$8921-800 \$4.07 \$267.289, \$279 \$8931-503 \$113.66 \$8920-59601 \$2.04 \$30.4 \$8921-800 \$4.07 \$267.289, \$279 \$8931-503 \$113.66 \$8920-59601 \$2.04 \$30.4 \$8921-800 \$4.07 \$267.289, \$279 \$8931-503 \$113.66 \$269.59605 \$0.030 \$30.4 \$8922-505 \$3.55 | 8920-59153 | | | | | | | | 293 |
| 8920-59201 0.456 304 8921-3726 7,27 300 8931-302 218,01 | | | | | | | | | 273 |
| 8920-59204 0,010 304 8921-503 95.65 280 8931-303 213.83 8920-59263 4,80 304 8921-523 110.80 290 8931-3042 112.30 8920-59255 4,80 304 8921-523 110.80 290 8931-305 136.41 8920-59301 0,957 304 8921-553 102.54 286 8931-306 140.91 8920-59305 0,050 304 8921-5530 98.51 287 8931-311 86.47 8920-59305 304 8921-55302 114.55 292 8931-3707 2,36 2 8920-59363 6,20 304 8921-5702 319.79 299 8931-3713 1,60 4 8920-59401 2,04 304 8921-5713 2,80 283.291 8931-3716 2,85 2 8920-59402 0,010 304 8921-5702 319.7 299 8931-501 283.291 15,24 2 2 8920-59402 9,01 | | | | | | | | | 273 |
| 8920-59205 0,010 304 8921-5030 91,60 281 8931-3041 118,03 | | | - | | | | | | 273 |
| 8920-59253 4,80 304 8921-523 110,80 290 8931-3042 112,30 8920-59255 4,80 304 8921-5230 106,27 291 8931-305 136,41 8920-59301 0,967 304 8921-5530 102,54 286 8931-306 140,91 8920-59304 0,050 304 8921-5530 98,51 287 8931-311 86,47 8920-59335 6,20 304 8921-55302 119,08 293 8931-3707 2,36 2 8920-59355 6,20 304 8921-5713 2,80 283,291 8931-3713 1,60 2 8920-59401 2,04 304 8921-5713 2,80 283,291 8931-3722 20,87 2,86 3 8920-59402 0,010 304 8921-5718 4,78 283,291 8931-3723 15,24 2 2,87 8931-503 15,24 2 2,87 8931-503 13,64 3 4 1,82 283,291 | - | | | | | | | | 271 |
| 8920-59255 4,80 304 8921-5230 106,27 291 8931-305 136,41 8920-59304 0,050 304 8921-5530 102,54 286 8931-301 140,91 8920-59305 304 8921-55302 114,55 292 8931-3707 2,36 2 8920-59353 6,20 304 8921-55302 119,08 293 8931-3713 1,60 2 8920-59355 6,20 304 8921-5713 2,80 283,291 8931-3713 1,60 2 8920-59401 2,04 304 8921-5713 2,80 283,291 8931-3713 1,60 2,85 28 295,299 8931-3713 1,60 2,85 28 292,590 8931-3713 1,60 2,85 28 292,590 8931-3713 1,60 2,85 28 292,590 8931-3713 1,60 2,85 29 8931-3712 20,87 2 2,87 28 8920-590 8931-523 131,47 299 8931-523 | | | | | | | - | | |
| 8920-59301 0,957 304 8921-553 102,54 286 8931-306 140,91 8920-59305 0,050 304 8921-5530 98,51 227 8931-311 86,47 8920-59305 304 8921-5532 114,55 292 8931-3707 2,36 2 8920-59355 6,20 304 8921-5702 31,97 299 8931-3713 1,60 3 8920-59401 2,04 304 8921-5713 2,80 283,291 8931-3712 20,87 2 8920-59402 0,010 304 8921-5718 4,78 283,291 8931-3722 20,87 2 8920-59404 0,060 304 8921-700 0,083 271,273 8931-501 225,94 8920-59453 5,50 304 8921-701 1,00 283,290 8931-502 198,44 8920-59501 2,04 304 8921-703 1,00 299 8931-503 113,66 8920-59505 0,020 304 | | | | - | | | - | | 270 |
| 8920-59304 0,050 304 8921-5530 98,51 287 8931-311 86,47 8920-59353 6,20 304 8921-55302 114,55 292 8931-3707 2,36 2 8920-59353 6,20 304 8921-5702 31,97 299 8931-3713 1,60 4 8920-59401 2,04 304 8921-5713 2,80 283,291,8931-3716 2,85 2 8920-59402 0,010 304 8921-5718 4,78 283,291,8931-3722 20,87 2 8920-59404 0,060 304 8921-5718 4,78 283,291,8931-3723 15,24 2 8920-59405 0,018 304 8921-700 0,083 271,273 8931-501 225,94 8920-59455 5,90 304 8921-701 1,00 283,290,8931-503 113,66 8920-59501 2,04 304 8921-703 1,00 299 8931-503 108,43 8920-59502 0,010 304 8921-80 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>271</td> | | | | | | | | | 271 |
| 8920-59305 304 8921-55302 114,55 292 8931-3707 2,36 2 8920-59355 6,20 304 8921-5632 119,08 293 8931-3713 1,60 3 8920-59401 2,04 304 8921-5713 2,80 283,291 8931-3713 1,60 2 8920-59402 0,010 304 8921-5718 4,78 283,291 8931-3723 15,24 2 8920-59404 0,060 304 8921-5718 4,78 283,291 8931-3723 15,24 2 8920-59405 0,018 304 8921-700 0,083 271,273 8931-501 225,94 8920-59455 5,90 304 8921-701 1,00 283,290 8931-503 113,66 8920-59501 2,04 304 8921-703 1,00 299,299 8931-523 131,27 8920-59502 0,010 304 8921-80 4,07 267,269,278 8931-523 131,27 8920-59505 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>272</td></t<> | | | | | | | | | 272 |
| 8920-59353 6,20 304 8921-5532 119,08 293 8920-59355 6,20 304 8921-5702 31,97 299 8931-3713 1,60 2 8920-59401 2,04 304 8921-5713 2,80 283, 291, 291, 291, 291, 291 8931-3716 2,85 2 8920-59402 0,010 304 8921-5718 4,78 283, 291, 291, 8931-3723 15,24 2 8920-59404 0,060 304 8921-5718 4,78 283, 291, 8931-501 225,94 8920-59453 5,90 304 8921-700 0,083 271, 273 8931-503 113,66 8920-59565 5,90 304 8921-701 1,00 283, 290, 8931-503 113,66 8920-59501 2,04 304 8921-703 1,00 299 8931-523 131,27 8920-59504 0,020 304 8921-80 4,07 267, 299, 278, 8931-523 125,54 8920-59505 0,025 304 8921-802 4,07 267, 299, | | 0,050 | | | | | | | 278 |
| 8920-59355 6,20 304 8921-5702 31,97 299 8931-3713 1,60 2 8920-59401 2,04 304 8921-5713 2,80 283, 291, 8931-3716 2,85 3 8920-59402 0,010 304 8921-5718 4,78 283, 291, 8931-3723 15,24 2 8920-59405 0,018 304 8921-5718 4,78 283, 291, 8931-501 225,94 8920-59453 5,90 304 8921-700 0,083 271, 273 8931-502 198,44 8920-59501 2,04 304 8921-701 1,00 283,290, 8931-503 13,66 8920-59501 2,04 304 8921-703 1,00 299,8931-503 13,66 8920-59501 2,04 304 8921-703 1,00 299,8931-503 108,43 8920-59502 0,010 304 8921-80 4,07 267,269,278,8931-5030 105,44 8920-59504 0,020 304 8921-80 4,57 289,281,8931-5530 112,54 <td></td> <td></td> <td>304</td> <td></td> <td> 114,55</td> <td>292</td> <td>8931-3707</td> <td>2,36</td> <td>270, 272,</td> | | | 304 | | 114,55 | 292 | 8931-3707 | 2,36 | 270, 272, |
| \$\begin{array}{c c c c c c c c c c c c c c c c c c c | 8920-59353 | 6,20 | 304 | 8921-5532 | 119,08 | 293 | | | 278 |
| 8920-59402 0,010 304 8921-5718 4,78 283, 291, 293, 293, 391, 3723 15,24 2 8920-59405 0,018 304 8921-5718 4,78 283, 291, 293, 391, 3923 15,24 2 8920-59453 5,90 304 8921-700 0,083 275, 299 8931-502 198,44 8920-59455 5,90 304 8921-701 1,00 283, 290, 293, 393, 503 113,66 8920-59501 2,04 304 8921-703 1,00 299 8931-503 108,43 8920-59502 0,010 304 8921-703 1,00 299 8931-5230 122,54 8920-59504 0,020 304 8921-80 4,07 267, 269, 278, 289, 281, 283 131,27 8920-59505 0,025 304 8921-80 4,67 267, 269, 278, 289, 281, 8931-553 124,51 8920-59505 7,90 304 8921-802 4,57 288, 291 8931-5530 137,69 8920-59604 0,334 304 8921-8051 < | 8920-59355 | 6,20 | 304 | 8921-5702 | 31,97 | 299 | 8931-3713 | 1,60 | 271, 272 |
| 8920-59404 0,060 304 8921-5718 4,78 283, 291, 295, 299 8931-3723 15,24 2 8920-59405 0,018 304 8921-700 0,083 271, 273 8931-501 225,94 8920-59455 5,90 304 8921-701 1,00 283, 290, 295, 299 8931-503 113,66 8920-59501 2,04 304 8921-703 1,00 299, 299 8931-503 131,67 8920-59502 0,010 304 8921-80 4,07 267, 269, 278, 299 8931-503 131,27 8920-59504 0,020 304 8921-80 4,07 267, 269, 278, 280, 281, 293 8931-523 131,27 8920-59505 0,025 304 8921-80 4,07 267, 269, 278, 280, 281, 293 8931-5530 124,51 8920-59505 7,90 304 8921-802 4,57 288, 291 8931-5530 119,28 8920-59601 4,36 304 8921-802 7,59 289,31-5532 137,69 8920-59605 < | 8920-59401 | 2,04 | 304 | 8921-5713 | 2,80 | | 8931-3716 | 2,85 | 271, 272 |
| 8920-59405 0,018 304 295, 299 8931-501 225,94 8920-59453 5,90 304 8921-700 0,083 271, 273 8931-502 198,44 8920-59455 5,90 304 8921-701 1,00 283, 290, 8931-503 113,66 8920-59502 0,010 304 8921-703 1,00 299 8931-523 131,27 8920-59504 0,020 304 8921-80 4,07 267, 269, 278, 280, 281, 281, 285, 287, 288 8931-553 124,51 8920-59505 0,025 304 8921-802 4,57 286, 281, 8931-553 124,51 8920-59555 7,90 304 8921-802 4,57 288, 291 8931-5530 119,28 8920-59601 4,36 304 8921-80E1 7,89 299 8931-5530 137,69 8920-59604 0,034 304 8922-00 75,19 267 8931-5713 2,80 2 8920-59606 0,000 304 8922-05 75,90 | 8920-59402 | 0,010 | 304 | | | 295, 299 | 8931-3722 | 20,87 | 270, 272 |
| Sy20-59453 5,90 304 8921-700 0,083 271, 273 8931-502 198,44 | 8920-59404 | 0,060 | 304 | 8921-5718 | 4,78 | 283, 291, | 8931-3723 | 15,24 | 270, 272 |
| 8920-59455 5,90 304 8921-701 1,00 283,290, 295,299 8931-503 113,66 8920-59502 0,010 304 8921-703 1,00 299 8931-523 131,27 8920-59504 0,020 304 8921-80 4,07 267, 269, 278, 280, 281, 281, 2831-5530 125,54 8920-59505 0,025 304 8921-80 4,57 288, 281, 288, 281, 283, 2831-5530 119,28 8920-59555 7,90 304 8921-802 4,57 288, 291 8931-5530 119,28 8920-59601 4,36 304 8921-80E1 7,89 299 8931-5532 143,42 8920-59604 0,034 304 8921-80E1 7,89 299 8931-5532 143,42 8920-59605 0,030 304 8922-00 75,19 267 8931-5713 2,80 2 8920-59605 0,030 304 8922-052 75,90 289 8931-5718 6,43 283,2 8920-59655 9,20 304 | 8920-59405 | 0,018 | 304 | | | 295, 299 | 8931-501 | 225,94 | 311 |
| 8920-59455 5,90 304 8921-701 1,00 283,290, 295,299 8931-503 113,66 8920-59502 0,010 304 8921-703 1,00 299 8931-523 131,27 8920-59504 0,020 304 8921-80 4,07 267, 269, 278, 280, 281, 281, 2831-5530 125,54 8920-59505 0,025 304 8921-80 4,57 288, 281, 288, 281, 283, 2831-5530 119,28 8920-59555 7,90 304 8921-802 4,57 288, 291 8931-5530 119,28 8920-59601 4,36 304 8921-80E1 7,89 299 8931-5532 143,42 8920-59604 0,034 304 8921-80E1 7,89 299 8931-5532 143,42 8920-59605 0,030 304 8922-00 75,19 267 8931-5713 2,80 2 8920-59605 0,030 304 8922-052 75,90 289 8931-5718 6,43 283,2 8920-59655 9,20 304 | 8920-59453 | 5,90 | 304 | 8921-700 | 0,083 | 271, 273 | 8931-502 | 198,44 | 311 |
| 8920-59501 2,04 304 8921-703 1,00 299 8931-5030 108,43 8920-59502 0,010 304 8921-703 1,00 299 8931-523 131,27 8920-59504 0,020 304 8921-80 4,07 267, 269, 278, 280, 281, 279, 280, 281, 283, 283, 283, 283, 285, 287, 298 8931-5530 124,51 8920-59555 7,90 304 8921-802 4,57 288, 291 8931-5530 117,28 8920-59601 4,36 304 8921-80E1 7,89 299 8931-5532 137,69 8920-59604 0,034 304 8922-00 75,19 267 8931-5532 143,42 8920-59605 0,030 304 8922-02 61,16 269 8931-5713 2,80 2 8920-59605 0,030 304 8922-052 75,90 289 8931-5718 6,43 283,2 8920-59653 9,20 304 8922-505 82,37 285 8931-700 0,080 2 < | 8920-59455 | 5.90 | 304 | 8921-701 | 1.00 | 283, 290, | 8931-503 | 113.66 | 280 |
| 8920-59502 0,010 304 8921-703 1,00 299 8931-523 131,27 8920-59504 0,020 304 8921-80 4,07 267, 269, 278, 269, 278, 279, 280, 281, 279, 280, 281, 285, 287, 298 8931-5230 125,54 8920-59505 0,025 304 8921-802 4,57 288, 291, 281, 285, 287, 298 8931-5530 119,28 8920-59555 7,90 304 8921-802 4,57 288, 291 8931-55302 137,69 8920-59601 4,36 304 8921-80E1 7,89 299 8931-5532 143,42 8920-59605 0,034 304 8922-00 75,19 267 8931-5713 2,80 2 8920-59605 0,030 304 8922-02 61,16 269 8931-5718 6,43 283, 2 8920-59653 9,20 304 8922-055 82,37 285 8931-700 0,080 2 8920-59655 9,20 304 8922-055 82,37 285 8931-701 1,00 < | | | | | , | | | | 281 |
| 8920-59504 0,020 304 8921-80 4,07 267, 269, 278, 278, 280, 281, 285, 287, 298 8931-5230 125,54 8920-59553 7,90 304 8921-802 4,57 288, 291 8931-5530 119,28 8920-59555 7,90 304 8921-802 4,57 288, 291 8931-55302 137,69 8920-59601 4,36 304 8921-80E1 7,89 299 8931-5532 143,42 8920-59604 0,034 304 8922-00 75,19 267 8931-5713 2,80 2 8920-59605 0,030 304 8922-02 61,16 269 8931-5718 6,43 283,2 8920-59606 0,600 304 8922-055 82,37 285 8931-701 0,080 2 8920-59653 9,20 304 8922-055 82,37 285 8931-701 1,00 283,2 8920-59701 6,42 304 8922-503 104,44 280 8931-80 5,27 267,2 | | | | 8921-703 | 100 | 299 | | | 290 |
| 8920-59505 0,025 304 279, 280, 281, 285, 287, 298 8931-553 124,51 8920-59553 7,90 304 8921-802 4,57 288, 291 8931-55302 137,69 8920-59601 4,36 304 8921-80E1 7,89 299 8931-5532 143,42 8920-59604 0,034 304 8922-00 75,19 267 8931-5713 2,80 2 8920-59605 0,030 304 8922-02 61,16 269 8931-5718 6,43 283,2 8920-59606 0,600 304 8922-055 82,37 285 8931-700 0,080 2 8920-59653 9,20 304 8922-055 82,37 285 8931-700 0,080 2 8920-59755 9,20 304 8922-553 104,44 280 8931-80 5,27 267,2 8920-59702 0,020 304 8922-5030 19,63 281 8931-80 5,27 267,2 8920-59705 0 | | | | | | | | | 291 |
| 8920-59553 7,90 304 285, 287, 298 8931-5530 119,28 8920-59555 7,90 304 8921-802 4,57 288, 291 8931-55302 137,69 8920-59601 4,36 304 8921-80E1 7,89 299 8931-5532 143,42 8920-59604 0,034 304 8922-00 75,19 267 8931-5713 2,80 2 8920-59605 0,030 304 8922-02 61,16 269 8931-5718 6,43 283, 2 8920-59606 0,600 304 8922-055 82,37 285 8931-701 0,080 2 8920-59653 9,20 304 8922-0552 83,55 292 8931-701 1,00 283,2 8920-59701 6,42 304 8922-503 104,44 280 8931-80 5,27 267,2 8920-59702 0,020 304 8922-5030 19,63 281 8931-80 5,27 267,2 8920-59705 0,030 | | | | 0721 00 | 4,01 | | | | 286 |
| 8920-59555 7,90 304 8921-802 4,57 288, 291 8931-55302 137,69 8920-59601 4,36 304 8921-80E1 7,89 299 8931-5532 143,42 8920-59604 0,034 304 8922-00 75,19 267 8931-5713 2,80 2 8920-59605 0,030 304 8922-02 61,16 269 8931-5718 6,43 283,2 8920-59606 0,600 304 8922-052 75,90 289 8931-5718 6,43 283,2 8920-59653 9,20 304 8922-055 82,37 285 8931-700 0,080 2 8920-59655 9,20 304 8922-0552 83,55 292 8931-701 1,00 283,2 8920-59701 6,42 304 8922-503 104,44 280 8931-80 5,27 267,2 8920-59702 0,020 304 8922-503 19,44 280 8931-80 5,27 267,2 | | | | | | 285, 287, 298 | | | 287 |
| 8920-59601 4,36 304 8921-80E1 7,89 299 8931-5532 143,42 8920-59604 0,034 304 8922-00 75,19 267 8931-5713 2,80 2 8920-59605 0,030 304 8922-02 61,16 269 8931-5718 6,43 283,2 8920-59606 0,600 304 8922-052 75,90 289 8931-5718 6,43 283,2 8920-59653 9,20 304 8922-055 82,37 285 8931-700 0,080 28 8920-59755 9,20 304 8922-0552 83,55 292 8931-701 1,00 283,2 8920-59701 6,42 304 8922-503 104,44 280 8931-80 5,27 267,2 8920-59702 0,020 304 8922-5030 99,63 281 2 8920-59704 0,034 304 8922-523 119,95 290 8920-59705 0,030 304 8922-5330 <td></td> <td></td> <td></td> <td>0021 002</td> <td>4.57</td> <td>200 201</td> <td></td> <td></td> <td>292</td> | | | | 0021 002 | 4.57 | 200 201 | | | 292 |
| 8920-59604 0,034 304 8922-00 75,19 267 8931-5713 2,80 2 8920-59605 0,030 304 8922-02 61,16 269 8931-5718 6,43 283,2 8920-59606 0,600 304 8922-052 75,90 289 8931-5718 6,43 283,2 8920-59653 9,20 304 8922-055 82,37 285 8931-700 0,080 2 8920-59655 9,20 304 8922-0552 83,55 292 8931-701 1,00 283,2 8920-59701 6,42 304 8922-503 104,44 280 8931-80 5,27 267,2 8920-59702 0,020 304 8922-5030 99,63 281 2 8920-59704 0,034 304 8922-523 119,95 290 8920-59705 0,030 304 8922-5330 114,64 291 8931-802 5,77 2 8920-59706 0,600 304 | - | | | | | | | | |
| 8920-59605 0,030 304 8922-02 61,16 269 8920-59606 0,600 304 8922-052 75,90 289 8931-5718 6,43 283,2 8920-59653 9,20 304 8922-055 82,37 285 8931-700 0,080 3 8920-59655 9,20 304 8922-0552 83,55 292 8931-701 1,00 283,2 8920-59701 6,42 304 8922-503 104,44 280 8931-80 5,27 267,2 8920-59702 0,020 304 8922-5030 99,63 281 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>293</td></t<> | | | | | | | | | 293 |
| 8920-59606 0,600 304 8922-052 75,90 289 8931-5718 6,43 283, 283, 283, 283, 283, 283, 283, 283, | | | | | | | 8931-5713 | 2,80 | 283, 291, 295, 310 |
| 8920-59653 9,20 304 8922-055 82,37 285 8931-700 0,080 2 8920-59655 9,20 304 8922-0552 83,55 292 8931-701 1,00 283,2 8920-59701 6,42 304 8922-503 104,44 280 8931-80 5,27 267,2 8920-59702 0,020 304 8922-5030 99,63 281 2 2 8920-59704 0,034 304 8922-523 119,95 290 2 8920-59705 0,030 304 8922-5230 114,64 291 8931-802 5,77 2 8920-59706 0,600 304 8922-553 111,64 286 8932-00 89,31 8920-59753 8,88 304 8922-55302 106,83 287 8932-052 89,85 8920-59755 8,88 304 8922-55302 122,11 292 8932-052 89,85 | | | | | | | | | |
| 8920-59655 9,20 304 8922-0552 83,55 292 8931-701 1,00 283,2 8920-59701 6,42 304 8922-503 104,44 280 8931-80 5,27 267,2 8920-59702 0,020 304 8922-5030 99,63 281 2 8920-59704 0,034 304 8922-523 119,95 290 8931-802 5,77 2 8920-59705 0,030 304 8922-5230 114,64 291 8931-802 5,77 2 8920-59706 0,600 304 8922-553 111,64 286 8932-00 89,31 8920-59753 8,88 304 8922-55302 106,83 287 8932-02 72,51 8920-59755 8,88 304 8922-55302 122,11 292 8932-052 89,85 | | | | | | | | | 283, 291, 295 |
| 8920-59701 6,42 304 8922-503 104,44 280 8931-80 5,27 267, 2 8920-59702 0,020 304 8922-5030 99,63 281 2 8920-59704 0,034 304 8922-523 119,95 290 8931-802 5,77 2 8920-59705 0,030 304 8922-5230 114,64 291 8931-802 5,77 2 8920-59706 0,600 304 8922-553 111,64 286 8932-00 89,31 8920-59753 8,88 304 8922-55302 106,83 287 8932-02 72,51 8920-59755 8,88 304 8922-55302 122,11 292 8932-052 89,85 | | | | | | | | | 271, 273 |
| 8920-59702 0,020 304 8922-5030 99,63 281 2 8920-59704 0,034 304 8922-523 119,95 290 290 8920-59705 0,030 304 8922-5230 114,64 291 8931-802 5,77 2 8920-59706 0,600 304 8922-553 111,64 286 8932-00 89,31 8920-59753 8,88 304 8922-5530 106,83 287 8932-02 72,51 8920-59755 8,88 304 8922-55302 122,11 292 8932-052 89,85 | | | 304 | | | 292 | | | 283, 290, 295 |
| 8920-59704 0,034 304 8922-523 119,95 290 2 8920-59705 0,030 304 8922-5230 114,64 291 8931-802 5,77 2 8920-59706 0,600 304 8922-553 111,64 286 8932-00 89,31 8920-59753 8,88 304 8922-5530 106,83 287 8932-02 72,51 8920-59755 8,88 304 8922-55302 122,11 292 8932-052 89,85 | 8920-59701 | 6,42 | 304 | 8922-503 | 104,44 | 280 | 8931-80 | 5,27 | 267, 269, 279, |
| 8920-59704 0,034 304 8922-523 119,95 290 8920-59705 0,030 304 8922-5230 114,64 291 8931-802 5,77 2 8920-59706 0,600 304 8922-553 111,64 286 8932-00 89,31 8920-59753 8,88 304 8922-5530 106,83 287 8932-02 72,51 8920-59755 8,88 304 8922-55302 122,11 292 8932-052 89,85 | 8920-59702 | 0,020 | 304 | 8922-5030 | 99,63 | 281 | | | 280, 281, |
| 8920-59706 0,600 304 8922-553 111,64 286 8932-00 89,31 8920-59753 8,88 304 8922-5530 106,83 287 8932-02 72,51 8920-59755 8,88 304 8922-55302 122,11 292 8932-052 89,85 | 8920-59704 | 0,034 | 304 | 8922-523 | 119,95 | 290 | | | 285, 287 |
| 8920-59753 8,88 304 8922-5530 106,83 287 8932-02 72,51 8920-59755 8,88 304 8922-55302 122,11 292 8932-052 89,85 | 8920-59705 | 0,030 | 304 | 8922-5230 | 114,64 | 291 | 8931-802 | 5,77 | 289, 291 |
| 8920-59755 8,88 304 8922-55302 122,11 292 8932-052 89,85 | 8920-59706 | 0,600 | 304 | 8922-553 | 111,64 | 286 | 8932-00 | 89,31 | 267 |
| | 8920-59753 | 8,88 | 304 | 8922-5530 | 106,83 | 287 | 8932-02 | 72,51 | 269 |
| | 8920-59755 | 8,88 | 304 | 8922-55302 | 122,11 | 292 | 8932-052 | 89,85 | 289 |
| 8920-80 2,92 266, 268, 8922-5532 127,42 293 8932-055 100,18 | 8920-80 | 2,92 | 266, 268, | 8922-5532 | 127,42 | 293 | 8932-055 | 100,18 | 285 |
| 278, 284 8922-80 4,83 267, 269, 280, 8932-0552 102,18 | • | , – | | | | | | | 293 |
| 8920-802 3,42 288 281, 285, 287 8932-503 122,35 | 8920-802 | 3 42 | | -, 00 | 1,00 | | | | 280 |
| 8921-00 67,40 267 8922-802 5,33 289, 291 8932-5030 116,31 | | | | 8922-802 | <u></u> | | | | 281 |
| | | | | | | | - | | 290 |
| | | | | - | | | - | | |
| <u>8921-052</u> <u>68,11</u> <u>288</u> <u>8924-02</u> <u>73,23</u> <u>269</u> <u>8932-5230</u> <u>133,42</u> <u>133,342</u> | | | | | | | - | | 291 |
| <u>8921-055</u> <u>74,58</u> <u>285</u> <u>8924-052</u> <u>87,96</u> <u>289</u> <u>8932-553</u> <u>133,31</u> <u>10004-0559</u> | | | | - | | | | | 286 |
| <u>8921-0552</u> 76,58 292 <u>8924-055</u> 94,44 285 <u>8932-5530</u> 127,17 | 8921-0552 | 76,58 | 292 | 8924-055 | 94,44 | 285 | 8932-5530 | 127,17 | 287 |

| 8932-55302 145,58 292 8932-5532 152,22 293 8932-800 6,18 267, 269, 280, 281, 285, 287 8932-802 6,68 289, 291 8934-00 110,34 267 8934-02 88,63 269 8934-052 113,22 289 8934-055 121,56 285 8934-802 9,32 267,269, 285 8934-803 8,32 267,269, 285 8934-804 8,32 267, 269, 285 8934-805 125,56 293 8934-806 8,32 267, 269, 285 934-80 8,32 267, 269, 285 934-80 8,32 267, 269, 285 934-80 3,32 289 934-80 3,32 267, 269, 285 934-80 3,32 267, 269, 285 934-80 3,32 267, 269, 285 934-80 3,32 267, 269, 285 934-80 31,09 362 9136-000 43,46 <td< th=""><th>Order no.</th><th>Weight</th><th>Page</th></td<> | Order no. | Weight | Page |
|---|-----------|-------------|------|
| 8932-5532 152,22 293 8932-80 6,18 267, 269, 280, 281, 285, 287 8932-802 6,68 289, 291 8934-00 110,34 267 8934-02 88,63 269 8934-055 121,56 285 8934-0552 125,56 293 8934-80 8,32 267, 269, 285 8934-802 9,32 289 9135-000 27,37 362 9135-000 37,11 362 9136-000 37,11 362 9160-000 44,89 362 9160-410 60,11 367 9160-600 45,91 367 9160-600 29,65 370 9160-1200 29,65 370 9160-1200 35,81 371 9160-1200 35,81 371 9160-1200 35,81 371 9160-1200 35,81 371 9180-000 50,85 363 9184-000 | | | |
| 8932-80 6,18 267, 269, 280, 281, 285, 287 8934-00 110,34 267 8934-02 88,63 269 8934-052 113,22 289 8934-055 121,56 285 8934-055 121,56 285 8934-80 8,32 267, 269, 285 8934-80 9,32 289 9135-000 37,11 362 9135-000 37,11 362 9136-000 37,11 362 9160-000 44,89 362 9160-000 43,46 363 9160-000 43,46 363 9160-000 43,46 363 9160-000 43,46 363 9160-000 43,46 363 9160-000 35,81 363 9164-000 13,51 368 9180-000 50,85 363 9184-000 46,38 368 9185-000 23,91 369 9186-1200 | | | |
| 8932-802 6,68 289,291 8934-00 110,34 267 8934-052 113,22 289 8934-055 121,56 285 8934-0552 125,56 293 8934-80 8,32 267,269,285 8934-802 9,32 289 91 9135-000 27,37 362 9136-000 37,11 362 9137-000 44,89 362 9160-000 43,46 363 9160-000 43,46 363 9160-000 45,91 367 9165-000 20,01 369 9165-000 20,01 369 9165-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 918-1200 35,81 371 9180-000 50,85 363 9187-1200 35,16 370 9187-1200 35,16 360 | | | |
| 8932-802 6,68 289,291 8934-00 110,34 267 8934-052 113,22 289 8934-055 121,56 285 8934-0552 125,56 285 8934-802 9,32 267, 269, 285 8934-802 9,32 289 9134-000 31,09 362 9135-000 27,37 362 9137-000 43,46 363 9160-000 43,46 363 9160-410 60,11 367 9160-600 45,91 367 9164-000 13,51 368 9165-000 20,01 369 9166-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9180-000 50,85 363 9185-000 23,91 369 9186-1200 35,16 370 9187-120 43,71 371 9186-1200 35,86 < | 0702 00 | 0,10 | |
| 8934-00 #834-02 #8,63 269 8934-052 #8,63 269 8934-055 121,56 285 8934-0552 125,56 293 8934-80 8,32 267,269,285 8934-802 9,32 289 8934-802 9,32 289 9134-000 31,09 362 9135-000 27,37 362 9137-000 44,89 362 9137-000 43,46 363 9160-000 43,46 363 9160-400 43,46 363 9160-400 43,46 363 9160-600 45,91 367 9164-000 33,51 368 9165-000 20,01 369 9164-000 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 43,11< | 8932-802 | <u>6 68</u> | |
| 8934-02 88,63 269 8934-052 113,22 289 8934-055 121,56 285 8934-0552 125,56 293 8934-80 8,32 267,269,285 8934-802 9,32 289 9134-000 31,09 362 9135-000 27,37 362 9136-000 37,11 362 9137-000 44,89 362 9160-410 60,11 367 9160-400 43,46 363 9160-400 45,91 367 9164-000 13,51 368 9165-000 20,01 369 9165-000 20,01 369 9166-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 35,16 370 9236-000 45,35 | | | |
| 8934-052 113,22 289 8934-055 121,56 285 8934-0552 125,56 293 8934-80 8,32 267, 269, 285 8934-802 9,32 289 9134-000 31,09 362 9135-000 27,37 362 9136-000 37,11 362 9137-000 44,89 362 9160-000 43,46 363 9160-410 60,11 367 9160-600 45,91 367 9164-000 13,51 368 9165-000 20,01 369 9165-100 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9187-1200 35,16 370 9187-1200 35,16 370 9187-1200 43,71 371 9180-000 58,36 363 9234-000 38,44 | | | |
| 8934-055 121,56 285 8934-0552 125,56 293 8934-80 8,32 267, 269, 285 8934-802 9,32 289 9 9134-000 31,09 362 9135-000 27,37 362 9136-000 37,11 362 9137-000 44,89 362 9160-000 43,46 363 9160-410 60,11 367 9160-600 45,91 367 9164-000 13,51 368 9165-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 35,16 370 9187-1200 35,16 370 9187-1200 35,16 370 9187-1200 35,36 363 | | | |
| 8934-0552 125,56 293 8934-80 8,32 267, 269, 285 8934-802 9,32 289 9134-000 31,09 362 9135-000 27,37 362 9136-000 37,11 362 9137-000 44,89 362 9160-000 43,46 363 9160-410 60,11 367 9160-600 45,91 367 9164-000 13,51 368 9165-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9180-000 50,85 363 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 43,71 371 9187-1200 35,16 370 9187-1200 35,16 370 9187-1200 38,44 360 9235-000 45,35 360 9235-000 45,35 | | | |
| 8934-80 8,32 267, 269, 285 8934-802 9,32 289 9134-000 31,09 362 9135-000 27,37 362 9137-000 44,89 362 9160-000 43,46 363 9160-410 60,11 367 9160-600 45,91 367 9164-000 13,51 368 9165-000 20,01 369 9165-000 20,01 369 9165-000 20,01 369 9165-000 20,01 369 9180-000 50,85 363 9187-1200 35,81 371 9180-000 50,85 363 9187-1200 35,16 370 9187-1200 35,16 370 9187-1200 35,16 370 9187-1200 43,71 371 9187-1200 43,71 371 9187-1200 58,36 363 9237-000 57,20 36 | | | |
| 8934-802 9,32 289 9134-000 31,09 362 9135-000 27,37 362 9136-000 37,11 362 9137-000 44,89 362 9160-000 43,46 363 9160-410 60,11 367 9160-600 45,91 367 9164-000 13,51 368 9165-000 20,01 369 9165-100 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9237-000 58,36 363 9234-000 38,44 360 9235-000 49,42 360 9237-000 57,48 361 9260-100 65,25 364 < | | | |
| 91:34-000 31,09 362 9135-000 27,37 362 9136-000 37,11 362 9137-000 44,89 362 9160-000 43,46 363 9160-600 45,91 367 9164-000 13,51 368 9165-000 20,01 369 9166-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 35,16 370 9187-1200 35,16 370 9187-1200 35,16 370 9187-1200 35,16 370 9187-1200 35,36 363 9284-000 38,44 360 9235-000 45,35 360 9237-000 57,20 360 9237-000 57,20 360 <td></td> <td></td> <td></td> | | | |
| 9134-000 31,09 362 9135-000 27,37 362 9136-000 37,11 362 9137-000 44,89 362 9160-000 43,46 363 9160-410 60,11 367 9160-600 45,91 367 9165-000 20,01 369 9165-000 20,01 369 9165-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9237-000 57,20 360 9237-000 57,20 360 9260-100 65,25 364 9260-30 60,59 365,372 | 0734-002 | | 207 |
| 9135-000 27,37 362 9136-000 37,11 362 9137-000 44,89 362 9160-000 43,46 363 9160-410 60,11 367 9160-600 45,91 367 9164-000 13,51 368 9165-000 20,01 369 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 35,16 370 9187-1200 35,16 370 9187-1200 35,16 370 9187-1200 35,16 370 9187-1200 35,16 370 9187-1200 35,16 370 9187-1200 38,44 360 9234-000 38,44 360 9237-000 57,20 360 9237-000 57,20 360 <td>9134-000</td> <td></td> <td>362</td> | 9134-000 | | 362 |
| 9136-000 37,11 362 9137-000 44,89 362 9160-000 43,46 363 9160-410 60,11 367 9160-600 45,91 367 9164-000 13,51 368 9165-000 20,01 369 9166-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9234-000 45,35 360 9235-000 45,35 360 9237-000 57,20 360 9240-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9265-009 26,36 274 | | | |
| 9137-000 44,89 362 9160-000 43,46 363 9160-410 60,11 367 9160-600 45,91 367 9164-000 13,51 368 9165-000 20,01 369 9166-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9236-000 49,42 360 9237-000 57,20 360 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9265-009 26,36 274 | | | |
| 9160-000 43,46 363 9160-410 60,11 367 9160-600 45,91 367 9164-000 13,51 368 9165-000 20,01 369 9166-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9237-000 57,20 360 9237-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-410 74,13 366 9265-009 26,36 274 9265-009 26,36 274 | | | |
| 9160-410 60,11 367 9160-600 45,91 367 9164-000 13,51 368 9165-000 20,01 369 9166-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9237-000 57,20 360 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-400 17,43 274 9265-009 26,36 274 9265-009 26,36 274 | | | |
| 9160-600 45,91 367 9164-000 13,51 368 9165-000 20,01 369 9166-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9237-000 57,20 360 9237-000 57,48 361 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-400 17,43 274 9265-000 26,39 369 9265-000 26,39 369 9265-009 26,36 274 | | | |
| 9164-000 13,51 368 9165-000 20,01 369 9166-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9236-000 49,42 360 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-30 60,59 365,372 9265-000 26,39 369 9265-000 26,39 369 9265-000 26,39 369 9266-1200 39,45 370 </td <td></td> <td></td> <td></td> | | | |
| 9165-000 20,01 369 9166-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9237-000 57,20 360 9237-000 57,20 360 9237-000 57,20 360 9237-000 57,48 361 9260-000 57,48 361 9260-30 60,59 365,372 9260-410 74,13 366 9260-40 59,93 366 9265-000 26,39 369 9265-000 26,39 369 9265-000 26,36 274 9280-000 47,41 371 | | | |
| 9166-1200 29,65 370 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9237-000 57,20 360 9237-000 57,20 360 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-400 17,43 274 9265-000 26,39 369 9265-000 26,39 369 9265-000 26,36 274 9280-000 47,41 371 9280-000 47,41 371 | | | |
| 9167-1200 35,81 371 9180-000 50,85 363 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9237-000 57,20 360 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-400 17,43 274 9260-600 59,93 366 9265-009 26,36 274 9265-009 26,36 274 9265-009 26,36 274 9280-000 47,41 371 9280-000 47,41 371 9280-000 47,41 371 | | | |
| 9180-000 50,85 363 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9237-000 57,20 360 9237-000 57,20 360 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-400 17,43 274 9260-600 59,93 366 9265-000 26,39 369 9265-000 26,39 369 9265-000 26,36 274 9280-100 47,41 371 9280-100 71,58 364 9280-000 44,87 365 | | | |
| 9184-000 16,38 368 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9237-000 57,20 360 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-400 17,43 274 9265-000 26,39 369 9265-000 26,39 369 9265-009 26,36 274 9267-1200 47,41 371 9280-000 64,87 361 9280-000 47,41 371 9280-000 47,41 371 9285-000 30,30 364 9285-000 30,30 367 | | | |
| 9185-000 23,91 369 9186-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-600 59,93 366 9265-000 26,39 369 9265-000 26,39 369 9265-009 26,36 274 9280-000 47,41 371 9280-000 47,41 371 9280-000 47,41 371 9280-000 47,41 371 9280-000 47,41 371 9280-000 47,41 371 9280-000 71,58 364 9280-000 30,30 369 | 9180-000 | | 363 |
| 9186-1200 35,16 370 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-600 59,93 366 9264-000 17,43 274 9265-009 26,36 274 9265-009 26,36 274 9265-009 26,36 274 9280-000 47,41 371 9280-000 47,41 371 9280-000 47,41 371 9280-000 47,41 371 9280-000 47,41 361 9280-000 47,41 371 9280-000 30,30 369 9285-000 30,30 369 | 9184-000 | | 368 |
| 9187-1200 43,71 371 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-600 59,93 366 9265-000 26,39 369 9265-000 26,39 369 9265-009 26,36 274 9267-1200 47,41 371 9280-000 64,87 361 9280-000 64,87 365 9280-100 71,58 364 9280-00 20,30 274 9285-000 30,30 369 9285-000 30,30 369 9285-000 30,30 369 9287-1200 55,31 371 9295-000 32,29 369 | 9185-000 | 23,91 | 369 |
| 9190-000 58,36 363 9234-000 38,44 360 9235-000 45,35 360 9236-000 49,42 360 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-600 59,93 366 9264-000 17,43 274 9265-009 26,36 274 9265-009 26,36 274 9267-1200 47,41 371 9280-000 64,87 361 9280-088 56,49 365 9280-100 71,58 364 9280-30 67,21 365,372 9284-000 20,30 274 9285-009 30,38 274 9285-009 30,88 274 9286-1200 42,49 370 9287-1200 55,31 371 <td>9186-1200</td> <td>35,16</td> <td>370</td> | 9186-1200 | 35,16 | 370 |
| 9234-000 38,44 360 9235-000 45,35 360 9236-000 49,42 360 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-600 59,93 366 9264-000 17,43 274 9265-009 26,36 274 9265-009 26,36 274 9267-1200 39,45 370 9267-1200 47,41 371 9280-088 56,49 365 9280-100 71,58 364 9280-00 20,30 274 9284-000 20,30 274 9285-009 30,88 274 9287-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 | 9187-1200 | 43,71 | 371 |
| 9235-000 45,35 360 9236-000 49,42 360 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-600 59,93 366 9265-000 26,39 369 9265-009 26,36 274 9265-009 26,36 274 9267-1200 47,41 371 9280-000 64,87 361 9280-000 64,87 365 9280-100 71,58 364 9280-00 20,30 274 9285-000 30,30 369 9285-009 30,88 274 9286-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9295-009 32,95 274 9295-009 32,95 274 | 9190-000 | 58,36 | 363 |
| 9236-000 49,42 360 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-600 59,93 366 9264-000 17,43 274 9265-009 26,36 274 9265-009 26,36 274 9266-1200 39,45 370 9267-1200 47,41 371 9280-088 56,49 365 9280-100 71,58 364 9280-100 71,58 364 9280-30 67,21 365,372 9280-00 20,30 274 9285-000 30,30 369 9285-009 30,88 274 9286-1200 42,49 370 9287-1200 55,31 371 9295-000 32,29 369 9295-009 32,95 274 <td>9234-000</td> <td>38,44</td> <td>360</td> | 9234-000 | 38,44 | 360 |
| 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-600 59,93 366 9264-000 17,43 274 9265-009 26,36 274 9265-009 26,36 274 9265-009 26,36 274 9266-1200 39,45 370 9267-1200 47,41 371 9280-000 64,87 361 9280-100 71,58 364 9280-30 67,21 365,372 9284-000 20,30 274 9285-009 30,38 274 9285-009 30,88 274 9287-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-009 32,95 274 <td>9235-000</td> <td>45,35</td> <td>360</td> | 9235-000 | 45,35 | 360 |
| 9237-000 57,20 360 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-600 59,93 366 9264-000 17,43 274 9265-009 26,36 274 9265-009 26,36 274 9265-009 26,36 274 9266-1200 39,45 370 9267-1200 47,41 371 9280-000 64,87 361 9280-100 71,58 364 9280-30 67,21 365,372 9284-000 20,30 274 9285-009 30,38 274 9285-009 30,88 274 9287-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-009 32,95 274 <td>9236-000</td> <td></td> <td></td> | 9236-000 | | |
| 9260-000 57,48 361 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-600 59,93 366 9264-000 17,43 274 9265-009 26,39 369 9265-009 26,36 274 9266-1200 39,45 370 9267-1200 47,41 371 9280-000 64,87 361 9280-008 56,49 365 9280-100 71,58 364 9280-30 67,21 365,372 9284-000 20,30 274 9285-009 30,38 274 9285-009 30,88 274 9287-1200 42,49 370 9287-1200 55,31 371 9295-000 32,29 369 9295-000 32,29 369 9295-009 32,95 274 9360-80 4,24 361, 363 | | | |
| 9260-100 65,25 364 9260-30 60,59 365,372 9260-410 74,13 366 9260-600 59,93 366 9264-000 17,43 274 9265-009 26,39 369 9265-009 26,36 274 9266-1200 39,45 370 9267-1200 47,41 371 9280-000 64,87 361 9280-088 56,49 365 9280-100 71,58 364 9280-30 67,21 365,372 9284-000 20,30 274 9285-009 30,30 369 9285-009 30,88 274 9287-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9295-009 32,29 369 9295-009 32,95 274 9360-80 4,24 361,363,369 9360-80 4,24 36 | | | |
| 9260-30 60,59 365, 372 9260-410 74,13 366 9260-600 59,93 366 9264-000 17,43 274 9265-009 26,39 369 9265-009 26,36 274 9266-1200 39,45 370 9267-1200 47,41 371 9280-000 64,87 361 9280-088 56,49 365 9280-100 71,58 364 9280-30 67,21 365,372 9284-000 20,30 274 9285-009 30,30 369 9285-009 30,88 274 9286-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-009 32,95 274 9360-80 4,24 361, 363, 369 9360-81 7,10 372 9364-000 16,74 <td< td=""><td></td><td></td><td></td></td<> | | | |
| 9260-410 74,13 366 9260-600 59,93 366 9264-000 17,43 274 9265-000 26,39 369 9265-009 26,36 274 9266-1200 39,45 370 9267-1200 47,41 371 9280-000 64,87 361 9280-088 56,49 365 9280-100 71,58 364 9280-30 67,21 365,372 9284-000 20,30 274 9285-009 30,38 274 9285-009 30,88 274 9287-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9295-009 32,29 369 9295-009 32,29 369 9295-009 32,95 274 9360-80 4,24 361,363,369 9360-811 7,10 372 9364-000 16,74 368< | | | |
| 9260-600 59,93 366 9264-000 17,43 274 9265-009 26,39 369 9265-009 26,36 274 9266-1200 39,45 370 9267-1200 47,41 371 9280-088 56,49 365 9280-100 71,58 364 9280-30 67,21 365,372 9284-000 20,30 274 9285-009 30,30 369 9285-009 30,88 274 9286-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-009 32,95 274 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 25,01 369 9365-000 38,25 370 9367-1200 45,13 371 | | | |
| 9264-000 17,43 274 9265-000 26,39 369 9265-009 26,36 274 9266-1200 39,45 370 9267-1200 47,41 371 9280-000 64,87 361 9280-088 56,49 365 9280-100 71,58 364 9280-30 67,21 365,372 9284-000 20,30 274 9285-009 30,38 274 9285-009 30,88 274 9287-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-009 32,95 274 9360-80 4,24 361, 363, 369 9360-81 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 3 | | | |
| 9265-000 26,39 369 9265-009 26,36 274 9266-1200 39,45 370 9267-1200 47,41 371 9280-000 64,87 361 9280-088 56,49 365 9280-100 71,58 364 9280-30 67,21 365,372 9284-000 20,30 274 9285-009 30,38 274 9285-009 30,88 274 9287-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-009 32,95 274 9360-000 54,90 363 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 25,01 369 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 | | | |
| 9265-009 26,36 274 9266-1200 39,45 370 9267-1200 47,41 371 9280-000 64,87 361 9280-088 56,49 365 9280-100 71,58 364 9280-30 67,21 365,372 9284-000 20,30 274 9285-009 30,30 369 9285-009 30,88 274 9286-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-009 32,95 274 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | | | |
| 9266-1200 39,45 370 9267-1200 47,41 371 9280-000 64,87 361 9280-088 56,49 365 9280-100 71,58 364 9280-30 67,21 365, 372 9284-000 20,30 274 9285-000 30,30 369 9285-009 30,88 274 9286-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-009 32,95 274 9360-000 54,90 363 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | | | |
| 9267-1200 47,41 371 9280-000 64,87 361 9280-088 56,49 365 9280-100 71,58 364 9280-30 67,21 365,372 9284-000 20,30 274 9285-009 30,30 369 9285-009 30,88 274 9286-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-000 32,29 369 9360-000 54,90 363 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | | | |
| 9280-000 64,87 361 9280-088 56,49 365 9280-100 71,58 364 9280-30 67,21 365,372 9284-000 20,30 274 9285-009 30,30 369 9285-009 30,88 274 9286-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-009 32,29 369 9295-009 32,95 274 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | - | | |
| 9280-088 56,49 365 9280-100 71,58 364 9280-30 67,21 365, 372 9284-000 20,30 274 9285-009 30,38 274 9286-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-009 32,29 369 9295-009 32,95 274 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | | | |
| 9280-100 71,58 364 9280-30 67,21 365,372 9284-000 20,30 274 9285-000 30,30 369 9285-009 30,88 274 9286-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-000 32,29 369 9295-009 32,95 274 9360-000 54,90 363 9360-80 4,24 361, 363, 369 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | | | |
| 9280-30 67,21 365, 372 9284-000 20,30 274 9285-000 30,30 369 9285-009 30,88 274 9286-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-000 32,29 369 9295-009 32,95 274 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | | | |
| 9284-000 20,30 274 9285-000 30,30 369 9285-009 30,88 274 9286-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-000 32,29 369 9295-009 32,95 274 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | | | |
| 9285-000 30,30 369 9285-009 30,88 274 9286-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-000 32,29 369 9295-009 32,95 274 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | | | |
| 9285-009 30,88 274 9286-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-000 32,29 369 9295-009 32,95 274 9360-000 54,90 363 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | 9284-000 | 20,30 | 274 |
| 9286-1200 42,49 370 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-000 32,29 369 9295-009 32,95 274 9360-000 54,90 363 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | 9285-000 | 30,30 | 369 |
| 9287-1200 55,31 371 9290-000 72,38 361 9294-000 27,52 274 9295-000 32,29 369 9295-009 32,95 274 9360-000 54,90 363 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | 9285-009 | 30,88 | 274 |
| 9290-000 72,38 361 9294-000 27,52 274 9295-000 32,29 369 9295-009 32,95 274 9360-000 54,90 363 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | 9286-1200 | 42,49 | 370 |
| 9294-000 27,52 274 9295-000 32,29 369 9295-009 32,95 274 9360-000 54,90 363 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | 9287-1200 | 55,31 | 371 |
| 9294-000 27,52 274 9295-000 32,29 369 9295-009 32,95 274 9360-000 54,90 363 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | 9290-000 | 72,38 | 361 |
| 9295-000 32,29 369 9295-009 32,95 274 9360-000 54,90 363 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | 9294-000 | | |
| 9295-009 32,95 274 9360-000 54,90 363 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | | | |
| 9360-000 54,90 363 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | | | |
| 9360-80 4,24 361, 363, 369 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | | | |
| 9360-811 7,10 372 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | | | |
| 9364-000 16,74 368 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | | | |
| 9365-000 25,01 369 9366-1200 38,25 370 9367-1200 45,13 371 | | | |
| 9366-1200 38,25 370 9367-1200 45,13 371 | - | | |
| 9367-1200 45,13 371 | | | |
| | | | |
| 9380-000 64,70 363 | | | |
| | 938U-UUU | 64,70 | 363 |

| Order no. Weight Page 9384-000 20,10 368 9385-000 29,83 369 366-200 45,99 370 368 366-200 45,99 370 360 368 36-200 45,99 370 360 </th <th></th> <th></th> <th></th> | | | |
|---|----------------|--------|------|
| 9385-000 29,83 369 9386-1200 45,99 370 9460-000 71,70 361 9464-000 22,05 274 9465-009 29,48 274 9465-1200 48,07 370 9467-1200 47,84 371 9480-000 81,50 361 9481-000 19,05 274 9485-009 33,33 274 9485-009 33,33 274 9485-009 33,33 274 9485-1200 54,09 370 9487-1200 52,30 371 9490-000 89,19 361 9495-000 40,31 369 9495-009 42,09 274 9901-0001-183 448 9901-0002-183 448 9901-0004-183 448 9901-0005-183 448 9901-0008-183 448 9901-001-183 449 9901-001-183 449 9901-001-1 | Order no. | Weight | Page |
| 9386-1200 45,99 370 9460-000 71,70 361 9464-000 22,05 274 9465-009 29,48 274 9465-1200 48,07 370 9467-1200 47,84 371 9480-000 81,50 361 9485-000 38,53 369 9485-009 33,33 274 9485-1200 54,09 370 9487-1200 52,30 371 9490-000 89,19 361 9497-000 89,19 361 9495-000 40,31 369 9495-000 40,31 369 9495-000 42,09 274 9901-0001-183 448 9901-0002-183 448 9901-0002-183 448 9901-0005-183 448 9901-0008-183 448 9901-001-183 448 9901-001-183 449 9901-001-183 449 9901-001-183 <td< td=""><td>9384-000</td><td>20,10</td><td>368</td></td<> | 9384-000 | 20,10 | 368 |
| 9460-000 71,70 361 9464-000 22,05 274 9465-000 33,71 369 9465-009 29,48 274 9466-1200 48,07 370 9466-1200 47,84 371 9480-000 81,50 361 9480-000 19,05 274 9485-000 38,53 369 9485-009 33,33 274 9486-1200 54,09 370 9487-1200 52,30 371 9490-000 89,19 361 9495-000 40,31 369 9495-000 40,31 369 9495-000 42,09 274 99001-0001-183 448 99001-0002-183 448 99001-0003-183 448 99001-0006-183 448 99001-0001-183 448 99001-001-183 449 99001-001-183 449 99001-001-183 449 99001-001-183 | 9385-000 | 29,83 | 369 |
| 9464-000 22,05 274 9465-000 33,71 369 9465-009 29,48 274 9465-1200 48,07 370 9467-1200 47,84 371 9480-000 81,50 361 9481-000 19,05 274 9485-009 33,33 274 9485-009 33,33 274 9485-1200 54,09 370 9487-1200 52,30 371 9490-000 89,19 361 9495-000 40,31 369 9495-009 42,09 274 9901-0001-183 448 9901-0002-183 448 9901-0005-183 448 9901-0006-183 448 9901-0007-183 448 9901-001-183 449 9901-001-183 449 9901-001-183 449 9901-001-183 449 9901-001-183 449 9901-001-183 449 <t< td=""><td>9386-1200</td><td>45,99</td><td>370</td></t<> | 9386-1200 | 45,99 | 370 |
| 9465-000 33,71 369 9465-009 29,48 274 9466-1200 48,07 370 9467-1200 47,84 371 9480-000 81,50 361 9484-000 19,05 274 9485-009 33,33 274 9486-1200 54,09 370 9487-1200 52,30 371 9490-000 89,19 361 9494-000 25,20 274 9495-009 42,09 274 9495-009 42,09 274 99001-0001-183 448 99001-0002-183 448 99001-0004-183 448 99001-0004-183 448 99001-0007-183 448 99001-0010-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0018-183 449 <t< td=""><td>9460-000</td><td>71,70</td><td>361</td></t<> | 9460-000 | 71,70 | 361 |
| 9465-009 29,48 274 9466-1200 48,07 370 9467-1200 47,84 371 9480-000 81,50 361 9484-000 19,05 274 9485-009 33,33 274 9485-1200 54,09 370 9487-1200 52,30 371 9490-000 89,19 361 9495-000 40,31 369 9495-009 42,09 274 99001-0001-183 448 99001-0002-183 448 99001-0004-183 448 99001-0005-183 448 99001-0006-183 448 99001-0007-183 448 99001-0010-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-001-183 4 | 9464-000 | 22,05 | 274 |
| 9466-1200 48,07 370 9467-1200 47,84 371 9480-000 81,50 361 9484-000 19,05 274 9485-000 38,53 369 9485-009 33,33 274 9486-1200 54,09 370 9487-1200 52,30 371 9490-000 89,19 361 9495-000 40,31 369 9495-009 42,09 274 99001-0001-183 448 99001-0004-183 448 99001-0005-183 448 99001-0006-183 448 99001-0001-183 448 99001-0010-183 448 99001-0010-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0018-183 449 99001-0018-183 | 9465-000 | 33,71 | 369 |
| 9467-1200 47,84 371 9480-000 81,50 361 9484-000 19,05 274 9485-000 38,53 369 9485-009 33,33 274 9486-1200 54,09 370 9487-1200 52,30 371 9490-000 89,19 361 9495-000 40,31 369 9495-009 42,09 274 99001-0001-183 448 99001-0002-183 448 99001-0004-183 448 99001-0004-183 448 99001-0001-83 448 99001-0007-183 448 99001-0010-183 448 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-001-183 449 99001-001-183 449 99001-001-183 449 99001-001-183 450 | 9465-009 | 29,48 | 274 |
| 9480-000 81,50 361 9484-000 19,05 274 9485-000 38,53 369 9485-009 33,33 274 9486-1200 54,09 370 9487-1200 52,30 371 9490-000 89,19 361 9494-000 25,20 274 9495-009 42,09 274 9901-0001-183 448 99001-0002-183 448 99001-0004-183 448 99001-0005-183 448 99001-0006-183 448 99001-0007-183 448 99001-0010-183 448 99001-0010-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0016-183 449 99001-0016-183 449 99001-0016-183 449 99001-0016-183 449 99001-0016-183 449 99001-0016-183 449 < | 9466-1200 | 48,07 | 370 |
| 9484-000 19,05 274 9485-000 38,53 369 9485-009 33,33 274 9486-1200 54,09 370 9487-1200 52,30 371 9490-000 89,19 361 9494-000 25,20 274 9495-009 42,09 274 99001-0001-183 448 99001-0002-183 448 99001-0004-183 448 99001-0005-183 448 99001-0006-183 448 99001-0007-183 448 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0011-183 449 99001-0016-183 449 99001-0016-183 449 99001-0016-183 449 99001-0016-183 449 99001-0016-183 449 99001-0016-183 450 99001-0021-18 | 9467-1200 | 47,84 | 371 |
| 9485-000 38,53 369 9485-009 33,33 274 9486-1200 54,09 370 9487-1200 52,30 371 9490-000 89,19 361 9494-000 25,20 274 9495-009 42,09 274 99001-0001-183 448 99001-0002-183 448 99001-0003-183 448 99001-0004-183 448 99001-0005-183 448 99001-0007-183 448 99001-0001-183 448 99001-0001-183 449 99001-0010-183 449 99001-0011-183 449 99001-0012-183 449 99001-0014-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0018-183 449 99001-0018-183 449 99001-0018-183 450 99001-0021-183 450 99001-0021-183 <t< td=""><td>9480-000</td><td>81,50</td><td>361</td></t<> | 9480-000 | 81,50 | 361 |
| 9485-009 33,33 274 9486-1200 54,09 370 9487-1200 52,30 371 9490-000 89,19 361 9494-000 25,20 274 9495-009 42,09 274 99001-0001-183 448 99001-0003-183 448 99001-0004-183 448 99001-0004-183 448 99001-0005-183 448 99001-0006-183 448 99001-0007-183 448 99001-0001-183 448 99001-0010-183 449 99001-0011-183 449 99001-0011-183 449 99001-0014-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0017-183 449 99001-0018-183 449 99001-0018-183 450 99001-0021-183 450 99001-0021-183 450 99001-0022-183 450 </td <td>9484-000</td> <td>19,05</td> <td>274</td> | 9484-000 | 19,05 | 274 |
| 9486-1200 54,09 370 9487-1200 52,30 371 9490-000 89,19 361 9494-000 25,20 274 9495-009 42,09 274 99001-0001-183 448 99001-0002-183 448 99001-0004-183 448 99001-0004-183 448 99001-0006-183 448 99001-0007-183 448 99001-0008-183 448 99001-0009-183 448 99001-001-183 449 99001-001-183 449 99001-001-183 449 99001-001-183 449 99001-001-183 449 99001-001-183 449 99001-001-183 449 99001-001-183 449 99001-001-183 449 99001-001-183 449 99001-001-183 449 99001-001-183 449 99001-001-183 450 99001-001-183 450 99001- | 9485-000 | 38,53 | 369 |
| 9487-1200 52,30 371 9490-000 89,19 361 9494-000 25,20 274 9495-009 40,31 369 9495-009 42,09 274 99001-0001-183 448 99001-0002-183 448 99001-0004-183 448 99001-0005-183 448 99001-0007-183 448 99001-0007-183 448 99001-0008-183 448 99001-0009-183 448 99001-001-183 449 99001-001-183 449 99001-0012-183 449 99001-0014-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0018-183 449 99001-0018-183 449 99001-0018-183 449 99001-0018-183 450 99001-002-183 450 99001-002-183 450 99001-002-183 450 <t< td=""><td>9485-009</td><td>33,33</td><td>274</td></t<> | 9485-009 | 33,33 | 274 |
| 9490-000 89,19 361 9494-000 25,20 274 9495-000 40,31 369 9495-009 42,09 274 99001-0001-183 448 99001-0002-183 448 99001-0004-183 448 99001-0005-183 448 99001-0006-183 448 99001-0007-183 448 99001-0008-183 448 99001-00101-183 449 99001-0011-183 449 99001-0012-183 449 99001-0013-183 449 99001-0014-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0018-183 449 99001-0018-183 449 99001-0018-183 450 99001-0021-183 450 99001-0022-183 450 99001-0023-183 450 99001-0024-183 451 99001-0025-183 442 99001-0030 | 9486-1200 | 54,09 | 370 |
| 9494-000 25,20 274 9495-000 40,31 369 9495-009 42,09 274 99001-0001-183 448 99001-0002-183 448 99001-0004-183 448 99001-0005-183 448 99001-0007-183 448 99001-0007-183 448 99001-0009-183 448 99001-0010-183 449 99001-0011-183 449 99001-0012-183 449 99001-0013-183 449 9901-0014-183 449 9901-0015-183 449 9901-0016-183 449 9901-0018-183 449 9901-0018-183 449 9901-0018-183 449 9901-0018-183 450 9901-0021-183 450 9901-0021-183 450 9901-0022-183 450 9901-0022-183 450 9901-0023-183 451 9901-0024-183 451 9901-0024-183 451 | 9487-1200 | 52,30 | 371 |
| 9495-000 40,31 369 9495-009 42,09 274 99001-0001-183 448 99001-0002-183 448 99001-0004-183 448 99001-0005-183 448 99001-0007-183 448 99001-0007-183 448 99001-0009-183 448 99001-0010-183 449 99001-0011-183 449 99001-0012-183 449 99001-0012-183 449 99001-0014-183 449 99001-0015-183 449 99001-0016-183 449 99001-0016-183 449 99001-0017-183 449 99001-0018-183 449 99001-0018-183 450 99001-0020-183 450 99001-0021-183 450 99001-0022-183 450 99001-0022-183 450 99001-0022-183 451 99001-0022-183 451 99001-0022-183 451 99001-0023-183 451 99001-0024-183 451 99001-0030-00 | 9490-000 | 89,19 | 361 |
| 9495-009 42,09 274 99001-0001-183 448 99001-0002-183 448 99001-0004-183 448 99001-0005-183 448 99001-0007-183 448 99001-0007-183 448 99001-0009-183 448 99001-0011-183 449 99001-0012-183 449 99001-0013-183 449 99001-0014-183 449 99001-0015-183 449 99001-0016-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0018-183 449 99001-0019-183 450 9901-0021-183 450 99001-0021-183 450 99001-0021-183 450 99001-0022-183 450 99001-0023-183 451 99001-0023-183 451 99001-0023-183 451 99001-0024-183 451 99001-0025-183 451 99001-0030-001 460 99001-0030-002 <td< td=""><td>9494-000</td><td>25,20</td><td>274</td></td<> | 9494-000 | 25,20 | 274 |
| 99001-0001-183 448 99001-0002-183 448 99001-0003-183 448 99001-0005-183 448 99001-0006-183 448 99001-0007-183 448 99001-0008-183 448 99001-0009-183 448 99001-0010-183 449 99001-0011-183 449 99001-0012-183 449 99001-0013-183 449 99001-0014-183 449 99001-0015-183 449 99001-0016-183 449 99001-0016-183 449 99001-0017-183 449 99001-0018-183 449 99001-0018-183 450 99001-0021-183 450 99001-0021-183 450 99001-0022-183 450 99001-0023-183 451 99001-0024-183 451 99001-0025-183 451 99001-0025-183 442 99001-0030-001 460 99001-0030-001 460 99001-0 | 9495-000 | 40,31 | 369 |
| 99001-0001-183 448 99001-0002-183 448 99001-0003-183 448 99001-0005-183 448 99001-0006-183 448 99001-0007-183 448 99001-0008-183 448 99001-0009-183 448 99001-0010-183 449 99001-0011-183 449 99001-0012-183 449 99001-0013-183 449 99001-0014-183 449 99001-0015-183 449 99001-0016-183 449 99001-0016-183 449 99001-0017-183 449 99001-0018-183 449 99001-0018-183 450 99001-0021-183 450 99001-0021-183 450 99001-0022-183 450 99001-0023-183 451 99001-0024-183 451 99001-0025-183 451 99001-0025-183 442 99001-0030-001 460 99001-0030-001 460 99001-0 | 9495-009 | 42,09 | 274 |
| 99001-0003-183 448 99001-0004-183 448 99001-0006-183 448 99001-0007-183 448 99001-0008-183 448 99001-0010-183 449 99001-0011-183 449 99001-0012-183 449 99001-0013-183 449 99001-0014-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0017-183 449 99001-0018-183 449 99001-0019-183 450 99001-0020-183 450 99001-0021-183 450 99001-0021-183 450 99001-0023-183 451 99001-0024-183 451 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0031-803 466 99001-0032-240 464 99001-0033-240 464 99001-0034-820 466 99001-0038-001 468 | 99001-0001-183 | | 448 |
| 99001-0003-183 448 99001-0004-183 448 99001-0006-183 448 99001-0007-183 448 99001-0008-183 448 99001-0010-183 449 99001-0011-183 449 99001-0012-183 449 99001-0013-183 449 99001-0014-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0017-183 449 99001-0018-183 449 99001-0019-183 450 99001-0020-183 450 99001-0021-183 450 99001-0021-183 450 99001-0023-183 451 99001-0024-183 451 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0031-803 466 99001-0032-240 464 99001-0033-240 464 99001-0034-820 466 99001-0038-001 468 | 99001-0002-183 | | 448 |
| 99001-0004-183 448 99001-0005-183 448 99001-0007-183 448 99001-0008-183 448 99001-0010-183 449 99001-0011-183 449 99001-0012-183 449 99001-0013-183 449 99001-0015-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0018-183 449 99001-0019-183 450 99001-0020-183 450 99001-0021-183 450 99001-0021-183 450 99001-0023-183 451 99001-0024-183 451 99001-0025-183 442 99001-0026-183 442 99001-0026-183 442 99001-0030-001 460 99001-0031-803 466 99001-0031-803 466 99001-0032-240 464 99001-0034-057 466 99001-0037-240 468 99001-0038-260 468 99001-0038-260 468 | | | |
| 99001-0005-183 448 99001-0006-183 448 99001-0007-183 448 99001-0009-183 448 99001-0010-183 449 99001-0012-183 449 99001-0013-183 449 99001-0014-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0017-183 449 99001-0018-183 449 99001-0019-183 450 99001-0020-183 450 99001-0021-183 450 99001-0021-183 450 99001-0023-183 451 99001-0024-183 451 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0031-803 466 99001-0032-240 464 99001-0034-057 466 99001-0037-000 468 99001-0038-200 468 99001-0038-200 468 99001-0038-200 468 | | | |
| 99001-0006-183 448 99001-0007-183 448 99001-0009-183 448 99001-0010-183 449 99001-0011-183 449 99001-0012-183 449 99001-0013-183 449 99001-0015-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0017-183 450 99001-0019-183 450 99001-0020-183 450 99001-0021-183 450 99001-0021-183 450 99001-0021-183 450 99001-0023-183 451 99001-0024-183 451 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-030-001 460 9901-031-803 466 99001-032-240 464 99001-033-240 464 99001-034-820 466 99001-037-000 468 99001-038-001 468 99001-038-001 468 | | | |
| 99001-0007-183 448 99001-0009-183 448 99001-0010-183 449 99001-0011-183 449 99001-0012-183 449 99001-0013-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0017-183 449 99001-0018-183 449 99001-0019-183 450 99001-0020-183 450 99001-0021-183 450 99001-0021-183 450 99001-0021-183 451 99001-0022-183 451 99001-0023-183 451 99001-0024-183 442 99001-0025-183 442 99001-0026-183 442 99001-0030-001 460 99001-030-002 460 99001-031-803 466 99001-0031-803 466 99001-0034-057 466 99001-0035-240 466 99001-0037-240 468 99001-0038-001 468 99001-0038-001 468 </td <td></td> <td></td> <td></td> | | | |
| 99001-0008-183 448 99001-0010-183 449 99001-0011-183 449 99001-0012-183 449 99001-0013-183 449 99001-0015-183 449 99001-0016-183 449 99001-0016-183 449 99001-0017-183 449 99001-0018-183 449 99001-0019-183 450 99001-0021-183 450 99001-0021-183 450 99001-0023-183 451 99001-0024-183 451 99001-0025-183 442 99001-0026-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-030-002 460 99001-031-803 466 99001-032-240 464 99001-033-240 466 99001-037-000 468 99001-037-000 468 99001-038-001 468 99001-038-001 468 99001-039-000 468 99001-0039-001 468 | | | |
| 99001-0009-183 448 99001-0010-183 449 99001-0012-183 449 99001-0013-183 449 99001-0015-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0018-183 449 99001-0019-183 450 99001-0020-183 450 99001-0021-183 450 99001-0023-183 450 99001-0023-183 451 99001-0024-183 452 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-030-002 460 99001-031-803 466 99001-032-240 464 99001-033-240 464 99001-034-820 466 99001-037-000 468 99001-038-001 468 9901-038-001 468 9901-038-001 468 9901-039-001 468 9901-0039-001 468 | | | |
| 99001-0010-183 449 99001-0012-183 449 99001-0013-183 449 99001-0015-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0018-183 449 99001-0019-183 450 99001-0020-183 450 99001-0021-183 450 99001-0021-183 450 99001-0021-183 451 99001-0024-183 451 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-030-002 460 99001-031-803 466 99001-032-240 464 99001-033-240 464 99001-034-820 466 99001-037-000 468 99001-037-240 468 99001-038-001 468 99001-039-000 468 99001-039-001 468 99001-0039-001 468 9901-0040-0104-010 456 | | | |
| 99001-0011-183 449 99001-0012-183 449 99001-0014-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0018-183 449 99001-0019-183 450 99001-002-183 450 99001-002-183 450 99001-002-183 451 99001-0024-183 451 99001-0025-183 442 99001-0026-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0031-803 466 99001-0031-803 466 99001-0032-240 464 99001-0034-057 466 99001-0035-240 466 99001-0037-240 468 99001-0037-240 468 99001-0038-260 468 99001-0039-001 468 99001-0039-001 468 99001-0040-010 456 99001-0040-010 456 | | | |
| 99001-0012-183 449 99001-0013-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0018-183 449 99001-0019-183 450 99001-002-183 450 99001-0021-183 450 99001-0023-183 451 99001-0024-183 451 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 9901-0031-803 466 9901-0032-240 464 9901-0033-240 464 9901-0034-057 466 9901-035-240 466 9901-037-240 468 9901-037-240 468 9901-038-260 468 9901-039-001 468 9901-039-001 468 9901-0039-001 468 9901-0040-010 456 9901-0040-010 456 9901-0040-010 456 | | | |
| 99001-0013-183 449 99001-0014-183 449 99001-0015-183 449 99001-0017-183 449 99001-0018-183 449 99001-0019-183 450 99001-002-183 450 99001-002-183 450 99001-002-183 450 99001-002-183 451 99001-0024-183 451 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0031-803 466 99001-0032-240 464 99001-0033-240 464 99001-0034-820 466 99001-0035-240 466 99001-0037-000 468 99001-0038-001 468 99001-0039-000 468 99001-0039-001 468 99001-0039-001 468 99001-0040-010 456 99001-0040-010 456 99001-0040-016 456 | | | |
| 99001-0014-183 449 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0019-183 450 99001-0020-183 450 99001-0021-183 450 99001-0021-183 450 99001-0023-183 451 99001-0024-183 442 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0030-002 460 99001-0031-803 466 99001-0032-240 464 99001-0034-057 466 99001-0035-240 466 99001-0037-000 468 99001-0037-240 468 99001-0037-000 468 99001-0038-260 468 99001-0039-001 468 99001-0039-001 468 99001-0040-010 456 99001-0040-010 456 99001-0040-016 456 | | | |
| 99001-0015-183 449 99001-0016-183 449 99001-0017-183 449 99001-0019-183 450 99001-0020-183 450 99001-0021-183 450 99001-0022-183 450 99001-0023-183 451 99001-0024-183 442 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0030-002 460 99001-0031-803 466 99001-0032-240 464 99001-0034-057 466 99001-0035-240 466 99001-0035-240 466 99001-0037-000 468 99001-0037-000 468 99001-0038-001 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-016 456 | | | |
| 99001-0016-183 449 99001-0017-183 449 99001-0019-183 450 99001-0020-183 450 99001-0021-183 450 99001-0022-183 450 99001-0023-183 451 99001-0024-183 445 99001-0025-183 442 99001-0026-183 442 99001-0030-001 460 99001-0030-002 460 99001-0031-803 466 99001-0032-240 464 99001-0034-057 466 99001-0035-240 466 99001-0035-240 466 99001-0037-000 468 99001-0037-000 468 99001-0038-260 468 99001-0039-001 468 99001-0039-001 468 99001-0040-010 456 99001-0040-016 456 | | | |
| 99001-0017-183 449 99001-0018-183 449 99001-0019-183 450 99001-0021-183 450 99001-0022-183 450 99001-0023-183 451 99001-0024-183 451 99001-0025-183 442 99001-0026-183 442 99001-0030-001 460 99001-0030-002 460 99001-0031-803 466 99001-0032-240 464 99001-0034-057 466 99001-0035-240 466 99001-0035-240 466 99001-0037-000 468 99001-0037-240 468 99001-0038-260 468 99001-0038-260 468 99001-0039-001 468 99001-0039-001 468 99001-0040-010 456 99001-0040-016 456 | | | |
| 99001-0018-183 449 99001-0019-183 450 99001-0020-183 450 99001-0021-183 450 99001-0022-183 451 99001-0023-183 451 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0031-803 466 99001-0032-240 464 99001-0033-240 466 99001-0034-057 466 99001-0035-240 466 99001-0035-240 466 99001-0037-000 468 99001-0037-240 468 99001-0037-240 468 99001-0037-240 468 99001-0038-260 468 99001-0038-260 468 99001-0039-001 468 99001-0039-001 468 99001-0040-010 456 99001-0040-016 456 | | | |
| 99001-0019-183 450 99001-0020-183 450 99001-0021-183 450 99001-0022-183 451 99001-0023-183 451 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0031-803 466 99001-0032-240 464 99001-0033-240 466 99001-0034-057 466 99001-0035-240 466 99001-0035-240 466 99001-0037-000 468 99001-0037-000 468 99001-0038-260 468 99001-0039-001 468 99001-0039-001 468 99001-0040-010 456 99001-0040-016 456 | | | |
| 99001-0020-183 450 99001-0021-183 450 99001-0022-183 450 99001-0023-183 451 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0030-002 460 99001-0031-803 466 99001-0032-240 464 99001-0033-240 466 99001-0034-057 466 99001-0034-820 466 99001-0035-240 466 99001-0037-200 468 99001-0037-240 468 99001-0037-240 468 99001-0038-001 468 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-016 456 | | | |
| 99001-0021-183 450 99001-0022-183 450 99001-0023-183 451 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0031-803 466 99001-0032-240 464 99001-0034-057 466 99001-0035-240 466 99001-0035-240 466 99001-0037-000 468 99001-0035-240 466 99001-0037-240 468 99001-0037-240 468 99001-0037-240 468 99001-0037-240 468 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | | | |
| 99001-0022-183 450 99001-0023-183 451 99001-0024-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0031-803 466 99001-0032-240 464 99001-0033-240 466 99001-0034-057 466 99001-0034-820 466 99001-0035-240 466 99001-0037-000 468 99001-0037-000 468 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-016 456 | | | |
| 99001-0023-183 451 99001-0024-183 451 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0030-002 460 99001-0031-803 466 99001-0032-240 464 99001-0033-240 466 99001-0034-820 466 99001-0034-820 466 99001-0035-240 466 99001-0036-240 466 99001-0037-200 468 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-016 456 | | | |
| 99001-0024-183 451 99001-0025-183 442 99001-0026-183 442 99001-0030-001 460 99001-0030-002 460 99001-0031-803 466 99001-0032-240 464 99001-0033-240 466 99001-0034-057 466 99001-0034-820 466 99001-0035-240 466 99001-0035-240 466 99001-0037-240 468 99001-0037-240 468 99001-0037-240 468 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | | | |
| 99001-0025-183 442 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0030-002 460 99001-0031-803 466 99001-0032-240 464 99001-0033-240 466 99001-0034-820 466 99001-0035-240 466 99001-0035-240 466 99001-0036-240 466 99001-0037-000 468 99001-0037-240 468 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | | | |
| 99001-0026-183 442 99001-0027-183 442 99001-0030-001 460 99001-0030-002 460 99001-0031-803 466 99001-0032-240 464 99001-0033-240 464 99001-0034-057 466 99001-0034-820 466 99001-0035-240 466 99001-0036-240 468 99001-0037-000 468 99001-0038-001 468 99001-0038-260 468 99001-0039-001 468 99001-0039-001 468 99001-0040-010 456 99001-0040-016 456 | | | |
| 99001-0027-183 442 99001-0030-001 460 99001-0030-002 460 99001-0031-803 466 99001-0032-240 464 99001-0033-240 466 99001-0034-057 466 99001-0034-820 466 99001-0035-240 466 99001-0035-240 466 99001-0037-000 468 99001-0037-240 468 99001-0038-001 468 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | | | |
| 99001-0030-001 460 99001-0030-002 460 99001-0031-803 466 99001-0032-240 464 99001-0033-240 464 99001-0034-057 466 99001-0034-820 466 99001-0035-240 466 99001-0036-240 466 99001-0037-000 468 99001-0037-240 468 99001-0038-001 468 99001-0038-260 468 99001-0039-001 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | | | 442 |
| 99001-0030-002 460 99001-0031-803 466 99001-0032-240 464 99001-0033-240 466 99001-0034-057 466 99001-0034-820 466 99001-0035-240 466 99001-0037-000 468 99001-0037-240 468 99001-0038-001 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 9901-0040-016 456 | | | |
| 99001-0031-803 466 99001-0032-240 464 99001-0033-240 464 99001-0034-057 466 99001-0034-820 466 99001-0035-240 466 99001-0036-240 466 99001-0037-000 468 99001-0037-240 468 99001-0038-001 468 99001-0038-260 468 99001-0039-001 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | 99001-0030-001 | | 460 |
| 99001-0032-240 464 99001-0033-240 464 99001-0034-057 466 99001-0034-820 466 99001-0035-240 466 99001-0036-240 466 99001-0037-000 468 99001-0037-240 468 99001-0038-001 468 99001-0038-260 468 99001-0039-001 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | 99001-0030-002 | | 460 |
| 99001-0033-240 464 99001-0034-057 466 99001-0034-820 466 99001-0035-240 466 99001-0036-240 466 99001-0037-000 468 99001-0037-240 468 99001-0038-001 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-016 456 9901-0040-016 456 | 99001-0031-803 | | 466 |
| 99001-0034-057 466 99001-0034-820 466 99001-0035-240 466 99001-0036-240 466 99001-0037-000 468 99001-0038-001 468 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | 99001-0032-240 | | 464 |
| 99001-0034-820 466 99001-0035-240 466 99001-0036-240 466 99001-0037-000 468 99001-0037-240 468 99001-0038-001 468 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | 99001-0033-240 | | 464 |
| 99001-0035-240 466 99001-0036-240 466 99001-0037-000 468 99001-0037-240 468 99001-0038-001 468 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | 99001-0034-057 | | 466 |
| 99001-0036-240 466 99001-0037-000 468 99001-0037-240 468 99001-0038-001 468 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | 99001-0034-820 | | 466 |
| 99001-0037-000 468 99001-0037-240 468 99001-0038-001 468 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | 99001-0035-240 | | 466 |
| 99001-0037-240 468 99001-0038-001 468 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | 99001-0036-240 | | 466 |
| 99001-0038-001 468 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | 99001-0037-000 | | 468 |
| 99001-0038-260 468 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | 99001-0037-240 | | 468 |
| 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | 99001-0038-001 | | 468 |
| 99001-0039-000 468 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | | | |
| 99001-0039-001 468 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | | | |
| 99001-0040-010 456 99001-0040-014 456 99001-0040-016 456 | | | |
| 99001-0040-014 456 99001-0040-016 456 | | | |
| 99001-0040-016 456 | | | |
| | | | |
| | 99001-0041-023 | | 458 |

| Order no. | _Weight_ | Page |
|----------------------------------|--------------|------------|
| 99001-0041-025 | | 458 |
| 99001-0041-026 | | 458 |
| 99001-0042-023 | | 458 |
| 99001-0042-025 | | 458 |
| 99001-0042-026 99001-0043-086 | | 458 454 |
| 99001-0044-086 | | 454 |
| 99001-0045-086 | | 454 |
| 99001-0046-086 | | 454 |
| 99001-0047-086 | | 454 |
| 99001-0048-086 | | 454 |
| 99001-0049-086 | | 454 |
| 99001-0050-086 | | 454 |
| 99001-0051-086 | | 454 |
| 99001-0141-042 | | 444 |
| 99001-0241-042 | | 444 |
| 99001-0341-042 | | 444 |
| 99001-0452-012 | | 445 |
| 99001-0552-012 | | 445 |
| 99001-0652-012 | | 445 |
| 99001-3104-K02 | | 462 |
| 99001-3104-N02 | | 462 |
| 99001-3105-K01 | | 463 |
| 99001-3105-N01 | | 463 |
| 99001-3108-K03 | | 462 |
| 99001-3108-N03 | | 462 |
| 99001-3121-K05 | | 463 |
| 99001-3121-N05 | | 463 |
| 99001-3122-K04 | | 463 |
| 99001-3122-N04 | | 463 |
| 99001-3505-N01 | | 465 |
| 99001-3505-N02 | | 465 |
| 99001-3505-N03 | | 465 |
| 99001-3505-N04 | | 465 |
| 99001-3505-N05 | | 465 |
| 99002-000001 | 3,11 | 346 |
| 99002-000002 99002-000003 | 3,62 4,12 | 346 346 |
| 99002-000003 | 23,55 | 340 |
| 99002-000010 | 40,92 | 342 |
| 99002-000012 | 29,91 | 342 |
| 99002-000013 | 49,30 | 342 |
| 99002-000014 | 23,42 | 342 |
| 99002-000015 | 40,82 | 342 |
| 99002-000016 | 30,30 | 342 |
| 99002-000017 | 50,11 | 342 |
| 99002-000018 | 2,32 | 343 |
| 99002-000019 | 2,21 | 343 |
| 99002-000020 | 3,87 | 343 |
| 99002-000021 | 3,69 | 343 |
| 99002-000022 | 3,26 | 347 |
| 99002-000023 | 3,79 | 347 |
| 99002-000024 | 4,33 | 347 |
| 99002-000031 | 22,62 | 346 |
| 99002-000032 | 21,78 | 346 |
| 99002-000033 | 25,66 | 346 |
| 99002-000034 | 24,69 | 346 |
| 99002-000035 | 28,70 | 347 |
| 99002-000036 | 27,60 | 347 |
| 99002-000043 | 28,01 | 347 |
| 99002-000044 | 26,99 | 347 |
| 99002-000045 | 31,76 | 347 |
| 99002-000046 | 30,60 | 347 |
| 99002-000047 | 35,53 | 347 |
| 77UUZ-UUUU4X | 34 / 0 | .3/1./ |

99002-000048

34,20

347

| Order no. | Weight | Page |
|----------------|--------|------|
| 99002-000055 | 28,94 | 346 |
| 99002-000056 | 28,02 | 346 |
| 99002-000057 | 32,35 | 346 |
| 99002-000058 | 31,31 | 346 |
| 99002-000059 | 35,76 | 347 |
| 99002-000060 | 34,59 | 347 |
| 99002-000067 | 36,45 | 347 |
| 99002-000068 | 35,34 | 347 |
| 99002-000069 | 40,76 | 347 |
| 99002-000070 | 39,51 | 347 |
| 99002-000071 | 45,08 | 347 |
| 99002-000072 | 43,67 | 347 |
| 99003-0001 | 0,800 | 328 |
| 99003-0002 | 1,18 | 328 |
| 99003-0003 | 0,750 | 328 |
| 99003-0004 | 1,33 | 328 |
| 99003-0005 | 2,17 | 328 |
| 99003-0006 | 2,99 | 328 |
| 99003-0007 | 0,800 | 330 |
| 99003-0008 | 1,39 | 330 |
| 99003-0009 | 2,27 | 330 |
| 99003-0010 | 3,14 | 330 |
| 99003-0011 | 9,93 | 329 |
| 99003-0012 | 15,78 | 329 |
| 99003-0013 | 21,62 | 329 |
| 99003-0014 | 16,08 | 329 |
| 99003-0015 | 21,92 | 329 |
| 99003-0016 | 2,02 | 329 |
| 99003-0017 | 2,70 | 329 |
| 99003-0018-002 | 126,00 | 330 |
| 99003-0019-002 | 133,19 | 330 |
| 99003-0020-002 | 97,00 | 330 |
| 99003-0021-002 | 81,60 | 330 |
| 99003-0022 | 0,760 | 330 |
| 99003-0023 | 1,02 | 330 |
| 99003-0024 | 1,39 | 330 |
| 99003-0025 | 2,65 | 330 |
| 99003-0026 | 4,60 | 330 |
| 99003-0027-002 | 115,60 | 330 |
| 99003-0028-002 | 168,67 | 330 |
| 99003-0029-002 | 219,36 | 330 |
| 99003-0030-002 | 210,90 | 330 |
| 99003-0031-002 | 185,03 | 332 |
| 99003-0032-002 | 171,91 | 332 |
| 99003-0033-002 | 189,68 | 332 |
| 99003-0034-002 | 227,74 | 332 |
| 99003-0035 | 1,06 | 332 |
| 99003-0036 | 1,40 | 332 |
| 99003-0037 | 3,66 | 332 |
| 99003-0038 | 2,97 | 332 |
| 99003-0039 | 4,93 | 332 |
| 99003-0040 | 7,15 | 332 |
| 99003-0041 | 2,66 | 332 |
| 99003-0042 | 4,45 | 332 |
| 99003-0043 | 6,71 | 332 |
| 99003-0044-002 | 74,87 | 333 |
| 99003-0045-002 | 80,44 | 333 |
| 99003-0046-002 | 84,76 | 333 |
| 99003-0047 | 4,18 | 333 |
| 99003-0048 | 7,76 | 333 |
| 99003-0049 | 3,70 | 333 |
| 99003-0050 | 16,68 | 333 |
| 99003-0051 | 12,86 | 333 |
| 99003-0052-002 | 103,60 | 334 |
| 99003-0053-002 | 108,93 | 334 |

| Order no. | Weight | Page |
|--------------------------|--------------|------|
| 99003-0054-002 | 113,91 | 334 |
| 99003-0055 | 6,31 | 334 |
| 99003-0056 | 11,77 | 334 |
| 99003-0057 | 4,60 | 334 |
| 99003-0058 | 21,44 | 334 |
| 99003-0059 | 15,45 | 334 |
| 99003-0060-002 | 138,03 | 334 |
| 99003-0061-002 | 131,28 | 334 |
| 99003-0062-002 | 146,37 | 334 |
| 99003-0063 | 7,57 | 335 |
| 99003-0064 | 14,05 | 335 |
| 99003-0065 | 6,39 | 335 |
| 99003-0066 | 26,20 | 335 |
| 99003-0067 | 20,75 | 335 |
| 99003-0068 | 1,05 | 336 |
| 99003-0069 | 1,56 | 336 |
| 99003-0070 | 0,920 | 336 |
| 99003-0071 | 2,49 | 336 |
| 99003-0072 | 4,16 | 336 |
| 99003-0073 | 6,01 | 336 |
| 99003-0074 | 1,72 | 336 |
| 99003-0075 99003-0076 | 3,37 | 336 |
| 99003-0076 | 7,19 — 10,49 | 336 |
| 99003-0077 | | 336 |
| 99003-0079 | <u>0,720</u> | 336 |
| 99003-0080 | 2,15 | 336 |
| 99003-0081 | 1,84 | 336 |
| 99003-0082 | 4,09 | 336 |
| 99003-0083 | 6,76 | 336 |
| 99003-0084 | 9,89 | 336 |
| 99003-0085 | 4,63 | 336 |
| 99003-0086 | 7,67 | 336 |
| 99003-0087 | 11,18 | 336 |
| 99003-0088 | 1,08 | 336 |
| 99003-0089-002 | 49,50 | 337 |
| 99003-0090-002 | 65,41 | 337 |
| 99003-0094 | 0,030 | 338 |
| 99003-0095 | 0,030 | 338 |
| 99003-0096 | 0,040 | 338 |
| 99003-0097 | 0,060 | 338 |
| 99003-0098 | 0,030 | 338 |
| 99003-0099 | 0,040 | 338 |
| 99003-0100 | 0,040 | 338 |
| 99003-0101 | 0,090 | 338 |
| 99003-0102 | 0,470 | 338 |
| 99003-0103 | 0,060 | 338 |
| 99003-0104 | 0,070 | 338 |
| 99003-0105 | 0,100 | 338 |
| 99003-0106 | 0,020 | 339 |
| 99003-0107 | 0,020 | 339 |
| 99003-0108 | 0,020 | 339 |
| 99003-0109 | 0,020 | 339 |
| 99003-0110 | 0,020 | 339 |
| 99003-0111 | | 339 |
| 99003-0112 | | 339 |
| 99003-0113 | | 339 |
| 99003-0114 | | 339 |
| 99003-0115 | | 339 |
| 99003-0116 | 0,060 | 338 |
| 99003-0117 | 0,050 | 338 |
| 99003-0118 99003-0119 | <u>0,060</u> | 338 |
| 99003-0119 | 0,070 | 339 |
| 99003-0121 | 0,140 — | 339 |
| 77000 UILI | 0,170 | 337 |

| Ouderne | Weight | Dogo |
|--------------|------------------------|-----------------------|
| Order no. | | Page |
| 99003-0122 | _ 0,140 | 339 |
| 99003-0123 | _ 0,280 | 339 |
| 99003-0124 | _ 0,180 | 339 |
| 99003-0125 | _ 0,350 | 339 |
| 99003-0126 | _ 0,070 | 339 |
| 99003-0127 | 0,120 | 339 |
| 99003-0128 | 0,170 | 339 |
| 99003-0129 | 0,010 | 338 |
| 99003-0130 | 0,040 | 338 |
| 99003-0131 | 0,300_ | 339 |
| 99003-0132 | 1,13 | 339 |
| 99003-0133 | 1,69 | 339 |
| 99003-0134 | 2,01 | 339 |
| 99003-0135 | 0,030 | 338 |
| 99003-0136 | 0,040 | 338 |
| 99003-0137 | 0,050 | 338 |
| 99003-0138 | 0,030 | 338 |
| 99003-0139 | 0,060 | 338 |
| 99003-0140 | 0,070 | 338 |
| 99003-0141 | 0,070 | 338 |
| 99003-0142 | 0,110 | 338 |
| 99003-0143 | 0,040 | 339 |
| 99003-0144 | 0,060 | 339 |
| 99003-0145 | 0,060 | 339 |
| 99003-0146 | 0,040 | 339 |
| 99003-0147 | 0,050 | 337 |
| 99003-0148 | 0,590 | 337 |
| 99003-0149 | | 339 |
| 99003-0150 | $-\frac{0,890}{2,01}$ | 338 |
| | | |
| 99003-0151 | $-\frac{4,05}{411}$ | 338 |
| 99003-0152 | $-\frac{6,11}{0.47}$ | 338 |
| 99003-0153 | $-\frac{8,17}{2,242}$ | 338 |
| 99003-0154 | $-\frac{0,040}{0.040}$ | 331 |
| 99003-0155 | 0,060 | 331 |
| 99004-000001 | | 235 |
| 99004-000002 | | 235 |
| 99004-000003 | | 235 |
| 99004-000004 | | 235 |
| 99004-000005 | | 235 |
| 99004-000012 | | 234 |
| 99004-000039 | | 234 |
| 99004-000060 | | 234 |
| 99004-000061 | | 234 |
| 99004-000062 | | 234 |
| 99004-000063 | | 234 |
| 99004-000064 | | 234 |
| 9964-00 | 4,01 | 266, 361, 363, 371 |
| 99699-00001 | 27,00 | 452 |
| 99699-00002 | 33,00 | 452 |
| 99699-00003 | 37,00 | 452 |
| 9984-00 | 4,35 | 267, 363, 371 |
| 9994-00 | 4,35 | 267, 363 |
| ///+ 00 | 7,00 | 201, 303 |

Index

| А | |
|--|---------------------------|
| A brief portrait of C+P | 8-9 |
| Acoustic tambour, Asisto | 408-411 |
| Acurado cabinet systems 360-373 | 3, 388–395, 416–419 |
| Acurado drawer and filing cabinets | 416-419 |
| Acurado hinged-door cabinets | 360-373 |
| Acurado sliding-door cabinets | 388-395 |
| Asisto desks | 446-447 |
| Asisto drawer and filing cabinets | 420-431 |
| Asisto fridge caddy | 474-475 |
| Asisto hinged-door cabinets | 374-382 |
| Asisto occasional tables | 448-449 |
| Asisto pull-out cabinets | 470-471 |
| Asisto sit/stand tables | 446-447 |
| Asisto sliding-door cabinets | 396-399 |
| Asisto tambour cabinets | 408-413 |
| Assembled box lockers 80-8 176-179, 192-20 | 5, 134–143, 5, 206–213 |
| Assembled box lockers with acrylic glass doors | 198–199 |

| В | |
|--|------------|
| Bar stools | 468-469 |
| Basic benches and benches with coat rack | 224-227 |
| Basic benches with coat rack | 224-227 |
| Battery charging cabinets | 298-299 |
| Benches and benches with coat rack | 220-231 |
| Benches, stackable | 222-223 |
| Benches with coat rack for wet rooms | 228-231 |
| Binder supports 373, 381, 394, 398 | , 407, 412 |
| Boltless file shelving | 342-343 |
| Boltless long shelving units | 350 |
| Boltless shelving | 340-351 |

| С | |
|---|-------------|
| C+P added value | 4-7 |
| C+P cleaner | 23 |
| Cabinets with hinged doors (office) | 356-385 |
| Cabinets with hinged doors (workshop) | 262-279, |
| 280-299 | 5, 296–311 |
| Cabinets with tambour doors | 400-413 |
| Cabinets with tambour doors (Asisto) | 408-413 |
| Cabinets with tambour doors (Omnispace) | 402-407 |
| Caddy with trash can | 474-475 |
| Cafeteria tables | 452-453 |
| Cambio lockers | 166-185 |
| Card-index cabinets | 416-431 |
| Certos hinged-door cabinets, | |
| flame-resistant | 382–385 |
| Chairs | 460-469 |
| Changing room rails 225 | 5, 231, 234 |
| Changing room systems | 232-241 |
| Changing room systems and | |
| assembled box lockers | 236-241 |
| Classic PLUS accessories | 94–97 |
| Classic PLUS lockers | 60-97 |
| Classic PLUS top lockers (changing root | m) 86–87 |
| Cleaning equipment lockers | 74, 124 |
| Cleaning supply lockers | 74, 124 |
| Climate Office plant and water walls | 42-43 |
| Coat hangers for | |
| | , 234, 238 |
| Color concept | 44–49 |

| Combination lock | 161, 163, 217 |
|---------------------------------------|---------------|
| Comfort benches and benches | |
| with coat rack (HPL) | 228-231 |
| Comfort benches with coat rack (HPL | .) 228–231 |
| Compartmentalized loading lockers | 252-253 |
| Computer cabinets | 337 |
| Conference chairs | 464-467 |
| Conference solutions | 450-453 |
| Conference tables | 450-453 |
| Contents | 3 |
| Corrosion protection and quality assu | rance 22 |
| Counters | 440-441 |
| | |

| D | |
|-----------------------------------|--|
| Decor concept | 50-53 |
| Decor tables | 51, 53 |
| Delivery conditions | 20-21 |
| Desks, Asisto | 446-447 |
| Dirty/clean separation lockers | 64-65, 70-73, 114-123 |
| Dispensing lockers for laundry | 250 |
| | 126–133, 174–175, 203, 205, 210–211 |
| Drawer cabinets (office/archive) | 414-437 |
| Drawer cabinets (workshop) | 333-336 |
| Drawing cabinets for horizontal s | storage 432-437 |
| Drying and ventilation (lockers) | 170-171, 190-191 |
| Drying lockers, Flex PLUS | 190–191 |

| Е | |
|--------------------------------|---------------------|
| Electronic locking systems | 162-163, 214-218, |
| | 265, 359 |
| Ergo-Lock grip lock | 264-265, 358-359 |
| EURO-LOCKS PIN code lock | 162-163, 216 |
| Evolo PLUS accessories | 154-157 |
| Evolo PLUS lockers | 98-157 |
| Exhaust air ventilation system | for lockers 170-171 |
| Extra-large assembled box loc | ckers 196-197, |
| | 210-211 |
| Extra-large assembled box loc | kers |
| with acrylic glass doors | 198–199 |
| Extra-large tool cabinets | 267 |

| F | |
|--------------------------|------------------|
| Filing cabinets | 416-423, 416-431 |
| Fire service lockers | 244-249 |
| Flame-resistant cabinets | 382-385 |
| Flex PLUS drying lockers | 190-191 |
| Floor lamps | 456-457 |
| Folding tables | 450-453 |
| Free-standing wardrobes | 235 |
| Fridge caddy, Asisto | 474-475 |

| G | |
|-------------------------------------|---------|
| Gantner, electronic locking systems | 214-215 |
| Green walls | 42-43 |

| H | |
|---------------------------------------|---------|
| Hangers for changing room systems | 95 |
| Hanging cabinet/Hanging shelf | 274 |
| Hazardous substance cabinets | 300-301 |
| Hedge elements | 42-43 |
| Hinged-door cabinets, flame-resistant | 382-385 |

| Hinged-door cabinets for heav | y loads | 288-295 |
|-------------------------------|----------|---------|
| Hinged-door cabinets (office) | | 356-385 |
| Hinged-door cabinets with | | |
| viewing window doors | 284-287, | 292-295 |
| Hook assortments | | 338-339 |
| Horizontal storage cabinets | | 432-437 |

| Intro assembled box lock | ers 194–20 |
|--------------------------|------------|

| | K | |
|----------------------|---|---------|
| Kindergarten lockers | | 202-203 |

| L | |
|---|-----|
| Labels for multi-drawer cabinets 4 | 37 |
| Lamps 456-4 | 57 |
| Laptop lockers 2 | 251 |
| Laundry bags 25 | 50 |
| Laundry collection locker 25 | 50 |
| Laundry dispensing locker 25 | 50 |
| Laundry lockers 74, 1 | 24 |
| Laundry storage lockers 74–75, 124–125, 25 | 50 |
| Loading assembled box lockers 252-2 | 53 |
| Loading cabinets 298–2 | 99 |
| Loading lockers 252–2 | 53 |
| Lockers 60-97, 98-157, 166-185, 186-1 | 91 |
| Lockers, double-tier 76–79, 126–133, 174–17, 195–196, 203, 205, 210–2 | |
| Lockers, Evolo PLUS 98–1 | 57 |
| Lockers for dirty/clean separation 64-6 70-73, 114-1: | |
| Lockers for schools and kindergartens 202-20 | J5 |
| Lockers for street and work clothing 64–6 70–73, 114–13 | |
| Lockers for wet rooms 94, 154, 16 | 60 |
| Lockers, Prefino 186–1 | 91 |
| Lockers, slim 256–2 | 57 |
| Lockers, space-saving 256–2 | 57 |
| Lockers with compartment width of 250 mm 256-2 | 57 |
| Locking systems for lockers and assembled box lockers 158–165, 216–2 | 19 |
| Locks for changing room and assembled box lockers 158–165, 216–2 | 19 |
| Logistics 16- | -21 |
| Logistics services 20- | -21 |
| Long shelving units 35 | 50 |
| Lounge furniture 442–4 | 45 |

| М | |
|-----------------------------|----------------|
| Master key systems | 160 |
| Mechanical combination lock | 161, 163, 217 |
| Meeting tables | 450-453 |
| Mobile conference tables | 450-451 |
| Mobile folding tables | 450-451 |
| Mobile pedestals, Asisto | 472-473 |
| Monitor arms | 458-459 |
| Monitor holders | 458-459 |
| Mounting elements for | |
| perforated plate systems | 338-339 |
| Multi-drawer cabinets | 432-437 |
| Multi-purpose lockers | 74-75, 124-125 |

| O | |
|---|------------|
| Occasional bookcases | 370-371 |
| Occasional cabinets for desks | 393, 406 |
| Occasional cabinets for heavy loads | 289, 325 |
| Occasional cabinets for workbenches | 275-277 |
| Occasional cabinets with viewing window doors 285, 294, | , 322–323 |
| Occasional sliding-door cabinets | 392-393 |
| Occasional tables | 448-449 |
| Occasional tambour cabinets | 406 |
| Office bookcases 342-343, 362-363, 367 | 7, 378–379 |
| Office coat stands | 234-235 |
| Open changing room systems | 236-241 |
| Open-front container cabinets | 302-311 |
| Open-front containers, loose | 304 |
| Order number and weight register | 482-495 |

| | Р | |
|------------------------|----------|-------------------|
| Partition systems | | 40-41 |
| pCon planning suppor | t | 11 |
| Perforated plate syste | ms | 338-339 |
| Pharmacists cabinets | | 470-471 |
| PIN code locks | 162-163, | 216-218, 265, 359 |
| Planning support, pCo | n | 11 |
| Prefino lockers | | 186-191 |
| Privacy elements for o | desks | 454-455 |

| | | y | | |
|-------------------|-----|-----------|------------|----|
| Quality assurance | and | corrosion | protection | 22 |

| R | |
|---------------------------|------------------------|
| Reception counters | 440-441 |
| Reference examples | 24-35 |
| Resisto assembled box loc | kers 206–213 |
| RFID locks | 162-163, 218, 265, 359 |

| S | |
|------------------------------------|----------------------|
| Safe deposit box lockers | 255 |
| SAFE-O-MAT locks | 164-165, 219 |
| SAFE-O-TRONIC locks | 162, 218 |
| School and kindergarten lockers | s 202–205, 206–213 |
| Shelving for binders | 342-343, 362-363 |
| Shelving for warehouse/archiv | |
| 268–269 | , 340–351, 362–363 |
| Single perforated plates | 338-339 |
| Sit/stand workstations, Asisto | 446-447 |
| Sliding-door cabinets | 315-316, 321-322, |
| | 324-325 |
| Sliding-door cabinets (office) | 386-399 |
| Sliding-door cabinets | |
| (warehouse/workshop) | 312-325 |
| Sliding-door cabinets | |
| with viewing window doors | 320-323 |
| Slim lockers | 256-257 |
| Sloping top for lockers | 94, 154, 183, 212 |
| Small-compartment lockers | 254-255 |
| Smart locker | 34-35, 38-39 |
| Sofas | 444-445 |
| Space-saving lockers 88-8 | 9, 146–153, 180–181, |
| | 25/ 257 |
| | 256-257 |
| Stackable benches | 222-223 |
| Stackable benches Stackable chairs | |

| Storage cabinets | 279, 365 |
|--|-------------------------------|
| Storage lockers for laundry | 74-75, 124-125, 250 |
| Storage shelving | 340-351 |
| Street and work clothing lock | kers 64–65, 70–73, 114–123 |
| Suspension bars (Elba/Leitz or Zippel system) | 373, 384, 394, 407 |
| Swivel chairs | 460-463 |

| T | |
|---|--|
| Tabletop lectern for tool cabinets 277 | |
| Tambour cabinets, Asisto 408–413 | |
| Tambour cabinets, Omnispace 402–407 | |
| Task chairs 464–467 | |
| Tool cabinets for heavy loads 288–295, | |
| 324–325 | |
| Tool cabinets with drawers | |
| and security compartments 270–273 | |
| Tool cabinets with hinged doors 263–279, 280–295, 296–311 | |
| Tool cabinets with hinged doors | |
| and drawers 280–283, 286–287, 290–291, 293 | |
| Tool cabinets with hinged doors | |
| <u>and viewing window</u> 284–287, 292–295 | |
| Tool cabinets with open-front containers 302–311 | |
| Tool cabinets with sliding doors 312–325 | |
| Tool cabinets with | |
| viewing window sliding doors 320–323 | |
| Tool top cabinets 274 | |
| Top bookcases (office) 368–369 | |
| Top cabinets for tools 274, 316–317 | |
| Top cabinets (office) 368–369, 390–391, 406 | |
| Top cabinets with sliding doors (office) 390-391 | |
| Top decors 51, 53 | |
| Top lockers, Evolo PLUS (changing room) 144–145 | |
| <u>Transponder locks</u> 162–163, 217–218, 265, 359 | |
| Trapezoidal tables 452 | |
| Trend products 36–43 | |

| U | |
|--|---------------------------------|
| Umbrella stands | 235 |
| Underframes 266-267, 360-363, | 371, 393, 395, 418, 431, 436 |
| Universal cabinets (office) | 360-361 |
| Universal cabinets (warehouse/workshop) | 266–267 |

| V | |
|----------------------------------|-------------------|
| Ventilation according to the | 170 171 |
| SVL concept | 170-171 |
| Ventilation and drying (lockers) | 170-171, 190-191 |
| Viewing window cabinets 2 | 284–287, 292–295, |
| | 298–299, 320–323 |
| Visitor chairs | 464-465 |

| W | |
|---------------------------------|---------|
| Wall-mounted wardrobes | 234 |
| Wardrobe systems | 234-241 |
| Water walls | 42-43 |
| Weight register | 482-495 |
| Wet room benches with coat rack | 228-231 |
| Workbenches | 328-332 |
| Workbenches with cabinet | 330-332 |
| Workbench occasional cabinets | 275-277 |


Workshop shelving units 268–269, 344–351
Workstation dividers 454–455

| | Z |
|-----------|-------------------------|
| Z lockers | 88-93, 146-153, 180-181 |

| 4-foot tables | 452 |
|--|---------|
| 78-series boltless shelving (for moderately heavy loads) | 346-347 |
| 78-series shelving (for moderately heavy loads) | 346-347 |
| 788-series boltless shelving (for standard loads) | 344-345 |
| 788-series shelving (for standard loads) | 344-345 |
| 7800-series boltless shelving (for heavy loads) | 348-349 |
| 7800-series shelving (for heavy loads) | 348-349 |

Don't miss any news

Subscribe to our newsletter.



Always up to date

Subscribe to our newsletter and always be up to date!

Our newsletter enables you to receive informative and interesting content directly in your inbox on a regular basis. Be the first to learn about new products, exclusive offers and exciting events.



Subscribe to the newsletter now:

It's about more than just our steel lockers. We promise. Discover more furniture solutions.

Why should you subscribe to our newsletter? A few of the benefits you'll be able to enjoy:

- (+) Current information: You'll receive regular updates on new products, services and offers.
- (+) Events and workshops: When we organize special events or workshops, we inform our newsletter subscribers about them first.
- (+) Multiple languages: We offer our newsletter in multiple languages so each reader is able to understand and enjoy the content in their preferred language.
- + Flexibility: We respect your privacy and never pass your e-mail address on to third parties. You also have the option to unsubscribe from the newsletter at any time should you no longer wish to receive the information.

Be a part of our digital community

Follow us on social media.

Always be just one click away from the latest information and exciting offers. Follow us on our social media channels and stay connected to us around the clock. Gain inspiration from our posts, images and videos and discover exclusive insights behind the scenes. Become a part of our growing online family and never miss news again in the future.

C+P Möbelsysteme GmbH & Co. KG cp_derstahlschrank













General information

This publication is for informational purposes. It does not constitute a quotation as defined by law and is only intended for business customers. All items are supplied without any decorations shown in the illustrations. The trademark and product rights of any branded products which may appear in the decorations are reserved by the respective manufacturer. The specified dimensions are only approximate and may be larger or smaller. We reserve the right to make structural changes, changes to the assortment & availability and changes to the color, material & decor ranges, as well as to limit express availability if necessary (e.g. in case of larger quantities of a model or order).

All previous catalogs and price lists become invalid as of the publication of this catalog. All pricing information represents non-binding price recommendations from the manufacturer, does not include the value added tax applicable on the day of delivery and is intended for commercial customers. We reserve the right to make changes to pricing information, e.g. due to errors or increases in the price of raw materials or other materials.

Our General Terms and Conditions of Business apply (see www.cp.de/agb).

Issued: August 2023 - 1688742607 - Valid from October, 2023 until the publication of a new issue. Publisher/Copyright: C+P Möbelsysteme GmbH & Co. KG - www.cp.de



www.cp.de