

**XENIOS**<sup>®</sup>  
**USA**



**XENIOSUSA.COM**



EST. 09  
NY



**CREATING  
TRAINING  
ZONES**  
SINCE · 2009

**XENIOSUSA.COM**



## THIS IS OUR GOAL!

Xenios USA is a company focused on development, production and marketing of professional workout tools for those who like to play with Fitness: Functional Training, Weight Lifting, Power Lifting, Strength and Conditioning are just some of the fields our products are employed in.

The road to the fittest is made of heavy-duty workouts and so the equipment needs to be able to bear such severe training sessions.

Xenios USA was born in 2009, gathering all the ideas, training methods, and trends of the worldwide workout markets: learning from the legacy of gym training and surfing the new wave of the Functional Training and Performance Training methods. Xenios USA hired a team of experienced master trainers, biomechanical engineers, product managers, and marketing managers in order to build and continuously innovate a full range of products that match keep up with trends in fitness.

Xenios USA products were originally developed and continue to be developed by a joint venture team of American and Italian product designers.

Xenios USA's main mission is to provide reliable tools for those who will use them to their limits without having to fight with faulty and easily breakable equipment.

All Xenios USA products are drawn, tested and manufactured by Xenios USA. The process to let an idea come true is strictly guided by the highest standards of product quality.

Each mass production batch tightly monitored with quality control and all products that can't match the Xenios USA requirements are rejected.

All raw materials and production processes, like steel welding and bending or steel coating are made according to the Xenios USA data sheets and they must match over-the-standard parameters.


Most of Xenios USA's products are furthermore tested and certified by experts of product safety, for example, the TUV-SUD® that was chosen to test all the XRIQ™ components.

At Xenios USA, we believe in the future of Fitness: we believe most people will sooner or later approach Functional Training classes and fall in love with the incredible performance goals that can be achieved. That is the reason we keep investing all of our time and efforts in the research and development of new training tools that are able to satisfy coaches' needs.


We are proud to have been chosen by many Affiliate Owners as their equipment source and we are furthermore proud to equip some of the most famous Throw Down contests. The daily use of our products by professional athletes is how we learn. Our biggest challenge is to keep going on day-by-day.




# CONTENTS



> **FUNCTIONAL**  
PAGE 6



> **STRENGTH**  
PAGE 26



> **STRONGMAN**  
PAGE 72



> **RIGS**  
PAGE 80




> **STUDIO AGILITY & PLIOMETRIC**  
PAGE 96



> **CARDIO**  
PAGE 114



> **STORAGES**  
PAGE 122



> **FLOORING**  
PAGE 140





## INDEX BY ARTICLE

>	<a href="#">Training Bags</a>	<a href="#">Wall Balls</a>	<a href="#">Kettlebells</a>	FUNCTIONAL
	<a href="#">Training Ropes</a>			
>	<a href="#">Bars</a>	<a href="#">Plates</a>	<a href="#">Collars</a>	Strength
	<a href="#">Benches and Stations</a>	<a href="#">Dumbbells</a>		
>	<a href="#">Strongman</a>	<a href="#">Stone Sandbag</a>		STRONGMAN
>	<a href="#">Power Lifting Cage</a>	<a href="#">Garage Rack</a>	<a href="#">Rigs</a>	RIGS
	<a href="#">Heavy Duty Squat Stand</a>			
>	<a href="#">Plyo Boxes</a>	<a href="#">Med Balls</a>	<a href="#">Gym Ball</a>	STUDIO AGILITY & PLIOMETRIC
	<a href="#">Slider</a>	<a href="#">Exercise Mat</a>	<a href="#">Pull Up Bar</a>	
>	<a href="#">Assault</a>	<a href="#">Concept2</a>	<a href="#">Xebex</a>	CARDIO
>	<a href="#">Storages</a>	<a href="#">Storage Configurations</a>		STORAGES
>	<a href="#">Flooring</a>			FLOORING

# FUNCTIONAL



TRAINING BAGS  
**page 8**

TRAINING BALLS  
**page 11**



KETTLEBELLS  
**page 12**



JUMP ROPES  
**page 14**



ELITE CLUBBELLS  
**page 15**

SUSPENSION TRAINING  
**page 15**



RINGS AND STRAPS  
**page 16**

TIMER  
**page 18**



SLEDS  
**page 22**

PARALLETES  
**page 24**



TRAINING ROPES  
**page 25**



XENIOSUSA.COM



**CREATING  
TRAINING  
ZONES**  
SINCE · 2009



## POWER FITNESS SANDBAGS

Material: Nylon 1000 D

⚠ Sand bags are sold empty



**Sku: PSFITBG15**  
Weight: 15 kg



**Sku: PSFITBG5**  
Weight: 5 kg



**Sku: PSFITBG7.5**  
Weight: 7.5 kg



**Sku: PSFITBG10**  
Weight: 10 kg



**Sku: PSFITBG12.5**  
Weight: 12.5 kg



**Sku: PSFITBG17.5**  
Weight: 17.5 kg



**Sku: PSFITBG20**  
Weight: 20 kg



**Sku: PSFITBG25**  
Weight: 25 kg



**Sku: PSFITBG30**  
Weight: 30 kg

## SANDBAG

Material: Nylon 1000 D

⚠ Sand bags are sold empty



**Sku: XSSDBG11**  
Weight: 80 kg

**Sku: XSSDBG07**  
Weight: 40 kg


**Sku: XSSDBG06**  
Weight: 20 kg



**Sku: XSSDBG10**  
Weight: 80 kg

**Sku: XSSDBG09**  
Weight: 40 kg

**Sku: XSSDBG08**  
Weight: 20 kg



## DRIED SANDBAG



**Sku: SB-5KG**  
Weight: 5 Kg

## FILLER BAGS

Material: Nylon 1000 D

⚠ Filler Bags are sold empty

**Sku: XSFLBG03**  
Weight: 5 Kg

**Sku: XSFLBG04**  
Weight: 10 Kg

**Sku: XSFLBG05**  
Weight: 20 Kg







**NO SAND**

Forget the sand leaks!  
The Xenios USA Wall Balls  
are filled with an exclusive  
compound of foam,  
PE cotton, and rubber.

**KEEP ITS SHAPE FOREVER:**

the filling and covering  
materials allow the Wall  
Ball to not warp and keep  
the original shape over time.

**SOFT AND RESISTANT  
COVERING:**

The Wall Ball coating  
increases the grip and  
makes the ball resistant  
and durable.



## NO-BOUNCING WALL BALLS

Material: PVC shell + PE-cotton core

Stitching: Double w/nylon yard

Diameter: 35 cm



Sku: XSBCWBL4 (4 kg)

Sku: XSBCWBL6 (6 kg)

Sku: XSBCWBL9 (9 kg)

Sku: XSBCWBL12 (12 kg)

Sku: XSBCWBL15 (15 kg)

## NO-BOUNCING SLAM BALLS

Material: PVC

Loaded with: Sand / steel shots

Diameter: 13 cm (1/2/3 Kg) / 23 cm (4/5/6/8/10/12 Kg) / 25 cm (15/20/25 Kg)



Sku: PSBCSBL5-1 (1 Kg)

Sku: PSBCSBL5-2 (2 Kg)

Sku: PSBCSBL5-3 (3 Kg)

Sku: PSBCSBL9-4 (4 Kg)

Sku: PSBCSBL9-5 (5 Kg)

Sku: PSBCSBL9-6 (6 Kg)

Sku: PSBCSBL9-8 (8 Kg)

Sku: PSBCSBL9-10 (10 Kg)

Sku: PSBCSBL9-12 (12 Kg)

Sku: PSBCSBL10-15 (15 Kg)

Sku: PSBCSBL10-20 (20 Kg)

Sku: PSBCSBL10-25 (25 Kg)

## STEEL RUSSIAN GIREVOY KETTLEBELL - COMPETITION



Each weight variant in the Kettlebell Russian Girevoy steel retains the same shape and size: base diameter (140 mm), handle diameter (33 mm), handle length (200 mm), Kettlebell height (282 mm).

**Sku: XSSTOKBL8** (8 Kg)

**Sku: XSSTOKBL10** (10 Kg)

**Sku: XSSTOKBL12** (12 Kg)

**Sku: XSSTOKBL14** (14 Kg)

**Sku: XSSTOKBL16** (16 Kg)

**Sku: XSSTOKBL18** (18 Kg)

**Sku: XSSTOKBL20** (20 Kg)

**Sku: XSSTOKBL22** (22 Kg)

**Sku: XSSTOKBL24** (24 Kg)

**Sku: XSSTOKBL26** (26 Kg)

**Sku: XSSTOKBL28** (28 Kg)

**Sku: XSSTOKBL30** (30 Kg)

**Sku: XSSTOKBL32** (32 Kg)

**Sku: XSSTOKBL36** (36 Kg)

**Sku: XSSTOKBL40** (40 Kg)

**Sku: XSSTOKBL44** (44 Kg)

**Sku: XSSTOKBL48** (48 Kg)

## RUBBERIZED IRON KETTLEBELL



This kettlebell with a classic design has the particularity of being covered in pure virgin rubber, that allows the kettlebell to be protected from scratches and rust and at the same time allows to protect all surfaces with which it comes in contact from any bumps and rubbing.

**Sku: PSRBKBL4** (4 Kg)

**Sku: PSRBKBL6** (6 Kg)

**Sku: PSRBKBL8** (8 Kg)

**Sku: PSRBKBL12** (12 Kg)

**Sku: PSRBKBL16** (16 Kg)

**Sku: PSRBKBL20** (20 Kg)

**Sku: PSRBKBL24** (24 Kg)

**Sku: PSRBKBL28** (28 Kg)

**Sku: PSRBKBL32** (32 Kg)

**Sku: PSRBKBL36** (36 Kg)

**Sku: PSRBKBL40** (40 Kg)

### KETTLEBELL RACK

Page 133



## EVOLUTION BLACK CAST IRON KETTLEBELL



The Kettlebell Evolution in steel with a high grip black finish are certainly the most appreciated in the functional boxes and centres. The molded weight on the surface and the colors of the handle make them easily recognizable even at a distance.

**Sku: PSCIKBLH6** (6 Kg)

**Sku: PSCIKBLH8** (8 Kg)

**Sku: PSCIKBLH12** (12 Kg)

**Sku: PSCIKBLH16** (16 Kg)

**Sku: PSCIKBLH20** (20 Kg)

**Sku: PSCIKBLH24** (24 Kg)

**Sku: PSCIKBLH28** (28 Kg)

**Sku: PSCIKBLH32** (32 Kg)

**Sku: PSCIKBLH36** (36 Kg)

**Sku: PSCIKBLH40** (40 Kg)

**Sku: PSCIKBLH44** (44 Kg)

**Sku: PSCIKBLH48** (48 Kg)

## FITNESS KETTLEBELL



Coated in colored neoprene, these kettlebells are ideal for fitness boutiques and home gym; their coating provides protection both to the user during exercise and to the surfaces with which the kettlebell comes into contact, avoiding rubbing and bumps.

**Sku: XSNPKBL4** (4 Kg)

**Sku: XSNPKBL6** (6 Kg)

**Sku: XSNPKBL8** (8 Kg)

**Sku: XSNPKBL10** (10 Kg)

**Sku: XSNPKBL12** (12 Kg)

**Sku: XSNPKBL14** (14 Kg)

**Sku: XSNPKBL16** (16 Kg)

**Sku: XSNPKBL18** (18 Kg)

**Sku: XSNPKBL20** (20 Kg)

**Sku: XSNPKBL24** (24 Kg)

### KETTLEBELL RACK

Page 133



### COMPACT STORAGE RACK

Page 135





## Competition Bearing Jump Rope



- Sku: PSCPDBJPRPBK**
- Color: Black

### Features

- Material: Aluminum (handles)
- Length: 18 cm. (handle) 300 cm. (rope)
- Rope thickness (Nylon Coated): 1.6 mm.
- Color: Black

## THE EVO High Speed Double Under-er



- Sku: PSSTDBJPRPBK**
- Color: Black
- Sku: PSSTDBJPRPSL**
- Color: Silver
- Sku: PSSTDBJPRPPK**
- Color: Pink

### Features

- Material: Aluminum (handles)
- Length: 14.5 cm. (handle) 300 cm. (rope)
- Weight: 39 gr. (all parts but the rope)
- Rope thickness (Nylon Coated): 1.6 mm.

## The Double Under-Er



- Sku: PS4DBJPRPNB**
- Color: Blue
- Sku: PS4DBJPRPPK**
- Color: Pink
- Sku: PS4DBJPRPGN**
- Color: Army Green

### Features

- Material: Aluminum (handles)
- Length: 14.5 cm. (handle) 300 cm. (rope)
- Weight: 39 gr. (all parts but the rope)
- Rope thickness (Bare Steel): 1.6 mm.
- Rope thickness (Nylon Coated): 2.2 mm.

- Sku: PS4DBJPRPPR**
- Color: Purple
- Sku: PS4DBJPRPYW**
- Color: Yellow
- Sku: PS4DBJPRPGR**
- Color: Light Green

## Pro Fast Bearing Rope



- Sku: PSPFBJPRP01BK**
- Color: Black/Blue
- Sku: PSPFBJPRP01BL**
- Color: Blue/Blue
- Sku: PSPFBJPRP01PK**
- Color: Pink/Blue

### Features

- Material: Aluminum (handles) + PVC coated steel cord (rope)
- Length: 13.5 cm. (handle) 300 cm. (rope)
- Rope thickness: 2.2 mm.

## Fast Bearing Rope



- Sku: XSFBJPRP01BK**
- Color: Black/Black
- Sku: XSFBJPRP01BB**
- Color: Black /Blue
- Sku: XSFBJPRP01BP**
- Color: Black /Pink

### Features

- Material: Plastic (handles) + PVC coated steel cord (rope)
- Length: 16 cm. (handle) 300 cm. (rope)
- Rope thickness: 2.2 mm.

## Jump Rope for Kids



- Sku: KDBDJPR01**
- Color: Blue/White
- Sku: KDBDJPR02**
- Color: Pink/White

### Features

- Handle Material: Plastic



**SOLID STEEL**



## CLUBBELLS

Material: Steel

**Sku: VSSTCB2.5** (2.5 Kg)

**Sku: VSSTCB5** (5 Kg)

**Sku: VSSTCB7** (7 Kg)

**Sku: VSSTCB10** (10 Kg)

**Sku: VSSTCB12** (12 Kg)

**Sku: VSSTCB15** (15 Kg)

**Sku: VSSTCB20** (20 Kg)



## BODYWEIGHT GYM

**Sku: PSBDWTGY02**

### Features

- Nylon carry bag
- Adjustable straps with cam-buckles and carabiners
  - Anywhere Anchor Staps
- Universal strap handles w/double cradle
- Y-Kit (for unbalanced workouts)
- Neoprene carabiner's covers



## TECHNIQUE KIT

**Sku: XSTHRTK**

### Features

- Adjustable Belt w/multi-slug back straps
- Nylon Rope w/ steel hooks
  - Steel Pulley
- Anywhere anchor Strap
- 51" Strap w/cam-buckle (130 cm.)



⚠ Rings are not included



**FUNCTIONAL**

## GYMNASTIC WOOD RINGS



**32 mm**

**28 mm**

32 mm GRIP	28 mm GRIP
<b>Sku: XSWDRG01</b> <ul style="list-style-type: none"> <li>• 32 mm Grip</li> <li>• Outer diameter: 17.3 cm</li> </ul>	<b>Sku: XSWDRG02</b> <ul style="list-style-type: none"> <li>• 28 mm Gymnastic FIG Spec grip</li> <li>• Outer diameter: 18 cm</li> </ul>

### Features

- Material: Birch Wood
- 300 Kg Tested

⚠ Sold as a pair



## SPECIAL COMPETITION STRAPS

for Gymnastic Rings



Anchoring straps for Gymnastic Rings, length 256 cm. Blue, with graduated notches for proper adjustment and complete with 4 carabiners.



**4x**

Carabiner included

Size: L 256 cm x W 4 cm

**Sku: XSSTBK06**

### Features

- Material: Nylon 1000 D
- Color: Navy Blue

⚠ Sold as a pair



## COMPETITION STRAPS

for Gymnastic Rings

Anchoring straps for Gymnastic Rings, length 148 cm. Complete with 4 carabiners, blue and black are available and have graduated notches for proper adjustment.



Size: L 148 cm x W 4 cm

**Sku: XSSTBK02**

Color: Navy Blue

**Sku: XSSTBK08**

Color: Black

### Features

- Material: Nylon 1000 D

Colors: Navy Blue Black

Sold as a pair

## HEAVY DUTY STRAPS ANCHOR

for Gymnastic Rings

Anchoring straps for Gymnastic Rings, length 500 cm. Both blue and black are available and have graduated notches for proper adjustment.



Size: L 500 cm x W 4 cm

**Sku: XSSTBK01**

Color: Navy Blue

**Sku: XSSTBK04**

Color: Black

### Features

- Material: Nylon 1000 D

Colors: Navy Blue Black

Sold as a pair




## GYMNASTIC RING STEEL

Swivel for 360° attachment

**Sku: XSSW01**

Sold as a unit



## WOD TIMER



Sku: XSXFITTM01

CE RoHS

Weight: 2.5 kg

Sizes: L 71 cm x W 16 cm x H 4 cm

### Features

- Unlimited programmable w/remote control and storable programs
  - All WOD programmable
  - Easy AMRAP function
- Ready for special Tacfit® workout programs
  - With remote control
  - Clock/temperature display
- Wall mounting or desk standing

Tacfit® is a Registered Trademark used by and under license from RMAX.tv Productions and Secutor S.r.l. - (IT).



## WOD TIMER OPTION

### WOD TIMER - BATTERY OPTION



Sku: XSXFITTMOP02

### Features

- 220 V AC charger included
  - 6800 mAh
  - 12 V output
- ON/OFF switch

### TRIPOD KIT OPTION FOR WOD TIMER



Sku: XSXFITTMOP01

Weight: 4 kg

Sizes: L 75 cm x W 75 cm x H 110 cm

## OUTDOOR WOD TIMER



**Outdoor Proof**

Sku: XSXFITTM02

CE RoHS

Weight: 2.5 kg

Sizes: L 71 cm x W 16 cm x H 4 cm

### Features

- Unlimited programmable with remote control and storable programs
- All WOD programmable
- Easy AMRAP function
- Ready for special Tacfit® workout programs
  - With remote control
  - Clock/temperature display
- Wall mounting or desk standing

⚠ Horn sold as an option

Tacfit® is a Registered Trademark used by and under license from RMAX.tv Productions and Secutor S.r.l. - (IT).



### HORN OPTION FOR OUTDOOR WOD TIMER

Sku: XSXFITTMOP03

### Features

- Volume: 100 dB



**Outdoor Proof**

## REMOTE CONTROL

for Wod Timer



Sku: SFRCTM01

CE RoHS

⚠ Sold as a unit



## THE NANO TIMER



Sku: XSXFITTM04

CE RoHS

Weight: 0.25 kg

Sizes: L 2.2 cm x W 15.5 cm x H 4.7 cm

### Features

- Material: High-resistance silicone case and acrylic lens glass with smoky anti-refraction finish
- Display LED with 6 digits (1" inch)
- Integrated lithium battery 800mah, it lasts up to 10 hours
- Power supply and charge via USB C cable (included in the box)• electric input support from 110 to 240 V
  - Integrated set-up buttons
  - Integrated magnet

## THE NANO TIMER OPTION

### MINI TRIPOD

Sku: XSXFITTMOP05

Weight: 0.1 kg

Sizes: L 3 cm x W 5 cm x H 15 cm






## SILICON CASE FOR NANO TIMER

Material: Silicon

Sizes: L 2.5 cm x W 15.8 cm x H 5 cm



**Sku: XSNTMCASE01**

Color: Black  
with white logo



**Sku: XSNTMCASE02**

Color: Light Blue  
with black logo



**Sku: XSNTMCASE03**

Color: Army Green  
with white logo



**Sku: XSNTMCASE06**

Color: Pink  
with black logo



**Sku: XSNTMCASE07**

Color: Purple  
with white logo



**Sku: XSNTMCASE08**

Color: Orange  
with black logo



## ROUND-TRIP SLED

with Uhmw Nylon Skies

**Sku: XSGSD03**

Nylon skies for Round-trip Sled included  
(to work on all floor kinds)

Weight: 47 kg

Sizes: L 102 cm x W 61 cm x H 97 cm

### Features

- Max. load: 350 kg/772 Lbs
- Material: Powder coated steel
- Steel tube thickness: 4 mm
- Color: Matte black



### SKIES

**Sku: XSGSD03NS**

All Surfaces Nylon Skies for  
Round-Trip Sled

⚠ Sold as a pair



## Round-Trip Sled Option

### Features

- Material: Powder coated steel
- Steel tube thickness: 4 mm
- Color: Matte black



### Low pushing bar

**Sku: XSGD03PBL**

Weight: 6.5 kg

Size: L 44.8 cm x W 21.4 cm x H 21.4 cm



### High pushing bar

**Sku: XSGD03PBH**


Weight: 9.5 kg

Size: L 48 cm x W 45 cm x H 46.4 cm



### Wheel-barrow upgrade kit

**Sku: XSGD03WBK**



### NON-STOP PULLING

### Pull-around attachment

**Sku: XSGD03PAR**

# JUST DRAG SLED



**Sku: XSGSD01**

Nylon pulling straps and carabiners included

Weight: 10 kg

Sizes: L 61 cm x W 40 cm x H 46 cm

## Features

- Max. load: 150 kg/331 Lbs
- Material: Powder coated steel
  - Color: Matte black
- Ready to be equipped with Nylon/UHMW/Polyzene skies

⚠ Nylon skies sold as an option



## SKIES

**Sku: XSGSD01NS**

All Surfaces Nylon Skies for  
Just Drag Sled

⚠ Sold as a pair



## JUST DRAG SLED OPTION




### Shoulder harness with rings

**Sku: XSSDHN01**

#### Features

- Material: Nylon
- Color: Black



### Drag strap

**Sku: XSDGSP01**

#### Features

- Material: Nylon
- Length: 400 cm
- Color: Black/Blue



### Sled-drag rope

**Sku: VSCBRP04**

#### Features

- Material: Natural Fiber
- Size: 3 x 1500 cm
- Steel eyelet end



## THE PROWLER SLED

with Uhmw Nylon Skies

**Sku: XSPGSD01**

Nylon pulling straps and carabiners included

Nylon skies for Prowler Sled included  
(to work on all floor kinds)

Weight: 50 kg

Sizes: L 109 cm x W 100 cm x H 100 cm

### Features

- Max. load: 700 kg/1.543 Lbs
- Material: Powder coated steel
- Steel tube thickness: 4 mm
- Color: Matte black



### SKIES

**Sku: XSPGSD01NS**

All Surfaces Nylon Skies for the  
Prowler Sled

⚠ Sold as a kit

## HEAVY DUTY PARALLETES 2.0



**Sku: VSEQLZ05IT**

Weight: 6.5 kg

Sizes: L 60 cm x W 30 cm x H 37 cm

### Features

- Handle diameter: 38 mm
- Material: Powder coated steel
- Color: Matte black

## TRAINING ROPES

### Nylon Training Rope

**Sku:** VSPWRP01

Sizes: 3.8 x 1500 cm

**Sku:** VSPWRP02

Sizes: 5 x 1500 cm

#### Features

- Wall mounted ring included
- Material: Nylon



### Polyester Training Rop

**Sku:** VSPWRP03

Sizes: 3.8 x 1500 cm

**Sku:** VSPWRP04

Sizes: 5 x 1500 cm

#### Features

- Wall mounted ring included
- Nylon encased, Natural Sisal Training Rope
- Material: Natural Fiber



### Polyester EVO Training Rope

**Sku:** VSPWRP09

Size: 3.8 cm x 12 m

#### Features

- Material: Polyester



# ***STRENGTH***



BARS COMPARATIVE TABLE  
**page 28**



BARS  
**page 30**

BAR'S ACCESSORIES  
**page 43**



PLATES  
**page 44**

BENCHES AND STATIONS  
**page 54**



CORE TRAINING  
**page 61**

DUMBBELLS  
**page 62**



WEIGHTLIFTING PLATFORMS  
**page 65**

JERK BLOCKS  
**page 66**



WEIGHTLIFTING ACCESSORIES  
**page 66**

WEIGHTLIFTING AND  
POWERLIFTING GEAR  
**page 68**







XENIOSUSA.COM



**CREATING  
TRAINING  
ZONES**  
SINCE • 2009

# Bar comparison table

## BARS

						
<b>Sku</b>	XSOBAR01	XSOBAR14 XSOBAR05 XSOBAR03	XSOBAR07	XSOBAR07E	XSOBAR09	XSOBAR09E
<b>Bar Use</b>	Powerlifting Bar	Technique Bar Training Bar Training Bar	Training Bar	Training Bar	Training Bar	Training Bar
<b>Tensile Strength</b>	200 K + PSI	- - -	190 K + PSI	180 K + PSI	190 K + PSI	180 K + PSI
<b>Max Load</b>	907 kg	100 kg 450 kg 100 kg	453 kg	453 kg	453 kg	227 kg
<b>Bushing / Bearing</b>	Oversize Bronze Bushings	- - -	Bronze Bushings	Bronze Bushings	Bronze Bushings	Bronze Bushings
<b>Category</b>	Man	Woman Man Woman	Man	Man	Woman	Woman
<b>Weight</b>	20 kg	12 kg 20 kg 14.5 kg	20 kg	20 kg	15 kg	15 kg



## BARS

						
<b>Sku</b>	XSOBAR11	XSOBAR12	XSOBAR13	XSBOBAR01	XSBOBAR06	PSA0BAR01
<b>Bar Use</b>	Training Bar	Training Bar	Training Bar	Weightlifting	Weightlifting	Technique Bar
<b>Tensile Strength</b>	190 K + PSI	190 K + PSI	250 K + PSI	240 K + PSI	190 K + PSI	-
<b>Max Load</b>	453 kg	453 kg	453 kg	907 kg	453 kg	45 kg
<b>Bushing / Bearing</b>	Composite Bronze-Graphite Bushings	Composite Bronze-Graphite Bushings	Composite Bushings	Bearings	Bearings	Bearings
<b>Category</b>	Man	Woman	Man	Man	Woman	Man Woman
<b>Weight</b>	20 kg	15 kg	20 kg	20 kg	15 kg	10 kg



## BLACK PU X-GRIPS ROUND FIXED BARBELL

Sku: PSFXDBB10-45

Weight variations (Kg): 10 / 15 / 20 / 25 / 30 / 35 / 40 / 45

Total length of barbell

10 kg: 104.6 cm / 15 kg: 106.8 cm / 20 kg: 108.6 cm

25 kg: 111.6 cm / 30 kg: 111.4 cm / 35 kg: 114.2 cm

40 kg: 116.6 cm / 45 kg: 119 cm

Diameter: 32 mm (10 / 15 / 20 / 25 / 30 Kg)

Diameter: 34 mm (35 / 40 / 45 Kg)



The steel core and treatment of the hard-chromed bar ensure a strength and durability above all standards. The use of polyurethane ensures maximum resistance to wear and rubbing. In addition, the unique properties of polyurethane offer athletes a durable and odorless product.



## BLACK PU X-GRIPS ROUND FIXED EZ BARBELL"

Sku: PSEZFXDBB10-45

Weight variations (Kg): 10 / 15 / 20 / 25 / 30 / 35 / 40 / 45

Total length of barbell

10 kg: 104.6 cm / 15 kg: 106.8 cm / 20 kg: 108.6 cm 25 kg: 111.6

cm / 30 kg: 111.4 cm / 35 kg: 114.2 cm 40 kg: 116.6 cm

45 kg: 119 cm

The preloaded EZ barbell bar is made entirely of steel to ensure strength and durability. The polyurethane coating ensures high resistance to friction, shock and wear, and leaves the product completely odourless. The shape of the barbell allows greater involvement of the biceps or triceps muscle, depending on the grip used.



Diameter: 32 mm (10 / 15 / 20 / 25 / 30 Kg)

Diameter: 34 mm (35 / 40 / 45 Kg)

### BARS RACK

Page 128



What's in the box:  
Tactical Vest, 2 Metal Plates



+



# TACTICAL VEST

Colors:



Army Green



Black

The Tactical Vest follows the shape of your body to allow the execution of any exercise, even the most dynamic ones.



Discover the best combination of material and design for your performance!



Inspired by military bulletproof vests, the fitting of the new Tactical Vest allows increasing the workloads during any training, at any pace.



Follow us on:



## TRAINING MAN'S BAR



**Sku: XSOBAR07**

Weight: 20 kg

Length: 220 cm

### Features

- 86" Black QPQ (shaft) & Bright Zinc Finish (sleeves)  
Heat Treated Spring Steel Man Olympic Bar w/Bronze Bushings
- Tensile Strength: 190.000+PSI
- Max. load: 1000 Lbs (453 kg)
  - Diameter: 28 mm
  - IWF & IPF marks
- Sleeve diameter: Olympic size (2 inch) 49.8 mm

### READY FOR WEIGHTLIFTING



**MEN**



**20kg**



**BUSHING**



**28mm**

**190K  
TENSILE  
STRENGTH**

**HI-FLEX**

The barbell bar Training Man Bar of Xenios USA® has the bar covered in black titanium while the handles are in polished zinc. It is 220 cm long with a diameter of 28 mm and double marks on the knurling, which make it compliant with the Olympic IWF and IPF standards. In addition, it is made with a new thermally treated harmonic steel that supports a tensile strength of 190,000 PSI, with bronze bushings and double ring closing system.



Custom  
color  
on demand



**BARS RACK**

page 126



**Sku:**  
**XSOBAR07CS01**

XKOT SHIELDED  
Army Green



**Sku:**  
**XSOBAR07CS04**

XKOT SHIELDED  
White




**Sku:**  
**XSOBAR07CS02**

XKOT SHIELDED  
Red and Black




**Sku:**  
**XSOBAR07CS06**

XKOT SHIELDED  
Yellow and Black



**Sku:**  
**XSOBAR07CS03**

XKOT SHIELDED  
Blue and Black




**Sku:**  
**XSOBAR07CS09**

XKOT SHIELDED  
Black and Black





## TRAINING LADY'S BAR



This bar, particularly appreciated by women, has been created for every type of training, from weightlifting Olympic to powerlifting. It is equipped with self-lubricating bushings, weighs 15 kg and handle diameter 25 mm. It is perfect both for beginners and for the training of professional athletes.

**Sku: XSOBAR09**

Weight: 15 kg

Length: 201 cm

### Features

- 79" Black QPQ (shaft) & Bright Zinc Finish (sleeves) Heat Treated Spring Steel Woman Olympic Bar w/ Bronze Bushings
- Tensile Strength: 190.000+PSI
- Max. load: 1000 Lbs (453 kg)
  - Diameter: 25 mm
- Olympic IWF & IPF marks
- Sleeve diameter: Olympic size (2 inch) 49.8 mm


## READY FOR WEIGHTLIFTING



XENIOSUSA.COM



Custom  
color  
on demand



**Sku:**  
**XSOBAR09CS01**  
XKOT SHIELDED  
Pink and Black




**Sku:**  
**XSOBAR09CS06**  
XKOT SHIELDED  
Purple and Black



**Sku:**  
**XSOBAR09CS02**  
XKOT SHIELDED  
Light Blue and Black




**Sku:**  
**XSOBAR09CS08**  
XKOT SHIELDED  
Red and Black



**Sku:**  
**XSOBAR09CS07**  
XKOT SHIELDED  
White and Black

BARS RACK  
page 126





This barbell bar has nothing to envy about the classic Training Man Bar: same soul, less aesthetic frills. Perfect for both the garage gym and PT studios, both for functional training classes.

It is equipped with self-lubricated bronze bushings, chromium-plated elastic steel tested up to 180,000+ PSI, 220 cm length including two 41.5 cm smooth sleeves each.

## MAN TRAINING BAR



Sku: XSOBAR07E

Weight: 20 kg

Length: 220 cm

### Features

- 86" Zinc Plated (shaft + sleeves) Heat Treated Spring Steel Man Olympic Bar w/Bronze Bushings
  - Tensile Strength: 180.000+PSI
  - Max. load: 1000 Lbs (453 kg)
  - Diameter: 28 mm
- Olympic IWF & IPF marks w/o center knurl
- Sleeve diameter: Olympic size (2 inch) 49.8 mm



**BARS RACK**

page 126

## WOMAN TRAINING BAR




Sku: XSOBAR09E

Weight: 15 kg

Length: 201 cm

### Features

- 79" Zinc Plated Heat Treated Spring Steel Woman Olympic Bar w/Bronze Bushings
  - Tensile Strength: 180.000+PSI
  - Max. load: 500 Lbs (227 kg)
  - Diameter: 25 mm
- Olympic IWF & IPF marks w/o center knurl
- Sleeve diameter: Olympic size (2 inch) 49.8 mm



If you are looking for a barbell that gives you the desired results at the best price on the market, the Woman Training Bar, The Essentials, is the best choice for you.

This barbell is equipped with self-lubricated bronze bushings, chrome-plated elastic steel tested up to 180,000+ PSI, overall length of 201 cm and standard weight of 15 Kg. Like all Xenios barbells USA®, the grip grip will make you a lifelong fan.



## OLYMPIC BAR - BLACK QPQ

**Sku: XSOBAR14**

Weight: 12 kg

Length: 153 cm

Max. load: 100 kg

Diameter: 28 mm

Sleeve diameter: Olympic size (2 inch) 49.8 mm

**Sku: XSOBAR05**



Weight: 20 kg

Length: 220 cm

Max. load: 450 kg

Diameter: 31 mm

Sleeve diameter: Olympic size (2 inch) 49.8 mm



## CHROMED FINISH OLYMPIC BAR

**Sku: XSOBAR03**

Weight: 14.5 kg

Length: 183 cm

### Features

- Diameter: 28 mm
- Color: Chromed
- Sleeve diameter: Olympic size (2 inch) 49.8 mm

## CHROMED FINISH OLYMPIC CURL BAR

**Sku: XSEZOBAR03**

Weight: 13.5 kg

Length: 134 cm

### Features

- Diameter: 28 mm
- Color: Black
- Sleeve diameter: Olympic size (2 inch) 49.8 mm



**MEN**




**WOMEN**



**13.5kg**



**28mm**




Do you know a better tool than the EZ barbell to work "easily" on the strength of your arms?

With this special barbell, you can efficiently train certain muscle groups such as biceps and triceps, increasing comfort during work and reducing the possibility of annoying injuries.







Xenios USA® presents Pro WL. Man's Bar, the 28 mm barbell bar ideal for weightlifting-experienced athletes. If the goal is to intensify the workouts, this 20 kg bar equipped with 8 bearings and a double sigeer locking system is the right tool to increase the performance.

## PRO WEIGHTLIFTING MAN'S BAR

Sku: XSBOBAR01

Equipped with special heavy duty needle bearings. Double thickness, longer needles, self-lubricating channel.

Weight: 20 kg

Length: 220 cm

### Features

- 86" Chrome Plated Finish Heat Treated High-Spring Steel Man Olympic W.L. Bar w/8 Bearings (4x double-case needle + 4x ball)
- Tensile Strength: 240.000+ PSI
- Max. load: 2000 Lbs (907 kg)
  - Diameter: 28 mm
  - IWF & IPF marks
- Sleeve diameter: Olympic size (2 inch) 49.8 mm

## READY FOR WEIGHTLIFTING



MEN



20kg



BEARING



28mm

**240K**  
TENSILE  
STRENGTH



HI-FLEX



**BARS RACK**  
page 126

## PRO LADY'S BAR

Sku: XSBOBAR06

Equipped with special heavy duty needle bearings. Double thickness, longer needles, self-lubricating channel.


Weight: 15 kg

Length: 201 cm

### Features

- 79" Bright Zinc Plated - Heat Treated Spring Steel Woman Olympic Bar w/6 bearings (2x double-case needle + 4xballs) and dual snap ring closing system
  - Tensile Strength: 190.000+PSI
  - Max. load: 1000 Lbs (453 kg)
    - Diameter: 25 mm
    - Olympic IWF & IPF marks
- Sleeve diameter: Olympic size (2 inch) 49.8 mm

## READY FOR WEIGHTLIFTING



Designed for women's weightlifting competitions, the Pro Lady's Bar is perfect to withstand any type of drop, offering stability and control even during intense workout exercises. Due to its high flexibility, it can withstand up to a maximum load of 230 kg.



WOMEN



15kg



BEARING



25mm

**190K**  
TENSILE  
STRENGTH



HI-FLEX



## XKOT SHIELDED PRO-TRAINING BAR

Sku: XSOBAR13

Weight: 20 kg	Length: 220 cm
---------------	----------------

### Features

- 86" XKOT Shielded - Heat Treated-Spring Steel Man Olympic Bar w/Composite bushings
  - Tensile Strength: 250.000+PSI
  - Max. load: 1000 Lbs (453 kg)
    - Diameter: 28 mm
  - Olympic IWF & IPF marks w/o center knurl
  - Sleeve diameter: Olympic size (2 inch) 49.8 mm

The Black Rod is the first weightlifting barbell to be finished with the brand new X-Coating™ treatment, which represents the evolution of ceramic liquid coatings increasing the life of the barbell over time.

The finish layer of the colour adheres perfectly to the steel, as if it were a second skin, preserving the barbell from rust longer, without resorting to any galvanic process in the underlying layer.

## READY FOR WEIGHTLIFTING



**BARS RACK**  
page 126

XENIOSUSA.COM

## RIFLE PRO-TRAINING BAR


Sku: XSOBAR11

Weight: 20 kg	Length: 220 cm
---------------	----------------

### Features

- 86" Bright Zinc Finish Heat Treated High-Spring Steel Man Olympic Bar w/composite Bronze-Graphite Bushings
  - Proprietary Rifle-Grip Knurl
  - Tensile Strength: 190.000+PSI
  - Max. load: 1000 Lbs (453 kg)
    - Diameter: 28 mm
    - IWF & IPF marks
- Sleeve diameter: Olympic size (2 inch) 49.8 mm

## READY FOR WEIGHTLIFTING



The distinctive feature of this weightlifting barbell is the knurling called Rifle, which is named after the handle of a pistol. Unlike the classic diamond knurling, the Rifle model allows you to repeatedly use the barbell without annoying abrasions to the hands. It has a torsion resistance of 250,000+ PSI and is tested up to a maximum load of 750 Kg. Guaranteed for life against bending and breakage.

## RIFLE WOMAN PRO-TRAINING BAR

Sku: XSOBAR12


Weight: 15 kg

Length: 201 cm

### Features

- 79" Bright Zinc Plated - Heat Treated Spring Steel Woman Olympic Bar w/Composite Bushings
  - Tensile Strength: 190.000+PSI
  - Max. load: 1000 Lbs (453 kg)
  - Diameter: 25 mm
- Olympic IWF & IPF marks w/o center knurl
- Sleeve diameter: Olympic size (2 inch) 49.8 mm

## READY FOR WEIGHTLIFTING




Bronze-Graphite Bushings

Compared to traditional Olympic barbells, the Rifle Woman Pro-training Bar offers greater hand grip to the bar and a significant reduction in pain and injuries you are accustomed to while using a traditional barbell.

It is characterized by a particular type of knurling of the handle that makes the grip much more comfortable; it is a patent developed by Xenios USA®, the Rifle Knurling, designed and inspired by the handles used in firearms.



**BARS RACK**  
page 126



## POWERLIFTING BAR

Sku: XSOBAR01

Weight: 20 kg

Length: 220 cm

### Features

- 86" Bright Zinc Finish Heat Treated Spring Steel Man Power Lifting Bar w/oversize Bronze Bushings
  - Tensile Strength: 200.000+PSI
  - Max. load: 2000 Lbs (907 kg)
  - Diameter: 29 mm
  - IPF marks & Squat Knurl
- Sleeve diameter: Olympic size (2 inch) 49.8 mm

## READY FOR POWERLIFTING



The "groove" of the sleeves of the Powerlifting Bar prevents the plates from slipping during use and the knurled handle in the shape of a "diamond" gives a unique grip. The self-lubricated bronze bushings guarantee the perfect rotation of the sleeves with any load.

The steel of this barbell bar boasts a torsional resistance of 220,000+ PSI and all parameters are in compliance with the regulations of the International Powerlifting Federation.



## ALU TECHNIQUE BAR

Sku: PSAOBAR01


Equipped with special heavy duty needle bearings.  
Double thickness, longer Needles,  
self-lubricating channel.

Weight: 10 kg

Length: 220 cm

### Features

- 86" Aluminum Technique Bar w/6 bearings (2x double-case needle + 4x ball)
  - Max. load: 100 Lbs (45 kg)
    - Diameter: 28 mm
    - IWF & IPF marks
- Sleeve diameter: Olympic size (2 inch) 49.8 mm



Alu Technique Bar is the perfect barbell bar for approaching the disciplines of weight lifting and powerlifting, presenting all the requirements to meet the workout of a beginner.

Due to its characteristics, 220 cm long and 10 kg of weight, it fits perfectly to the workouts of beginners, both men and women.



### BARS RACK

page 126

## ON RAMP BAR


Sku: PSAOBAR03

Weight: 10 kg

Length: 170 cm

### Features

- 67" Heat Treated Steel Technique Bar w/Bronze Bushings - Bright Zinc Finish + Black e-coating (shaft) & Bright Zinc Finish (sleeves)
  - Max. load: 100 Lbs (45 kg)
    - Diameter: 25 mm
    - IWF & IPF marks
- Sleeve diameter: Olympic size (2 inch) 49.8 mm



The On Ramp Bar is a 10 kg barbell bar designed for those who take their first steps in weight training and powerlifting. Long 170 cm and with a diameter of 25 mm, the On Ramp Bar is built with the same quality as the other barbells competition Xenios USA and can be used by any athlete, regardless of age or level of learning

## ALU JUNIOR TECHNIQUE BAR

Sku: PSAOBAR02

Weight: 5 kg	Length: 180 cm
--------------	----------------

### Features

- 72" Aluminum Technique Junior Bar w/Bronze Bushings
  - Max. load: 60 Lbs (27 kg)
  - Diameter: 25 mm
  - IWF marks
- Sleeve diameter: Olympic size (2 inch) 49.8 mm



WOMEN




JUNIOR



5kg



25mm



Alu Junior Technique Bar is the perfect technical barbell bar for approaching the disciplines of weight lifting and powerlifting, a tool that has all the requirements to meet the workout of a beginner.

Due to its size, it adapts to the workouts of women and children: 180 cm long and 5 kg in weight, diameter 25 mm and sleeve 21,5 cm.



The Learning Bar allows you to warm up your joints before training and perfect your movements. It has a diameter of 28 mm. and two notches that reproduce exactly those of the handles of the Olympic barbells to be used by newbies and beginners. Not suitable to be loaded with plates.

## LEARNING BAR

Sku: XSLEARNBAR01

IN/OUT Markers for Weight and Olympic Lifting  
Technique Learning

Weight: 0,3 kg	Length: 150 cm
----------------	----------------

### Features

- Material: PE
- Color: Black

## AXLE BAR

Sku: PSAXLBAR01

Weight: 12 kg	Length: 210 cm
---------------	----------------

Sku: PSAXLBAR02

Weight: 9.5 kg	Length: 152 cm
----------------	----------------

### Features

- Max. load: 330 Lbs (150 kg)
  - Grip diameter: 49 mm
- Material: Powder coated steel
  - Color: matte black



Essential tool for anyone who wants to train with Strongman workouts, the Axle Bar of Xenios USA is available in two versions: a short, weight 9 kg. and length 152 cm, and a long, weight 12 kg and length 210 cm. Both models have a diameter of 50 mm, a feature suitable to increase the grip force. The maximum load of 300 kg.

## HEAVY DUTY TRAP BAR

**Sku: PSOHDTPBAR01**


Weight: 32 kg

Length: 210 cm

Width: 70 cm

### Features

- Max. load: 1000 Lbs (453 kg)
  - Grip diameter: 32 mm
  - Material: steel
- Sleeve diameter: Olympic size (2 inch) 49.8 mm



**Knurl**

The hexagonal bar is the best tool to perform detachments from the ground in total safety. Ideal for both beginners and advanced athletes, this equipment is essential for any gym and functional training.



## CAMBERED SQUAT BAR

**Sku: PSSQBAR01**

Weight: 22.5 kg

Length: 228 cm

Width: 45 cm

### Features

- Max. load: 1000 Lbs (453 kg)
  - Grip diameter: 32 mm
  - Material: steel
  - Finishing: NP plated
- Sleeve diameter: Olympic size (2 inch) 49.8 mm

⚠ All Xenios USA bars are not pre-equipped with collars and plates



It is the ideal tool to increase the weight load in the back squat and especially to perform in total safety any exercise of this type at high intensity. The handles facilitate grip while exercising and the coating offers greater comfort even when lifting the maximum load.



## **HIP THRUSTER NBR PAD**

Sku: XSBBP03



- Width: 44 cm
- Diameter: 9 cm



## **SQUAT NYLON PAD**

Sku: XSBBP02



- Width: 47 cm
- Diameter: 7.5 cm



## **SPRAY OIL**



Sku: XSBARLUBE01

Special Spray Oil to lube Bars, Bearings and Bushings

### **Features**

- To lube shafts and sleeves
- To keep bushing and bearings lubricated
- 125 mL.

## **SILICON SPRAY**



Sku: XSBARLUBE02

Special Silicon Spray Grease to lube and to protect Galvanized Steel Bars and Sleeves

### **Features**

- To lube shafts and sleeves
- To keep bushing and bearings lubricated
- 200 mL.

## XENIOS USA PRO JAW-COLLARS



**Sku: LJC-PROX**  
Color: Black

**Sku: LJC-PROX02**  
Color: Navy Blue

Equipped with safety locking system

⚠ Sold as a pair

Color:



Black



Navy Blue

## OLYMPIC SPRING COLLAR



**Sku: VSOSCL01**

### Features

- Center hole diameter 50 mm
- Material: steel
- Color: chrome

⚠ Sold as a pair

## LOCK-JAW COLLARS



**Sku: PSALJHEX01GRN**

Color: Lime Green

⚠ Sold as a pair



**Sku: PSALJHEX01BL**  
Color: Blue



**Sku: PSALJHEX01BK**  
Color: Black



**Sku: PSALJHEX01PK**  
Color: Pink

LOCK-JAW® is a Patented Design and a Registered Trademark used by and under license from Avus Design LLC - CA(USA).

## BLACK PU X-GRIPS OLYMPIC PLATE

### Features

- Color: Black
- Material: Polyurethane
- Inner diameter: 5,04 cm

Steel core and polyurethane coating. The strength and durability of polyurethane is greater than plastic, which usually covers the gym equipment. No smell, maximum resistance to scratches and wear. The choice of polyurethane is aimed at improving the quality of your workouts.

1.25 kg



Sku: PSPUOPLBK1.25

Diameter: 17.4 cm

2.5 kg



Sku: PSPUOPLBK2.5

Diameter: 18 cm

5 kg



Sku: PSPUOPLBK5

Diameter: 28 cm

10 kg



Sku: PSPUOPLBK10

Diameter: 33 cm

15 kg



Sku: PSPUOPLBK15

Diameter: 37.2 cm

20 kg



Sku: PSPUOPLBK20

Diameter: 42 cm



5 kg - Sold as a pair

2.5 kg - Sold as a pair

1.25 kg - Sold as a pair

20 kg - Sold as a pair

15 kg - Sold as a pair

10 kg - Sold as a pair

### PLATES RACKS

Page 130





## BLACK RUBBER X-GRIPS OLYMPIC PLATE

### Features

- Color: Black
- Material: Black Rubber
- Inner diameter: 5,04 cm

The Black Rubber X-Grips Olympic Plates have a steel core and a polyurethane coating. The resistance and durability of polyurethane increase the quality of the product, unlike the plastic that usually covers the gym equipment. No smell and maximum resistance to scratches and wear.

1.25 kg



Sku: XSRBOPLBK1.25  
Diameter: 17.4 cm

2.5 kg



Sku: XSRBOPLBK2.5  
Diameter: 18 cm

5 kg



Sku: XSRBOPLBK5  
Diameter: 28 cm

10 kg



Sku: XSRBOPLBK10  
Diameter: 33 cm

15 kg



Sku: XSRBOPLBK15  
Diameter: 37.2 cm

20 kg



Sku: XSRBOPLBK20  
Diameter: 42 cm

XENIOSUSA.COM



5 kg - Sold as a pair

2.5 kg - Sold as a pair

1.25 kg - Sold as a pair

20 kg - Sold as a pair

15 kg - Sold as a pair

10 kg - Sold as a pair



## COMPETITION BUMPER PLATES

Made with the best quality rubber, these plates are able to significantly reduce the percentage of rebound when they are dropped, thanks also to the stainless steel inner ring and the calibrated anti-scratch steel plate.

The Competition Bumper Plates meet IWF standards, have an external diameter of 450 mm and an internal hole diameter of 50.4 mm.



Diameter for all variants: 45 cm  
Special UV-resistance treatment.  
IWF Compliant.



**50.000 UNBROKEN  
DROPS TESTED**

Anti scratch steel  
surface

**Sku: PSBPCRBPL5**

Thickness: 3 cm

**Sku: PSBPCRBPL10**

Thickness: 4 cm

**Sku: PSBPCRBPL15**

Thickness: 4.5 cm

**Sku: PSBPCRBPL20**

Thickness: 6 cm

**Sku: PSBPCRBPL25**

Thickness: 6 cm



**5 kg**

Sold as a pair

**10 kg**

Sold as a pair

**15 kg**

Sold as a unit

**20 kg**

Sold as a unit

**25 kg**

Sold as a unit



PLATES RACKS

Page 130



## CONTEST BUMPER PLATES

Thanks to their "coded" colors, Contest Bumper Plates will facilitate your workout, allowing you to quickly choose the weight you are looking for; this will also help beginners load their barbell. Tested to withstand up to 50,000 drops without breakage.



Diameter for all variants: 45 cm  
Special UV-resistance treatment.



**50.000 UNBROKEN  
DROPS TESTED**

**Sku: PSBPRBPL5**

Thickness: 2.8 cm



**5 kg**

Sold as a pair

**Sku: PSBPRBPL10**

Thickness: 4.6 cm



**10 kg**

Sold as a pair

**Sku: PSBPRBPL15**

Thickness: 6 cm



**15 kg**

Sold as a unit

**Sku: PSBPRBPL20**

Thickness: 7 cm



**20 kg**

Sold as a unit

**Sku: PSBPRBPL25**

Thickness: 8 cm



**25 kg**

Sold as a unit

## TRAINING BUMPER PLATE



The Training Bumper Plates are the right choice to safeguard your budget and at the same time have a high performance product. They meet IWF standards and are perfect for use in any type of workout, both at the Box and in your Home Gym.



Diameter for all variants: 45 cm



**50.000 UNBROKEN  
DROPS TESTED**

Extra hardness  
on 5 kg: > 92°

**Sku: XSBPRBPL5**

Thickness: 2.8 cm



**5 kg**

Sold as a pair

**Sku: XSBPRBPL10**

Thickness: 4.6 cm



**10 kg**

Sold as a pair

**Sku: XSBPRBPL15**

Thickness: 6 cm



**15 kg**

Sold as a unit

**Sku: XSBPRBPL20**

Thickness: 7 cm



**20 kg**

Sold as a unit

**Sku: XSBPRBPL25**

Thickness: 8 cm



**25 kg**

Sold as a unit



# HEAVY DUTY BUMPER PLATES

Diameter for all variants: 45 cm

SBR granulate molded

Up to 20 Db. less when dropped

The Heavy Duty Bumper Plates are designed to support your training in any training environment, indoor and outdoor, without fearing of any type of surface.

One of the best features of these bumpers is their ability to withstand the most heavy drops even on external surfaces, such as concrete, and noise reduction higher than 20db.



**50.000 UNBROKEN  
DROPS TESTED**

Sku: XSBPRBPLS5

5 kg

Sku: XSBPRBPLS10

10 kg

Sku: XSBPRBPLS15

15 kg

Sku: XSBPRBPLS20

20 kg



Sold as a unit  
Thickness (cm): 3.3

Sold as a unit  
Thickness (cm): 6

Sold as a unit  
Thickness (cm): 9

Sold as a unit  
Thickness (cm): 12



PLATES RACKS

Page 131



# BRUSHED BUMPER PLATES

Diameter for all variants: 45 cm

The exclusive brush-stroke colouring of the Bumper Brushed Plates is not only an aesthetic quirk but is the result of a special processing of the rubber of which they are composed. The aesthetic design will offer a unique style to your training zone without sacrificing the quality and durability that distinguishes the brand Xenios USA.



**50.000 UNBROKEN  
DROPS TESTED**

**Sku: XSABPRBPL5**  
**5 kg**

**Sku: XSABPRBPL10**  
**10 kg**

**Sku: XSABPRBPL15**  
**15 kg**

**Sku: XSABPRBPL20**  
**20 kg**

**Sku: XSABPRBPL25**  
**25 kg**

XENIOSUSA.COM



Sold as a pair  
Thickness (cm): 2.8

Sold as a pair  
Thickness (cm): 4.6

Sold as a unit  
Thickness (cm): 6

Sold as a unit  
Thickness (cm): 7

Sold as a unit  
Thickness (cm): 8



## POWERLIFTING CALIBRATED STEEL PLATES

Material: Calibrated Steel

The Xenios USA® Calibrated Powerlifting Discs are made of steel and calibrated within +/-10 grams of tolerance, using brass calibration caps inserted on the rear surface of each disc. They have a 50 mm diameter of the internal plug hole, slightly lower than the usual diameter of the Bumper discs, which allows to have a better grip on the barbell sleeves. In addition, the reduced thickness of each disc allows you to load as much weight as possible, eliminating any waste of space.



**0.25 kg**

Sku: PSBPCSTPL0.25

Sold as a pair



**0.5 kg**

Sku: PSBPCSTPL0.5

Sold as a pair



**1.25 kg**

Sku: PSBPCSTPL1.25

Sold as a pair



**2.5 kg**

Sku: PSBPCSTPL2.5

Sold as a pair



**0.5 kg**

Sku: PSBPCSTPL5

Sold as a pair



**10 kg**

Sku: PSBPCSTPL10

Sold as a pair



**15 kg**

Sku: PSBPCSTPL15

Sold as a unit



**20 kg**

Sku: PSBPCSTPL20

Sold as a unit



**25 kg**

Sku: PSBPCSTPL25

Sold as a unit

### PLATES RACKS

Page 130



## COMPETITION TECHNIQUE PLATES

Diameter for all variants: 45 cm

Competition Technique Plates are plates with the same thickness and diameter as bumpers, but with lower weights, which can be used to improve your own lifting technique. These high-level plates are designed for the professional world of weight lifting or for anyone who wants to improve their technique to achieve top performance.



**Sku: XSTCPL02**  
Thickness: 8 cm  
Sold as a unit



**Sku: XSTCPL03**  
Thickness: 10 cm  
Sold as a unit

## TECHNIQUE PLATES



Ready for overhead drops

These plates are perfect for all those who are approaching the barbell for the first time; they have a diameter of 450 mm and a weight of only 2.5 Kg so they can be used on all Olympic barbells with 50 mm sleeves, including kid barbells.

**Sku: XSTCPL01**

Weight: 2.5 kg

Thickness: 2 cm

Diameter for all variants: 45 cm

Sold as a pair

## PLATES RACKS

Page 130





## MINI-RUBBER BUMPER PLATES

Sold as a unit

Rubber Fractional Plates allow you to progressively increase the load on the barbell through 7 weight increments, from 0.125 Kg to 2.5 Kg.

Thanks to the central hole of 50.4 mm in diameter and their range of colors that meets IWF requirements, these plates are compatible with any Olympic barbell.



0.125 kg

Sku: XSSTFRPL0.125



0.25 kg

Sku: XSSTFRPL0.25



0.5 kg

Sku: XSSTFRPL0.5



1 kg

Sku: XSSTFRPL1



1.25 kg

Sku: XSSTFRPL1.25



1.5 kg

Sku: XSSTFRPL1.5



2 kg

Sku: XSSTFRPL2



2.5 kg

Sku: XSSTFRPL2.5

### PLATES RACKS

Page 130







## FRICTION FRACTIONAL PLATES

Sold as a unit

The Fractional Discs of Xenios USA are part of the world of "change plates", that is those discs used to add the "commas" to the training loads with barbell (the weight range goes from 0.125 kg to 5 kg); thanks to the use of a steel core, have a reduced thickness that saves space on the sleeve of the balance.

Some weight cuts are called "friction" because inside the central hole there is a rubber counter-ring, very useful to generate more friction on the sleeves and, therefore, to act as a further system of holding the discs loaded on the sleeves.



0.125 kg

Sku: XSSTCFRPL0.125



0.25 kg

Sku: XSSTCFRPL0.25



0.5 kg

Sku: XSSTCFRPL0.5



1 kg

Sku: XSSTCFRPL1



1.25 kg

Sku: XSSTCFRPL1.25



1.5 kg

Sku: XSSTCFRPL1.5



2 kg

Sku: XSSTCFRPL2



2.5 kg

Sku: XSSTCFRPL2.5



5 kg

Sku: XSSTCFRPL5

## **POWER LIFTING COMPETITION BENCH**

**Sku: VSPWLFCMP01**

Weight: 130 kg

Sizes: L 195 cm x W 110 cm x H 165 cm

⚠ Bar and plates are not included


### **Features**

- Material: Powder coated steel
- Color: Matte Black / Chromed
- Steel tubes size: 60x60x3.5 mm
  - Max load: 450 Kg




**SAFETY ROD INCLUDED**

**FOOTREST FOR SPOTTER**



## POWER BENCH PRESS



**SAFETY ROD  
INCLUDED**



**FOOTREST FOR  
SPOTTER**



**Sku: VSPWBCPR01**

Weight: 150 kg

Sizes: L 171 cm x W 125 cm x H 141 cm

### Features

- Material: Powder coated steel
- Color: Matte Black / Chromed
- Steel tubes size: 80x80x3.5 mm
  - Max load: 450 Kg



## POWER BENCH OPTION


### SAFETY STRAP KIT

**Sku: VSPWBCPRSF**

#### Features

- Material: Nylon
- Color: Black
- Max load: 450 Kg

⚠ Sold as a pair





## ADJUSTABLE BENCH

Extra hardness foam for heavy bodyweight

**B**  
Length (cm) 30  
Width (cm) 32  
Thickness (cm) 6

**A**  
Length (cm) 120  
Width (cm) 32  
Thickness (cm) 6




**Sku: VSFTBC02**

Weight: 40 kg

Sizes: L 150 cm x W 60 cm x H 45 cm

### Features

- (Bench) Material: PVC Coated foam w/ plywood core
  - Color: Black
- (Steel Frame) Material: Powder coated steel
  - Color: Matte Black
- Size: 60x60x3 cm and 80x50x3 cm steel tubes



## FLAT BENCH

**Sku: VSFTBC01**

Weight: 25 kg

Sizes: L 120 cm x W 34 cm x H 45 cm

### Features

- (Bench) Material: PVC Coated foam, plywood core
  - Color: Black
- (Steel Frame) Material: Powder coated steel
  - Color: Matte Black
  - Size: 60x60x3.5 Steel Tubes
  - Max load body weight: 180 Kg
  - Max tested: 450 Kg





### Plate Loaded Dumbbell

Weight variance: 6 kg - 4 kg



### Fractional Plates

Weight variance:



0.125 kg



0.25 kg



0.5 kg



1 kg



1.25 kg



1.5 kg



2 kg



2.5 kg



5 kg

# PLATE LOADED DUMBBELL and FRACTIONAL PLATES

Reach a unique comfort and versatility for the execution of exercises with dumbbells. Get accuracy and effectiveness from the dumbbells with the same process of weightlifting bars.

**Choose your weights and start training!**



## **REVERSE HYPER EXTENSION**



**Sku: VSFDGHD01**

Weight: 138 kg

Sizes: L 138 cm x W 157 cm x H 127 cm



### **REVERSE HYPER OPTION**



#### **FEET ROLLS**

**Sku: VSRHEROLLS**

⚠ Sold as an option

# STRONGMAN GHD BENCH

Sku: VSGHD04

Weight: 100 kg

Sizes: L 186.4 cm x W 113 cm x H 131 cm

## Features

- Material: Powder coated steel
  - Color: Matte Black
- Steel tube thickness: 3,5 mm
- Max user bodyweight: 180 kg
  - Max tested load: 450 Kg



XENIOSUSA.COM

PLATES SUPPORT FOR IMPROVING STABILITY



POWER RESISTANCE LOOP ANCHORING PIN



WHEELS





## FOLDABLE GHD BENCH

Sku: VSFDGHD01

### Features

- Certifications: UNI EN ISO 20957, Classe S – Professional use
- User Maximum Weight: 150 kg
- Maximum breaking load tested: 450 kg

### Dimensions of open product

**Height: 111,1 cm**  
(from the base of the structure in steel to the highest point of the foot support platform)

**Width: 69,6 cm**

**Length: minimum 116,8 cm  
maximum 137 cm**

### Dimensions of closed product

**Height: 127,1 cm**  
(from the lowest point of the cushion to the highest part of the foot support platform)

**Width: 69,6 cm**

**Length: 61,9 cm**



### Characteristics of the steel pin

Double safety system for the mobile parts

### Two types of pins

A pin that's both a spring and screw for selection and tightening.

One that's only a screw for tightening, for extra safety.



Double piston: 600 Newton/meters each



### Cushion characteristics

Internal: expanded foam in polyurethane 230 kg/m<sup>3</sup> density  
External border: 1 cm of high density memory foam 300 kg/m<sup>3</sup>



## CORE TRAINER



**Sku:** VSTCT02

### Features

- Material: Chromed Steel



## CORE TRAINER OPTION

## BLACK ROWER BAR for Core Trainer



**Sku:** VSRWBAR01

IN/OUT Markers for Weight and Olympic Lifting Technique Learning

Weight: 0,3 kg

Width: 157 cm

### Features

- Material: PE
- Color: Black

## CORE TRAINER FULCRUM



**Sku:** VSAXFIT15

Weight: 3 kg

Size: L 12 cm x W 6 cm x H 15 cm

### Features

- Material: Powder coated steel
- Color: Matte black



## PLATE LOADED DUMBBELLS



⚠ Sold as a unit

This product has two versions

### Long

Sku: XSPLLDDBM01

Weight: 6 kg

Size: length 53 cm

### Short

Sku: XSPLLDDBM02

Weight: 4 kg

Size: length 38 cm

Material resistance: at least 190.000 PSI  
and 50Kg maximum load



### FRICTION FRACTIONAL PLATES

Page 53

## PU X-GRIPS ROUND FIXED DUMBBELLS



Sku: PSXGFRBDB2.5...50

Weight variations (Kg):

2.5 / 5 / 6 / 7.5 / 10 / 12.5 / 15 / 17.5 / 20 / 22.5 / 25 /  
27.5 / 30 / 32.5 / 35 / 37.5 / 40 / 42.5 / 45 / 47.5 / 50

Handle L : 12.5 cm

Weight increments 2.5 kg

⚠ Sold as a pair

## FITNESS DUMBBELLS



Sku: XSFNPDB1...10

Weight variations (Kg):

1 / 2 / 3 / 4 / 5 / 6 / 7 / 8 / 9 / 10

Weight increments 1 kg

⚠ Sold as a pair

////////

## X-GRIPS GLITTER PU ROUND FIXED DUMBBELLS

Weight variations (Kg):

2.5 / 5 / 7.5 / 10 / 12.5 / 15 / 17.5 / 20 / 22.5 / 25 / 27.5 / 30 / 32.5 / 35 / 37.5 / 40 / 42.5 / 45 / 47.5 / 50

Diameter Handle: 32 mm (2.5 / 20 kg)

Diameter Handle: 34 mm (22.5 / 50 kg)

⚠ Sold as a pair

Sku: PSGXGFRBDBBK2.5...50

Color: Black



Sku: PSGXGFRBDBPK2.5...50

Color: Pink



Sku: PSGXGFRBDBWH2.5...50

Color: White



## DUMBBELLS RACK

Page 134





## FULL RUBBER HEX-DUMBBELLS

**Sku: XSORDB5...50**



Weight variance (Kg):

1 / 2 / 3 / 4 / 5 / 6 / 7 / 7.5 / 8 / 10 / 12.5 / 15 / 17.5 /  
20 / 22.5 / 25 / 27.5 / 30 / 32.5 / 35 / 37.5 / 40 / 42.5  
/ 45 / 47.5 / 50

Handle L : 12.5 cm

Weight increments 2.5 kg

⚠ Sold as a pair



## BLACK RUBBER HEX DUMBBELL



**Sku: XSEORDB5...30**



Weight variance (Kg):

5 / 7.5 / 10 / 12.5 / 15 / 17.5 / 20 / 22.5 / 25 / 27.5 / 30

Handle L : 12.5 cm

Weight increments 2.5 kg

⚠ Sold as a unit



## DUMBBELLS RACK

Page 133





## WEIGHTLIFTING PLATFORM 3X2 M.

**Sku: WLFTPLT01**

Weight: 140 kg

Size: L 308 cm x W 208 cm x H 3 cm

### Features

- Wood-Core Rubber Tiles (L 100 x W 200 x H 3 cm - 2 Pcs)
- Bamboo-Wood Platform (L 100 x W 200 x H 3 cm - 1 Pc)
  - 4x3 cm steel rim



## WEIGHTLIFTING PLATFORM



**Sku: WLFTPLT02**

Weight: 170 kg

Size: L 308 cm x W 208 cm x H 3 cm

### Features

- Interlocking Pins Rubber Tiles (L 100 x W 100 x H 3 cm - 6 Pcs)
  - 4x3 cm steel rim



## BAMBOO TILE

This platform fits perfectly with the EVO or Essential Weight Drop Rubber floor.

**Sku: XSWDPF04:** Thickness: 3 cm

**Sku: XSWDPF05:** Thickness: 2 cm

Weight Lifting Platform add-on - Bamboo Tile for inner workout area of Heavy Duty Squat Stand (123,6 x 106,2 cm)



## WOOD JERK BLOCKS

Sku: RKOBAJSD02

Weight: 70 kg (each)

Sizes: L 91 cm x W 51 cm x H 91 cm



A) Sku: RKOBAJSD06 / H: 6 cm

B) Sku: RKOBAJSD05 / H: 15 cm

C) Sku: RKOBAJSD04 / H: 30 cm

D) Sku: RKOBAJSD03 / H: 40 cm

### Features

- Material: Birch Wood
- Top w/safety edges and antiskid rubber coating
- 91x51 cm foot print

⚠ Sold as a pair

## WOOD PLYO JERK BLOCKS

Sku: RKOBAJSD07

Weight: 34 kg (each)



Top w/safety edges and antiskid rubber coating.

Sizes: L 80 cm x W 54.6 cm x H 35 cm

### Features

- Material: Birch Wood
- Color: Wood

⚠ Sold as a pair

## PORTABLE SQUAT STAND



**Sku: VSSQST02**

Weight: 30 kg

Sizes: L 120 cm x W 60 cm x H 180 cm

### Features

- Material: Powder coated steel
  - Color: Matte Black
- Steel tubes size: 60x60x3.5 mm.
  - Max load: 500 Kg



## BARBELL-JACK

**Sku: XSB RJK01**

Weight: 35 kg

Sizes: L 91 cm x W 51 cm x H 40 cm

### Features

- Material: Powder coated steel
  - Color: matte black

⚠ Bar and plates are not included





## ERGO WEIGHTLIFTING BELT 2.0



Sku: PSNYPLAT013 / Size: S

Sku: PSNYPLAT014 / Size: M

Sku: PSNYPLAT032 / Size: L

### Features

- The perfect Belt for Weight Lifting WOD
- Material: EVA (inner blade) + PP (outer lining)
  - Width: 6" (15 cm.) Back-side



### Size guide:

XS	S	M	L
waist circ.: from 60 to 75 cm.	waist circ.: from 69 to 84 cm.	waist circ.: from 80 to 95 cm.	waist circ.: from 90 to 105 cm.



## ERGO WOD BELT 2.0

Sku: PSNYPLAT018-19

Material: EVA (inner blade) + PP (outer lining)

Width: 10 cm. Back-side

Size: XS - S - M - L

Color: Black/Navy Blue

### Features

- The perfect Belt for the whole WOD.



Sku: PSNYPLAT020-23

Size: XS - S - M - L

Color: Black



Sku: PSNYPLAT024-26

Size: XS - S - M

Color: Black/Purple



Sku: PSNYPLAT015-17

Size: XS - S - M

Color: Black/Pink



Sku: PSNYPLAT028-31

Size: XS - S - M - L

Color: Black/Dark Green

## OLYMPIC LIFTING STRAPS



**Sku: PSLFTST01**

Material: Genuine Leather

Size: 28 cm.

### Features

- Water-Proof Genuine Leather
- Right and Left hand fitting.

⚠ Sold as a pair

## DEAD LIFT STRAPS



**Sku: PSNYCLAT007**

Material: Nylon + PP

Size: 4 x 59 cm

⚠ Sold as a pair

## FLOSS BAND



**Sku: XSPTLXFLS01**

Material: Latex

Size: 5 cm x 208 cm

## GOAT TAPE®



**Sku: GTTPXNS** / Color: Blue

**Sku: GTTPXNS2** / Color: Purple

Material: Zinc Oxide 100% cotton tape

Size: 4 cm x 900 cm

### Features

- Long-lasting meshed fabric.

## WRIST STRAP



**Sku: PSWRST01**

Material: Nylon + PP

Size: 8 cm x 39 cm

Color: Black/Blue

### Features

- Thumb hooker.

△ Sold as a pair



**Sku: PSWRST02**

Color: Pink/Blue



**Sku: PSWRST03**

Color: Grey/Blue



**Sku: PSWRST04**

Color: White/Blue



**Sku: PSWRST05**

Color: Green/Black

## WRIST TWIST WRAPS



**Sku: PSTWWRWP01**

Material: Polyester

Size: 7.5 cm x 90 cm

Color: Black/Blue

### Features

- Easy tight-on/off wrist wrapping.

△ Sold as a pair



**Sku: PSTWWRWP02**

Color: Black/Pink



**Sku: PSTWWRWP03**

Color: Camo/Black





For orders: [international@xeniosusa.com](mailto:international@xeniosusa.com)

[XENIOSUSA.COM](http://XENIOSUSA.COM)

Follow us on:



# EVO 3 FINGERS GYMNASTIC GRIP

Save seconds during your transitions.



**Design** – The elastic bands for your fingers allow an unbelievable transition speed between different exercises, more so than the classic holes on the previous model. The elastic band sewn into the Velcro® allows you to perform at your best, even when the gymnastic grips are not required.



**Material** - 2,1 mm Made in Italy genuine leather provides maximum resistance, protection, and comfort.

The special water-repellent treatment increases its overall resistance by preventing the absorption of sweat, which can harden the material.

Colors:



Hemp



Blue





# ***STRONGMAN***



SPECIALITY BARS  
**page 74**



MED BALLS  
**page 76**

SAND BAGS  
**page 76**



WEIGHTED VEST  
**page 77**

BLACK TRAINING VIKING  
HAMMER  
**page 79**



PULL-UP GLOBE  
PULL-UP MARBLE  
**page 79**





XENIOSUSA.COM



**CREATING  
TRAINING  
ZONES**  
SINCE • 2009

## SWAT BAR

**Sku: PSSWTBAR01**


Weight: 30 kg

Sizes: L 215 cm x W 20 cm

### Features

- Black Powder Coated + Black Hard Chromed (sleeves) steel Speciality Bar
- Max. load: 1000 Lbs (453 kg)
  - Inner lenght: 132 cm
  - Grip diameter: 32 mm
- Sleeve diameter: Olympic size (2 inch) 49.8 mm

**READY FOR STRONGMAN**



## FARMER WALK BARS

**Sku: FRWK01**

Weight: 7 kg

Sizes: L 160 cm x W 9 cm x H 29 cm

### Features

- Max. load: 200 Lbs (90 kg) (each)
- Material: Powder coated steel
- Color: matte black

**READY FOR STRONGMAN**



⚠ All Xenios USA bars are not pre-equipped with collars and plates

## STRONGMAN FARMER WALK BARS

**Sku: FRWK02**

Weight: 21 kg

Sizes: L 153 cm x W 15 cm x H 46 cm

### Features

- Max. load: 150 Lbs (63 kg) (each)
- Material: Powder coated steel
- Color: matte black



## READY FOR STRONGMAN

⚠ All Xenios USA bars are not pre-equipped with collars and plates

## FLIP LOG BAR



**Sku: XSFLIPLOG01**

Weight: 70 kg

Length: 220 cm

### Features

- Max. load: 440 Lbs (200 kg)
- Material: Powder coated steel
- Color/finishing: Matte Black
- Sleeve diameter: Olympic size (2 inch) 49.8 mm

## READY FOR STRONGMAN

⚠ All Xenios USA bars are not pre-equipped with collars and plates

## PRO-STRONGMAN LOG BAR



**Sku: PRSTRGLOGBAR01**

Weight: 35 kg

Sizes: L: 185 cm x W: 22 cm x H: 36 cm

### Features

- Max. load: 450 Lbs (204 kg)
- Material: Powder coated steel
- Color: matte black
- Sleeve diameter: Olympic size (2 inch) 49.8 mm

## READY FOR STRONGMAN

⚠ Plates are not included



## STRONGMAN MED BALLS



**Sku: PSBCSBL14-20...-100**

Weight variance (Kg):  
20 / 30 / 40 / 50 / 60 / 70 / 80 / 90 / 100

### Features

- Material: PVC
- Loaded with: Sand / steel shots
- Sizes: diameter 35 cm

## READY FOR STRONGMAN



## STONE SANDBAG



**Sku: XSSTSDBG01 / Weight: 45 kg**

**Sku: XSSTSDBG02 / Weight: 68 kg**

**Sku: XSSTSDBG03 / Weight: 91 kg**

### Features

- Material: Nylon 1000 D

⚠ Sand Bags are sold empty

## TACTICAL VEST



**Sku: VSTCTVT**  
Color: Black



**Sku: VSTCTVT03**  
Color: Green




### Features

- 2 plates can be added to each vest for a max total of 4 pieces.

⚠ The Tactical Vest is sold without plates

## ALPHA METAL PLATE



**Sku: VSPLTVT01**

Weight: 2.3 kg

Color: Green

## DELTA METAL PLATE



**Sku: VSPLTVT02**

Weight: 3.75 kg

Color: Blue

## WEIGHTED VEST - 30 KG

**Sku: VSWGVT03**

### **Features**

- Material: Nylon
- Color: Black with Navy Blue edges
- 30 Kg Total weightcapacity in increments of 1 Kg

⚠ The Weighted Vest is sold with weight



## WEIGHTED VEST - 16 KG

**Sku: VSWGSVT01**

### **Features**

- Material: Nylon
- Color: Black
- 16 Kg Total weightcapacity in increments of 1.33 Kg

⚠ The Weighted Vest is sold with weight



## WEIGHTED VEST - 10 KG

**Sku: VSWGVT04**

### **Features**

- Material: Nylon
- Color: Black with Navy Blue edges
- 10 Kg Total weightcapacity in increments of 1 Kg

⚠ The Weighted Vest is sold with weight



## VIKING HAMMER



**Sku: VSVKHM4...40**

Weight variance (Kg):

4 / 6 / 8 / 10 / 12 / 15 / 20 / 25 / 30 / 35 / 40

Material: E-Coated Steel



## PULL-UP GLOBE PULL-UP MARBLE

### Features

- Material: Powder coated steel
- Color: Matte black




**Sku: VSAXFIT52**

Weight: 5.8 kg | Diameter: 30 cm

**Sku: VSAXFIT55**

Weight: 1.8 kg | Diameter: 8 cm

⚠ Carabiner and Strap included



**Sku: VSAXFIT53**

Weight: 1.2 kg | Diameter: 13 cm

**Sku: VSAXFIT54**

Weight: 0.6 kg | Diameter: 8 cm



# ***RIGS***



RACK 4'x6'x9'  
**page 82**



GARAGE RACK  
**page 83**



HALF RACK  
**page 84**




CONFIGURAZIONI RIG  
**page 86**



HEAVY DUTY SQUAT STAND  
**page 88**





**CREATING  
TRAINING  
ZONES**  
SINCE • 2009



## POWER LIFTING CAGE



This product has two versions

**Sku: RKXFIT17MS**

### MAGNUM

Steel tubes size: 80x80x4 mm.



Size

L: 192 cm | W: 251 cm | H: 270 cm

**Sku: RKXFIT17**

### THE ESSENTIALS

Steel tubes size: 60x60x3.5 mm.



Size

L: 192 cm | W: 246 cm | H: 270 cm

### Features

- Material: Powder coated steel
- Color: Matte black

### Composition

- 2x XVSXFIT03AMS - Magnum+ Main Upright (270 cm)
- 3x XVSXFIT28MS - Magnum+ Pull Up Bar (104 cm)
- 2x VSAXFIT08MS - Magnum Bar J-Rack

# GARAGE RACK



**BAR CUP**  
- Sold as an option -  
**Sku: RKGRG0P03**




This product has two versions

**Sku: RKGRG01**

Width: 61 cm

Folded



Size Unfolded

L: 128 cm


**W: 61 cm**

H: 241 cm

**Sku: RKGRG02**

Width: 111 cm

Folded




Size Unfolded

L: 128 cm

**W: 111 cm**

H: 241 cm





## HALF RACK

### Features

- Material: Powder coated steel
- Color: Matte black



This product has two versions

**Sku: RKXFIT30MS**

### MAGNUM

Steel tubes size: 80x80x4 mm.



Size

L: 190 cm | W: 209 cm | H: 270 cm

#### Composition Magnum

- 4x VSFXFIT03AMS - Magnum Main Upright (270 cm)
- 1x VSAXFIT08MS - Magnum Bar J-Rack (pair)
- 1x VSAXFIT09MS - Magnum Safety Spotter Arm (pair)
- 2x VSFXFIT44MS - Magnum Junction Bar (104 cm)
- 1x VSAXFIT36 - Offset Pull Up Bar (77 cm)
- 4x VSAXFIT98 - Half Rack Cross Member Beam
- 6x VSAXFIT30MS - Magnum Plates Sleeve
- 2x VSAXFIT99 - Half Rack Support

**Sku: RKXFIT30**

### THE ESSENTIALS

Steel tubes size: 60x60x3.5 mm.



Size

L: 190 cm | W: 205 cm | H: 270 cm

#### Composition The Essentials

- 4x VSFXFIT03 - Main Upright (271 cm)
- 1x VSAXFIT08 - Bar J-Rack (pair)
- 1x VSAXFIT09 - Safety Spotter Arm (pair)
- 2x VSFXFIT44 - Junction Bar (108 cm)
- 1x VSAXFIT36 - Offset Pull Up Bar (77 cm)
- 4x VSAXFIT98 - Half Rack Cross Member Beam
- 6x VSAXFIT30 - Plates Sleeve
- 2x VSAXFIT99 - Half Rack Support

## DOUBLE HALF RACK

### Features

- Material: Powder coated steel
- Color: Matte black



This product has two versions

Sku: RKXFIT31MS

### MAGNUM

Steel tubes size: 80x80x4 mm.



Size

L: 190 cm | W: 278 cm | H: 270 cm

#### Composition Magnum

- 6x VSFXFIT03AMS - Magnum Main Upright (270 cm)
- 2x VSAXFIT08MS - Magnum Bar J-Rack (pairs)
- 2x VSAXFIT09MS - Magnum Safety Spotter Arm (pairs)
- 3x VSFXFIT44MS - Magnum Junction Bar (104 cm)
- 2x VSAXFIT36 - Offset Pull Up Bar (77 cm)
- 8x VSAXFIT98 - Half Rack Cross Member Beam
- 6x VSAXFIT30MS - Magnum Plates Sleeve
- 4x VSAXFIT99 - Half Rack Support

Sku: RKXFIT31

### THE ESSENTIALS

Steel tubes size: 60x60x3.5 mm.



Size

L: 190 cm | W: 272 cm | H: 270 cm

#### Composition The Essentials

- 6x VSFXFIT03 - Main Upright (271 cm)
- 2x VSAXFIT08 - Bar J-Rack (pairs)
- 2x VSAXFIT09 - Safety Spotter Arm (pairs)
- 3x VSFXFIT44 - Junction Bar (108 cm)
- 2x VSAXFIT36 - Offset Pull Up Bar (77 cm)
- 8x VSAXFIT98 - Half Rack Cross Member Beam
- 6x VSAXFIT30 - Plates Sleeve
- 4x VSAXFIT99 - Half Rack Support

# Rig Configurations

## Customize the heart of your training zone, with no limits!

Xenios USA provides **custom Rig configurations** to meet any space and training need for your facility.

Based on the size and number of users of your training zone, you can better manage your space.

The facilities' customizations are potentially **unlimited** to adapt to any Box or gym due to the wide range of **add-ons and accessories**. Your **custom Rig** will become the beating heart of your gym!

**Xenios USA builds versatile facilities** that meet the **highest stability and safety standards**, thanks to an accurate design and a rigorous production process.



**CREATING  
TRAINING  
ZONES**  
SINCE · 2009

## Choose your type of facility: The Essentials, Magnum, Magnum Plus?

Besides the number of training stations, you can choose among **three upright sizes** to build your Rig. The **Essentials** upright comes with a 6x6 cm square cross-section and 3,5 mm steel width, while the **Magnum** and **Magnum Plus** upright come with 8x8 cm square cross-section and 4 mm steel width. The **Magnum Plus upright is featured with holes on its four sides** to provide unlimited building customization!

Do not limit yourself! Let's design your training zone.



### Facility for **6 athletes**

With: 482 cm  
Length: 258 cm  
Height 270 cm

This Rig comes in two models:

- The Essentials
- Magnum Series



### Facility for **8 athletes**

With: 305 cm  
Length: 193 cm  
Height 270 cm

This Rig comes in three models:

- The Essentials
- Magnum Series
- Magnum Plus



### Facility for **6 athletes**

With: 305 cm  
Length: 129 cm  
Height 271 cm

This Rig comes in one models:

- Magnum Plus



### Facility for **10 athletes**


With: 805 cm  
Length: 224 cm  
Height 326 cm

This Rig comes in one models:

- Magnum Plus



## Our rigs comes in three models



Size: 60x60 mm  
Thickness: 3.5 mm



### MAGNUM SERIES



Size: 80x80 mm  
Thickness: 4 mm



### MAGNUM PLUS



Size: 80x80 mm  
Thickness: 4 mm

Plus upright is featured with holes on its **four sides** to provide unlimited building customization!



### Facility for 10 athletes

With: 537 cm  
Length: 597 cm  
Height 304 cm

This Rig comes in two models:

- The Essentials
- Magnum Series



### Facility for 14 athletes

With: 765 cm  
Length: 189 cm  
Height 367 cm

This Rig comes in three models:

- The Essentials
- Magnum Series
- Magnum Plus



### Facility for 5 athletes

With: 243 cm  
Length: 255 cm  
Height 250 cm

This Rig comes in two models:

- The Essentials
- Magnum Series



### Facility for 12 athletes

With: 853 cm  
Length: 415 cm  
Height 296 cm

This Rig comes in one models:

- Magnum Plus

# HEAVY DUTY SQUAT STAND



BAR J-RACK INCLUDED  
Max load: 750 Kg.



**Sku: VSSQST01**

## Size

L: 135 cm	W: 121.5 cm	H: 190 cm
-----------	-------------	-----------

## Features

- Material: Powder coated steel
- Color: Matte black

## THE ESSENTIALS

Steel tubes size: 60x60x3.5 mm.



SOLD AS AN OPTION:



## MOVE-IT WHEELS SET

Sku: VSWK01

## Configurations

The squat stand can be made into 3 configurations



### SAFETY SPOTTER ARM

Sku: VSAXFIT09

Sizes: L 66 cm x W 9 cm x H 29 cm  
Features: Max load: 500 Kg.

- Sold as a pair -



### PLATES STORAGE SLEEVE

Sku: VSAXFIT10

Max load: 300 Kg.

- Sold as a pair -



### BAND PEGS

Sku: VSBDPG01

- Sold as a KIT (6 PCs) -



### PULL UP BAR STATION

Sku: VSPUPST01

Sizes: L 120 cm x W 6 cm x H 70 cm



### YOKE & SLED CROSS-BAR

Sku: VSYSCBAR01



### PLATES SUPPORTS AND SLED SKIES

Sku: VSYKSD01

- Sold as a KIT (4 PCs) -

# HEAVY DUTY SQUAT STAND



BAR J-RACK INCLUDED  
Max load: 750 Kg.



**Sku: VSSQST01MS**

Size

L: 135 cm	W: 122 cm	H: 191 cm
-----------	-----------	-----------

## Features

- Material: Powder coated steel
- Color: Matte black

## MAGNUM

Steel tubes size: 80x80x4 mm.



SOLD AS AN OPTION:



## MOVE-IT WHEELS SET

Sku: VSWK01



## Configurations

The squat stand can be made into 2 configurations



### **SAFETY SPOTTER ARM**

**Sku: VSAXFIT09MS**

Sizes: L 66 cm x W 9 cm x H 29 cm  
Features: Max load: 500 Kg.

- Sold as a pair -



### **YOKE & SLED CROSS-BAR**

**Sku: VSYSCBAR01MS**



### **PLATES STORAGE SLEEVE**

**Sku: VSAXFIT10MS**

Max load: 500 Kg.

- Sold as a pair -



### **BAND PEGS**

**Sku: VSBDPG01**

- Sold as a KIT (6 PCs) -



### **PLATES SUPPORTS AND SLED SKIES**

**Sku: VSYKSD01MS**

- Sold as a KIT (4 PCs) -

# HEAVY DUTY SQUAT STAND PRO



PULL UP BAR INCLUDED

BAR J-RACK INCLUDED  
Max load: 750 Kg.

**Sku: VSSQST03**

Size

L: 135 cm	W: 121.5 cm	H: 239 cm
-----------	-------------	-----------

## Features

- Material: Powder coated steel
- Color: Matte black

**THE ESSENTIALS**

Steel tubes size: 60x60x3.5 mm.



SOLD AS AN OPTION:



**MOVE-IT WHEELS SET**

Sku: VSWK01

## Configurations

The squat stand can be made into 3 configurations



### **SAFETY SPOTTER ARM**

**Sku: VSAXFIT09**

Sizes: L 66 cm x W 9 cm x H 29 cm  
Features: Max load: 500 Kg.

- Sold as a pair -



### **PLATES STORAGE SLEEVE**

**Sku: VSAXFIT10**

Max load: 300 Kg.

- Sold as a pair -



### **BAND PEGS**

**Sku: VSBDPG01**

- Sold as a KIT (6 PCs) -



### **SQUAT STAND PLATES RACK**

**Sku: VSPUPST03**

Sizes: L 46 cm x W 62.4 cm x H 95.1 cm

- Sold as a unit -



### **YOKE & SLED CROSS-BAR**

**Sku: VSYSCBAR01**



### **PLATES SUPPORTS AND SLED SKIS**

**Sku: VSYKSD01**

- Sold as a KIT (4 PCs) -

# HEAVY DUTY SQUAT STAND PRO



PULL UP BAR INCLUDED

BAR J-RACK INCLUDED  
Max load: 750 Kg.



**Sku: VSSQST03MS**

Size

L: 135 cm	W: 122 cm	H: 240 cm
-----------	-----------	-----------

## Features

- Material: Powder coated steel
- Color: Matte black

**MAGNUM**

Steel tubes size: 80x80x4 mm.



SOLD AS AN OPTION:



**MOVE-IT WHEELS SET**  
Sku: VSWK01



## Configurations

The squat stand can be made into 3 configurations



### **SAFETY SPOTTER ARM**

**Sku: VSAXFIT09MS**

Sizes: L 66 cm x W 9 cm x H 29 cm  
Features: Max load: 500 Kg.

- Sold as a pair -



### **PLATES STORAGE SLEEVE**

**Sku: VSAXFIT10MS**

Max load: 500 Kg.

- Sold as a pair -



### **BAND PEGS**

**Sku: VSBDPG01**

- Sold as a KIT (6 PCs) -



### **SQUAT STAND PLATES RACK**

**Sku: VSPUPST03MS**

Sizes: L 43 cm x W 62.4 cm x H 96.4 cm

- Sold as a unit -



### **YOKE & SLED CROSS-BAR**

**Sku: VSYSCBAR01MS**



### **PLATES SUPPORTS AND SLED SKIES**

**Sku: VSYKSD01MS**

- Sold as a KIT (4 PCs) -

# STUDIO AGILITY

## PLIOMETRIC



PLYO BOXES  
**page 98**



AGILITY  
**page 100**



BALL  
**page 100**




FITNESS RANGE  
**page 102**



BEECH WOOD SWEDISH  
LADDER  
**page 103**

BODYWEIGHT  
**page 104**



ELASTIC TUBE  
**page 107**

MOBILITY  
**page 112**



Y &




XENIOSUSA.COM



**CREATING  
TRAINING  
ZONES**  
SINCE • 2009

## SOFT PLYOMETRIC BOX



**Sku: XSPMBX09**

Weight: 28 kg

Sizes: 51 cm x 61 cm x 76 cm

### Features

- Material: PU Foam (250 Kg/m3) + PU Coating
- Color: Carbon Fiber Look Coating



## CONTEST PLYOMETRIC BOX



**Sku: XSPMBX08**

Weight: 20 kg

Sizes: 51 cm x 61 cm x 76 cm

### Features

- Material: Birch Wood
- Color: Light Wood



## SOFT PLYOMETRIC BOX - STACKABLE

### Features

- Material: PU Foam (220 Kg/m<sup>3</sup>)+PU Coating
- Color: Carbon Fiber Look Coating

CARBON FIBER  
TEXTURE

VELCRO LAPS FOR  
SAFE STACKING  
MOVING HANDLES



**A**

**Sku: XSPMBX07A**

Weight: 8 Kg

Size: L 90 cm x W 75 cm x H 15 cm

**B**

**Sku: XSPMBX07B**

Weight: 16 Kg

Size: L 90 cm x W 75 cm x H 31 cm

**C**

**Sku: XSPMBX07C**

Weight: 20 Kg

Size: L 90 cm x W 75 cm x H 51 cm

**D**

**Sku: XSPMBX07D**

Weight: 24 Kg

Size: L 90 cm x W 75 cm x H 61 cm

## ADJUSTABLE AGILITY LADDER


Sku: XSSAGLD01

Weight: 0.3 kg

Size: L 47.5 cm x W 50 cm

### Features

- Material: Nylon / ABS
- Color: Black-Green



## SPACE MARKER CONE



Sku: ASCONE01-02

### Features

- Material: Plastic
- Color/finishing: Yellow, Orange, White, Blue

## AGILITY CONE



Sku: A40CONE01-02

Height: 40 cm

### Features

- Material: Plastic
- Color/finishing: Yellow, Orange

## AGILITY CONE with Hurdle Bar Holes



Sku: A30CONE01-04

Height: 30 cm

### Features

- Material: Plastic
- Color/finishing: Blue

## HEAVY DUTY RUBBER MED BALLS

Diameter: 23 cm (12 Kg) / 28 cm (15/20/25/30 Kg) / 35 cm (30/40/50/60/70 Kg)



Sku: PSHDBCSBL11-12 (12 kg)

Sku: PSHDBCSBL11-15 (15 kg)

Sku: PSHDBCSBL11-20 (20 kg)

Sku: PSHDBCSBL11-25 (25 kg)

Sku: PSHDBCSBL11-30 (30 kg)

Sku: PSHDBCSBL14-30 (30 kg)

Sku: PSHDBCSBL14-40 (40 kg)

Sku: PSHDBCSBL14-50 (50 kg)

Sku: PSHDBCSBL14-60 (60 kg)

Sku: PSHDBCSBL14-70 (70 kg)

## FITNESS GRIPS RUBBER MED BALLS



Diameter:

23 cm (3/4 Kg) / 27.5 cm (5/6/7/8/9/10 Kg)

Sku: XSFTRBDMBL3 (3 kg)

Sku: XSFTRBDMBL4 (4 kg)

Sku: XSFTRBDMBL5 (5 kg)

Sku: XSFTRBDMBL6 (6 kg)

Sku: XSFTRBDMBL7 (7 kg)

Sku: XSFTRBDMBL8 (8 kg)

Sku: XSFTRBDMBL9 (9 kg)

Sku: XSFTRBDMBL10 (10 kg)

## FITNESS RUBBER MED BALLS

Diameter:

19 cm (1/2 Kg) / 23 cm (3/4/5 Kg)  
28.6 cm (6/7/8/9/10 Kg)

Sku: XSFTRBMBL1 (1 kg)

Sku: XSFTRBMBL2 (2 kg)

Sku: XSFTRBMBL3 (3 kg)

Sku: XSFTRBMBL4 (4 kg)

Sku: XSFTRBMBL5 (5 kg)

Sku: XSFTRBMBL6 (6 kg)

Sku: XSFTRBMBL7 (7 kg)

Sku: XSFTRBMBL8 (8 kg)

Sku: XSFTRBMBL9 (9 kg)

Sku: XSFTRBMBL10 (10 kg)



### MED BALLS RACKS

Page 132




### MASSIVE STORAGE RACK FOR WALL BALLS

Page 132







## GYM BALL



**Sku: XSGMBL65**

Diameter: 65 cm

Color: Dark Grey

## BALANCE CUSHION



**Sku: XSBCCS03**

Diameter: 38 cm

Color: Black



## BALANCE ANKLE WEIGHTS



This product has two versions

**1.5 kg**  
**Sku: XSBLANK01.5**

Weight: 3 kg

Color: Black

**2 kg**  
**Sku: XSBLANK02**

Weight: 4 kg

Color: Black

⚠ Sold as a pair

## SLIDER



**Sku: XSSLDR01**

Color: Black

⚠ Sold as a pair





## BEECH WOOD SWEDISH LADDER

### Features:

- Material: Beech wood
- Color: Color wood
- Bars Size: 40x30 mm



**Sku: PSSLW01**

Weight: 20 kg

Sizes: L 90 cm x W 30 cm x H 250 cm



**Sku: PSSLW02**

Weight: 35 kg

Sizes: L 180 cm x W 30 cm x H 250 cm



## STEEL PUSH UP TWISTER HANDLE



**Sku: PSHPUTW02**

Material: Powder coated steel

Color: Matte Black

### Features

- Inner bushing revolving system
- Wide base for max stability

△ Sold as a pair

## **FITNESS MAT - FOLDABLE**




**Sku: PSEMT02**

Sizes: 140 x 60 x 0.8 cm

Material: PVC

Color: Dark Grey

## **FITNESS MAT**



**Sku: PSEMT01**

Sizes: 140 x 60 x 0.8 cm

Material: PVC

Color: Dark Grey

## **FITNESS TPE MAT WITH RINGS**



**Sku: PSEMT03**

Sizes: 180 x 60 x 1 cm

Material: TPE

Color: Grey

## **STUDIO MAT WITH HANGING RINGS**



**Sku: PSEMT04**

Sizes: 100 x 50 x 0.9 cm

Material: PVC

Color: Light Grey

## **TRAINING MATS WALL-MOUNTING RACK**



## ABDOMINAL MAT



**Sku: XSABDMT01**

Weight: 0.3 kg

Sizes: L 38 cm x W 30 cm x H 6.5 cm

Color: Black

**Sku: XSABDMATXL**

Weight: 0.3 kg

Sizes: L 68 cm x W 30 cm x H 6.5 cm

Color: Black

## EXERCISE MAT



This product has two versions

**Sku: XSEMT03**

Short: 140 x 60 x 1.5 cm

Color: Black

**Sku: XSEMT04**

Long: 180 x 60 x 1.5 cm

Color: Black

TRAINING MATS  
WALL-MOUNTING RACK

Page 139



## HSPU PAD

**Sku: XSHSPUPAD01**

Weight: 6 kg

Sizes: L 100 cm x W 50 cm x H 3 cm

### Features

- With anti-slip bottom side
- Color: Black - Sanitized "BTEX" Coated
  - Sanitized "BTEX" Coated
  - Density 250 Kg/m<sup>3</sup>



## WALL MOUNTED PULL UP BAR



**Sku: VSPUBAR02**

Weight: 10 kg

Sizes: L 133 cm x W 75 cm x H 110 cm

### Features

- Frame Material: Powder coated steel
- Color: Matte Black
- Steel tube thickness: 2,5 mm - Max load: 150 kg - Max Tested load: 450 Kg
- Pull-up Bar dia: 32 mm
- It comes with two Pull-up bars and it can be mounted either double or single
- Wall or ceiling mounted
- It can be series-mounted



CEILING MOUNTED



## CROSSOVER WORKOUT KIT



**CROSSOVER  
WORKOUT**



Carabiner  
anchoring  
kit for XRig™  
uprights



Anywhere  
anchoring straps



**Sku: VSAXFIT48K**

### KIT COMPONENTS

#### XRIG™ - Carabiner Anchoring Tool (x2PCs)

#### Strap anchor w/ring - 60 cm (x2PCs)

#### Yellow XLight Elastic Tube with handle (x2PCs)

- Resistance: XLight
- Max resistance: 3 Lbs / 1.5 Kg
- Length: 120 cm

#### Green Light Elastic Tube with handle (x2PCs)

- Resistance: Light
- Max resistance: 5 Lbs / 2.5 Kg
- Length: 120 cm

#### Dark Green Medium Elastic Tube with handle (x2PCs)

- Resistance: Medium
- Max resistance: 7 Lbs / 3.5 Kg
- Length: 120 cm

### WALL MOUNTED MULTI-HANGER

Page 138



## ELASTIC TUBE WITH HANDLES

### Features:

- Material: Nylon



**Sku: XSMUESTB02**

Lenght: 130 cm

Color: Light Blue

**Sku: XSMUESTB07**

Lenght: 180 cm

Resistance: Light

**Sku: XSMUESTB03**

Lenght: 130 cm

Color: Orange

**Sku: XSMUESTB08**

Lenght: 180 cm

Resistance: Medium

**Sku: XSMUESTB04**

Lenght: 130 cm

Color: Purple

**Sku: XSMUESTB09**

Lenght: 180 cm

Resistance: Heavy

⚠ Sold as a unit



**CROSSOVER  
WORKOUT**

**Sku: XSMUEST14**

Lenght: 115 cm

Max resistance: 12 Lbs. / 5.5 Kg

Color: Navy Blue

Resistance: Heavy

⚠ Sold as a pair

## POWER TUBES

⚠ Sold as a unit



**Sku: XSSTESTB07**

Lenght: 300 cm

Color: Light Blue

Resistance: Light

Max resistance: 75 Lbs. / 34 Kg

Material: Nylon

**Sku: XSSTESTB08**

Lenght: 300 cm

Color: Orange

Resistance: Medium

Max resistance: 105 Lbs. / 48 Kg

Material: Nylon

**Sku: XSSTESTB09**

Lenght: 300 cm

Color: Black

Resistance: Heavy

Max resistance: 150 Lbs. / 68 Kg

Material: Nylon

## WALL MOUNTED MULTI-HANGER

Page 139





## PULL-UP POWER RESISTANCE LOOP

### Features:

- Can be stretched up to 8 times the rest-length
- Diameter: 104 cm

△ Sold as a unit



#### Sku: XSLGESLP06

- Resistance: Extra Light
- Max resistance: 4.5 Kg
- Color: Yellow/Black



#### Sku: XSLGESLP09

- Resistance: Ultra Light
- Max resistance: 11.5 Kg
- Color: Black/Black



#### Sku: XSLGESLP10

- Resistance: Light
- Max resistance: 34 Kg
- Color: Red/Black



#### Sku: XSLGESLP11

- Resistance: Medium
- Max resistance: 54 Kg
- Color: Purple/Black



#### Sku: XSLGESLP12

- Resistance: Heavy
- Max resistance: 79 Kg
- Color: Green/Black



#### Sku: XSLGESLP13

- Resistance: Extra Heavy
- Max resistance: 104 Kg
- Color: Blu/Black



#### Sku: XSLGESLP07

- Resistance: Ultra Heavy
- Max resistance: 113 Kg
- Color: Grey/Black



#### Sku: XSLGESLP08

- Resistance: Monster
- Max resistance: 122 Kg
- Color: Orange/Black



### WALL MOUNTED MULTI-HANGER

Page 139



## SHORTY POWER RESISTANCE LOOP

△ Sold as a unit



Diameter: 31 cm

**Sku: XSSPESLP06**

- Resistance: Extra Light
- Max resistance: 30 Lbs. / 14 Kg
- Color: Black/Black

**Sku: XSSPESLP07**

- Resistance: Light
- Max resistance: 50 Lbs. / 23 Kg
- Color: Red/Black

**Sku: XSSPESLP08**

- Resistance: Medium
- Max resistance: 65 Lbs. / 30 Kg
- Color: Purple/Black

## LATEX LOOP BAND

△ Sold as a unit

**Sku: XSLTLPBD12**

- Resistance: Light
- Color: Yellow

**Sku: XSLTLPBD13**

- Resistance: Medium
- Color: Green

**Sku: XSLTLPBD14**

- Resistance: Heavy
- Color: Blue

**Features:**

- Material: Latex



Diameter: 30 cm

## WALL MOUNTED MULTI-HANGER

Page 139





## LATEX MINI LOOP BAND



**Sku: XSLTLPBD17**

- Diameter: 23 cm

**Sku: XSLTLPBD24**

- Diameter: 30 cm

**Sku: XSLTLPBD21**

- Diameter: 50 cm

**Features:**

- Resistance: Light
- Material: Latex
- Color: Yellow



**Sku: XSLTLPBD18**

- Diameter: 23 cm

**Sku: XSLTLPBD25**

- Diameter: 30 cm

**Sku: XSLTLPBD22**

- Diameter: 50 cm

**Features:**

- Resistance: Medium
- Material: Latex
- Color: Green



**Sku: XSLTLPBD19**

- Diameter: 23 cm

**Sku: XSLTLPBD26**

- Diameter: 30 cm

**Sku: XSLTLPBD23**

- Diameter: 50 cm

**Features:**

- Resistance: Heavy
- Material: Latex
- Color: Blue

⚠ Sold as a unit

## FITNESS LOOP BAND



**Sku: XSFTLPBND01**

- Diameter: 5.8 cm
- Resistance: X-Light
- Color: Yellow

**Sku: XSFTLPBND02**

- Diameter: 5.8 cm
- Resistance: Light
- Color: Light Green

**Sku: XSFTLPBND03**

- Diameter: 5.8 cm
- Resistance: Light
- Color: Green

⚠ Sold as a unit

## WALL MOUNTED MULTI-HANGER

Page 139



## MOBILITY ROLL



**Sku: XSPTHDRLO4**  
High Density PE

Length: 100 cm

Diameter: 15 cm

Color: Black



**Sku: MBROLL01**  
Color: Black

**Sku: MBROLL02**  
Color: Pink

**Sku: MBROLL03**  
Color: Urban Camo

Length: 33 cm

Diameter: 12 cm

⚠ Sold as a unit



### GRID-X

**Sku: TPGRDX**

Length: 33 cm

Diameter: 12 cm

#### Features

- TP Grid-X Heavy Duty Roll, Special for Crossfitters
  - Color: Black
- Material: Material: EVA (outside lining) + Nylon (inner cylinder)
- Extra Strong for Heavy-Duty Uses

### GRID



**Sku: TPGRDL**  
Color: Lime Green

**Sku: TPGRDC**  
Color: Camo

**Sku: TPGRDO**  
Color: Orange

**Sku: TPGRDB**  
Color: Black

Length: 33 cm

Diameter: 12 cm

#### Features

- TP Grid
- Material: Material: EVA (outside lining) + Nylon (inner cylinder)

⚠ Sold as a unit

### GRID 2.0

**Sku: TPGRD2B**  
Color: Black

**Sku: TPGRD2O**  
Color: Orange

Length: 66 cm

Diameter: 12 cm

#### Features

- TP Grid
- Material: EVA (outside lining) + PP (inner cylinder)

⚠ Sold as a unit



## FLOSS BAND



**Sku:** XSPTLXFLS01

### Features

- Color: Black
- Material: Latex
- Length: 208 cm
- Width: 5 cm

## LACROSSE BALL



**Sku:** LCRBL-BLUE

Color: Blue

**Sku:** LCRBL-ORANGE

Color: Orange

**Sku:** LCRBL-LBLUE

Color: Light Blue

**Sku:** LCRBL-YELLOW

Color: Yellow

### Features

- Material: Rubber
- Diameter: 6.5 cm

## ROCK TAPE ACTIVE RECOVERY



**Sku:** RKTP04

Color: Hot Pink

**Sku:** RKTP03

Color: Electric Blue

**Sku:** RKTP07

Color: Purple

### Features

- Size: 5 x 500 cm

Colors:



**Sku:** RKTP08

Color: Black

**Sku:** RKTP17

Color: Pink Camo

**Sku:** RKTP15

Color: Green Camo

### Features

- Size: 5 x 500 cm

Colors:



**Sku:** RKTPH2001

Color: Black

### Features

- Size: 5 x 500 cm
- High Resistance

# CARDIO

## ASSAULT

page 116



page 118



## XEBEX FITNESS

page 120







**CREATING  
TRAINING  
ZONES**  
SINCE • 2009

# ASSAULT

## AirRUNNER

Sku: ASSAULTAR    CE RoHS

Weight: 127 kg

Sizes: L 178 cm x W 83 cm x H 163 cm

### Features

- Material: Steel
- Color: Black
- Max user bodyweight: 180 kg

Assault AIRRUNNER® is a registered trademark owned by and used under license from Lifecore Fitness Inc. (USA)



## AirBIKE ELITE

Sku: ASSAULTBKEL    CE RoHS

Weight: 50 kg

Sizes: L 130 cm x W 60 cm x H 123 cm

### Features

- Material: Steel
- Color: Dark Grey
- Max user bodyweight: 160 kg

Assault AIRBIKE® Elite is a registered trademark owned by and used under license from Lifecore Fitness Inc. (USA)





## AirBIKE



**Sku: ASSAULTBK**

**CE RoHS**

Weight: 45 kg

Sizes: L 130 cm x W 60 cm x H 123 cm

### Features

- Material: Steel
- Color: Black
- Max user bodyweight: 160 kg

Assault AIRBIKE® is a registered trademark owned by and used under license from Lifecore Fitness Inc. (USA)



## ASSAULT AIRBIKE OPTION

### WIND SCREEN



**Sku: ASSAULTWDSC** **CE RoHS**

Assault AIRBIKE® is a registered trademark owned by and used under license from Lifecore Fitness Inc. (USA).

### BOTTLE HOLDER



**Sku: ASSAULTBTHLD** **CE RoHS**

Assault AIRBIKE® is a registered trademark owned by and used under license from Lifecore Fitness Inc. (USA).



## BikeErg

Sku: BIKEERGPM5

CE RoHS

Weight: 50 kg

Sizes: L 122 cm x W 61 cm x H 79/103 cm

### Features

- Material: Steel
- Color: Black
- Max user bodyweight: 130 kg



## RowErg CONCEPT2 MOD D

Sku: CONCEPTDBPM5

CE RoHS

Weight: 28 kg

Sizes: L 240 cm x W 60 cm x H 122 cm

### Features

- Also available with PM 5 Monitor
- Material: steel
- Color: black

CONCEPT2® is a Patented Invention and a Patented Design and a Registered Trademark owned by and used under license from Concept2 Inc. - VT(USA).

WALL MOUNTED HANGER FOR ROWER

Page 138







## SkiErg CONCEPT2 WALL MOUNTED

Sku: SKIERG

CE RoHS

Weight: 20.9 kg

Sizes: L 52 cm x W 48 cm x H 212 cm

### Features

- Material: steel
- Color: black



## SkiErg CONCEPT2 OPTION



### FLOOR STAND OPTION

Sku: SKIERGFS


CE RoHS

Weight: 16 kg

Sizes: L 61 cm x W 132 cm x H 90 cm

### Features

- Material: steel
- Color: black



### UPRIGHT ATTACHMENT KIT

Sku: VSAXFIT105

CE RoHS

### Features

- Material: steel
- Color: black

CONCEPT2® is a Patented Invention and a Patented Design and a Registered Trademark owned by and used under license from Concept2 Inc. - VT(USA).

# XEBEX

FITNESS



## XEBEX - Airplus Cycle

with Console BT/ANT+

**Sku:** XEBEXBK

Weight: 57.6 Kg

Sizes: L 125 cm x W 52 cm x H 120 cm

### Features

- Self-Generating Power
- Enhanced Polygroove Belts with self-tensioning system
- FreeWheel Design - when you stop pedaling, the flywheel continues to turn

## XEBEX - Air Rower 2.0

with console BT/ANT+

**Sku:** XEBEXRW

Weight: 42.1 Kg

Sizes: Length: 213 cm (7'3") Front Stabilizer to Rear Stabilizer.  
243 cm (8'4") from Fan to Rail. Width: 50,8 cm (20").

### Features

- Bluetooth and Ant+ connection system
  - CE certified
- FCC Declaration of conformity



### XEBEX - Air Rower 2.0 OPTION

## Wheels for XEBEX - Rower 2.0

**Sku:** VSBKTM01

### Features

- Bracket length: 10 cm
- Bracket width: 3,5 cm
- Wheel diameter: 4,5 cm

⚠ Sold as a pair



# Monthly payments from 24 to 60 Months



## XENIOS USA® LEASING AND FINANCING

Manage your investment, pay monthly rates for all of the Workout Equipment you need to complete your gym or box.

### There are many advantages of a Leasing contract

- You can sign a contract starting from 500 €
- Up to 10.000 € order value, you'll simply have to provide basic data of the purchasing company and the financing company will let you know whether your enquiry is approved or not within 48 hours!
- For +10.000 € order value, you will have to provide additional documents, but the result will still be available within 48 hours!
- A leasing contract doesn't affect your bank credit capacity. It stands as a long-term rent, therefore, for example, you would still be able to file a mortgage enquiry to your own bank for any kind of purpose.
- A leasing contract features a full-risk insurance that protects you from risks like theft or fire.
- Once the leasing contract is over, you will be able to decide which option to choose: to redeem the products you have paid for, to return them, to extend the leasing time by paying a lower monthly fee, or to renew the equipment and sign a new leasing contract for the brand-new workout tools.
- The leasing contract of Xenios USA® & Grenke spa can also be signed by non-for-profit companies.
- Thanks to the leasing contract Xenios USA® configured with Grenke spa, you have the option to finance an Assault Bike, an Assault Air Runner, a Concept2 rower, or all of the equipment you need to outfit your workout facility: from the ground up!



# STORAGES



WALL STORAGE  
**page 124**



BARS RACK  
**page 126**

PLATES RACKS  
**page 130**



TRAINING BALLS RACKS  
**page 132**

KETTLEBELLS RACKS  
**page 133**



DUMBBELLS RACKS  
**page 134**

COMPACT STORAGE RACK  
AND MULTI STORAGE RACK  
**page 135**



PARTS AND OPTION  
**page 137**

WALL-MOUNTING RACK  
**page 138**







**CREATING  
TRAINING  
ZONES**  
SINCE • 2009

# Storage Configurations



## Organization, aesthetics and functionality. Customize your storage!

Set up your functional and efficient zone for the equipment storage.

Xenios USA provide your **storage custom set-up** to fit with any training environment, from Box to gym, **Manage your training zone spaces at your best.** Every equipment and accessory will find its place in the storage of your environments.

**Increase the degree of safety** and improve your gym's aesthetics and functionality by defining one place to store the equipment while providing your customers with **additional training stations.**

They will guarantee more distance between the users.

Organization and functionality at first glance.



Sku: RKMSVSTX03

MED BALLS

page 101

Sku: VSAXFIT106



DUMBBELLS

page 62



Sku: RKMSVSTX01



Sku: RKMSVSTX02



KETTLEBELLS

page 12



Sku: VSAXFIT110



BUMPERS

page 46

## Gain more training stations.

Set up the storage based on your needs and **increase the number of training stations** for your customers.

The storage can include some **pull-up bar stations** for the execution of strength exercises, such as pull-up and muscle-up.

**Way better than a simple rack!**



**Pull Up Bar**  
Sku: VSAXFIT115+VSAXFIT108



**EXERCISE MAT**  
page 104



**WALL BALLS**  
page 11



**DUMBBELLS**  
page 62




Sku: RKMAT05




Sku: RKMSVSTX03



Sku: RKMSVSTX01





**BARS**

Page 32

**FLOOR BARS RACK****Features**

- Material: Powder coated steel
  - Color: Matte black
- Steel tubes thickness: 2.5 mm

**6 Bars**

Sku: RKSPBR07

Weight: 18.5 kg

Size: L 30 cm x W 48.7 cm x H 25.6 cm

Color: Black

Max. Load: 200 kg

**12 Bars**

Sku: RKSPBR08

Weight: 37.5 kg

Size: L 60 cm x W 48.7 cm x H 25.6 cm

Color: Black



## WALL MOUNTED BAR RACK



### 6 Bars Sku: RKSPBR05

Weight: 5 kg

Size: L 10.6 cm x W 4.6 cm x H 100 cm

#### Features

- Material: Powder coated steel
- Color: Matte black
- Max. Load: 120 kg
- Width (per each support bar): 10 cm

⚠ Sold as a pair



### Wall Mounted Bar Rack Option

### Bar's Care Sku: RKSPBR06

Nylon support for bar long lasting

⚠ Sold as a pair



## WALL MOUNTED BAR HANGER

#### Features

- Material: Powder coated steel
- Color: Matte black

### 1 Bars

Sku: RKSPBRV01

Weight: 3 kg

Size: L 15 cm x W 10 cm x H 3 cm

### 3 Bars

Sku: RKSPBRV02

Weight: 6 kg

Size: L 30 cm x W 19 cm x H 3 cm



## BARBELL RACK

### 5 Bars

Sku: RKBRL01

Weight: 32 kg

Size: L 997 cm x W 624 cm x H 140 cm


### Features

- Material: Powder coated steel
- Color: Matte black



BLACK PU X-GRIPS ROUND  
FIXED EZ BARBELL

Page 30





# YOUR SPORTSWEAR



**Don't waste your time and discover more about  
Xenios USA apparel on the Online Shop.**

Men apparel / Women apparel / Kids apparel

Live to wod, wod to live. Creating Training Zones - since 2009.



**XENIOSUSA.COM**

For orders: [international@xeniosusa.com](mailto:international@xeniosusa.com)

## VERTICAL PLATE TREE

With Wheels

Sku: VSBRPLTR01

Weight: 31 kg

Size: L 74 cm x W 74 cm x H 151.5 cm

Color: Matte Black

Max. Load: 550 kg

### Features

- N° Plates support: 1 PC to 56 PCs
- Steel tubes thickness: 2 mm
- Sleeve diameter: 48 mm



## BUMPER PLATE TROLLEY

### 8 SLUGS

Sku: RKBMPL01

Weight: 15 kg

Size: L 142 cm x W 42 cm x H 76 cm

Color: Matte Black

Max. Load: 500 kg

### Features

- N° Plates support: 1 PC to 19 PCs
- Steel tubes thickness: 2.5 mm
- Sleeve diameter: 48 mm

⚠ Plates are not included



## BUMPER PLATE STACKER

With Wheels

Sku: RKBMPL03

Weight: 18 kg

Size: L 45 cm x W 45 cm x H 100 cm

Color: Matte Black

Max. Load: 300 kg

### Features

- N° Plates support: 25 PCs (5 Kg plates)
- Sleeve diameter: 48 mm

⚠ Plates are not included





## WALL MOUNTED PLATES STORAGE UPRIGHT

**Sku: RKBMPLO5**

Size: L 47.5 cm x W 20 cm x H 190 cm

Max. Load: 350 kg

### Features

- N° Plates support: 1 PC to 56 PCs
- Color: Matte Black Wax Powder Coating
  - Material: Steel
  - Sleeve diameter: 48 mm



## WALL MOUNTED PLATE RACK

**Sku: RKBMPLO4**

Weight: 9 kg

Size: L 53 cm x W 26 cm x H 92 cm

Color: Matte Black

Max. Load: 150 kg

### Features

- N° Plates support: 24 PCs (5 Kg plates)
  - Sleeve diameter: 48 mm



PLATES  
Page 46

## MASSIVE STORAGE RACK FOR WALL BALLS

**Sku: RKMSVSTWB05**

Multistorage Unit for:  
Wall Balls - Fractional Plates - Loop Bands

- Side Upright with wheels (x2PCs)
- Wall Balls Tier (x3PCs)

Weight: 60 kg

Size: L 201 cm x W 50 cm x H 123 cm

### Features

- Material: Powder coated steel
- Color: Matte black

⚠ Plates, Wall Balls and Loop Bands are not included



Sold As An Option  
Pag. 137



Side Fractional  
Plates Sleeve (X3pcs)



Side Loop Bands Hook  
(X1pcs)

## MED BALLS RACKS

### 5 Balls

**Sku: RKMDBL01**

Weight: 10 kg

Size: L 65 cm x W 35 cm x H 162 cm

Color: Silver

Max. Load: 50 kg

### Features

- N° Ball support: 1 PC to 5 PCs
- Steel tubes thickness: 1.5 mm.
- Material: Powder coated steel



WALL BALLS  
Page 11



MED BALLS  
Page 101



PULL-UP POWER  
RESISTANCE LOOP  
Page 109

## MASSIVE STORAGE RACK FOR KETTLEBELLS

**Sku: RKMSVSTKB04**

Multistorage Unit for:  
Kettlebells - Fractional Plates - Loop Bands

- Side Upright with wheels (x2PCs)
- Kettlebells Tier (x3PCs)

Weight: 104 kg

Size: L 201 cm x W 50 cm x H 123 cm

### Features

- Material: Powder coated steel
- Color: Matte black

⚠ Plates, Kettlebells and Loop Bands are not included



Sold As An Option  
Pag. 137



Side Fractional  
Plates Sleeve (X3pcs)



Side Loop Bands Hook  
(X1pcs)

## MASSIVE STORAGE RACK FOR DUMBBELLS

**Sku: RKMSVSTDB03**

Multistorage Unit for:  
Dumbbells - Fractional Plates - Loop Bands

- Side Upright with wheels (x2PCs)
- Dumbbells Tier (x3PCs)

Weight: 71 kg

Size: L 201 cm x W 50 cm x H 123 cm

### Features

- Material: Powder coated steel
- Color: Matte black

⚠ Plates, Dumbbells and Loop Bands are not included



Sold As An Option  
Pag. 137



Side Fractional  
Plates Sleeve (X3pcs)



Side Loop Bands Hook  
(X1pcs)



DUMBBELLS  
Page 62



KETTLEBELLS  
Page 12



FRACTIONAL PLATES  
Page 53

## FITNESS DUMBBELLS RACK

**Max. 120 Dumbbells**


**Sku: RKNPDB01**

Weight: 60 kg

Size: L 995 cm x W 545 cm x H 962 cm

### Features

- Material: Powder coated steel
- Color: Matte black



## FITNESS DUMBBELL RACK

**10 pairs of Dumbbells**

**Sku: RKNPDB02**

Weight: 20 kg

Size: L 47 cm x W 64.4 cm x H 107 cm

### Features

- Material: Powder coated steel
- Color: Matte black



**WALL BALLS**  
Page 11



**MED BALLS**  
Page 101



**PULL-UP POWER  
RESISTANCE LOOP**  
Page 109



## COMPACT STORAGE RACK



**Sku: RKCPTSTR01**

Weight: 83 kg

Size: L 165 cm x W 50 cm x H 56 cm

### Features

- Material: Powder coated steel
- Color: Matte black

⚠ Kettlebells and Wall Balls are not included

## MULTI STORAGE RACK

**Sku: RKMSVST01**

Multistorage Unit for:  
Dumbbells - Bumpers - Kettlebells - Wall  
Balls - Fractional Plates - Loop Bands

- Side Upright with wheels (x2PCs)
  - Dumbbells Tier (x1PCs)
  - Kettlebells Tier (x1PCs)
- Bumpers and Wall Balls Tier (x1PCs)

Weight: 60 kg

Size: L 201 cm x W 50 cm x H 123 cm

### Features

- Material: Powder coated steel
- Color: Matte black

⚠ Plates, Wall Balls, Kettlebells, Dumbbells and  
Loop Bands are not included



Sold As An Option  
Pag. 137



Side Fractional  
Plates Sleeve (X3pcs)



Side Loop Bands Hook  
(X1pcs)



Bumper Tier Splitter  
(X1pcs)



FITNESS  
DUMBBELLS

Page 63



KETTLEBELLS

Page 12



FRACTIONAL PLATES

Page 53

## DOUBLE MASSIVE STORAGE RACK



**Sku: RKMSVST02**

- Multistorage Unit for:
- Dumbbells - Bumpers - Kettlebells - Wall Balls - Fractional Plates - Loop Bands
  - Side Upright with wheels (x3PCs)
    - Dumbbells Tier (x2PCs)
    - Kettlebells Tier (x2PCs)
  - Bumpers and Wall Balls Tier (x2PCs)

Weight: 110 kg

Size: L 356 cm x W 50 cm x H 123 cm

### Features

- Material: Powder coated steel
- Color: Matte black

⚠ Plates, Wall Balls, Kettlebells, Dumbbells and Loop Bands are not included

Sold As An Option

Pag. 137



Side Fractional Plates Sleeve (X3pcs)



Side Loop Bands Hook (X1pcs)



Bumper Tier Splitter (X2pcs)



DUMBBELLS

Page 62



KETTLEBELLS

Page 12



FRACTIONAL PLATES

Page 53



PULL-UP POWER RESISTANCE LOOP

Page 109



WALL BALLS

Page 11

## PARTS AND OPTION

### Features

- Material: Powder coated steel
- Color: Matte black



### Dumbbells Tier

Sku: RKMSVSTX01

Weight: 14 kg

Size:  
L 152.5 cm x W 26 cm x H 14 cm



### Kettlebells Tier

Sku: RKMSVSTX02

Weight: 27 kg

Size:  
L 152.5 cm x W 40 cm x H 21 cm



### WallBalls Tier

Sku: RKMSVSTX03

Weight: 11 kg

Size:  
L 152.5 cm x W 26 cm x H 16 cm



### Bumpers and WallBalls Tier

Sku: RKMSVSTX04

Weight: 10 kg

Size:  
L 150 cm x W 22 cm x H 5 cm



### Side Fractional Plates Sleeve

Sku: RKMSVSTX06

Weight: 2 kg

Sleeve diameter: 48 mm

Size:  
L 20 cm x W 7 cm x H 15 cm



### Side Loop Band Hook

Sku: RKMSVSTX07

Weight: 2 kg

Size:  
L 20 cm x W 4 cm x H 15 cm



### Bumper Tier Splitter

Sku: RKMSVSTX08

Weight: 1.3 kg

Size:  
L 28 cm x W 5 cm x H 30 cm



### Side Upright with wheels

Sku: RKMSVSTX05

Weight: 12 kg

Size:  
L 104 cm x W 50 cm x H 7.5 cm

## ABMAT RACK

With Wheels

### 10 Mats

Sku: RKABMAT01

Weight: 21.6 kg

Size: L 33 cm x W 40 cm x H 950 cm

#### Features

- Material: Powder coated steel
- Color: Matte black



## WALL MOUNTED HANGER

For bench and rower

Sku: RKWMHG03

Weight: 3.3 kg

Size: L 35 cm x W 8 cm x H 12.5 cm

#### Features

- Material: Powder coated steel
- Color: Matte black



ABDOMINAL MAT

Page 105



ROWER CONCEPT2

MOD D

Page 118





## TRAINING MATS WALL-MOUNTING RACK

**Sku: RKMAT05**

Weight: 6 kg

Size: L 65 cm x W 7 cm x H 1.5 cm

Color: Matte black

Max. load: 50 kg

### Features

- Material: Powder coated steel
- Min./Max. loadable mats: 1 to 30 (4 mm thickness)
  - Steel plate thickness: 5 mm
  - Adjustable Supports distance



## TRAINING MATS WALL-MOUNTING RACK - 2.0

**Sku: RKMAT06**

Weight: 6 kg

Size: L 65 cm x W 7 cm x H 1.5 cm

Color: Matte black

Max. load: 50 kg

### Features

- Material: Powder coated steel
- Min./Max. loadable mats: 1 to 30 (4 mm thickness)
  - Steel plate thickness: 5 mm
  - Adjustable Supports distance



## WALL MOUNTED MULTI-HANGER

**Sku: RKWMHG01**

Weight: 2.45 kg

Size: L 60 cm x W 20.8 cm x H 2.5 cm

### Features

- Material: Powder coated steel
- Color: Matte black



**EXERCISE MAT**

Page 105



**PULL-UP POWER  
RESISTANCE LOOP**

Page 109



# FLOORING




WEIGHT DROP RUBBER TILE  
**page 142**

HEAVY DUTY SHOCK ABSORBER TILE  
**page 146**





OPTION / ACCESSORIES  
**page 147**

FITNESS FLOORING TILE  
**page 148**



ARTIFICIAL TURF  
**page 152**





XENIOSUSA.COM



**CREATING  
TRAINING  
ZONES**  
SINCE • 2009



## WEIGHT DROP RUBBER TILE




Sku: XSWDRBTL25

100 x 100 cm - 20 mm Thickness - 18 Kg/mq

Sku: XSWDRBTL27

100 x 100 cm - 30 mm Thickness - 28 Kg/mq

Medium-sized,  
rounded rubber  
granulate edges.100 x 100 cm  
50 x 50 cm

Indoor



Outdoor

Budget wise  
productCustom color  
on demand**Pros:**

Budget wise product  
High thickness tiles for equipment long lasting  
No tile grooves on top surface

**Cons:**

Low density and medium-sized SBR granulate  
Limited water proof (moisture can pass-thru)  
Easy to get chipped

**Best for:**

Weight drop workout areas  
Outdoor uses (where water or moisture need to pass-thru)  
Bars and Bumpers long lasting and care  
Underneath concrete flooring long lasting and care\*

\*It is always recommended to install a Weight-Drop suitable floor on to a proper underneath concrete floor. Weak concrete floors or wood/plywood floors may get damaged due to weight dropping even if a thick rubber flooring is installed on.

**Applications:** Indoor & outdoor heavy duty workout areas

**Material:** Recycled SBR rubber granulate bonded with a cold-cure PUR  
(Pigmented SBR or EPDM mixed blend are available upon request)

**Granulate structure:** Fine-Medium sized**Tile Kind (Other dimensions upon request):**

100 cm x 100 cm - Flat bottom

50 cm x 50 cm - Flat bottom

**Weight:**

20 mm thickness - 18 kg/sqm

30 mm thickness - 28 kg/sqm

**Certifications:**

Sound Insulation UNI EN ISO 10140-3:2015 and UNI EN ISO 717-2:2013  
Thermal resistance UNI EN 12667:2002: Thermal conductivity (W/m·K): 0.1480 - Thermal Resistance (m<sup>2</sup>·K/W): 0.1345  
Slip Resistance - EN13893:2005 and EN 14041:2018: Class DS

**Color:**

Black

Custom colors available on request.

**Tip:** Make your floor by using more tiles' colors in order to have visible workout areas

**Mass density (DIN EN ISO 845):**850+900 kg/m<sup>3</sup> ± 5 %**Dimensional tolerance (DIN 7715-2 M4):**

± 1.5 %

**Interlocking System (option):**

ABS pins - M15x85 (8 pins per sqm.) (only for 30+ mm thickness)

**Material thickness:** 10 - 80 mm (Dimensional tolerance: ± 5%.) (Xenios USA XFloor™: 20 - 30 mm)

**Testing thickness (DIN 53534):** 20 mm**Fire classification (DIN EN 13501-1)**Section 6.2: E<sub>FL</sub>**Temperature stability:** - 20°C to +70 °C**Water/Damp test:** No water proof**Option / Accessories**

Page 147





\* The floor may present colored granules due to production processing and the particular rubber used.










## EVO WEIGHT DROP RUBBER TILE



Ultra Fine Sized  
Evo Granules



Ultra Fine Sized  
(any other flooring)



Custom color  
on demand

### Pros:

High density and ultra-fine-sized SBR granules  
Extra-smooth surface  
High thickness tiles for equipment long lasting  
Interlocking Pins (option) / Water proof  
Easy to clean surface  
No tile grooves on top surface

### Best for:

Weight drop workout areas  
Bars and Bumpers long lasting and care  
Underneath concrete flooring long lasting and care\*

\*It is always recommended to install a Weight-Drop suitable floor on to a proper underneath concrete floor. Weak concrete floors or wood/plywood floors may get damaged due to weight dropping even if a thick rubber flooring is installed on.

**Applications:** Indoor & outdoor heavy duty workout areas

**Material:** Ultra-fine recycled SBR rubber granulate bonded with a cold-cure PUR (Pigmented SBR or EPDM mixed blend are available upon request)

**Granulate structure:** Proprietary Ultra-Fine sized

**Tile Kind:** (Other dimensions upon request)

100 cm x 100 cm	50 cm x 50 cm
<b>Thickness and Weight:</b>	
10 mm thickness - 9 kg/sqm	25 mm thickness - 23 kg/sqm
20 mm thickness - 18 kg/sqm	30 mm thickness - 28 kg/sqm

### Certifications:

Sound Insulation UNI EN ISO 10140-3:2015 and UNI EN ISO 717-2:2013  
Thermal Resistance UNI EN 12667:2002: Thermal conductivity (W/m·K):  
0.1480 - Thermal Resistance (m<sup>2</sup>·K/W): 0.1345  
Slip Resistance - EN13893:2005 and EN 14041:2018: Class DS

### Color:



Black



Navy Blue

Custom colors available on request.

**Tip: Make your floor by using more tiles' colors in order to have visible workout areas**

### Mass density (DIN EN ISO 845):

100+1050 kg/m<sup>3</sup> ± 5 %

### Dimensional tolerance (DIN 7715-2 M4):

± 1.5 %

### Interlocking System (option):

ABS pins - M15x85 (8 pins per sqm.)  
(only for 30+ mm thickness)

### Material thickness: 10 - 80 mm

(Dimensional tolerance: ± 5%.)  
(Xenios USA XFloor™: 20 - 30 mm)

### Testing thickness (DIN 53534): 20 mm

### Fire classification (DIN EN 13501-1)

Section 6.2: E<sub>FL</sub>

### Temperature stability: - 20°C to +70 °C

**Water/Damp test:** No water proof  
(no water proof on tiles edges)

### Option / Accessories

Page 147





## HEAVY DUTY SHOCK ABSORBER TILE




**Sku: XSHDWDRBTLO3**

(Length) 200 x (Width) 100 cm - 30 mm Thickness - 60 Kg/mq



M15 x 85 ABS  
Interlocking Pins  
Sold as an option



Proprietary design  
dimpled bottom

100 x 100 cm  
50 x 50 cm



Indoor



Outdoor



Custom color  
on demand

### Pros:

High density and fine-sized SBR granulate  
High thickness tiles for equipment long lasting  
Interlocking Pins (option) / Water proof  
Dimpled bottom with special drawing to absorb drops power  
Easy to clean surface  
No tile grooves on top surface

### Best for:

Weight drop workout areas / Special for weightlifting  
Bars and Bumpers long lasting and care  
Underneath concrete flooring long lasting and care\*

\*It is always recommended to install a Weight-Drop suitable floor on to a proper underneath concrete floor. Weak concrete floors or wood/plywood floors may get damaged due to weight dropping even if a thick rubber flooring is installed on.

**Applications:** Indoor & outdoor heavy duty and weight lifting workout areas

**Material:** Recycled SBR rubber granulate bonded with a cold-cure PUR  
(Pigmented SBR or EPDM mixed blend are available upon request)

**Granulate structure:** Proprietary Ultra-Fine sized

**Tile Kind:** (Other dimensions upon request)

100 cm x 100 cm - Flat bottom

50 cm x 50 cm - Flat bottom

### Weight:

50 mm thickness - 42 kg/sqm

### Certifications:

**Sound Insulation** UNI EN ISO 10140-3:2015 and UNI EN ISO 717-2:2013

**Thermal resistance** UNI EN 12667:2002 : Thermal conductivity (W/m·K): 0.1480

Thermal Resistance (m<sup>2</sup>·K/W): 0.1345

**Slip Resistance** - EN13893:2005 and EN 14041:2018: Class DS

### Color:



Black



Navy Blue

Custom colors available on request.  
**Tip: Make your floor by using more tiles' colors in order to have visible workout areas**

**Mass density kg/m<sup>3</sup> (DIN EN ISO 845):**

100\*1050 kg/m<sup>3</sup> ± 5 % on top side of the tile

**Dimensional tolerance (DIN 7715-5):**

± 1.5 %

**Interlocking System (option):**

ABS pins - M15x85 (8 pins per sqm.)  
(only for 30+ mm thickness)

**Material thickness:** 50 mm

**Testing thickness (DIN 53534):** 50 mm

**Fire classification (DIN EN 13501-1)**

**Section 6.2:** E<sub>FL</sub>

**Temperature stability:** - 20°C to +70 °C

**Water/Damp test:** No water proof  
(no water proof on tiles edges)

### Option / Accessories

Page 147





## Option / Accessories

(for Weight Drop and Heavy Duty Shock Absorber Rubber Tile)

### \* XFloor™ Rubber Ramp with pin-interlocking system



**Sku:** XSRBRP01-04

#### Features

- Weight: 5 Kg (thickness 30 mm) / 9 Kg (thickness 50 mm)
- Thickness: 30 mm / 50 mm (Dimensional tolerance:  $\pm 5\%$ )
- Size: 50x50 cm (Dimensional tolerance:  $\pm 1.5\%$ )
- Colors: According to tiles to be coupled with.

### XFloor™ Rubber Corner with pin-interlocking system



**Sku:** XSRBCNR01-04

#### Features

- Weight: 5 Kg (30 mm) / 9 Kg (50 mm)
- Thickness: 30 mm / 50 mm (Dimensional tolerance:  $\pm 5\%$ )
- Size: 50x50 cm (Dimensional tolerance:  $\pm 1.5\%$ )
- Colors: According to tiles to be coupled with.

### XFloor™ - Rubber Slope



Mounting hardware not included

**Sku:** XSRBSL01-04

#### Features

- Thickness: 30/50 mm. (Dimensional tolerance:  $\pm 5\%$ )
- Size: 12x100 cm. (Dimensional tolerance:  $\pm 1.5\%$ )
- Colors: According to tiles to be coupled with.

### XFloor™ Rubber Edges



**Sku:** XSRBED01-06

#### Features

- Thickness: 20mm / 30mm / 50 mm. (Dimensional tolerance:  $\pm 5\%$ )
- Size: 5 cm. (w.) / 10 cm. (w.) / 12.5 cm. (w.) / 15 cm. (w.) / 25 cm.(w.) x 100 cm (Dimensional tolerance:  $\pm 1.5\%$ )
- Colors: According to tiles to be coupled with. 5 cm (w.) / 10 cm (w.) / 12.5 cm (w.) / 15 cm (w.) / 25 cm(w.) x 100 cm (Dimensional tolerance:  $\pm 1.5\%$ )
- Colors: According to tiles to be coupled with.

### XFloor™ - EVO Rubber Ramp Squat



**Sku:** PSRBR501

#### Features

- Thickness: 40 mm. (Dimensional tolerance:  $\pm 5\%$ )
- Size: 12.5x100 cm. (Dimensional tolerance:  $\pm 1.5\%$ )
- Colors: According to tiles to be coupled with.



### Interlocking Pins

**Sku:** XSGD03PBH

#### Features

- M8x70 - 30 mm Tiles
- M15x80 - 50 mm Tiles

## EVO FITNESS FLOORING TILE

Sku: PSFFLRGTL




Indoor

### Size

A Tile: 100x100 cm

B Edge: 100x12 cm

C Corner: 12x12 cm



### Thickness:

- 5 mm
- 7 mm
- 1 cm



**Flooring developed for standard fitness zones with several colors and finishes.**

**Evo Fitness Flooring Tile** is an exceptional flooring for standard fitness areas with cardio and indoor cycling.

Made with 100% virgin rubber of the highest quality, it is a long lasting floor, resistant and flexible at the same time.

Thanks to Xenios USA newest vulcanization process, Evo Fitness Flooring Tile is produced with the right properties to support the cardio equipment, decrease the vibrations and reduce the noise of dumbbells.

Evo Fitness Flooring Tile is waterproof so it does not absorb water or sweat, avoiding the possibility of any unpleasant smells and making it super easy to clean. It is available in a wide range of colors, including wood and the marble effect colors. Its installation is simple and easy as the tiles interlock by puzzle.

Evo Fitness Flooring Tile can be customized as per customer request with any logo or design, so each fitness center can be original and will stand out from the others.


### Evo Fitness Flooring Tile is the best solution

- Resistant and versatile
- Acoustic Isolation
- Reduce vibrations
- Elegant design
- Water proof
- Easy to clean
- Non marking floor
- Customization

### Colors:



### Special Colors:



## FITNESS FLOORING TILE

Sku: PSEFEDGTL




Indoor

### Size

A Tile: 100x100 cm

B Edge: 100x12 cm

C Corner: 12x12 cm



### Thickness:

- 5 mm
- 7 mm
- 1 cm



**The most eco-friendly and price-wise flooring. THE ESSENTIALS Fitness Flooring Tile is 100% compatible with Evo Fitness Flooring Tile, so you can highlight the rooms with functional training markings in any color, an easy optimization of your budget.**

**THE ESSENTIALS Fitness Flooring Tile** is the exceptional flooring at the right price.

Not only is this a price-wise product, but is also the Xenios USA's respectful contribution to the environment. THE ESSENTIALS Fitness Flooring Tile is produced using scraps of our Fitness flooring production, we recycle and produce it again in order to make an eco product with the same properties as our premium product, with a more budget-friendly price.


THE ESSENTIALS Fitness Flooring Tile surface is water proof, as it is made of compact virgin rubber that does not allow water or sweat to penetrate it, therefore, the product doesn't smell and it will keep the same appearance for a longer amount of time. THE ESSENTIALS Fitness Flooring Tile is very easy to clean and maintain by simply using water and non-abrasive soap for daily cleaning.

THE ESSENTIALS Fitness Flooring Tile is produced in different spotted colors: Blackstone, Grey, Terra, Viola and Granite, but it can also be produced as per customer request, for instance with red dots or yellow dots.

### Fitness room made with THE ESSENTIALS Fitness Flooring Tile for:

- Competitive price
- Excellent grip
- Water proof
- Easy installation
- Acoustic Isolation
- Non marking
- Customization

### Colors:



## PUZZLE FLOOR

### Features

- Material: high-density SBR recycled rubber (about 1000 Kg./m<sup>3</sup>)
- Granules: extra-fine
- Fire resistance: E(fl) class certified
- Made in Italy


**The easy-to-build professional floor,  
to train at home or in your garage.**



100 x 100 cm  
50 x 50 cm



Indoor



**Sku: PSWDRBTL30**

Size: L 96 cm x W 96 cm x H 2 cm

---

Weight: 18 kg/mq

---

Color: Black

**Sku: PSWDRBTL32**


Size: L 96 cm x W 96 cm x H 1 cm

---

Weight: 9 kg/mq

---

Color: Black



**Sku: PSWDRBTL31**

Size: L 46 cm x W 46 cm x H 2 cm

---

Weight: 18 kg/mq


---

Color: Black





XENIOSUSA.COM



## FITNESS TILE WORKOUT PATH



Indoor

Custom color  
on demand

### ENJOY while training

**Choose one of our training circuits or just create your own functional training circuit. There is no limit for customization and design on functional markings on the floor.**

The markings of Fitness Tile Workout Path functional training circuits are made with insertions of the same rubber in different colors, so the markings will never disappear. Design your functional area you'd like and provide your users with original training programs and a modern visual of floors and walls. In our catalogue, we offer you the most useful functional training


markings where you can workout using many different programs of speed, reaction, coordination, agility, balance, rhythm or strength, and we invite you to send to us your own ideas in order to make it as real as possible.

### Fitness Tile Workout Path

## FUNCTIONAL MARKING


We can customize your own Functional Training zone.

**Triangle Sprint**




Size: 100x100 cm

**Evo Ladder**




Size: 100x100 cm

**Evo Hoops**




Size: 100x100 cm

**Classic Evo**




Size: 100x100 cm

**Squared Ladder**




Size: 100x100 cm

**Circle Ladder**




Size: 100x100 cm

**Classic Ladder**




Size: 100x100 cm

**Premium Ladder**




Size: 100x100 cm

**Multi Metre**




Size: 100x100 cm

**Classic Metre**




Size: 100x100 cm

**Pulling Distance**




Size: 200x300 cm

**Flex Balls 1**




Size: 200x200 cm

**Flex Balls 2**




Size: 200x200 cm

**Flex Circle**



Size: 200x200 cm

**Evo Compass**




Size: 200x200 cm

**Classic Compass**




Size: 200x200 cm

**Flex Square Numbers**



Size: 200x200 cm

**Hexagone**




Size: 200x200 cm

**Circle Position**



Size: 100x100 cm

**Dumbbell Position**




Size: 100x100 cm

**Feet Position**




Size: 100x100 cm

**Jump 1 Position**



Size: 100x100 cm

**Jump 2 Position**



Size: 100x100 cm



## XFloor™ Artificial Turf

**HEAVY DUTY ARTIFICIAL TURF**

Sku: XSHDAT06



2 x 20 m



Indoor



Outdoor

**Pros:**

Fire resistance certification  
 High resistance PP yards  
 Anti-slip PP/Latex bottom  
 Easy to be put on/off place  
 Can be asided to rubber rolls due to the limited thickness  
 Can be stuck on underneath flooring by using double-face adhesive tape

**Best for:**

Indoor and outdoor uses  
 Running and sprint tracks  
 Sled pushing/dragging tracks  
 Golf courses

**Applications:** Indoor and Outdoor Running tracks / Sled tracks it is recommended to use glue or double face adhesive tape to make turf stripes fixed

**Yards height:** 15 mm. +/- 10%

**Kind of manufacturing:** Tufted non filled

**Gauge:** 5/32"

**Yards along 10 cm. (length):** 32 nr. +/- 1 nr.

**Points/m²:** 55.440 nr. + / - 5%

**Standard dimension:** Rolls - 2 m. width / 20 m. length

**Weight:** 1814 gr/m² +/- 5%

**Tensile strength:** +/- 55 N

**Water proof:** 60 l/min/ 100 cm2

**Color:**

Green

**Turf Yards Specs**

**Kind:** 3500 dtex (UV stabilized)

**Raw material:** 100% PP monofilament curled (UV stabilized)

**Thickness:** 15 mm. +/- 10%

**Weight:** 900 gr/m²

**Turf Base Specs**

**Raw material:** Polipropilene + fleece + latex (BASF®), res. U.V.

**Weight:** 164 gr./m² +/- 2%

**Bottom side raw material:** Polipropilene + fleece + latex (BASF®), res. U.V. (anti-slip)

**Bottom weight:** 750 gr./m² +/- 5%


**Fire classification:** E<sub>FL</sub>



# XFloor™ Artificial Turf

## ARTIFICIAL TURF

Sku: XSHDAT03



1.2 x 10 m  
4 x 25 m



Indoor



Outdoor



Custom color  
on demand

### Pros:

- Budget-wise product
- Fire resistance certification
- Anti-slip PVC-rubber bottom
- Easy to be put on/off place
- Can be asided to rubber roll floors due to the limited thickness
- Can be stuck on underneath flooring by using double-face adhesive tape

### Best for:

- Indoor and outdoor uses
- Running and sprint tracks
- Landscape

**Applications:** Indoor and Outdoor Running tracks / Sled tracks

**Yards height:** 6 mm. +/- 7.5%

**Kind of manufacturing:** Tufted

**Yards along 10 cm. (length):** 32 nr. +/- 1 nr.

**Points/m²:** 105.000 nr. + / - 5%

**Standard dimension:** Rolls - 1.2 m or 4 m width / 10 m to 25 m. length

**Weight:** 1060 gr/m² +/- 7.5%

### Color:



Green

Custom colors available on request.

### Turf Yards Specs

**Raw material:** 100% PP monofilament  
curled (UV stabilized)

**Weight:** 380 gr/m²

### Turf Base Specs

**Raw material:** Polyback

**Bottom side raw material:**  
Latex - SBR (anti-slip)

**Fire classification:** B<sub>FL</sub> s1

## SPRINTTRACK

Size: 2 m x 10 m

Thickness: 1.5 cm



Indoor



Outdoor

### Start/Finish



Sku: XSHDATCSF07

Color: Blue



Sku: XSHDATCSF10

Color: Green



Sku: XSHDATCSF12

Color: Black



### Ruler Track



Sku: XSHDATCSF08

Color: Blue



Sku: XSHDATCSF09

Color: Green



Sku: XSHDATCSF11

Color: Black



#### Features

- Standard available in widths of 2 meters
- Turf customized to your facility, get a quote for custom size and artwork
- 15 mm pile height
- 69.000 pts/m2 high density and durable product
- Designed for heavy duty uses
- Easy to clean by vacuum cleaner
- Double-sided tape to fix the turf roll on top of concrete and/or rubber flooring (optional)
- For indoor and outdoor use
- No sand filling needed
- Suitable for Crosstraining, Fitness, Physiotherapy Practices, Gyms







## **XENIOS USA® PRODUCTS WARRANTY CHART**

As per the sole purposes of the herein warranty chart, from here in after, "Xenios USA® LLC" has to be meant as "Xenios USA® LLC, or as one of its International Licensees, Agents and/or Dealers".

Xenios USA® Products, carry a limited two (2) year warranty. Xenios USA® LLC will warrant products from defects in material, functionality and workmanship, only to the original owner (who needs to prove his status by having the original purchase document). Xenios USA® warranty's rights are not transferable. The limited two (2) year Warranty of Xenios USA® Products is valid only for individual purchasers who bought the Xenios USA® Products for personal use. In case a Xenios USA® Product was bought by a business entity for commercial or professional uses, the Xenios USA® Product Warranty is limited to one (1) year only. Even though the above said, some Xenios USA® Products may carry a shorter or longer limited Warranty, either in case the original purchaser is an individual and in case the same is a business entity(1). To learn more about the Xenios USA® Products that carry a special limited Warranty, visit [www.xeniosusa.com](http://www.xeniosusa.com) at the Warranty Chart page.

All second-hand Xenios USA® Products sold by Xenios USA® LLC only, feature the same Warranty terms provided to the Xenios USA® brand-new products.

Xenios USA®'s Products Warranty time-frame starts from the date of purchase of each product as stated on the original purchase document.

Xenios USA® Products also carry a 7-day limited Warranty for evident manufacturing defects, discovered by the original purchaser within 7 days from the delivery of the products.

Should any Xenios USA® Product be found damaged or missing upon delivery, purchaser shall be entitled to a product replacement and/or paid-price refund only in case the delivery of the goods was accepted by the rules of inspection and acceptance of a goods delivery. Such rules can be found as a Warning Label on to each shipment package. E.G.: a damaged or missing items delivery that was not accepted as "goods unchecked", shall void any right of claim of the purchaser. E.G.: shouldn't the purchaser keep the cartons of a damaged/missing items delivery, the same could not be entitled to be refunded by the freight insurance company appointed for such goods shipment.

The Xenios USA® Product Warranty doesn't provide to the customers any un-conditioning product returning right. Any product returning policy is stated and ruled by each Xenios USA® Dealer and/or Reseller according to his own Country Laws and Regulations about the consumers' rights care. The [www.xeniosusa.com](http://www.xeniosusa.com) on line shop un-conditioning product returning policy can be read within the Sales Terms of the same website.

Xenios USA® Warranty validity is always subjected to the previous inspection and judgment of the damaged and/or broken and/or defective product or product's part/s by Xenios USA® LLC. Any warranty claim has to be submitted by the customer to Xenios USA® LLC providing all necessary information to judge the claim: e.g.: customer data, original purchase invoice, brief description of the claim defect, photos and/or video or the claim defect, etc.

In case of any warranty incident, Xenios USA® LLC, is bond only either to replace the entire product or to replace the found defective product's part/s. Xenios USA® LLC is bond to bear either the cost of the product/part to be replaced and the shipment cost of the same up to the customer's address. Xenios USA® LLC doesn't provide any repairing service under warranty. Should a customer need a repairing/fixing service, all cost (such as packaging, shipment, manpower etc.) shall be at same customer's own. Xenios USA® LLC shall decide by his own whether a damaged/defective product has to be entirely replaced or fixed by providing to the customer one or more product's parts to be replaced. Customer will never be allowed to enquiry for an entirely product replacement without being authorized by Xenios USA® LLC. The defective/damaged product or product's part/s disposal shall be always at customer's responsibility. Should Xenios USA® LLC require a damaged/defective



product or product's part/s pick-up, it shall be at Xenios USA® LLC own. In case Xenios USA® LLC reject a customer's warranty claim, any shipment cost of the claimed damaged/defective product or product's part/s from customer to Xenios USA® LLC, with inspection purposes, shall be born by the same customer, even in case the same product or product's part/s shall be found damaged or defective under warranty by Xenios USA® LLC.

Xenios USA® LLC is not bond by any further purchaser's own Country laws and regulations on products' warranty, unless they are issued by the same Country from where goods were invoiced and/or shipped.

Xenios USA® LLC doesn't warrant Products from any kind of breakage and/or damage and/or consequence of the same, resulting from an improper use and/or a misuse, and/or a mishandling, misapplication, alteration or modification, and/or abuse of them and/or a shortage of care and maintenance either in terms of use and in terms of handling and storing (please refer also to the "Safe Use Guide" and "Care and Maintenance Guide" for the Xenios USA® Products. Both can be read and downloaded on the Xenios USA® website: [www.xeniosusa.com](http://www.xeniosusa.com)). Product's main use warnings that may result in to a warranty void, are also here below listed.

Xenios USA® Warranty doesn't apply to any damage occurred to properties and/or persons and/or animals, during the assembling and/or installing procedures of the Xenios USA® Products, and/or while they are being used. Any Xenios USA® Product carries its own User and Assembly Manual (where required by the kind of the item), along with all the necessary Warnings about the assembling, installing and use of the same product.

Xenios USA® Warranty doesn't apply to the considered standard wear consequences of the use of a product. As mere example: chipping or fading out of painting and/or colors and/or galvanized-finishing is considered normal wear by the use of some of the Xenios USA® Products.

To file a Warranty claim about any Xenios USA® Product, just go to the Xenios USA® Service Desk (link can be found at [www.xeniosusa.com](http://www.xeniosusa.com) ) and fill the required form, or contact the Xenio USA Service Dept. by email at: [service@xeniosusa.com](mailto:service@xeniosusa.com).

Should a Xenios USA® Product be bought thru a Dealer or a Reseller, any Warranty claim has to be headed to the same first, by the warranty policies of the Dealer or Reseller the product was bought from.

Xenios USA® LLC reserves the right to make changes on the design and/or materials and/or Features and/or sizes of any Xenios USA® Product, without any formal notice. Xenios USA® Products Warranty doesn't cover any claim for products' specs and/or Features and/or outlook/appearance differences compare with the ones published on to any Xenios USA® marketing mean, such as Catalogues, Brochures or Web Sites.

Third Parties distributed Products: warranty on products that are not manufactured or labelled by Xenios USA® will be observed in accordance with the original product manufacturer's warranty rules. Additional warranty information can be found either on the Xenios USA® website third Party product pages and on the product pages of the product manufacturer's website. Examples of third Parties products distributed by Xenios USA® LLC are Assault Fitness® products or Concept2® Products.

Any specific issues regarding a Xenios USA® Product with which a customer is not satisfied will be reviewed on a case-by-case basis.

(1) Only for European Countries residents: individual purchasers for personal uses are always entitled to a Limited two (2) year Warranty on all Products, but expandable parts (that carry a 3 month only limited warranty) and Apparel items (that carry a 15 days only limited warranty only in case of manufacturing defects).







**CREATING  
TRAINING  
ZONES**  
SINCE • 2009

**XENIOSUSA.COM**







X E N I O S U S A . C O M

[www.xeniosusa.com](http://www.xeniosusa.com)

For orders: [international@xeniosusa.com](mailto:international@xeniosusa.com)

© XENIOS USA® LLC - NY (USA) all rights reserved.  
The use and the copy of all the contents are not  
allowed, without the authorization of XENIOS USA® LLC.



EST. 09  
NY

XENIOS USA® trademark and all the Registered Design  
Patents are owned by and used under the license from  
XENIOS USA® LLC - NY (USA)

Follow us on:

